

Project Report

Date	29-06-2026
Project Name	Automated Network Request Management
Team ID	
Maximum Marks	

Project Title: Automated Network Request Management in ServiceNow

Project Overview

Automated Network Request Management (ANRM) in ServiceNow is developed to optimize and automate the handling of network-related service requests, ensuring a faster, more reliable, and transparent process. Organizations regularly manage requests such as network access provisioning, device configuration, IP allocation, VPN access, and connectivity issue resolution. Traditional manual methods often lead to delays, approval bottlenecks, inconsistent processing, and limited visibility into request progress.

This project utilizes the capabilities of the ServiceNow platform to automate the complete lifecycle of network requests. Through a user-friendly self-service Service Catalog, users can easily submit requests, which are then processed through automated workflows for validation, approval routing, record creation, status tracking, and notifications with minimal manual intervention.

By integrating key ServiceNow components such as Service Catalog, Catalog Variables, UI Policies, Custom Tables, Flow Designer, Approval Management, and Email Notifications, the system delivers a scalable and efficient solution. This enhances operational productivity, improves user experience, ensures policy compliance, and maintains a complete audit trail for all network service requests.

Table of Contents

1. Introduction
2. Project Objectives
3. Key Features
4. Project Milestones
5. ServiceNow Developer Setup
6. Project Implementation in ServiceNow
7. Screenshots of Output
8. Conclusion

1. Introduction

Modern organizations rely extensively on stable and efficient network infrastructure to support daily business operations. Employees frequently raise requests for services such as network connectivity, VPN access, IP address allocation, router and switch configuration, network relocation, and device onboarding. When these requests are handled manually, they demand significant administrative effort and often result in delays, inconsistencies, and processing errors.

As organizational scale increases, the volume and complexity of network-related requests also grow, making it challenging to consistently meet Service Level Agreements (SLAs), track request status in real time, and maintain standardized approval workflows.

The Automated Network Request Management (ANRM) system in ServiceNow addresses these challenges by introducing a centralized and automated request handling platform. It enables end users to raise requests through a self-service Service Catalog, while the platform automates key stages of the lifecycle, including validation, approval routing, record generation, notifications, and request tracking.

Key benefits of the solution include:

- Faster request fulfillment
- Standardized and automated workflows
- Reduced manual intervention
- Enhanced process transparency
- Improved compliance with IT policies
- Accurate and real-time request tracking
- Higher end-user satisfaction

By leveraging ServiceNow's low-code capabilities, this project demonstrates how IT Service Management (ITSM) processes can be effectively automated to reduce operational overhead while remaining flexible for future enhancements and scalability.

2. Project Objectives

The primary objective of this project is to design and implement an Automated Network Request Management system on the ServiceNow platform that reduces manual intervention and improves the speed and efficiency of request fulfillment.

The system aims to provide a structured and user-friendly environment where end users can raise network-related requests through a Service Catalog, while the platform automates key processes such as approvals, notifications, record creation, and workflow execution.

Specific Objectives:

- Develop a centralized Service Catalog for all network service requests
- Design dynamic and interactive request forms using Catalog Variables
- Implement UI Policies to control field visibility and behavior based on user input
- Create custom tables to efficiently store and manage network request data
- Configure Flow Designer to automate end-to-end request processing
- Automate approval workflows for managers and network administrators
- Implement automated email notifications at each stage of request lifecycle
- Ensure complete audit tracking for all network-related requests
- Improve request turnaround time and ensure SLA compliance
- Build a scalable architecture capable of supporting future enhancements and additional network services

3. Key Features

The proposed system is designed with a set of key features to streamline and automate the network request management process within ServiceNow:

- A user-friendly Service Catalog for submitting network-related requests
- Dynamic forms with context-aware field visibility
- Catalog Variables for structured data collection
- Variable Sets to enable reuse of common user information
- Automated approval workflows implemented using Flow Designer
- A custom Network database table for efficient request storage and management
- Automatic generation of backend records upon request submission
- Email notifications for approval, rejection, and completion updates
- Real-time tracking of request status for improved transparency
- Audit-ready logs of all approvals and workflow activities
- A scalable workflow architecture to support future enhancements
- Significant reduction in manual processing effort
- Improved adherence to Service Level Agreements (SLAs)

4. Project Milestones

The project implementation follows five major milestones.

Milestone 1: Catalog Creation

Objective

Establish a structured Service Catalog for network request management.

Activities:

- Identify different types of network requests.
- Create Service Catalog.
- Create Catalog Categories.
- Create Catalog Items.
- Provide meaningful names and descriptions.
- Organize request taxonomy according to ITSM standards.

Milestone 2: Form Setup

Objective

Design dynamic forms to collect all necessary request information.

Activities:

- Create Catalog Variables.
- Configure Variable Sets.
- Implement Catalog UI Policies.
- Configure mandatory fields.
- Apply field validation.
- Enable dynamic show/hide functionality.

Milestone 3: Approval Integration

Objective

Automate approval workflows before request fulfillment.

Activities:

- Configure approval hierarchy.
- Create Flow Designer approval actions.
- Implement manager approvals.

- Enable email notifications.
- Maintain approval audit logs.

Milestone 4: Testing

Objective

Validate the complete automation workflow.

Activities:

- Unit testing.
- Catalog testing.
- Flow testing.
- Approval testing.
- Notification testing.
- End-to-end request execution.
- User Acceptance Testing (UAT).

Milestone 5: Deployment

Objective

Deploy the application for organizational use.

Activities:

- Validate configurations.
- Publish catalog items.
- Monitor workflow execution.
- Train end users.
- Monitor post-deployment performance.

5. ServiceNow Developer Setup


Before developing the application, a ServiceNow Personal Developer Instance (PDI) must be created. The PDI provides a fully functional ServiceNow environment where applications can be developed, tested, and deployed without affecting production systems.

5.1 Creating a ServiceNow Developer Account

To begin development, perform the following steps:

1. Visit the ServiceNow Developer Portal.

2. Click **Sign Up** to create a free developer account.
3. Enter the required information:
 - First Name
 - Last Name
 - Email Address
 - Country
 - Password
4. Verify the email address using the activation link sent to your registered email.
5. Log in to the ServiceNow Developer Portal.
6. Click **Start Building**.
7. Request a **Personal Developer Instance (PDI)**.
8. Wait for the instance to be provisioned.
9. Launch the instance and log in using the generated credentials.



5.2 Accessing Creator Studio


Once the Personal Developer Instance is ready, ServiceNow redirects the developer to Creator Studio.

Creator Studio provides a no-code and low-code environment for building applications. It simplifies application development by allowing developers to create forms, workflows, tables, automation, and integrations through an intuitive graphical interface.

Creator Studio offers features such as:

- Application Creation
- Data Modeling
- Flow Automation

- Form Builder
- Catalog Item Development
- Workflow Configuration



6. Project Implementation in ServiceNow

The implementation of the project consists of multiple modules. Each module contributes to automating the complete network request lifecycle.

The implementation includes:

- Service Catalog Creation
- Catalog Variables Configuration
- Variable Sets
- Catalog UI Policies
- Custom Table Creation
- Field Configuration
- Related Lists
- Flow Designer
- Approval Integration
- Email Notifications
- Record Updates

6.1 Service Catalog Creation

The Service Catalog provides a self-service interface where users can submit network-related requests.

The Network Request catalog item was created to allow users to request various network services from a single interface.

Steps to Create Service Catalog

1. Open the **Application Navigator**.
2. Search for **Service Catalog**.
3. Navigate to:

Service Catalog → Maintain Items

4. Click **New**.
5. Enter the following details:

Catalog Item Name: Network Request

Catalog: Service Catalog

Category: Network

Short Description: Automated Network Request Management

6. Save the Catalog Item.

The screenshot shows the ServiceNow 'Catalog Item - Network Request' configuration page. The top navigation bar includes 'servicenow', 'All', 'Favorites', 'History', 'Workspaces', and a search bar. The breadcrumb trail is 'Catalog Item - Network Request'. The page title is 'Catalog Item - Network Request'. A blue banner at the top states: 'Build and modify items faster with the improved Catalog Builder.' Below this, a light blue box provides instructions: 'Catalog items are goods or services available to order from the service catalog. Items can be anything from hardware, like tablets and phones, to software applications, to furniture and office supplies. • Enter a Name and Short description to display for the item. • Enter a Price, approvals, variables, and other information as needed.' The form fields are as follows: 'Name' is 'Network Request'; 'Application' is 'Global'; 'Catalogs' is 'Service Catalog'; 'Category' is 'Network Standard Changes'; 'State' is 'Published'; 'Checked out' is 'false'; 'Owner' is 'System Administrator'; 'Active' is checked; 'Fulfillment automation level' is 'Unspecified'. Below the form, there are tabs for 'Item Details', 'Process Engine', 'Picture', 'Pricing', and 'Portal Settings'. The 'Item Details' tab is active, showing a 'Short description' field and a 'Description' field with a rich text editor toolbar.

Purpose of the Catalog

The Service Catalog serves as the entry point for all network requests.

Users can submit requests such as:

- New Network Connection
- Network Relocation
- Device Registration
- Network Configuration
- Connectivity Support
- Device Information Submission

Using the catalog ensures standardized request submission and eliminates inconsistent manual emails or phone requests.

6.2 Catalog Variables Configuration

Catalog Variables are used to collect information from the requester.

These variables are displayed as fields on the Service Catalog form.

Each variable captures specific information that is later used during workflow automation.

Creating Catalog Variables

Perform the following steps:

1. Open the **Network Request** Catalog Item.
2. Scroll to the **Variables** related list.
3. Click **New**.
4. Configure the following properties:
 - Variable Type
 - Question
 - Name
 - Order
 - Tooltip
 - Help Text
 - Mandatory Status
5. Save the variable.

Repeat the process for all required variables.

Variables (9)	Variable Sets (1)	Catalog UI Policies (1)	Catalog Client Scripts	Available For	Not Available For	Categories (1)	Catalogs (1)	Catalog Data Lookup Definitions	Related Articles	Related Catalog Items
Assigned Topics										
Order Search ⊙ 🔗 📄 — Actions on selected rows... New										
Catalog Item = Network Request										
☐	☐	Type	Question						Order ▲	
		Container Start	Service Details						200	
		Multiple Choice	Is this a new Network or Relocation?						300	
		Single Line Text	If this is a relocation, please provide ...						310	
		Container Start	Location & Device Types						400	
		Single Line Text	Please provide address here						410	
		Select Box	Types of Devices						420	
		Single Line Text	Provide device details						430	
		Container Start	Additional Information						500	
		Single Line Text	If any, please write here						510	

Variable Configuration

The project uses multiple variable types depending on the information required.

Variable Name	Type
Service Details	Container Start
Is this a new Network or Relocation?	Multiple Choice
If this is a relocation, please provide your location address	Single Line Text
Location & Device Types	Container Start
Please provide address here	Single Line Text
Types of Devices	Select Box
Provide device details	Single Line Text

Additional Information

Container Start

If any, please write here

Single Line Text

Variable Types

1. Reference Variable

Used to reference records from another table.

Example:

Opened On Behalf Of → User Table

This enables automatic retrieval of user information.

2. Choice Variable

Displays predefined options.

Example:

Network Request Type

Options:

- New Connection
- Relocation
- Maintenance
- Configuration Change

3. Single Line Text

Captures short information.

Examples:

- Email
- Username
- Address
- Phone Number

4. Multi-Line Text

Used for detailed descriptions.

Example:

Device Details

Purpose:

Allows users to describe the device or issue in detail.

5. Attachment Variable

Allows users to upload supporting documents.

Examples:

- Identity Proof
- Device Purchase Invoice
- Approval Documents

And many more.

Auto-Populated Variables

Certain variables are automatically populated using **Dot Walking**.

When the user selects **Opened On Behalf Of**, the following fields are filled automatically:

- Email Address
- Username
- Phone Number

This reduces manual data entry and minimizes errors.

Benefits of Catalog Variables

- Standardized data collection
- Improved data accuracy
- Easier automation
- Better reporting
- Reduced manual validation

6.3 Variable Set Configuration

Variable Sets are reusable groups of variables.

Instead of creating common variables repeatedly for multiple catalog items, Variable Sets allow developers to define them once and reuse them wherever required.

Examples of reusable fields include:

- Opened On Behalf Of
- Email
- Username
- Phone Number
- Document Upload

Creating Variable Sets

1. Navigate to Service Catalog → Variable Sets.
2. Click **New**.
3. Provide:
 - Name
 - Description
4. Add all required variables.
5. Save the Variable Set.
6. Associate the Variable Set with the Network Request Catalog Item.

The screenshot displays the 'Variable Set' configuration page for 'Requester Information'. The top form includes fields for Title (Requester Information), Internal name (requester_information), Order (100), Type (Single Row), Application (Global), Display title (unchecked), and Layout (1 Column Wide). Below the form are 'Update' and 'Delete' buttons. The bottom section shows a table of variables included in the set, with columns for Name, Type, Question, and Order.

Name	Type	Question	Order
opened_on_behalf_of	Reference	Opened on behalf of	100
user_name	Single Line Text	User name	200
email_id	Single Line Text	Email Id	300
phone_number	Single Line Text	Phone Number	400
proof_of_document	Attachment	Proof of Document	500

Advantages of Variable Sets

- Reduces duplicate configuration
- Easier maintenance
- Consistent user experience

- Reusable across multiple Catalog Items
- Faster development

6.4 Catalog UI Policy Configuration

Catalog UI Policies improve the user experience by dynamically controlling the visibility, mandatory status, and read-only state of form fields based on user input.

In this project, UI Policies are implemented to display only the relevant fields depending on the type of network request selected by the user. This minimizes unnecessary inputs and ensures that only required information is collected.

Objective

The primary objective of implementing Catalog UI Policies is to:

- Improve form usability.
- Reduce user confusion.
- Display fields dynamically.
- Enforce mandatory fields only when required.
- Prevent invalid or incomplete submissions.

Scenario

If the user selects **Device Type = Others**, an additional field named "**Please Specify Device**" becomes visible.

Similarly, if the user selects **Relocation** as the request type, the **Relocation Address** field is displayed.

Steps to Configure Catalog UI Policy

1. Navigate to Service Catalog → Catalog Definitions → Maintain Items.
2. Open the **Network Request** Catalog Item.
3. Scroll down to the **Catalog UI Policies** related list.
4. Click **New**.
5. Enter the following information:
 - **Applies To:** Catalog Item
 - **Catalog Item:** Network Request
 - **Description:** Dynamic Field Visibility
6. Configure the condition.

Example: Device Type is Others

7. Save the UI Policy.
8. Create a **UI Policy Action**.
9. Select the field **Please Specify Device**.
10. Set **Visible = True**.
11. Update the UI Policy.
12. Test the Catalog Item.

Variables (9)

Variable Sets (1)

Catalog UI Policies (1)

Catalog Client Scripts

Available For

Not Available For

Categories (1)

Catalogs (1)

Catalog Data Lookup Definitions

Related Articles

Related Catalog Items

Assigned Topics

≡

▽

Order

Search

Actions on selected rows...

New

Catalog Item = Network Request

☐	Short description Types of devices is others	Variable set (empty)	Conditions	Reverse if false true	On load true	Inherit false	Updated 2026-06-26 03:07:56	Order 100
--------------------------	--	--	-----------------------	---	------------------------------------	-------------------------------------	---	---------------------------------

1

to 1 of 1

Benefits of UI Policies

- Dynamic forms
- Better user experience
- Cleaner interface
- Reduced validation errors
- Improved data quality

6.5 Creation of Custom Table

A custom table was created to store all submitted network requests.

Instead of relying only on catalog requests, maintaining a dedicated table allows administrators to manage records efficiently, generate reports, and monitor request progress.

Table Details

Table Name: Network Database

Purpose: Store all submitted network requests.

Steps to Create Table

1. Navigate to

System Definition → Tables

2. Click **New**.
3. Enter the following information:

- Label
 - Table Name
 - Application
4. Enable **Auto Generate Schema**.
 5. Click **Submit**.

Advantages

- Centralized request storage
- Easy reporting
- Better auditing
- Supports future enhancements
- Independent data management

6.6 Field Creation

After creating the table, fields were added to store request information.

Each field corresponds to one Catalog Variable.

Steps

1. Open the custom table.
2. Navigate to the **Columns** tab.
3. Click **New**.
4. Select the appropriate field type.
5. Enter the Column Label.
6. Provide the Column Name.
7. Save the field.

Repeat the process until all required fields are created.

Fields Created

Field Name	Data Type
Request Number	String
Requested For	Reference

Work Status	Choice
Device Type	Choice
Device Details	String
Customer Address	String
Assignment Group	Reference
Date of Enquiry	Date
Phone Number	String
Email ID	String
Approval Status	Choice

Purpose of Fields

These fields maintain all necessary information required to process network requests.

The custom table also serves as the backend database for reports and workflow automation.

6.7 Request Approval Related List

Approvals are an essential part of network request management.

To maintain approval history, a Related List was configured between the custom table and the Approval table.

Creating Relationship

Navigate to:

System Definition → Relationships

Click **New**.

Configure the following:

Relationship Name: Approval Request

Applies To: Network Database

Queries From: sysapproval_approver

Active: True

Save the relationship.

The screenshot shows the 'Relationship Designer' window for a relationship named 'Approval Request'. The 'Name' field is set to 'Approval Request'. The 'Application' is set to 'Global'. The 'Applies to table' is set to 'Network Database [u_network_databa...'. The 'Queries from table' is set to 'Approval [sysapproval_approver]'. There are buttons for 'Run Query Diagnostics', 'Update', and 'Delete'. Below the configuration fields, there is a text box with a script that refines the query in the current that will populate the related list. The script is as follows:

```
1 (function refineQuery(current, parent) {
2
3     // Add your code here, such as current.addQuery(field, value);
4     current.addQuery('source_table', parent.getTableName());
5     current.addQuery('document_id', parent.sys_id);
6
7 })(current, parent);
```

Adding Related List

1. Open Form Designer.
2. Select the Network Database table.
3. Add a Related List.
4. Choose **Approval Requests**.
5. Save the form.

Benefits

- Displays approval history.
- Tracks approver decisions.
- Maintains audit records.
- Improves transparency.

6.8 Flow Designer Implementation


Flow Designer is the core automation engine used in this project. It enables the automatic execution of predefined actions whenever a network request is submitted through the Service Catalog. The flow eliminates manual intervention by creating records, requesting approvals, sending notifications, and updating request statuses based on approval outcomes.

6.8.1 Flow Creation

The first step is to create a new flow that automates the complete network request lifecycle.

Steps to Create the Flow

1. Navigate to **Flow Designer** from the Application Navigator.
2. Click **New**.
3. Select **Flow**.
4. Enter the following details:
 - **Flow Name:** Network Request Management
 - **Description:** Automates the processing of network service requests.
5. Click **Build Flow**.



6.8.2 Configuring the Trigger

The trigger defines when the flow should start.

In this project, the flow is triggered whenever a user submits the **Network Request** catalog item.

Steps

1. Click the **+** icon.

2. Select **Trigger**.
3. Choose **Service Catalog**.
4. Select **Requested Item Created**.
5. Select the **Network Request** catalog item.
6. Save the trigger.

6.8.3 Get Catalog Variables

After the flow starts, all information entered by the user is retrieved using the **Get Catalog Variables** action.

Steps

1. Click **Add Action**.
2. Search for **Get Catalog Variables**.
3. Select the action.
4. Configure the Requested Item as the input.
5. Select all required variables.
6. Save the configuration.

This action retrieves details such as:

- Requested For
- Email ID
- Phone Number
- Device Type
- Device Details
- Address
- Request Type

1  Get Catalog Variables from Network Request ⓘ

Action Properties

Action Get Catalog Variables ▼

Action Inputs

* Submitted Request (Requested Item) Trigger ~... ▶ Requested Item ... ✕  

Select one or more values from the Template Catalog Items and Variable Sets, and select the required Catalog Variables to generate output data pills. You cannot choose the same Catalog Variable from multiple Template Catalog Items and Variable Sets.

* Template Catalog Items and Variable Sets [Catalog Items and Variable Sets] Network Request ✕ 🔍 ⓘ

Catalog Variables

Available

No available values

>

<

Selected

email_id
user_name
proof_of_document
opened_on_behalf_of
phone_number
is_this_a_new_network_or_re
if_this_is_a_reloaction_please
please_provide_address_here
types_of_devices
provide_device_details
if any please write here

^

▼

Note: If removing a variable from the 'Selected' list, it will be moved to 'Available' list only if the variable is from the selected Template Catalog Items and Variable Sets. Otherwise, the variable is removed from both 'Available' and 'Selected' lists.

6.8.4 Create Record

The retrieved information is stored in the custom **Network Database** table.

Steps

1. Add the **Create Record** action.
2. Select the **Network Database** table.
3. Map the catalog variables to the corresponding table fields.
4. Save the action.

The record contains all relevant request information, allowing administrators to monitor and process requests efficiently.

4 Ask For Approval on Network Database

Action Properties

Action: Ask For Approval

Action Inputs

* Record: 2 - Cr... Network Database ...

Table: Network Database [u_network_d...]

Approval Reason: Waiting for approval

Approval Field: Select a field

Journal Field: Select a field

* Rules

Approve

When:

Anyone approves System Administrator

OR AND

Due Date: None

Add another OR rule set

6.8.6 Flow Logic

Conditional logic is implemented to determine the next action based on the approval result.

Approved

If the request is approved:

- Send approval email.
- Update the request status to **Approved**.
- Continue with request fulfillment.

Rejected

If the request is rejected:

- Send rejection email.
- Update the request status to **Rejected**.
- Stop further processing.

This ensures that only approved requests proceed through the workflow.

5 If

Condition Label: request is approved

* Condition 1: 4 - Ask For Ap... Approval St... is Approved

or and

Add another condition set(OR)

6.8.7 Email Notifications

Automatic email notifications keep users informed about the status of their requests.

The system sends notifications at different stages, including:

- Request Submitted
- Approval Pending
- Request Approved
- Request Rejected
- Request Completed

Each email contains the request details and current status, improving communication and transparency.

3 Send Email

Action Properties

Action: Send Email

Action Inputs

Target Record: 2 - Cr... Network Database ...

Table: Network Database [u_network_d...]

Include Watermark: ☒

* To: 1 - Get Catalog Vari... email...

CC: 2 - Create Record ... Email

BCC:

* Subject: Request has been created

Body

Hello 2 - Create ... Requested ...

We have been received your request number: 2 - Creat... Request Nu...

Your request will be resolved within 2 Business working days.

Thank You for contacting us.
Network Team.

6.8.8 Update Record

Once the approval process is complete, the corresponding record in the Network Database table is updated automatically.

The system updates information such as:

- Approval Status

- Work Status
- Completion Date
- Assigned Team

This ensures that the database always reflects the latest status of each request.

The screenshot shows the configuration for an action named 'Update Network Database Record'. The 'Action Properties' section shows the action type as 'Update Record'. The 'Action Inputs' section is configured with the following fields:

- * Record:** 2 - Cr... Network Database ...
- * Table:** Network Database [u_network_d...]
- * Fields:**
 - Assigned to:** Abraham Lincoln
 - Work Status:** Work In Progress

There are icons for adding, removing, and refreshing data for each field. A '+ Add field value' button is located at the bottom of the fields list.

6.9 Workflow Summary

The complete workflow of the project is illustrated below.

1. User submits a Network Request through the Service Catalog.
2. Flow Designer is triggered automatically.
3. Catalog Variables are retrieved.
4. A record is created in the Network Database table.
5. Approval request is sent to the designated approver.
6. The approver reviews the request.
7. Based on the approval decision:
 - If Approved, the request proceeds and the user is notified.
 - If Rejected, the request is closed and the user is informed.
8. The record is updated with the latest request status.



Network Request

Active




TRIGGER



Service Catalog

ACTIONS

Select multiple



7. Screenshots of Output

1. Flow Execution Test


EXECUTION DETAILS **Network Request** Test Run - Completed Open flow Open context record

Show Action Details

		State	Start time	
FLOW STATISTICS	Run as: System Administrator Open flow logs	Completed	2026-06-27 08:00:49	5566ms
TRIGGER				
Catalog Item Requested				
ACTIONS				
1	Get Catalog Variables from Network Request	Core Action	Completed	2026-06-27 08:00:49 205ms
2	Create Record	Core Action	Completed	2026-06-27 08:00:49 11ms
3	Send Email		Completed	2026-06-27 08:00:49 66ms
4	Ask For Approval	Core Action	Completed	2026-06-27 08:00:49 178ms
5	If request is approved	Flow Logic	Evaluated - True	2026-06-27 08:03:12 5082ms
6	Update Record	Core Action	Completed	2026-06-27 08:03:12 10ms
7	Send Email		Completed	2026-06-27 08:03:12 5072ms
8	End	Flow Logic	Completed	2026-06-27 08:03:17 0ms

0/1

2. Email Notification



3.

8. Conclusion

The Automated Network Request Management (ANRM) project in ServiceNow effectively demonstrates how network service request handling can be streamlined through low-code automation. By leveraging core ServiceNow capabilities such as Service Catalog, Catalog Variables, UI Policies, Custom Tables, Flow Designer, Approval Management, and Email Notifications, the system delivers a fully structured and efficient end-to-end request management process.

The implementation of automation across the request lifecycle significantly reduces manual effort, eliminates processing delays, and ensures consistency in handling network-related services. Automated approval workflows, real-time notifications, and systematic record creation improve transparency, while maintaining complete auditability and strengthening compliance with Service Level Agreements (SLAs).

Overall, the solution provides a scalable, user-centric, and reliable framework that enhances operational efficiency and user experience. It also establishes a strong foundation for future enhancements, including integration with advanced network automation and enterprise IT service management capabilities.