(datetime.datetime(2024, 6, 27, 1, 1, 23, 862594), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT CONNECTION_ID()')

(datetime.datetime(2024, 6, 27, 1, 1, 23, 868935), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW VARIABLES')

(datetime.datetime(2024, 6, 27, 1, 1, 23, 894342), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW /*!50002 GLOBAL */ STATUS')

(datetime.datetime(2024, 6, 27, 1, 1, 23, 907798), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT NOW()')

(datetime.datetime(2024, 6, 27, 1, 1, 23, 939775), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'USE `kinderdb`')

(datetime.datetime(2024, 6, 27, 1, 1, 23, 975853), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW TABLES FROM `information_schema`')

(datetime.datetime(2024, 6, 27, 1, 1, 23, 980714), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT * FROM ninio')

(datetime.datetime(2024, 6, 27, 1, 1, 27, 778996), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'USE `mysql`')

(datetime.datetime(2024, 6, 27, 1, 1, 30, 813870), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 1, 29, 39, 72217), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT CONNECTION_ID()')

(datetime.datetime(2024, 6, 27, 1, 29, 39, 82399), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW VARIABLES')

(datetime.datetime(2024, 6, 27, 1, 29, 39, 100430), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW /*!50002 GLOBAL */ STATUS')

(datetime.datetime(2024, 6, 27, 1, 29, 39, 115267), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT NOW()')

(datetime.datetime(2024, 6, 27, 1, 29, 39, 207400), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW TABLES FROM `information_schema`')

(datetime.datetime(2024, 6, 27, 1, 29, 39, 218880), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW DATABASES')

(datetime.datetime(2024, 6, 27, 1, 29, 39, 270375), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW OPEN TABLES FROM mysql WHERE `in_use`!=0')

(datetime.datetime(2024, 6, 27, 1, 29, 39, 282290), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'USE `mysql`')

(datetime.datetime(2024, 6, 27, 1, 29, 39, 387041), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', "SELECT `DEFAULT_COLLATION_NAME` FROM `information_schema`.`SCHEMATA` WHERE `SCHEMA_NAME`='mysql'")

(datetime.datetime(2024, 6, 27, 1, 29, 39, 394026), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW TABLE STATUS FROM `mysql`')

(datetime.datetime(2024, 6, 27, 1, 29, 40, 148431), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', "SHOW FUNCTION STATUS WHERE `Db`='mysql'")

(datetime.datetime(2024, 6, 27, 1, 29, 40, 331469), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', "SHOW PROCEDURE STATUS WHERE `Db`='mysql'")

(datetime.datetime(2024, 6, 27, 1, 29, 40, 380166), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW TRIGGERS FROM `mysql`')

(datetime.datetime(2024, 6, 27, 1, 29, 40, 428333), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', "SELECT *, EVENT_SCHEMA AS `Db`, EVENT_NAME AS `Name` FROM information_schema.`EVENTS` WHERE `EVENT_SCHEMA`='mysql'")

(datetime.datetime(2024, 6, 27, 1, 33, 32, 610879), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT CONNECTION_ID()')

(datetime.datetime(2024, 6, 27, 1, 33, 32, 618378), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW VARIABLES')

(datetime.datetime(2024, 6, 27, 1, 33, 32, 641769), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW /*!50002 GLOBAL */ STATUS')

(datetime.datetime(2024, 6, 27, 1, 33, 32, 654010), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT NOW()')

(datetime.datetime(2024, 6, 27, 1, 33, 32, 693332), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query',

'USE `mysql`')

(datetime.datetime(2024, 6, 27, 1, 33, 32, 752666), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query',

'SHOW TABLES FROM `information_schema`')

(datetime.datetime(2024, 6, 27, 1, 33, 32, 757112), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query',

"SHOW VARIABLES LIKE 'audit_log%'")

(datetime.datetime(2024, 6, 27, 1, 33, 36, 805714), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query',

'SELECT * FROM mysql.server_audit_log')

(datetime.datetime(2024, 6, 27, 1, 33, 41, 418365), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query',

"-- Verificar las variables del plugin de auditoría\r\nSHOW VARIABLES LIKE 'server_audit%'")

(datetime.datetime(2024, 6, 27, 1, 33, 47, 65764), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query',

'SHOW PLUGINS')

(datetime.datetime(2024, 6, 27, 1, 34, 4, 657567), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query',

"SELECT `DEFAULT_COLLATION_NAME` FROM `information_schema`.`SCHEMATA` WHERE

`SCHEMA_NAME`='information_schema'")

(datetime.datetime(2024, 6, 27, 1, 34, 4, 664662), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query',

'SHOW TABLE STATUS FROM `information_schema`')

(datetime.datetime(2024, 6, 27, 1, 34, 4, 847189), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query',

"SHOW FUNCTION STATUS WHERE `Db`='information_schema'")

(datetime.datetime(2024, 6, 27, 1, 34, 4, 869972), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', "SHOW PROCEDURE STATUS WHERE `Db`='information_schema'")

(datetime.datetime(2024, 6, 27, 1, 34, 4, 888784), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW TRIGGERS FROM `information_schema`')

(datetime.datetime(2024, 6, 27, 1, 34, 4, 911341), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', "SELECT *, EVENT_SCHEMA AS `Db`, EVENT_NAME AS `Name` FROM information_schema.`EVENTS` WHERE `EVENT_SCHEMA`='information_schema'")

(datetime.datetime(2024, 6, 27, 1, 34, 4, 937932), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', "SELECT * FROM `information_schema`.`COLUMNS` WHERE TABLE_SCHEMA='information_schema' AND TABLE_NAME='PLUGINS' ORDER BY ORDINAL_POSITION")

(datetime.datetime(2024, 6, 27, 1, 34, 4, 975403), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW INDEXES FROM `PLUGINS` FROM `information_schema`')

(datetime.datetime(2024, 6, 27, 1, 34, 4, 996510), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', "SELECT * FROM information_schema.REFERENTIAL_CONSTRAINTS WHERE CONSTRAINT_SCHEMA='information_schema' AND TABLE_NAME='PLUGINS' AND REFERENCED_TABLE_NAME IS NOT NULL")

(datetime.datetime(2024, 6, 27, 1, 34, 5, 17683), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', "SELECT * FROM information_schema.KEY_COLUMN_USAGE WHERE TABLE_SCHEMA='information_schema' AND TABLE_NAME='PLUGINS' AND REFERENCED_TABLE_NAME IS NOT NULL")

(datetime.datetime(2024, 6, 27, 1, 35, 15, 251099), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'CREATE TABLE IF NOT EXISTS mysql.server_audit_log (\r\n `timestamp` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP,\r\n   `server_id` int(10) unsigned NOT NULL,\r\n `command_class` varchar(32) NOT NULL,\r\n   `argument` mediumtext NOT NULL,\r\n `file_name` varchar(64) DEFAULT NULL,\r\n   `userhost` varchar(64) DEFAULT NULL,\r\n `thread_id` bigint(20) unsigned DEFAULT NULL,\r\n   `query_id` bigint(20) unsigned DEFAULT NULL,\r\n   `rows` bigint(20) unsigned DEFAULT NULL,\r\n   `tables` mediumtext DEFAULT NULL,\r\n   `command` mediumtext DEFAULT NULL,\r\n   `data` mediumtext DEFAULT NULL\r\n)')

(datetime.datetime(2024, 6, 27, 1, 35, 19, 595019), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT * FROM mysql.server_audit_log')

(datetime.datetime(2024, 6, 27, 1, 39, 52, 152729), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT CONNECTION_ID()')

(datetime.datetime(2024, 6, 27, 1, 39, 52, 167240), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW VARIABLES')

(datetime.datetime(2024, 6, 27, 1, 39, 52, 192211), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW /*!50002 GLOBAL */ STATUS')

(datetime.datetime(2024, 6, 27, 1, 39, 52, 205548), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT NOW()')

(datetime.datetime(2024, 6, 27, 1, 39, 52, 234672), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'USE `mysql`')

(datetime.datetime(2024, 6, 27, 1, 39, 52, 270289), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW TABLES FROM `information_schema`')

(datetime.datetime(2024, 6, 27, 1, 39, 52, 274161), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT * FROM ninio')

(datetime.datetime(2024, 6, 27, 1, 39, 55, 653488), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'USE `kinderdb`')

(datetime.datetime(2024, 6, 27, 1, 39, 57, 992766), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT * FROM ninio')

(datetime.datetime(2024, 6, 27, 1, 40, 3, 724354), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT * FROM mysql.server_audit_log')

(datetime.datetime(2024, 6, 27, 1, 40, 53, 368681), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT * FROM mysql.server_audit_log')

(datetime.datetime(2024, 6, 27, 1, 41, 11, 535804), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'USE `mysql`')

(datetime.datetime(2024, 6, 27, 1, 41, 13, 433433), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW DATABASES')

(datetime.datetime(2024, 6, 27, 1, 41, 15, 54907), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', "SELECT `DEFAULT_COLLATION_NAME` FROM `information_schema`.`SCHEMATA` WHERE `SCHEMA_NAME`='mysql'")

(datetime.datetime(2024, 6, 27, 1, 41, 15, 61647), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW TABLE STATUS FROM `mysql`')

(datetime.datetime(2024, 6, 27, 1, 41, 15, 91155), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', "SHOW FUNCTION STATUS WHERE `Db`='mysql'")

(datetime.datetime(2024, 6, 27, 1, 41, 15, 114186), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', "SHOW PROCEDURE STATUS WHERE `Db`='mysql'")

(datetime.datetime(2024, 6, 27, 1, 41, 15, 134878), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SHOW TRIGGERS FROM `mysql`')

(datetime.datetime(2024, 6, 27, 1, 41, 15, 158098), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', "SELECT *, EVENT_SCHEMA AS `Db`, EVENT_NAME AS `Name` FROM information_schema.`EVENTS` WHERE `EVENT_SCHEMA`='mysql'")

(datetime.datetime(2024, 6, 27, 1, 41, 32, 953270), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT * FROM mysql.server_audit_log')

(datetime.datetime(2024, 6, 27, 1, 41, 45, 909049), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 1, 44, 48, 194270), 'root[root] @ localhost [127.0.0.1]', 3, 1, 'Quit', '')

(datetime.datetime(2024, 6, 27, 1, 45, 33, 607954), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SELECT CONNECTION_ID()')

(datetime.datetime(2024, 6, 27, 1, 45, 33, 614879), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SHOW VARIABLES')

(datetime.datetime(2024, 6, 27, 1, 45, 33, 638105), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SHOW /*!50002 GLOBAL */ STATUS')

(datetime.datetime(2024, 6, 27, 1, 45, 33, 651463), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SELECT NOW()')

(datetime.datetime(2024, 6, 27, 1, 45, 33, 675731), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SHOW TABLES FROM `information_schema`')

(datetime.datetime(2024, 6, 27, 1, 45, 33, 683033), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SHOW DATABASES')

(datetime.datetime(2024, 6, 27, 1, 45, 58, 916571), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 1, 48, 38, 289083), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 1, 49, 12, 963213), 'root[root] @ localhost [127.0.0.1]', 9, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 1, 49, 12, 963718), 'root[root] @ localhost [127.0.0.1]', 9, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 1, 49, 29, 714674), 'root[root] @ localhost [127.0.0.1]', 9, 1, 'Query', "SELECT   TABLE_NAME,   COLUMN_NAME,   DATA_TYPE\n   FROM INFORMATION_SCHEMA.COLUMNS\n   WHERE TABLE_SCHEMA = 'kinderdb'")

(datetime.datetime(2024, 6, 27, 1, 49, 49, 778821), 'root[root] @ localhost [127.0.0.1]', 9, 1, 'Query', "SELECT   TABLE_NAME,   COLUMN_NAME,   DATA_TYPE\n   FROM INFORMATION_SCHEMA.COLUMNS\n   WHERE TABLE_SCHEMA = 'kinderdb'")

(datetime.datetime(2024, 6, 27, 1, 50, 20, 621706), 'root[root] @ localhost [127.0.0.1]', 10, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 1, 50, 20, 621823), 'root[root] @ localhost [127.0.0.1]', 11, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 1, 50, 20, 622137), 'root[root] @ localhost [127.0.0.1]', 10, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 1, 50, 20, 622262), 'root[root] @ localhost [127.0.0.1]', 11, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 1, 50, 20, 622866), 'root[root] @ localhost [127.0.0.1]', 10, 1, 'Query', 'SELECT ID_NINIO, NOMBRE_NINIO, APELLIDO_NINIO, NACIMIENTO_DATE FROM ninio')

(datetime.datetime(2024, 6, 27, 1, 50, 20, 626272), 'root[root] @ localhost [127.0.0.1]', 10, 1, 'Quit', '')

(datetime.datetime(2024, 6, 27, 1, 50, 20, 622998), 'root[root] @ localhost [127.0.0.1]', 11, 1, 'Query', 'SELECT ID_PROF, NOMBRES_PROF, APELLIDOS_PROF FROM profesional')

(datetime.datetime(2024, 6, 27, 1, 50, 20, 649176), 'root[root] @ localhost [127.0.0.1]', 11, 1, 'Quit', '')

(datetime.datetime(2024, 6, 27, 1, 51, 6, 657464), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SELECT * FROM ninio')

(datetime.datetime(2024, 6, 27, 1, 51, 8, 882684), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'USE `kinderdb`')

(datetime.datetime(2024, 6, 27, 1, 51, 10, 866165), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SELECT * FROM ninio')

(datetime.datetime(2024, 6, 27, 1, 52, 21, 822646), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 1, 53, 43, 649859), 'root[root] @ localhost [127.0.0.1]', 12, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 1, 53, 43, 650098), 'root[root] @ localhost [127.0.0.1]', 12, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 1, 53, 44, 592663), 'root[root] @ localhost [127.0.0.1]', 12, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 1, 53, 44, 597086), 'root[root] @ localhost [127.0.0.1]', 12, 1, 'Query', 'SELECT * FROM mysql.server_audit_log')

(datetime.datetime(2024, 6, 27, 1, 54, 29, 398405), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 1, 54, 34, 675041), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', "SELECT `DEFAULT_COLLATION_NAME` FROM `information_schema`.`SCHEMATA` WHERE `SCHEMA_NAME`='mysql'")

(datetime.datetime(2024, 6, 27, 1, 54, 34, 682490), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SHOW TABLE STATUS FROM `mysql`')

(datetime.datetime(2024, 6, 27, 1, 54, 34, 694066), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', "SHOW FUNCTION STATUS WHERE `Db`='mysql'")

(datetime.datetime(2024, 6, 27, 1, 54, 34, 716660), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', "SHOW PROCEDURE STATUS WHERE `Db`='mysql'")

(datetime.datetime(2024, 6, 27, 1, 54, 34, 740291), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SHOW TRIGGERS FROM `mysql`')

(datetime.datetime(2024, 6, 27, 1, 54, 34, 766043), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', "SELECT *, EVENT_SCHEMA AS `Db`, EVENT_NAME AS `Name` FROM information_schema.`EVENTS` WHERE `EVENT_SCHEMA`='mysql'")

(datetime.datetime(2024, 6, 27, 1, 54, 34, 792280), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query',

"SELECT * FROM `information_schema`.`COLUMNS` WHERE TABLE_SCHEMA='mysql' AND TABLE_NAME='general_log' ORDER BY ORDINAL_POSITION")

(datetime.datetime(2024, 6, 27, 1, 54, 34, 817716), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', 'SHOW INDEXES FROM `general_log` FROM `mysql`')

(datetime.datetime(2024, 6, 27, 1, 54, 34, 825047), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', "SELECT * FROM information_schema.REFERENTIAL_CONSTRAINTS WHERE CONSTRAINT_SCHEMA='mysql' AND TABLE_NAME='general_log' AND REFERENCED_TABLE_NAME IS NOT NULL")

(datetime.datetime(2024, 6, 27, 1, 54, 34, 832457), 'root[root] @ localhost [127.0.0.1]', 7, 1, 'Query', "SELECT * FROM information_schema.KEY_COLUMN_USAGE WHERE TABLE_SCHEMA='mysql' AND TABLE_NAME='general_log' AND REFERENCED_TABLE_NAME IS NOT NULL")

(datetime.datetime(2024, 6, 27, 1, 54, 38, 341339), 'root[root] @ localhost [127.0.0.1]', 12, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 1, 55, 4, 29037), 'root[root] @ localhost [127.0.0.1]', 12, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 1, 55, 28, 649217), 'root[root] @ localhost [127.0.0.1]', 12, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 1, 55, 55, 74963), 'root[root] @ localhost [127.0.0.1]', 13, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 1, 55, 55, 75249), 'root[root] @ localhost [127.0.0.1]', 13, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 1, 56, 3, 145903), 'root[root] @ localhost [127.0.0.1]', 14, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 1, 56, 3, 146111), 'root[root] @ localhost [127.0.0.1]', 14, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 1, 56, 8, 664924), 'root[root] @ localhost [127.0.0.1]', 14, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 1, 56, 8, 669708), 'root[root] @ localhost [127.0.0.1]', 14, 1, 'Query', 'SELECT * FROM mysql.server_audit_log')

(datetime.datetime(2024, 6, 27, 2, 8, 9, 408478), 'root[root] @ localhost [127.0.0.1]', 15, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 8, 9, 408990), 'root[root] @ localhost [127.0.0.1]', 15, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 8, 13, 67435), 'root[root] @ localhost [127.0.0.1]', 16, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 8, 13, 67758), 'root[root] @ localhost [127.0.0.1]', 16, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 8, 13, 825402), 'root[root] @ localhost [127.0.0.1]', 16, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 2, 13, 12, 711404), 'root[root] @ localhost [127.0.0.1]', 17, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 13, 12, 711695), 'root[root] @ localhost [127.0.0.1]', 17, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 13, 13, 466760), 'root[root] @ localhost [127.0.0.1]', 18, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 13, 13, 466963), 'root[root] @ localhost [127.0.0.1]', 18, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 13, 14, 481514), 'root[root] @ localhost [127.0.0.1]', 18, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 2, 14, 43, 466601), 'root[root] @ localhost [127.0.0.1]', 19, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 14, 43, 466868), 'root[root] @ localhost [127.0.0.1]', 19, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 14, 44, 778806), 'root[root] @ localhost [127.0.0.1]', 20, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 14, 44, 779008), 'root[root] @ localhost [127.0.0.1]', 20, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 14, 45, 281836), 'root[root] @ localhost [127.0.0.1]', 20, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 2, 16, 47, 864101), 'root[root] @ localhost [127.0.0.1]', 21, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 16, 47, 864361), 'root[root] @ localhost [127.0.0.1]', 21, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 16, 48, 523472), 'root[root] @ localhost [127.0.0.1]', 22, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 16, 48, 523670), 'root[root] @ localhost [127.0.0.1]', 22, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 16, 49, 89934), 'root[root] @ localhost [127.0.0.1]', 22, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 2, 17, 47, 99002), 'root[root] @ localhost [127.0.0.1]', 23, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 17, 47, 99224), 'root[root] @ localhost [127.0.0.1]', 23, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 17, 47, 803212), 'root[root] @ localhost [127.0.0.1]', 24, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 17, 47, 803457), 'root[root] @ localhost [127.0.0.1]', 24, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 17, 48, 273663), 'root[root] @ localhost [127.0.0.1]', 24, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 2, 18, 0, 828094), 'root[root] @ localhost [127.0.0.1]', 25, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 18, 0, 828363), 'root[root] @ localhost [127.0.0.1]', 25, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 18, 1, 539138), 'root[root] @ localhost [127.0.0.1]', 26, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 18, 1, 539386), 'root[root] @ localhost [127.0.0.1]', 26, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 18, 2, 81901), 'root[root] @ localhost [127.0.0.1]', 26, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 2, 18, 14, 978045), 'root[root] @ localhost [127.0.0.1]', 27, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 18, 14, 978258), 'root[root] @ localhost [127.0.0.1]', 27, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 18, 15, 739011), 'root[root] @ localhost [127.0.0.1]', 28, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 18, 15, 739285), 'root[root] @ localhost [127.0.0.1]', 28, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 18, 16, 273747), 'root[root] @ localhost [127.0.0.1]', 28, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 2, 18, 43, 364486), 'root[root] @ localhost [127.0.0.1]', 29, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 18, 43, 364738), 'root[root] @ localhost [127.0.0.1]', 29, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 18, 44, 258915), 'root[root] @ localhost [127.0.0.1]', 30, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 18, 44, 259117), 'root[root] @ localhost [127.0.0.1]', 30, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 18, 44, 961747), 'root[root] @ localhost [127.0.0.1]', 30, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 2, 19, 57, 563422), 'root[root] @ localhost [127.0.0.1]', 31, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 19, 57, 563643), 'root[root] @ localhost [127.0.0.1]', 31, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 19, 58, 395242), 'root[root] @ localhost [127.0.0.1]', 32, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 19, 58, 395546), 'root[root] @ localhost [127.0.0.1]', 32, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 19, 59, 57819), 'root[root] @ localhost [127.0.0.1]', 32, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 2, 20, 8, 578204), 'root[root] @ localhost [127.0.0.1]', 33, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 20, 8, 578442), 'root[root] @ localhost [127.0.0.1]', 33, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 20, 8, 923875), 'root[root] @ localhost [127.0.0.1]', 34, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 20, 8, 924074), 'root[root] @ localhost [127.0.0.1]', 34, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 20, 9, 313797), 'root[root] @ localhost [127.0.0.1]', 34, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 2, 21, 48, 621974), 'root[root] @ localhost [127.0.0.1]', 34, 1, 'Query', 'SELECT * FROM mysql.general_log')

(datetime.datetime(2024, 6, 27, 2, 23, 41, 819745), 'root[root] @ localhost [127.0.0.1]', 35, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 23, 41, 820032), 'root[root] @ localhost [127.0.0.1]', 35, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 23, 42, 867156), 'root[root] @ localhost [127.0.0.1]', 36, 1, 'Query', "SET NAMES 'utf8' COLLATE 'utf8_general_ci'")

(datetime.datetime(2024, 6, 27, 2, 23, 42, 867392), 'root[root] @ localhost [127.0.0.1]', 36, 1, 'Query', 'SET @@session.autocommit = OFF')

(datetime.datetime(2024, 6, 27, 2, 23, 48, 490612), 'root[root] @ localhost [127.0.0.1]', 36, 1, 'Query', 'SELECT * FROM mysql.general_log')