Event Time	User Host	Thread ID	Server ID	Command Type	Argument
2024-06-27 01:01:23	root[root] @ localhost [	1 <b>2</b> 7.0.0.1]	1	Query	SELECT CONNECTION_ID()
2024-06-27 01:01:23	root[root] @ localhost [	1 <b>2</b> 7.0.0.1]	1	Query	SHOW VARIABLES
2024-06-27 01:01:23	root[root] @ localhost [	1237.0.0.1]	1	Query	SHOW /*!50002 GLOBAL */ S
2024-06-27 01:01:23	root[root] @ localhost [	1237.0.0.1]	1	Query	SELECT NOW()
2024-06-27 01:01:23	root[root] @ localhost [	1 <b>2</b> 7.0.0.1]	1	Query	USE `kinderdb`
2024-06-27 01:01:23	root[root] @ localhost [	1 <b>2</b> 7.0.0.1]	1	Query	SHOW TABLES FROM `inforr
2024-06-27 01:01:23	root[root] @ localhost [	1 <b>2</b> 7.0.0.1]	1	Query	SELECT * FROM ninio
2024-06-27 01:01:27	root[root] @ localhost [	1 <b>2</b> 7.0.0.1]	1	Query	USE `mysql`
2024-06-27 01:01:30	root[root] @ localhost [	1 <b>2</b> 7.0.0.1]	1	Query	SELECT * FROM mysq .gene
2024-06-27 01:29:39	root[root] @ localhost [	1 <b>2</b> 7.0.0.1]	1	Query	SELECT CONNECTION_ID()
2024-06-27 01:29:39	root[root] @ localhost [	1 <b>2</b> 7.0.0.1]	1	Query	SHOW VARIABLES
2024-06-27 01:29:39	root[root] @ localhost [	1 <b>2</b> 7.0.0.1]	1	Query	SHOW /*!50002 GLOBAL */ S
2024-06-27 01:29:39	root[root] @ localhost [	1 <b>2</b> 7.0.0.1]	1	Query	SELECT NOW()
2024-06-27 01:29:39	root[root] @ localhost [	1237.0.0.1]	1	Query	SHOW TABLES FROM `inforr
2024-06-27 01:29:39	root[root] @ localhost [	1237.0.0.1]	1	Query	SHOW DATABASES
2024-06-27 01:29:39	root[root] @ localhost [	1237.0.0.1]	1	Query	SHOW OPEN TABLES FROM
2024-06-27 01:29:39	root[root] @ localhost [	1237.0.0.1]	1	Query	USE `mysql`
2024-06-27 01:29:39	root[root] @ localhost [	1237.0.0.1]	1	Query	SELECT `DEFAULT_COLLAT
2024-06-27 01:29:39	root[root] @ localhost [	1237.0.0.1]	1	Query	SHOW TABLE STATUS FRO
2024-06-27 01:29:40	root[root] @ localhost [	1237.0.0.1]	1	Query	SHOW FUNCTION STATUS \
2024-06-27 01:29:40	root[root] @ localhost [	1287.0.0.1]	1	Query	SHOW PROCEDURE STATU
2024-06-27 01:29:40	root[root] @ localhost [	1287.0.0.1]	1	Query	SHOW TRIGGERS FROM `m
2024-06-27 01:29:40	root[root] @ localhost [	1287.0.0.1]	1	Query	SELECT *, EVENT_SCHEMA
2024-06-27 01:33:32	root[root] @ localhost [	1287.0.0.1]	1	Query	SELECT CONNECTION_ID()

2024-06-27 01:33:32	root[root] @ localhost [127.0.0.1]	1	Query	SHOW VARIABLES
2024-06-27 01:33:32	root[root] @ localhost [127.0.0.1]	1	Query	SHOW /*!50002 GLOBAL */ S7
2024-06-27 01:33:32	root[root] @ localhost [127.0.0.1]	1	Query	SELECT NOW()
2024-06-27 01:33:32	root[root] @ localhost [127.0.0.1]	1	Query	USE `mysql`
2024-06-27 01:33:32	root[root] @ localhost [127.0.0.1]	1	Query	SHOW TABLES FROM `inform
2024-06-27 01:33:32	root[root] @ localhost [127.0.0.1]	1	Query	SHOW VARIABLES LIKE 'aud
2024-06-27 01:33:36	root[root] @ localhost [127.0.0.1]	1	Query	SELECT * FROM mysq .server
2024-06-27 01:33:41	root[root] @ localhost [127.0.0.1]	1	Query	Verificar las variables del plu
2024-06-27 01:33:47	root[root] @ localhost [127.0.0.1]	1	Query	SHOW PLUGINS
2024-06-27 01:34:04	root[root] @ localhost [127.0.0.1]	1	Query	SELECT `DEFAULT_COLLAT
2024-06-27 01:34:04	root[root] @ localhost [127.0.0.1]	1	Query	SHOW TABLE STATUS FROM
2024-06-27 01:34:04	root[root] @ localhost [127.0.0.1]	1	Query	SHOW FUNCTION STATUS V
2024-06-27 01:34:04	root[root] @ localhost [127.0.0.1]	1	Query	SHOW PROCEDURE STATUS
2024-06-27 01:34:04	root[root] @ localhost [127.0.0.1]	1	Query	SHOW TRIGGERS FROM `inf
2024-06-27 01:34:04	root[root] @ localhost [127.0.0.1]	1	Query	SELECT *, EVENT_SCHEMA
2024-06-27 01:34:04	root[root] @ localhost [127.0.0.1]	1	Query	SELECT * FROM `information_
2024-06-27 01:34:04	root[root] @ localhost [127.0.0.1]	1	Query	SHOW INDEXES FROM `PLU
2024-06-27 01:34:04	root[root] @ localhost [127.0.0.1]	1	Query	SELECT * FROM information_
2024-06-27 01:34:05	root[root] @ localhost [127.0.0.1]	1	Query	SELECT * FROM information_
2024-06-27 01:35:15	root[root] @ localhost [127.0.0.1]	1	Query	CREATE TABLE IF NOT EXIS
2024-06-27 01:35:19	root[root] @ localhost [127.0.0.1]	1	Query	SELECT * FROM mysq .serve
2024-06-27 01:39:52	root[root] @ localhost [127.0.0.1]	1	Query	SELECT CONNECTION_ID()
2024-06-27 01:39:52	root[root] @ localhost [127.0.0.1]	1	Query	SHOW VARIABLES
2024-06-27 01:39:52	root[root] @ localhost [127.0.0.1]	1	Query	SHOW /*!50002 GLOBAL */ S
2024-06-27 01:39:52	root[root] @ localhost [127.0.0.1]	1	Query	SELECT NOW()

	USE `mysql`	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:39:52
`inform	SHOW TABLES FROM	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:39:52
	SELECT * FROM ninio	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:39:52
	USE `kinderdb`	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:39:55
	SELECT * FROM ninio	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:39:57
.server	SELECT * FROM mysql	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:40:03
.server	SELECT * FROM mysql	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:40:53
	USE `mysql`	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:41:11
	SHOW DATABASES	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:41:13
DLLAT	SELECT `DEFAULT_C	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:41:15
FRON	SHOW TABLE STATUS	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:41:15
TUS V	SHOW FUNCTION STA	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:41:15
TATUS	SHOW PROCEDURE S	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:41:15
DM `my	SHOW TRIGGERS FRO	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:41:15
HEMA	SELECT *, EVENT_SC	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:41:15
.server	SELECT * FROM mysq	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:41:32
.gener	SELECT * FROM mysq	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:41:45
		Quit	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:44:48
N_ID()	SELECT CONNECTION	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:45:33
	SHOW VARIABLES	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:45:33
L */ S1	SHOW /*!50002 GLOBA	Query	1	root[root] @ localhost [1/27.0.0.1]	2024-06-27 01:45:33
	SELECT NOW()	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:45:33
`inform	SHOW TABLES FROM	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:45:33
	SHOW DATABASES	Query	1	root[root] @ localhost [127.0.0.1]	2024-06-27 01:45:33
.gener	SELECT * FROM mysq	Query	1	root[root] @ localhost [1/27.0.0.1]	2024-06-27 01:45:58

2024-06-27 01:48:38	root[root] @ localhost [127.0.0.1]	1	Query	SELECT * FROM mysq .gener
2024-06-27 01:49:12	root[root] @ localhost [127.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 01:49:12	root[root] @ localhost [127.0.0.1]	1	Query	SET @@session.autocommit :
2024-06-27 01:49:29	root[root] @ localhost [127.0.0.1]	1	Query	SELECT TABLE_NAME, COL
2024-06-27 01:49:49	root[root] @ localhost [127.0.0.1]	1	Query	SELECT TABLE_NAME, COL
2024-06-27 01:50:20	root[root] @ localhost [1270.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 01:50:20	root[root] @ localhost [127.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 01:50:20	root[root] @ localhost [1270.0.0.1]	1	Query	SET @@session.autocommit
2024-06-27 01:50:20	root[root] @ localhost [127.0.0.1]	1	Query	SET @@session.autocommit
2024-06-27 01:50:20	root[root] @ localhost [1270.0.0.1]	1	Query	SELECT ID_NINIO, NOMBRE
2024-06-27 01:50:20	root[root] @ localhost [1270.0.0.1]	1	Quit	
2024-06-27 01:50:20	root[root] @ localhost [127.0.0.1]	1	Query	SELECT ID_PROF, NOMBRE
2024-06-27 01:50:20	root[root] @ localhost [127.0.0.1]	1	Quit	
2024-06-27 01:51:06	root[root] @ localhost [127.0.0.1]	1	Query	SELECT * FROM ninio
2024-06-27 01:51:08	root[root] @ localhost [127.0.0.1]	1	Query	USE `kinderdb`
2024-06-27 01:51:10	root[root] @ localhost [127.0.0.1]	1	Query	SELECT * FROM ninio
2024-06-27 01:52:21	root[root] @ localhost [127.0.0.1]	1	Query	SELECT * FROM mysq .gener
2024-06-27 01:53:43	root[root] @ localhost [12720.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 01:53:43	root[root] @ localhost [1272.0.0.1]	1	Query	SET @@session.autocommit
2024-06-27 01:53:44	root[root] @ localhost [1272.0.0.1]	1	Query	SELECT * FROM mysq .gener
2024-06-27 01:53:44	root[root] @ localhost [1272.0.0.1]	1	Query	SELECT * FROM mysq .serve
2024-06-27 01:54:29	root[root] @ localhost [127.0.0.1]	1	Query	SELECT * FROM mysq .gener
2024-06-27 01:54:34	root[root] @ localhost [127.0.0.1]	1	Query	SELECT `DEFAULT_COLLAT
2024-06-27 01:54:34	root[root] @ localhost [127.0.0.1]	1	Query	SHOW TABLE STATUS FROM
2024-06-27 01:54:34	root[root] @ localhost [127.0.0.1]	1	Query	SHOW FUNCTION STATUS \

2024-06-27 01:54:34	root[root] @ localhost [1]27.0.0.	1] 1	Query	SHOW PROCEDURE STATU
2024-06-27 01:54:34	root[root] @ localhost [127.0.0.	1] 1	Query	SHOW TRIGGERS FROM `m
2024-06-27 01:54:34	root[root] @ localhost [127.0.0.	1] 1	Query	SELECT *, EVENT_SCHEMA
2024-06-27 01:54:34	root[root] @ localhost [127.0.0.	1] 1	Query	SELECT * FROM `information
2024-06-27 01:54:34	root[root] @ localhost [127.0.0.	1] 1	Query	SHOW INDEXES FROM `gen
2024-06-27 01:54:34	root[root] @ localhost [127.0.0.	1] 1	Query	SELECT * FROM information_
2024-06-27 01:54:34	root[root] @ localhost [127.0.0.	1] 1	Query	SELECT * FROM information_
2024-06-27 01:54:38	root[root] @ localhost [12720.0.	1] 1	Query	SELECT * FROM mysql.gener
2024-06-27 01:55:04	root[root] @ localhost [12720.0.	1] 1	Query	SELECT * FROM mysq .gener
2024-06-27 01:55:28	root[root] @ localhost [12720.0.	1] 1	Query	SELECT * FROM mysq .gener
2024-06-27 01:55:55	root[root] @ localhost [12780.0.	1] 1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 01:55:55	root[root] @ localhost [12730.0.	1] 1	Query	SET @@session.autocommit
2024-06-27 01:56:03	root[root] @ localhost [1]274.0.0.	1] 1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 01:56:03	root[root] @ localhost [1]274.0.0.	1] 1	Query	SET @@session.autocommit
2024-06-27 01:56:08	root[root] @ localhost [1]274.0.0.	1] 1	Query	SELECT * FROM mysql.gener
2024-06-27 01:56:08	root[root] @ localhost [1]274.0.0.	1] 1	Query	SELECT * FROM mysq .serve
2024-06-27 02:08:09	root[root] @ localhost [1]275.0.0.	1] 1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 02:08:09	root[root] @ localhost [1]275.0.0.	1] 1	Query	SET @@session.autocommit
2024-06-27 02:08:13	root[root] @ localhost [12760.0.	1] 1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 02:08:13	root[root] @ localhost [1]2760.0.	1] 1	Query	SET @@session.autocommit
2024-06-27 02:08:13	root[root] @ localhost [1]2760.0.	1] 1	Query	SELECT * FROM mysq .gener
2024-06-27 02:13:12	root[root] @ localhost [1]27.0.0.	1] 1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 02:13:12	root[root] @ localhost [1]27.0.0.	1] 1	Query	SET @@session.autocommit
2024-06-27 02:13:13	root[root] @ localhost [1]2780.0.	1] 1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 02:13:13	root[root] @ localhost [1278.0.0.	1] 1	Query	SET @@session.autocommit

2024-06-27 02:13:14	root[root] @ localhost [1	1278.0.0.1]	1	Query	SELECT * FROM mysq .genera
2024-06-27 02:14:43	root[root] @ localhost [1	1279.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE 'u
2024-06-27 02:14:43	root[root] @ localhost [1	1279.0.0.1]	1	Query	SET @@session.autocommit =
2024-06-27 02:14:44	root[root] @ localhost [1	1270.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE 'u
2024-06-27 02:14:44	root[root] @ localhost [1	1270.0.0.1]	1	Query	SET @@session.autocommit =
2024-06-27 02:14:45	root[root] @ localhost [1	1270.0.0.1]	1	Query	SELECT * FROM mysq .genera
2024-06-27 02:16:47	root[root] @ localhost [1	1271.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE 'u
2024-06-27 02:16:47	root[root] @ localhost [1	1271.0.0.1]	1	Query	SET @@session.autocommit =
2024-06-27 02:16:48	root[root] @ localhost [1	1220.0.1]	1	Query	SET NAMES 'utf8' COLLATE 'u
2024-06-27 02:16:48	root[root] @ localhost [1	1220.0.1]	1	Query	SET @@session.autocommit =
2024-06-27 02:16:49	root[root] @ localhost [1	1220.0.1]	1	Query	SELECT * FROM mysql.genera
2024-06-27 02:17:47	root[root] @ localhost [1	123.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE 'u
2024-06-27 02:17:47	root[root] @ localhost [1	123.0.0.1]	1	Query	SET @@session.autocommit =
2024-06-27 02:17:47	root[root] @ localhost [1	1274.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE 'u
2024-06-27 02:17:47	root[root] @ localhost [1	1274.0.0.1]	1	Query	SET @@session.autocommit =
2024-06-27 02:17:48	root[root] @ localhost [1	1274.0.0.1]	1	Query	SELECT * FROM mysq .genera
2024-06-27 02:18:00	root[root] @ localhost [1	125.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE 'u
2024-06-27 02:18:00	root[root] @ localhost [1	125.0.0.1]	1	Query	SET @@session.autocommit :
2024-06-27 02:18:01	root[root] @ localhost [1	1276.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 02:18:01	root[root] @ localhost [1	1276.0.0.1]	1	Query	SET @@session.autocommit
2024-06-27 02:18:02	root[root] @ localhost [1	1276.0.0.1]	1	Query	SELECT * FROM mysq .gener
2024-06-27 02:18:14	root[root] @ localhost [1	127.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 02:18:14	root[root] @ localhost [1	127.0.0.1]	1	Query	SET @@session.autocommit
2024-06-27 02:18:15	root[root] @ localhost [1	128.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 02:18:15	root[root] @ localhost [1	1278.0.0.1]	1	Query	SET @@session.autocommit

2024-06-27 02:18:16	root[root] @ localhost [1 278.0.0.1]	1	Query	SELECT * FROM mysq .gener
2024-06-27 02:18:43	root[root] @ localhost [1279.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 02:18:43	root[root] @ localhost [1279.0.0.1]	1	Query	SET @@session.autocommit :
2024-06-27 02:18:44	root[root] @ localhost [1230.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 02:18:44	root[root] @ localhost [1230.0.0.1]	1	Query	SET @@session.autocommit :
2024-06-27 02:18:44	root[root] @ localhost [1230.0.0.1]	1	Query	SELECT * FROM mysq .gener
2024-06-27 02:19:57	root[root] @ localhost [1237.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 02:19:57	root[root] @ localhost [1237.0.0.1]	1	Query	SET @@session.autocommit :
2024-06-27 02:19:58	root[root] @ localhost [1232.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 02:19:58	root[root] @ localhost [1232.0.0.1]	1	Query	SET @@session.autocommit
2024-06-27 02:19:59	root[root] @ localhost [1232.0.0.1]	1	Query	SELECT * FROM mysq .gener
2024-06-27 02:20:08	root[root] @ localhost [1238.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
2024-06-27 02:20:08	root[root] @ localhost [1238.0.0.1]	1	Query	SET @@session.autocommit
2024-06-27 02:20:08	root[root] @ localhost [12374.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE
2024-06-27 02:20:08	root[root] @ localhost [12374.0.0.1]	1	Query	SET @@session.autocommit
2024-06-27 02:20:09	root[root] @ localhost [12374.0.0.1]	1	Query	SELECT * FROM mysq .gene
2024-06-27 02:21:48	root[root] @ localhost [12374.0.0.1]	1	Query	SELECT * FROM mysq .gene
2024-06-27 02:23:41	root[root] @ localhost [125.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE
2024-06-27 02:23:41	root[root] @ localhost [125.0.0.1]	1	Query	SET @@session.autocommit
2024-06-27 02:23:42	root[root] @ localhost [1236.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE
2024-06-27 02:23:42	root[root] @ localhost [1236.0.0.1]	1	Query	SET @@session.autocommit
2024-06-27 02:23:48	root[root] @ localhost [1236.0.0.1]	1	Query	SELECT * FROM mysq .gene
2024-06-27 02:27:17	root[root] @ localhost [127.0.0.1]	1	Query	SELECT CONNECTION_ID()
2024-06-27 02:27:17	root[root] @ localhost [127.0.0.1]	1	Query	SHOW VARIABLES
2024-06-27 02:27:17	root[root] @ localhost [127.0.0.1]	1	Query	SHOW /*!50002 GLOBAL */ \$

2024-06-27 02:27:17	root[root] @ localhost [127.0.0.1]	1	Query	SELECT NOW()
2024-06-27 02:27:17	root[root] @ localhost [127.0.0.1]	1	Query	SHOW TABLES FROM `inform
2024-06-27 02:27:17	root[root] @ localhost [127.0.0.1]	1	Query	SHOW DATABASES
2024-06-27 02:27:17	root[root] @ localhost [127.0.0.1]	1	Query	SHOW OPEN TABLES FROM
2024-06-27 02:27:17	root[root] @ localhost [127.0.0.1]	1	Query	USE `kinderdb`
2024-06-27 02:27:18	root[root] @ localhost [1 27.0.0.1]	1	Query	SELECT `DEFAULT_COLLAT
2024-06-27 02:27:18	root[root] @ localhost [1 27.0.0.1]	1	Query	SHOW TABLE STATUS FROM
2024-06-27 02:27:18	root[root] @ localhost [1 27.0.0.1]	1	Query	SHOW FUNCTION STATUS V
2024-06-27 02:27:18	root[root] @ localhost [127.0.0.1]	1	Query	SHOW PROCEDURE STATUS
2024-06-27 02:27:18	root[root] @ localhost [127.0.0.1]	1	Query	SHOW TRIGGERS FROM `kin
2024-06-27 02:27:18	root[root] @ localhost [127.0.0.1]	1	Query	SELECT *, EVENT_SCHEMA
2024-06-27 02:32:00	root[root] @ localhost [1/247.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE 'u
2024-06-27 02:32:00	root[root] @ localhost [1/247.0.0.1]	1	Query	SET @@session.autocommit =
2024-06-27 02:32:02	root[root] @ localhost [127.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE 'u
2024-06-27 02:32:02	root[root] @ localhost [127.0.0.1]	1	Query	SET @@session.autocommit =
2024-06-27 02:35:08	root[root] @ localhost [127.0.0.1]	1	Query	SELECT CONNECTION_ID()
2024-06-27 02:35:08	root[root] @ localhost [127.0.0.1]	1	Query	SHOW VARIABLES
2024-06-27 02:35:09	root[root] @ localhost [127.0.0.1]	1	Query	SHOW /*!50002 GLOBAL */ ST
2024-06-27 02:35:09	root[root] @ localhost [127.0.0.1]	1	Query	SELECT NOW()
2024-06-27 02:35:09	root[root] @ localhost [127.0.0.1]	1	Query	SHOW TABLES FROM `inform
2024-06-27 02:35:09	root[root] @ localhost [127.0.0.1]	1	Query	SHOW DATABASES
2024-06-27 02:35:09	root[root] @ localhost [127.0.0.1]	1	Query	SHOW OPEN TABLES FROM
2024-06-27 02:35:09	root[root] @ localhost [127.0.0.1]	1	Query	USE `kinderdb`
2024-06-27 02:35:09	root[root] @ localhost [127.0.0.1]	1	Query	SELECT `DEFAULT_COLLAT
2024-06-27 02:35:09	root[root] @ localhost [127.0.0.1]	1	Query	SHOW TABLE STATUS FROM

root[root] @ localhost [1	<b>2</b> 7.0.0.1]	1	Query	SHOW FUNCTION STATUS V
root[root] @ localhost [1	<b>27</b> .0.0.1]	1	Query	SHOW PROCEDURE STATUS
root[root] @ localhost [1	<b>2</b> 7.0.0.1]	1	Query	SHOW TRIGGERS FROM `kir
root[root] @ localhost [1	27.0.0.1]	1	Query	SELECT *, EVENT_SCHEMA
root[root] @ localhost [1	<b>2</b> 47.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
root[root] @ localhost [1	<b>2</b> 47.0.0.1]	1	Query	SET @@session.autocommit :
root[root] @ localhost [1	<b>2</b> 7.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
root[root] @ localhost [1	<b>2</b> 7.0.0.1]	1	Query	SET @@session.autocommit :
root[root] @ localhost [1	<b>2</b> 7.0.0.1]	1	Query	SELECT * FROM mysq .gener
root[root] @ localhost [1	<b>2</b> 7.0.0.1]	1	Query	SELECT * FROM mysq .gener
root[root] @ localhost [1	<b>2</b> 57.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
root[root] @ localhost [1	<b>2</b> 57.0.0.1]	1	Query	SET @@session.autocommit :
root[root] @ localhost [1	<b>2</b> 7.0.0.1]	1	Query	SET NAMES 'utf8' COLLATE '
root[root] @ localhost [1	<b>2</b> 7.0.0.1]	1	Query	SET @@session.autocommit :
root[root] @ localhost [1	<b>2</b> 7.0.0.1]	1	Query	SELECT * FROM mysq .gener
	root[root] @ localhost [1]	root[root] @ localhost [127.0.0.1]	root[root] @ localhost [127.0.0.1] 1	root[root] @ localhost [127.0.0.1] 1 Query