


Assignment # 03

Ayesha Javed



L15-4522

EE-1



Scenario # 01: Preemptive priority based scheduling (Priority levels 255 = highest, 0 = lowest)


Tasks	Priority	Arrival time	Service Time
T1	15	0	8
T2	22	1	4
T3	30	2	9



Time	Ready Queue				Task in running state	Task in Blocked state
0					T1	
1	T1				T2	
2	T2	T1			T3	
11	T1				T2	
14					T1	
21						

Scenario # 02: Round Robin Scheduling with time slice = 4


Tasks	Arrival time	Service Time
T1	0	8
T2	1	4
T3	2	9



Time	Ready Queue				Task in running state	Task in Blocked state
0					T1	
1	T2				T1	
2	T3	T2			T1	
4	T1	T3			T2	
8	T1				T3	
12	T3				T1	
16					T3	

Scenario # 03: Round Robin Scheduling with time slice = 1

Tasks	Arrival time	Service Time
T1	0	3
T2	0	4
T3	0	3



Turn the pg.

Scenario #03


Time (s)	Ready Queue			Tasks in running	Tasks in blocked st.
0	T3	T2		T1	
1	T1	T3		T2	
2	T2	T1		T3	
3	T3	T2		T1	
4	T1	T3		T2	
5	T2	T1		T3	
6	T3	T2		T1	
7		T3		T2	
8		T2		T3	
9				T2	

Time	Ready Queue				Task in running state	Task in Blocked state
0						

on left page.

Scenario # 04: Preemptive priority based scheduling (Priority of T3 is highest, then T2 and T4 has same, then T1 has lowest)


Tasks	Arrival time	Service Time
T1	0	7
T2	2	4
T3	4	1
T4	5	4




Time	Ready Queue				Task in running state	Task in Blocked state
0				T1	T1	
2				T1	T2	
4			T2	T1	T3	
5			T4	T1	T2	
7				T1	T4	
11					T1	

Scenario # 05: Round-robin and preemptive scheduling (Priority levels 255 = highest, 0 =lowest) time slice = 4

Tasks	Arrival time	Priority	Service Time
T1	0	10	10
T2	1	10	7
T3	5	10	4
T4	14	20	9





Time	Ready Queue				Task in running state	Task in Blocked state
0					T ₁	
1				T ₂	T ₁	
4				T ₁	T ₂	
5			T ₃	T ₁	T ₂	
8			T ₂	T ₃	T ₁	
12			T ₁	T ₂	T ₃	
14		T ₃	T ₁	T ₂	T ₄	
23			T ₁	T ₂	T ₃	
25				T ₁	T ₂	
27					T ₁	