



Course Name:	Data Communication and Networks Lab	Course Code:	
Program:	BS Electrical Engineering	Semester:	Spring 2018
Duration:	60 Minutes	Total Marks:	20
Paper Date:	March 29, 2018	Weight	7%
Section:		Page(s):	1
Exam Type:	Quiz 2		

Student Name: Ayesha Javed

Roll No. L15-4522

Section: EL-2A

Question 1: Answer the following short questions

1. What does the "Connection: close" and "Connection: Keep-alive" header field imply in HTTP protocol?

'keep-alive' corresponds to persistent connection and 'close' corresponds to non-persistent

2. Why www.Webopedia.com ping timed out, even though site was up?

Because its option to display ~~now~~ was turned off either or there was a connection problem in the route

3. Consider an HTTP client that wants to retrieve a Web document at a given URL. The IP address of the HTTP server is initially unknown. What transport and application-layer protocols are needed in this scenario?

• TCP
• HTTP

DNS
UDP

4. Describe how Web caching can reduce the delay in receiving a requested object. Will Web caching reduce the delay for all objects requested by a user or for only some of the objects? Why?

Web cache saves site's data and before sending request to server it checks 'if modified since' therefore reduces time delay.
→ for all objects if not modified.

Question 2: Read the content of data in a file "http-ethereal-trace-3". Answer the following questions.

- What is the URL of the document requested by the browser?
- What version of HTTP is the browser running?
- Does the browser request a non-persistent or a persistent connection?
- What is the IP address of the host on which the browser is running?
- ☒ What type of browser initiates this message? Why is the browser type needed in an HTTP request message?
- ☒ Can a client open three or more simultaneous connections with a given server?
- ☒ Why HTTP need not worry about lost data?

(a) gaia.cs.umass.edu

0.5 ✓

(b) HTTP/1.1 ✓

(c) Persistent connection ✓

(d) Host's IP = 192.168.1.102 ✓

(e) Mozilla/5.0, browser type is needed so ~~also~~^{we} can the languages it can accept, the ~~one~~ objects it can accept etc ✓

(f) Yes, it can- ✓

(g) HTTP doesn't need to worry about Data Loss because of web-cache, as ^{copy of} files are saved there, if unmodified ✓

National University of Computer and Emerging Sciences, Lahore Campus



Course Name:	Data Communication and Networks Lab	Course Code:	
Program:	BS Electrical Engineering	Semester:	Spring 2013
Duration:	60 Minutes	Total Marks:	20
Paper Date:	March 29, 2018	Weight	7%
Section:		Page(s):	1
Exam Type:	Quiz 2		

Student : Name: Basma Aslam

Roll No. 115-4417 Section: EE-2A

Instruction/Notes:

Question 1: Answer the following short questions

1. What does the "Connection: close" and "Connection: Keep-alive" header field imply in HTTP protocol?

see next page
~~Connection: close~~ ~~uses~~ ~~sends packet first without any~~
~~establishment of connection first.~~
~~Connection: keep-alive~~ ~~establishes the connection first then~~
~~it starts sending packets and this is more reliable.~~

2. Why www.Webopedia.com ping timed out, even though site was up?

A timestamp is present within each packet sent as ping if reply isn't received within that time then the connection times out.

3. Consider an HTTP client that wants to retrieve a Web document at a given URL. The IP address of the HTTP server is initially unknown. What transport and application-layer protocols are needed in this scenario?

→ arp
 → tcp

4. Describe how Web caching can reduce the delay in receiving a requested object. Will Web caching reduce the delay for all objects requested by a user or for only some of the objects? Why?

when we send request to the host the proxy server gets it from the main host and stores it - when another user or same user requests the same object, using conditional compares last updated date with main host if not changed then simply sends its stored file. otherwise no less time will be taken if object has been modified

Question 2: Read the content of data in a file "http-ethereal-trace-3". Answer the following questions.

- What is the URL of the document requested by the browser?
- What version of HTTP is the browser running?
- Does the browser request a non-persistent or a persistent connection?
- What is the IP address of the host on which the browser is running?
- What type of browser initiates this message? Why is the browser type needed in an HTTP request message?
- Can a client open three or more simultaneous connections with a given server?
- Why HTTP need not worry about lost data?

1- 128.119.245.12 ✗

2- 1.1 ✓

3- ~~not~~ persistent ✓

4- 192.168.1.102 ✓

5- Mozilla 15.0 0.5

⇒ Because not all support http

6- Yes, because ^{individual} parallel requests are sent 0.5

7- Because data lost can be recovered by resending the request.

Q1 - Connection close - The connection establishes and after downloading the object the connection ends.
Connection keep-alive establishes a persistent connection that ~~doesn't end after~~ can be used for multiple downloads.