1) Create a union of two queries that shows the names, cities, and ratings of all customers. Those with rating of 200 or greater will also have the words "High Rating", while the others will have the words "Low Rating".

```
W1_84109_Sumit>Select Cname, City,
    -> 'HIGH RATING' Rating
    -> From CUSTOMER
    -> Where Rating>200
    -> UNION
    -> Select Cname, City,
    -> 'LOW RATING' Rating
    -> From CUSTOMER
    -> Where Rating <=200;
                       | Rating
           | City
 Cname
 Grass
             Berlin
                       | HIGH RATING
 Cisneros
             San Jose |
                        HIGH RATING
 Hoffman
           | London
                        LOW RATING
 Giovanni
             Rome
                         LOW RATING
             San Jose |
                        LOW RATING
 Clemens
             London
                       | LOW RATING
  Pereira
           Rome
                       | LOW RATING
 rows in set (0.00 sec)
```

2) Write a command that produces the name and number of each salesperson and each customer with more than one current order. Put the results in alphabetical order.

```
W1 84109 Sumit>Select Sname,
    -> Snum,Cname
    -> From SALESPEOPLE
    -> JOIN CUSTOMER using(Snum)
    -> Where Snum IN
    -> (Select Snum
    -> From CUSTOMER
    -> GROUP BY Snum
    -> HAVING count(Snum)>1)
    -> ORDER BY Sname, Cname;
 Sname
         | Snum | Cname
         | 1001 | Clemens
  Peel
           1001 | Hoffman
  Peel
  Serres | 1002 | Grass
  Serres | 1002 | Liu
  rows in set (0.00 sec)
```

3) Form a union of three queries. Have the first select the snums of all salespeople in San Jose; the second, the cnums of all customers in San Jose; and the third the onums of all orders on October 3. Retain duplicates between the last two queries but eliminate any redundancies between either of them and the first. (Note: in the sample tables as given, there would be no such redundancy. This is besides the point.)

```
W1_84109_Sumit>Select Snum
-> from SALESPEOPLE
-> Where City='San Jose'
-> UNION
-> Select DISTINCT Snum
-> from ORDERS
-> Where Snum IN
-> (Select Snum
-> From ORDERS
-> Where Odate like '03-10=%');
+----+
| Snum |
+----+
| 1002 |
+----+
1 row in set (0.00 sec)
```