Assignment - 21 Grant and Revoke.

Give Amit the right to change the ratings of the customers.

```
root>grant update on sales.customers to amit@localhost;
Query OK, 0 rows affected (0.01 sec)
root>exit;
Bye
```

```
W1_Minal_93084>select * from customers
  Cnum
         Cname
                     City
                                 Rating
                                          Snum
         Hoffman
  2001
                     London
                                    100
                                           1001
  2002
         Giovanni
                     Rome
                                    300
                                           1003
                     San Jose
  2003
         Liu
                                    200
                                           1004
  2004
         Grass
                     Berlim
                                    300
                                           1004
  2006
         Clemens
                     London
                                    100
                                           1001
         Pereira
  2007
                     Rome
                                    200
                                           1004
  2008
         Cisneros
                     San Jose
                                    300
                                           1007
 rows in set (0.00 sec)
```

```
amit>use sales;
Database changed
amit>update customers set rating = 500 where cnum = 2004;
Query OK, 1 row affected (0.03 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

```
City
  Cnum
         Cname
                                  rating
                                             Snum
  2001
          Hoffmain
                      London
                                  100
                                             1001
          Glovanni
  2002
                      Rome
                                  300
                                             1003
                      San Jose
  2003
          Liu
                                  200
                                             1004
  2004
                      Berlin
                                  500
                                             1004
          Grass
  2007
          Pereira
                                  200
                                             1004
                      Rome
  2008
                      San Jose
                                             1007
          Cisneros
                                  300
6 rows in set (0.01 sec)
```

2) Give Manoj the right to give other users the right to query the Orders table.

```
root>use sales;
Database changed
root>grant select on sales.orders to 'manoj'@'localhost';
Query OK, 0 rows affected (0.01 sec)
root>exit;
Bye
```

manoj>select * from orders;					
Onum	Amt	Odate	Cnum	Snum	prev
1002 3001 3002 3003 3005 3006 3007 3008 3009	234.22 18.69 1900.10 767.19 5160.45 1098.16 75.75 4723.00 1713.23 1309.95	NULL 1990-03-10 1990-03-10 1990-03-10 1990-03-10 1990-03-10 1990-04-10 1990-04-10 1990-04-10	1004 2008 2007 2001 2003 2008 2004 2006 2002	NULL 1007 1004 1001 1002 1007 1002 1001 1003	NULL NULL
3011 9891.88 1990-06-10 2006 1001 NULL 					
11 rows in set (0.01 sec)					

3) Take the INSERT privilege on Salespeople away from Ajita.

```
root>grant insert on sales.salespeople to 'ajita'@'localhost';
Query OK, 0 rows affected (0.01 sec)
root>revoke insert on sales.salespeople from 'ajita'@'localhost';
Query OK, 0 rows affected (0.02 sec)
```

4) Grant Abhijeet the right to insert or update the Customers table while keeping her possible rating values in the range of 100 to 500.

```
root>use sales;
Database changed
root>grant insert,update on sales.customers to 'abhijeet'@'localhost';
Query OK, 0 rows affected (0.01 sec)
```

```
root>use sales;
Database changed
root>grant alter on sales.customers to 'abhijeet'@'localhost';
Query OK, 0 rows affected (0.03 sec)
```

```
abhijeet>alter table sales.customers

-> add constraint rating_range check (rating between 100 and 500);

Query OK, 6 rows affected (0.20 sec)

Records: 6 Duplicates: 0 Warnings: 0
```

5) Allow Vikram to query the Customers table, but restrict his access to those customers whose rating is the lowest.

```
root>use sales;
Database changed
root>create or replace view LowestRatedCustomers as
   -> select * from sales.customers
   -> where rating = (select min(rating) from sales.customers);
Query OK, 0 rows affected (0.04 sec)
```

```
root>grant select on LowestRatedCustomers to 'vikram'@'localhost';
Query OK, 0 rows affected (0.02 sec)
root>
```