

Trust Flow-Driven Trusted Federated Learning in Edge Computing: A Study on Key Technologies

Anonymous Author(s)

Abstract. In recent years, federated learning has become a key enabler of edge intelligence by supporting collaborative model optimization under privacy constraints through the paradigm of keeping data local and exchanging only model parameters. However, in open edge-computing environments, the combined effects of non-independent and identically distributed (Non-IID) data, device heterogeneity, and untrusted clients expose significant tradeoffs among security, robustness, and generalization for existing robust aggregation methods. To address this issue, this paper proposes a trust-flow-driven trusted federated aggregation mechanism that covers client admission, runtime monitoring, and secure aggregation from a hardware-software co-design perspective. First, remote attestation and runtime monitoring based on trusted execution environments (TEEs) are integrated to enforce client admission and verify execution integrity during local training. Second, to identify stealthy attacks across training rounds, this paper designs an orthogonal dual-stream reputation evolution method centered on client trust states, decomposing them into a historical utility stream for long-term contribution and an instant risk stream for short-term anomalous behavior, thereby providing persistent dynamic trust signals for subsequent auditing and aggregation control. Third, this paper proposes a layer-wise differentiated aggregation strategy guided by a clean reference direction. By combining layer-wise gating, weight re-normalization, and dynamic clipping, the method suppresses malicious updates while preserving legitimate heterogeneous contributions, thereby mitigating the degradation of generalization under Non-IID settings. Experiments on Flower with CIFAR-10 under 20 clients and six mixed attack types show that the proposed mechanism achieves an average accuracy of 92.31% ($\pm 0.09\%$) while limiting the attack success rate (ASR) to 10.21% ($\pm 0.05\%$), with the permanent false positive rate on benign clients approaching zero.

Keywords: Federated Learning; Edge Computing; Trusted Execution Environment; Risk State Modeling; Layered Robust Aggregation; Backdoor Defense

1 Introduction

Current advancements in terminal device computing power enable efficient local model training using on-device data. Meanwhile, to better aggregate multi-device training experiences for collaborative model optimization while preserving

local data privacy, the federated learning paradigm has been extensively studied [1]. Its core feature exchanging only model parameters without offloading data is widely applied in distributed collaborative training, serving as a critical pillar for edge intelligence. However, as the interconnected network environment becomes increasingly open, the performance bottlenecks of federated learning no longer reside solely in model architecture or optimizer design. The trustworthiness and robustness of the aggregation phase have emerged as vital factors determining overall availability. In practical scenarios, edge devices often exhibit significant heterogeneity in both data distribution and processing capabilities. Furthermore, fully constraining the behaviors of participating clients remains challenging. Such characteristics inevitably amplify statistical drifts and introduce security risks during empirical aggregation.

In standard federated learning paradigms, clients upload parameters after completing local data processing and model training. The server then aggregates these local updates and distributes the updated global model, iterating this process until convergence. Evidently, this workflow encounters multiple vulnerabilities within the increasingly open, multi-edge interconnected network. Open training environments inherently lack mandatory integrity constraints. Malicious clients can bypass actual training, directly crafting and uploading poisoned parameters, thereby severely impairing the server’s ability to verify the authenticity of aggregated updates. Several studies propose methods based on trusted execution or verifiable training [2,3,4], employing hardware-assisted remote attestation to ensure local training authenticity. Nevertheless, these mechanisms fail to address scenarios where the training process is genuine but the model updates are injected with malicious features. Furthermore, attackers execute parameter poisoning or stealthy backdoor attacks [5,6] by embedding malicious triggers within normal update distributions, drastically reducing the success rate of single-round detection. To alleviate the instability of single-round assessments, researchers have introduced methods based on historical reputation and similarity [7,8] that leverage cross-round information. Yet, these approaches suffer from delayed recognition of sleeper attacks, where adversaries accumulate reputation early on before engaging in persistent, low-amplitude poisoning. Additionally, single-reputation scores combined with fixed-threshold mechanisms remain highly inadequate for identifying deep abnormal trigger features.

The presence of non-independent and identically distributed (Non-IID) data across devices increases the directional dispersion of optimal updates. This heterogeneity easily blurs the boundary between normal statistical fluctuations and anomalous deviations, creating a conflict between robustness and generalization under strong Non-IID conditions. Certain approaches rely on distance-based exclusion or statistical truncation to suppress abnormal updates [9,10], while others adaptively adjust weights to mitigate heterogeneous impacts [11]. Under severe long-tail distributions, however, such methods often misclassify legitimately drifted parameter updates as anomalies. This misjudgment can lead to the excessive exclusion of crucial heterogeneous information, significantly degrading the model’s generalization capability. In real-world edge intelligence scenarios,

these challenges open execution environments, stealthy cross-round attacks, and pronounced heterogeneous statistical drifts rarely occur in isolation. Multiple factors frequently compound, leading to intractable dilemmas such as elevated false positive rates from tightening interception thresholds or increased false negative rates when relaxing them. Consequently, establishing a unified state modeling and coordinated decision-making mechanism spanning the entire workflow remains a critical challenge. Such a mechanism must balance client admission and trustworthiness during local training with low false positive and high recall requirements during aggregation, all while maintaining the convergence and generalization performance of collaborative model optimization.

To tackle the three major challenges outlined above, this paper proposes a trusted federated aggregation mechanism driven by a full-process trust flow, conceptualized from a hardware-software co-design perspective. This mechanism follows the execution pipeline of federated learning. During client admission and local training, TEE remote attestation, runtime feature entropy analysis, and Kalman filtering are introduced to formulate a dynamic admission trust score that updates across rounds. At the server auditing stage, the current-round content quality is evaluated based on a pure reference direction. The client’s state is then decoupled into a historical utility flow and an instant risk flow, utilizing Bayesian posterior inference and risk EMA to separately characterize long-term contributions and short-term anomalies. During the aggregation phase, layered risk gating, survivor weight re-normalization, and dynamic clipping are executed based on these trust states. This strategy suppresses malicious updates while retaining legitimate heterogeneous contributions, effectively mitigating the tradeoff between security and generalization under Non-IID conditions.

The primary contributions of this paper are:

1. **Proposing a TEE-anchored dynamic admission mechanism for edge clients.** Remote attestation defines the client admission boundary. Variations in gradients, losses, and instruction distributions during training are then transformed into entropy features. By leveraging Kalman filtering to update the *TrustScore*, admission control extends from a one-time static verification to a continuously evolving trust metric.
2. **Developing a dual-stream orthogonal reputation evolution mechanism against stealthy attacks.** Client states are decoupled into a historical utility stream (HistPerf) and an instant risk stream (RiskEMA), independently handling long-term contributions and sudden anomalies. A *RawScore* connects content auditing, state transitions, and subsequent aggregation control, balancing malicious recall with the suppression of permanent false positives.
3. **Designing a layered risk gating aggregation strategy tailored for strong Non-IID scenarios.** Guided by a server-side clean reference direction, layer-wise security sensitivities, and dynamic L2 clipping, this approach applies differentiated admission thresholds and survivor weight re-normalization across network layers. It reduces the risk of deep backdoor penetration while preserving valid updates from legitimate long-tail nodes.

4. **Implementing and validating the framework end-to-end under mixed attack scenarios.** Experiments involving 20 clients and 6 mixed attack types ($n = 5$) were conducted on the Flower platform. Results demonstrate that under high-adversarial settings, the proposed framework maintains an accuracy of 92.31%(±0.09%) and restricts the ASR to 10.21%(±0.05%), with the permanent false positive rate approaching zero.

2 Background and Related Work

2.1 Federated Learning and Edge Computing Collaborative Architecture

Federated learning (FL) completes global model training through parameter-level collaboration under the constraint that data remain local. In edge computing scenarios, the client-edge-cloud architecture has been widely adopted: the edge side performs local training and uploads updates, while the central server handles aggregation and model distribution.

In the standard FL setting, the global optimization objective is to minimize the empirical risk over the data distributions of all clients:

$$\min_W \mathcal{L}(W) = \sum_{k=1}^K p_k \mathcal{L}_k(W) \quad (1)$$

where $p_k = |\mathcal{D}_k| / \sum |\mathcal{D}_j|$ denotes the data-volume proportion. In round t , the server distributes the global model $W_{global}^{(t-1)}$. Client k takes it as the initial model and runs SGD for E local epochs with learning rate η_l , yielding the local update:

$$\Delta W_k^{(t)} = W_{k,E}^{(t)} - W_{global}^{(t-1)}, \quad \text{where } W_{k,e}^{(t)} = W_{k,e-1}^{(t)} - \eta_l \nabla \mathbb{E}[\ell(W_{k,e-1}^{(t)}; x, y)] \quad (2)$$

Here, the expectation $\mathbb{E}[\cdot]$ denotes mini-batch sampling over the local dataset $\mathcal{D}_k$. The client then uploads its update, and the server applies a form of parameter aggregation: $W_{global}^{(t)} = W_{global}^{(t-1)} + \text{Agg}(\{\Delta W_k^{(t)}\}_{k \in \Phi})$.

This architecture, however, naturally faces communication latency, device heterogeneity, and Non-IID data. To mitigate these issues, prior work has proposed methods such as Clustered FL [12], adaptive pruning-expansion (FedPE) [13], and split federated learning (ParallelSFL) [14]. As system complexity increases, the attack surface also expands, giving malicious nodes more room to remain hidden and interfere with training.

2.2 Edge Impersonation, Model Poisoning, and Stealthy Backdoor Attacks

In open federated networks without mandatory admission control, the server has difficulty accurately judging client identities and update quality. Attacks mainly fall into two categories. The first is **untargeted poisoning**, such as

Sign-flipping and Gradient Scaling, which aims to disrupt global convergence and cause denial of service. The second is **targeted backdoor** attack, including label flipping, clean-label poisoning, and semantic backdoors, which induce targeted misclassification at inference time through concealed triggers.

2.3 Mechanisms and Inherent Limitations of Existing Active Defenses

To address these threats, early defenses largely relied on geometric and statistical filtering, such as Krum[9] and Trimmed Mean[10]. More recent studies have introduced temporal trust evaluation and malicious-client filtering, including FLTrust[7], FoolsGold[8], RaSA[11], and FLDetector[15], while continuing to expand into malicious detection[16], trusted training frameworks[2], hierarchical protection[17], and related directions. For backdoor and collusion attacks, schemes such as DeepSight[18], FLAME[19], CrowdGuard[20], FLPurifier[21], RoseAgg[22], and ShieldFL[23] have also been developed. Purely software-based defenses still have clear weaknesses under strong Non-IID conditions and high-privilege attacks. Tightening thresholds raises the false positive rate (FPR), while relaxing them may allow dormant attacks to pass. When attackers control the underlying environment, software probes that lack a hardware root of trust also struggle to form a complete defensive loop.

2.4 Trusted Hardware Root of Trust in Federated Environments (TEE)

To fill the gap in physical trust, research has begun to introduce trusted execution environments (TEEs) such as Intel SGX and ARM TrustZone. Through isolated execution and protected memory, TEEs preserve the integrity of critical code and key material, making it difficult for an attacker to directly tamper with the attestation process even after the host operating system has been compromised[3,24]. Existing work shows that TEEs have practical value in training integrity[4], threat mitigation[25], and trust sharing in industrial IoT[26]. Their federated extensions and efficiency optimization in SGX environments have also been validated[27,28]. On this basis, this paper builds a hardware-software collaborative defense system. Unlike methods that only perform static encryption or single-dimensional anomaly evaluation, this work temporally couples hardware remote attestation with dual-stream reputation evolution. The cloud side is responsible for parameter auditing, while the edge-side TMAA provides trusted evidence and runtime monitoring, forming a coordinated protection mechanism that combines mandatory admission with dynamic circuit breaking.

3 System Model and Problem Definition

3.1 Client-Edge-Cloud Collaborative Architecture and System Workflow Modeling

This paper considers a typical client-edge-cloud heterogeneous communication environment (see Figure 1). The system consists of a central **aggregation server (Server, $\mathcal{S}$)** and K edge clients, denoted by $\mathcal{C} = \{c_1, c_2, \dots, c_K\}$. Clients may join or leave dynamically, and some nodes may be controlled by attackers.




Fig. 1. Federated computing network interaction: client-edge-cloud collaborative physical architecture based on TEE-anchored encryption

Based on the network interaction topology above, the proposed trust-flow-driven trusted federated framework builds a complete trust transmission and evaluation chain between the edge and the cloud. The overall workflow of the system and the relationships among its main physical entity modules are defined as follows:

1. **Edge client side (trusted execution and feature extraction):** Each admitted client must be equipped with a trusted execution environment (TEE) and a trusted management agent (TMAA) deployed inside it. During local training, the TMAA generates an Attestation Quote before training to statically verify the integrity of the execution environment. It also continuously monitors key behavioral feature sequences during training, such as changes in gradient direction and loss fluctuation. Information entropy and Kalman filtering are then used for an initial dynamic trust assessment, which is uploaded to the cloud together with the model update parameters.

2. **Central server side (auditing, evolution, and aggregation control):** As the global coordinator, the server receives client updates and trust evidence, then performs a three-stage coordinated defense based on trust flow. It first conducts **content auditing**, extracting a clean reference direction and using cosine similarity to calculate high-dimensional update quality. It then enters **dual-stream state evolution**, where Beta Bayesian inference is used to build a historical utility stream for long-term contribution evaluation, while multidimensional max-value probes update an instant risk stream to identify sudden anomalies. Finally, **layered robust aggregation** applies differentiated gated clipping and survivor weight re-normalization according to the security sensitivity of different network layers, producing and distributing a globally secure update.

Through the coordinated interaction of the edge and cloud entity modules, the system forms a full-lifecycle physical and logical closed loop: hardware admission control → runtime feature monitoring → trust state evolution → risk-gated aggregation.

3.2 Composite Threat Assumptions and Strong Trust-Base Boundary (Threat Model)

To clearly define the boundary between attacker and defender capabilities, this paper adopts the following threat model (see Figure 2):

- **Hardware isolation boundary (root of trust):** Under standard security assumptions, excluding advanced attacks such as microarchitectural side channels and physical probing[3], TEEs such as TrustZone/SGX can preserve the integrity of critical execution and attestation processes even if the host operating system is compromised.
- **Honest-but-curious server:** The server follows the protocol for dual-stream scoring and layered aggregation, but it may attempt to infer additional private information about clients.
- **Internal malicious clients (Internal Attackers/Poisoners):** Attackers may possess valid admission identities and locally perform label tampering, sample poisoning, sign flipping, gradient scaling, and related operations. This paper assumes an upper bound of $< 50\%$ malicious clients. The main experiments use 30% as a typical high-risk setting and additionally report a 50% boundary stress test.

3.3 Core Defense Optimization Objectives of the Security Architecture (Design Goals)

For highly heterogeneous data and a high proportion of malicious participants, the design goals of the proposed framework are as follows:




Fig. 2. Security penetration and multidimensional composite poisoning threat model in an edge wide-area network

1. **High defense effectiveness and robust convergence:** Under multiple types of poisoning and backdoor attacks, the system must accurately identify malicious nodes, namely achieving high TPR and low ASR, while maintaining high availability and stable convergence of the global main-task model.
2. **High tolerance for heterogeneous long-tail nodes:** The framework should effectively overcome feature deviation caused by Non-IID data distributions, avoid mistakenly removing honest nodes that carry long-tail data, and keep the false positive rate (FPR) close to zero.
3. **Lightweight overhead and edge adaptability:** Without introducing the computational burden of full-scale cryptography, such as fully homomorphic encryption, the framework should build an efficient trusted protection mechanism whose computation and communication overheads remain compatible with the resource bottlenecks of heterogeneous edge devices.

4 Proposed Method: Trust-Flow Framework

For the threat model above, this paper proposes a trust-flow-driven trusted federated learning framework (see Figure 3). Following the execution order of federated learning, the framework first performs trusted admission and runtime monitoring on the client side, then conducts current-round content auditing and cross-round reputation evolution on the server side, and finally enters layered security control during aggregation. Each training round is therefore divided into five phases: pre-training admission, content auditing, state evolution, layered aggregation, and global distribution. At a higher level of abstraction, these phases

correspond to three layers: client admission and monitoring, server auditing and evolution, and aggregation security assurance.

The key of this macro-to-micro structure is the continuous transfer of trust states. Phase one outputs *TrustScore*, indicating whether the client has a trustworthy basis for admission and execution. Phase two outputs *ContentScore*, judging whether the update submitted in the current round deviates from the clean reference and the collaborative direction of the group. Phase three deposits current-round signals into *HistPerf* and *RiskEMA*, distinguishing long-term low contribution from short-term high risk. Phase four fuses the three types of signals into *RawScore* and performs differentiated aggregation by network layer. Unlike single-point defenses, data generated at each phase continues to constrain later phases, continuously updating the **Trust Flow** and forming closed-loop control.




Fig. 3. Overview of the five-phase defense closed loop in trust-flow-driven trusted federated learning

To facilitate the following derivation, Table 1 lists the definitions of core symbols.

4.1 Hardware Admission and Dynamic Trust Assessment

Client admission should not be limited to one-time identity verification. It requires a tracking mechanism that reflects the continuing trustworthiness of local training. For this purpose, the initial trust level is decoupled into a two-layer architecture of static admission and dynamic evaluation. The former relies on

Table 1. Core system parameters and trust-flow notation

Symbol	Definition	Symbol	Definition
$W_{global}^{(t)}$	Global model weights in round t	$\mathcal{A}$	Active node set eligible for valid aggregation in the current round
ΔW_k	Model gradient/parameter update submitted by client k	$\Phi^{(l)}$	Valid secure survivor subset at layer l
$TrustScore_k$	TEE hardware-anchored admission trust score	$HistPerf_k$	Accumulated state of the historical utility stream ($HistPerf \in [0, 1]$)
$ContentScore_k$	Current-round content quality score under dual references	$RiskEMA_k$	Decayed state of the instant risk stream ($RiskEMA \in [0, 1]$)
$RawScore_k$	Final privilege score after fusing three-dimensional scores and applying risk discounting	$M_{attest,k}$	Hardware remote attestation verification flag
g_{root}	Clean guiding anchor direction extracted by the server	A_k	Runtime anomaly score of client k in physical resource usage

underlying hardware to judge the legitimacy of the execution environment, while the latter draws on the robust filtering idea behind the maximum correntropy Kalman filter[29] to convert transient behavioral fluctuations during training into dynamic observation signals, producing a transferable *TrustScore* through filtering.

1. **Static Hardware Admission:** During the initialization of federated computing, each participating node must invoke its internally isolated device-unique key (DUK) and initiate a remote attestation quote to the central server, including the chain values of platform configuration registers (PCRs). The server verifies memory code segments and runtime signatures, then grants initial communication privileges to nodes that pass verification ($M_{attest,k} = 1$).
2. **Feature Sequence Extraction and Entropy Analysis:** Related multidimensional trust-evaluation work in mobile crowdsensing shows that a single static trust measure is insufficient to capture context-dependent reliability[30]. Inspired by this idea, the client-side TEE is configured to continuously monitor key feature sequences during the training cycle, $\mathcal{X}_k = \{\Delta_{grad}, \Delta_{loss}, instr_dist\}$. The information entropy $H(\mathcal{X}_k)$ of this sequence is quantified as:

$$H(\mathcal{X}_k) = - \sum p(x_i) \log p(x_i) \quad (3)$$

A high entropy value in the sequence usually indicates greater uncertainty in system operation. In physical terms, this often corresponds to backdoor-controlled execution, severe disturbance in gradient direction, or abnormal underlying instruction distributions.

3. **ITL-Driven Dynamic Trust Evolution (Kalman-based):** To prevent abrupt anomalies from contaminating the trust state, this framework constructs an entropy-driven adaptive covariance mapping mechanism. Instead of assuming a constant prior, the system maps the dynamically captured information entropy to the measurement-noise covariance matrix $R_k = f(H(\mathcal{X}_k))$ in the Kalman observation equation. In the classical predict-update recursion:
 - **Prediction stage:** Based on the posterior distribution from the previous round, the prior trust expectation $\hat{T}_k^-$ at the current moment is extrapolated.
 - **Update stage:** The instantaneous behavioral features of the current round are introduced for measurement update, yielding the posterior trust estimate $\hat{T}_k$ and the corresponding state error covariance matrix P_k .

On this basis, combined with the high-entropy penalty property of anomalous sequences, the system introduces the following core state evolution rule:

$$\hat{T}_k^{(t)} = \hat{T}_k^{(t-1)} + K_k^{(t)} (Z_k^{(t)} - \hat{T}_k^{(t-1)}) \quad (4)$$

$$R_k^{(t)} = \exp(\lambda \cdot H(\mathcal{X}_k^{(t)})) \quad (5)$$

In these equations, $Z_k^{(t)}$ maps the node's real-time baseline observed utility. When client behavior undergoes a high-risk jump, namely high entropy, the exponentially amplified $R_k^{(t)}$ rapidly reduces the Kalman gain $K_k^{(t)}$. This mechanism makes the filter automatically suppress the absorption of high-risk anomalous instantaneous observations, thereby maintaining the stable resilience of the posterior trust estimate.

Furthermore, by the mathematical nature of Bayesian filtering, the covariance matrix P_k iteratively produced by the filter objectively characterizes the confidence boundary of the node's dynamic trust estimate. A smaller P_k indicates that the current filter has more effectively suppressed measurement noise and that the reputation score is more reliable. Phase one therefore does not output a coarse binary decision. Instead, it jointly evolves the expected mean and uncertainty produced by Kalman filtering, forming a temporally resilient admission privilege factor $TrustScore_k = \hat{T}_k^{(t)} \cdot (1/(1 + P_k^{(t)}))$.

4.2 Reference Direction Construction and Consistency Auditing

Relying only on cosine similarity among clients can be misled by collusion attacks. To address this issue, this paper introduces **Vanilla Reference Prioritization**. When the server holds a small isolated validation set (Pure Clean Set), it first computes g_{root_clean} as the reference direction. If this direction is unavailable, a fallback reference g_{ref} is constructed from updates submitted by high-trust, low-risk clients. The corresponding weight is defined as:

$$\omega_k^{ref} = TrustScore_k \cdot (1 - RiskEMA_k^{prev})^2. \quad (6)$$

The final reference direction g_{root} is:

$$g_{root} = \begin{cases} g_{root_clean}, & \text{if server validation direction available,} \\ \sum_k \frac{\omega_k^{ref}}{\sum_j \omega_j^{ref}} \Delta W_k, & \text{otherwise.} \end{cases} \quad (7)$$

After obtaining g_{root} , the server calculates a content quality score for each client update ΔW_k . This score considers both global contribution, namely consistency with the reference direction, and group consistency, namely the degree of agreement with other high-reputation clients:

$$S_{contrib,k} = \max(0, \alpha_1 + \alpha_2 \cdot \cos(\Delta W_k, g_{root})), \quad (8)$$

$$S_{consist,k} = \frac{\sum_{j \neq k} TrustScore_j \cdot \max(0, \alpha_1 + \alpha_2 \cdot \cos(\Delta W_k, \Delta W_j))}{\sum_{j \neq k} TrustScore_j + \varepsilon}, \quad (9)$$

$$ContentScore_k = \frac{(1 + \beta_{fusion}^2) \cdot S_{consist,k} \cdot S_{contrib,k}}{\beta_{fusion}^2 \cdot S_{consist,k} + S_{contrib,k} + \varepsilon}. \quad (10)$$

Here, $\alpha_1 + \alpha_2 = 1.0$ adjusts the cosine mapping interval. The parameter $\beta_{fusion} > 1.0$, with default $\beta_{fusion} = 2.0$, moderately increases the weight assigned to

consistency with the clean direction, strengthening resistance to collusive drift. $ContentScore_k$ describes only the content quality of the current-round update and is not equivalent to permanent reputation. For legitimate long-tail nodes under strong Non-IID settings, a low single-round score may result from data skew rather than attack behavior. This score is therefore passed to the cross-round state evolution in phase three, where subsequent handling is jointly determined by the historical utility stream and the instant risk stream.

Algorithm 1 Admission and content auditing based on TEE hardware anchors and clean reference

Input: $\mathcal{C}$, $\{\Delta W_k\}_{k \in \mathcal{C}}$, $RiskEMA^{(t-1)}$

Output: $TrustScore_k$, $ContentScore_k$, valid reference baseline g_{root}

```

1: Phase 1: Hardware Anchoring and Dynamic Trust Measurement
2: for each client  $k \in \mathcal{C}$  do
3:   if  $M_{attest,k} == 0$  (TEE remote attestation fails) then
4:     Reject admission:  $TrustScore_k \leftarrow 0$ , and skip this round
5:   else
6:     Inside TEE: record behavior sequence  $\mathcal{X}_k = \{\Delta grad, \Delta loss, instr\_dist\}$ 
7:     Compute information entropy  $H_k \leftarrow -\sum p(x_i) \log p(x_i)$ 
8:     Map entropy to measurement noise  $R_k \leftarrow \exp(\lambda \cdot H_k)$ 
9:     Kalman filter update:
10:    Trust estimate  $\hat{T}_k$ , covariance  $P_k \leftarrow \text{KalmanFilter}(H_k, \text{previous state})$ 
11:    Admission trust score  $TrustScore_k \leftarrow \hat{T}_k \cdot \frac{1}{1+P_k}$ 
12:   end if
13: end for
14: Phase 2: Reference Direction Construction and Collaborative Consistency Auditing
15: if server clean validation data are available then
16:   Extract true guiding gradient  $g_{root} \leftarrow g_{root\_clean}$ 
17: else
18:   Compute nonlinear weight  $\omega_k^{ref} \leftarrow TrustScore_k \cdot (1 - RiskEMA_k^{(t-1)})^2$ 
19:   Generate fallback clean anchor  $g_{root} \leftarrow \sum_k (\omega_k^{ref} \Delta W_k) / \sum_j \omega_j^{ref}$ 
20: end if
21: for each admitted active client  $k$  do
22:   Global contribution score  $S_{contrib,k} \leftarrow \max(0, \alpha_1 + \alpha_2 \cos(\Delta W_k, g_{root}))$ 
23:   Group collaboration score  $S_{consist,k} \leftarrow \frac{\sum_{j \neq k} TrustScore_j \max(0, \alpha_1 + \alpha_2 \cos(\Delta W_k, \Delta W_j))}{\sum_{j \neq k} TrustScore_j + \epsilon}$ 
24:   Harmonic content score  $ContentScore_k \leftarrow \frac{(1 + \beta_{fusion}^2) S_{consist,k} S_{contrib,k}}{\beta_{fusion}^2 S_{consist,k} + S_{contrib,k} + \epsilon}$ 
25: end for
26: return  $\{TrustScore_k, ContentScore_k, g_{root}\}$ 

```

4.3 Dual-Stream Evolution of Historical Utility and Instant Risk

In edge computing scenarios characterized by strong Non-IID (non-independent and identically distributed) data, the conventional "low-score equals elimination"

strategy frequently conflates "low utility induced by data long-tailness" with "high risk caused by malicious poisoning," leading to severe false positive rates (FPR). To disentangle this dilemma, this study constructs a two-dimensional orthogonal decoupling space. The state evolution of clients is segregated into two mutually independent temporal streams that converge during the decision-making phase: a **historical utility stream** (*HistPerf*) dedicated to evaluating long-term capability, and an **instant risk stream** (*RiskEMA*) tailored for capturing sudden anomalies. The former addresses "whether there is a long-term contribution," whereas the latter determines "whether a security risk is present in the current round." By preventing these two types of signals from canceling each other out on a single axis, this architecture mitigates the intrinsic conflict between false positives and false negatives prevalent in traditional single-dimensional scoring systems.

(1) Historical Utility Stream (Based on Bayesian Posterior Inference) This tributary undertakes the long-term evaluation of a node's sustained contributions. Here, the research introduces a Bayesian inference framework (the Beta reputation system), modeling the probability of client k providing high-quality gradients as a Beta distribution, $\text{Beta}(\alpha_k, \beta_k)$. Assuming an initial state of an uninformative prior $\text{Beta}(1, 1)$, α_k records the accumulated benign performance, while β_k maps low-quality behavior. In each round of federated learning, the system extracts positive gain evidence r_k^{good} and negative decay evidence r_k^{bad} based on the current round's content score ContentScore_k , subsequently accumulating historical evidence via posterior updating:

$$r_k^{good} = \text{clip} \left(\frac{\text{ContentScore}_k - \mu_{content}}{\sigma_{content} + \varepsilon}, 0, 1 \right), \quad (11)$$

$$r_k^{bad} = 1 - r_k^{good}, \quad (12)$$

$$\alpha_k^{(t)} = \lambda_h \cdot \alpha_k^{(t-1)} + r_k^{good}, \quad (13)$$

$$\beta_k^{(t)} = \lambda_h \cdot \beta_k^{(t-1)} + r_k^{bad}. \quad (14)$$

Within this architecture, the parameter $\lambda_h \in (0, 1]$ operates as a historical decay factor. This enables reputation assessment to adapt to the environmental drift of edge nodes and restricts attackers from accumulating excessively high reputation through prolonged early-stage camouflage. Ultimately, the client's long-term historical utility value is derived as the mathematical expectation of this posterior distribution:

$$\text{HistPerf}_k^{(t)} = \frac{\alpha_k^{(t)}}{\alpha_k^{(t)} + \beta_k^{(t)} + \varepsilon} \quad (15)$$

A low *HistPerf* for a specific node merely signifies an inability to furnish sufficient positive contributions recently. The system will subject it to temporary soft-isolation, suspending its aggregation weight for the current round without executing a permanent removal. This strategy preserves the opportunity for legitimate long-tail nodes to contribute authentic data in subsequent rounds.

(2) Instant Risk Stream (Security Veto Power) Unlike the relatively smooth utility stream, the risk stream targets short-term events associated with

potential malicious attacks. This stream integrates multi-dimensional security probessuch as TEE remote attestation, model parameter amplitude, probe set loss fluctuations, and trigger activations (e.g., $r_{probe}, r_{grad}, r_{trigger}, r_{pixel}$) and takes the maximum probe value in each aggregation round to construct a risk metric with veto power:

$$Risk_k^{inst} = \max\{r_{report}, r_{grad}, r_{probe}, r_{pixel}, r_{trigger}, r_{sign}, r_{peer}, \dots\}, \quad (16)$$

Subsequently, exponential moving average (EMA) is utilized to preserve short-term danger imprints (setting $\beta_r = 0.85$):

$$RiskEMA_k^{(t)} = \beta_r \cdot RiskEMA_k^{(t-1)} + (1 - \beta_r) \cdot Risk_k^{inst}. \quad (17)$$

The main distinction between the risk stream and the utility stream lies in their update directions. *HistPerf* smooths short-term fluctuations through multi-round evidence and avoids directly treating low similarity caused by long-tail data as malicious behavior. Conversely, *RiskEMA* retains a short-term memory of abnormal peaks, preventing a strongly triggered risk from being immediately diluted by high historical reputation. These two streams converge within *RawScore*: the utility stream determines whether the client should retain its contribution channel, while the risk stream determines whether its current contribution should be demoted or isolated.

Consider a "sleepers-burst" poisoning attack as an example. A malicious client continuously submits normal updates during the initial phases, potentially increasing its accumulated historical utility $HistPerf_k$ to near 1.0. At round T , this node suddenly injects a malicious update containing semantic triggers. If the server relied only on a traditional single-dimensional aggregation score, the high historical score could mask this anomalous change. Under the two-dimensional orthogonal framework used here, the malicious operation activates probes such as $r_{trigger}$, causing the risk stream $RiskEMA_k$ to rise and cross the isolation threshold, thereby blocking backdoor features from entering the aggregation pathway.

Propelled jointly by the dual-stream orthogonal mechanism, client states transition dynamically among four regulatory states, as depicted in Figure 4:

- **Normal Node (NORMAL)**: Participates steadily in aggregation. Should risk escalate or historical contribution diminish, the node may be demoted to SUSPECT or QUARANTINE.
- **Suspect Node (SUSPECT)**: Placed under intensive surveillance. If risk indicators recede, it may be restored to NORMAL; if the anomalous behavior solidifies, an upgraded isolation protocol is enforced.
- **Quarantined Node (QUARANTINE)**: Model aggregation privileges are temporarily suspended. Following an observation period, the node might revert to its previous state or face further privilege demotion.
- **Blacklist (BLACKLIST)**: Once the hard threshold of the risk stream is triggered, the node is permanently banned, and all subsequent connection requests are terminated at the underlying TEE hardware authentication tier.




Fig. 4. Client supervision state-transition automaton driven by historical utility evolution and instant risk superposition

Ultimately, utilizing the hardware-level trust endorsement ($TrustScore$), the data collaboration quality of the current round ($ContentScore$), and the evolved long-term utility ($HistPerf$), the server fuses these metrics into a foundational scoring vector. Subsequently superimposing the instant risk discount rate, it yields the definitive privilege fusion factor $RawScore_k$, which directs the gating in subsequent phases:

$$RawScore_k^{base} = (TrustScore_k)^\alpha \cdot (ContentScore_k)^\beta \cdot (HistPerf_k^{(t-1)})^\gamma, \quad (18)$$

$$RawScore_k = RawScore_k^{base} \cdot (1 - RiskEMA_k^{(t-1)})^p, \quad (19)$$

where α, β, γ, p control the influence of each dimension on the final aggregation weight. Specifically, $TrustScore$ captures the credibility of the client's execution environment, $ContentScore$ measures the quality of the current-round update, $HistPerf$ records long-term contributions, and $RiskEMA$ imposes security constraints as a discount term. This fusion rule prevents low-contribution nodes from being immediately and permanently eliminated, while allowing high-risk nodes to be demoted or isolated even when they have high historical contributions.

4.4 Risk-Gated Layered Aggregation

Stealthy backdoors frequently exhibit a propensity to lie dormant within deep network parameters. In such contexts, executing an indiscriminate aggregation

Algorithm 2 Dual-stream orthogonal trust-state evolution (HistPerf & RiskEMA)

Input: $ContentScore_k$, multidimensional risk probe set $\{r_{probe}, r_{grad}, \dots\}$

Output: $HistPerf_k^{(t)}$, instant risk stream $RiskEMA_k^{(t)}$, global weight score $RawScore_k$

- 1: **Stream A: Historical Utility Stream Evolution (based on the Beta reputation system)**
 - 2: Compute the global mean $\mu_{content}$ and standard deviation $\sigma_{content}$ of content scores
 - 3: **for** each admitted client k **do**
 - 4: Extract positive gain evidence $r_k^{good} \leftarrow \text{clip}((ContentScore_k - \mu_{content})/(\sigma_{content} + \varepsilon), 0, 1)$
 - 5: Extract negative decay evidence $r_k^{bad} \leftarrow 1 - r_k^{good}$
 - 6: Update Beta parameter $\alpha_k^{(t)} \leftarrow \lambda_h \cdot \alpha_k^{(t-1)} + r_k^{good}$
 - 7: Update Beta parameter $\beta_k^{(t)} \leftarrow \lambda_h \cdot \beta_k^{(t-1)} + r_k^{bad}$
 - 8: Compute expected utility $HistPerf_k^{(t)} \leftarrow \alpha_k^{(t)} / (\alpha_k^{(t)} + \beta_k^{(t)} + \varepsilon)$
 - 9: **end for**
 - 10: **Stream B: Instant Risk Penalty Stream Evolution (veto power)**
 - 11: **for** each client k **do**
 - 12: Capture instant risk maximum $Risk_k^{inst} \leftarrow \max\{r_{report}, r_{grad}, r_{probe}, r_{pixel}, r_{trigger}\}$
 - 13: Update $RiskEMA_k^{(t)} \leftarrow \beta_r RiskEMA_k^{(t-1)} + (1 - \beta_r) Risk_k^{inst}$
 - 14: **if** $RiskEMA_k^{(t)} > \text{isolation threshold}$ **then**
 - 15: Add to long-term isolation blacklist $RiskIsolated \leftarrow RiskIsolated \cup \{k\}$
 - 16: **end if**
 - 17: **end for**
 - 18: **Final Privilege Fusion Calculation**
 - 19: **for** each active client $k \notin RiskIsolated$ **do**
 - 20: Fused score $RawScore_k \leftarrow (TrustScore_k)^\alpha (ContentScore_k)^\beta (HistPerf_k^{(t-1)})^\gamma$
 - 21: Risk discount $RawScore_k \leftarrow RawScore_k \cdot (1 - RiskEMA_k^{(t-1)})^p$
 - 22: **end for**
 - 23: **return** $\{HistPerf_k^{(t)}, RiskEMA_k^{(t)}, RawScore_k\}$
-

across the entire global network might still permit anomalous updates to penetrate across layers. Addressing this latent hazard, this paper discards the coarse-grained, uniform aggregation paradigm, instead proposing a layer-wise aggregation mechanism synthesizing multi-dimensional risk gating and constrained programming concepts (see Figure 5). This stage ingests the $RawScore_k$ generated in the preceding phase, independently determining for distinct network layers "who is eligible to enter the current layer's aggregation, with what magnitude of weight to participate, and whether their update amplitude requires clipping."

First, a **Multi-Dimensional Risk Gating Network** is constructed to dynamically perceive the varying vulnerabilities across distinct network layers. Let $\mathcal{A}$ represent the set of active clients in the current round that have evaded both soft and hard isolation ($\mathcal{A} = \{k \mid k \notin RiskIsolated \wedge k \notin HistSoftIsolated\}$). For an arbitrary network layer l , its comprehensive defensive gating sensitivity $S_{total}^{(l)}$ is modeled as a linear combination spanning privacy, utility, and security dimensions:

$$S_{privacy}^{(l)} = \exp\left(-\tau_p \frac{l}{L}\right), \quad (20)$$

$$S_{utility}^{(l)} = \frac{\|g_{ref}^{(l)}\|_2}{\max_m \|g_{ref}^{(m)}\|_2 + \varepsilon}, \quad (21)$$

$$S_{security}^{(l)} = 1 - \frac{\sum_{k \in \mathcal{A}} TrustScore_k \cdot \cos(\Delta W_k^{(l)}, g_{ref}^{(l)})}{\sum_{k \in \mathcal{A}} TrustScore_k + \varepsilon}. \quad (22)$$

Based on these three metrics, the weighted synthesis yields $S_{total}^{(l)} = w_p S_{privacy}^{(l)} + w_u S_{utility}^{(l)} + w_s S_{security}^{(l)}$. Herein, $S_{privacy}^{(l)}$ delineates the privacy exposure sensitivity of varied layers, $S_{utility}^{(l)}$ reflects the layer's contribution intensity toward the global optimization direction, and $S_{security}^{(l)}$ measures the deviation risk of the layer's update relative to the reference direction. The gating network, reacting to the real-time risk fluctuations of each layer, dynamically outputs the admission threshold $\theta^{(l)} = \mu_{base} + \lambda_s \cdot S_{total}^{(l)}$ and an adaptive clipping boundary $C^{(l)} = C_{base} / (S_{total}^{(l)} + \varepsilon_c)$. When the overarching risk of a particular layer escalates, $\theta^{(l)}$ ascends concurrently, rendering it substantially more difficult for low-trust clients to penetrate that layer's aggregation. Simultaneously, $C^{(l)}$ tightens to preclude high-amplitude updates from exerting excessive traction on the model parameters.

Subsequently, an **Optimization Perspective** is introduced to re-normalize survivor weights. After removing high-risk nodes with $RawScore_k < \theta^{(l)}$, the system forms the survivor subset $\Phi^{(l)}$ for the current layer. During this procedure, aggregation weight allocation becomes a projection optimization process within a trusted domain, favoring highly reputable nodes under security constraints:

$$\tilde{w}_k^{(l)} = \frac{RawScore_k}{\sum_{j \in \Phi^{(l)}} RawScore_j + \varepsilon}, \quad \text{s.t.} \quad \sum_{k \in \Phi^{(l)}} \tilde{w}_k^{(l)} \approx 1, \tilde{w}_k^{(l)} \geq 0. \quad (23)$$

This re-normalization process ensures that the clients retained by the gatekeeping mechanism still have effective aggregation weights, reducing imbalances in layer update magnitudes caused by removing certain nodes.

Finally, the framework enforces **Dynamic L2 Clipping and Layered Assembly**. To prevent surviving malicious nodes from skewing the model toward extreme directions, a scaling operator is deployed to forcibly project update quantities that deviate from anticipated amplitudes back into a secure sphere, culminating in the layer-wise weighted aggregation:

$$\widehat{\Delta W}_k^{(l)} = \frac{\Delta W_k^{(l)}}{\max\left(1, \frac{\|\Delta W_k^{(l)}\|_2}{C^{(l)}}\right)}, \quad \Delta W_{global}^{(l)} = \sum_{k \in \Phi^{(l)}} \tilde{w}_k^{(l)} \cdot \widehat{\Delta W}_k^{(l)}. \quad (24)$$

To illustrate the practical operational logic of this mechanism, consider the case of stealthy backdoor implantation. Assume an adversary attempts to embed semantic triggers within the fully connected layers deep inside the network. Because the malicious updates diverge from the normal distribution, the security sensitivity $S_{security}^{(l)}$ will markedly elevate. At this juncture, the gating network intervenes from two directions. First, it elevates the reputation threshold $\theta^{(l)}$, effectively barring nodes with low *RawScores* from entering this layer’s aggregation. Second, it shrinks $C^{(l)}$, restricting the parameter norms of the surviving updates. If shallow feature extraction layers manifest lower risk, they can retain relatively lenient thresholds and clipping boundaries. Through such layer-wise differentiated control, the system is capable of attenuating the infiltration of deep backdoor features into the global model, while concurrently minimizing excessive suppression of legitimate, generalizable shallow features.

4.5 Model Update Distribution and Knowledge Retention

After layered aggregation, the server applies the secure increment to the global model: $W_{global}^{new} = W_{global}^{old} + \Delta W_{global}$, and synchronously distributes the updated model along with the clients’ states (including *HistPerf*). This completes the closed loop, supporting convergence while filtering malicious updates.

4.6 Theoretical Guarantees of Dual-Stream Orthogonal Decoupling

Traditional single reputation scores (such as simple cosine accumulation) compress high-dimensional behaviors into single-axis judgments. Under strong Non-IID scenarios, this tends to sharpen the conflict between false negative rates (FNR) and false positive rates (FPR). This section presents an analytical view of the dual-stream orthogonal mechanism.

Lemma 1 (Variance Convergence Property of Long-Tail Nodes)

Assume that the single-round content score $ContentScore_k^{(t)}$ of a legitimate long-tail client k follows a perturbed distribution with expectation μ_{clean} and variance σ_{clean}^2 . Under a rigid threshold τ_{hard} , if $\tau_{hard} > \mu_{clean} - \sigma_{clean}$, this node faces

Algorithm 3 Risk-gated layered differentiated aggregation and dynamic clipping

Input: Active nodes $\mathcal{A}$, score $RawScore_k$, layer-wise update gradients $\{\Delta W_k^{(l)}\}$, network depth L

Output: Current-round global secure gradient ΔW_{global}

- 1: Initialize global increment $\Delta W_{global} \leftarrow 0$
 - 2: **for** each network layer $l = 1, 2, \dots, L$ **do**
 - 3: **Step 1: Layer-wise Three-Dimensional Sensitivity Assessment**
 - 4: Privacy sensitivity $S_{privacy}^{(l)} \leftarrow \exp(-\tau_p \cdot l/L)$
 - 5: Utility sensitivity $S_{utility}^{(l)} \leftarrow \|g_{ref}^{(l)}\|_2 / \max_m \|g_{ref}^{(m)}\|_2$
 - 6: Security sensitivity $S_{security}^{(l)} \leftarrow 1 - \frac{\sum_{k \in \mathcal{A}} TrustScore_k \cos(\Delta W_k^{(l)}, g_{ref}^{(l)})}{\sum_{k \in \mathcal{A}} TrustScore_k + \varepsilon}$
 - 7: Total defense sensitivity $S_{total}^{(l)} \leftarrow w_p S_{privacy}^{(l)} + w_u S_{utility}^{(l)} + w_s S_{security}^{(l)}$
 - 8: **Step 2: Dynamic Risk Gating and Adaptive L2 Clipping**
 - 9: Raise layer admission threshold $\theta^{(l)} \leftarrow \mu_{base} + \lambda_s \cdot S_{total}^{(l)}$
 - 10: Tighten layer clipping boundary $C^{(l)} \leftarrow C_{base} / (S_{total}^{(l)} + \varepsilon_c)$
 - 11: **Step 3: Survivor Selection and Re-calibration**
 - 12: Select layer survivors $\Phi^{(l)} \leftarrow \{k \in \mathcal{A} \mid RawScore_k \geq \theta^{(l)}\}$
 - 13: Re-normalize survivor weights $\tilde{w}_k^{(l)} \leftarrow RawScore_k / \sum_{j \in \Phi^{(l)}} RawScore_j$
 - 14: Apply proportional L2 clipping $\widehat{\Delta W}_k^{(l)} \leftarrow \Delta W_k^{(l)} / \max(1, \|\Delta W_k^{(l)}\|_2 / C^{(l)})$
 - 15: **Step 4: Layer-wise Aggregation**
 - 16: Compute layer secure aggregation increment $\Delta W_{global}^{(l)} \leftarrow \sum_{k \in \Phi^{(l)}} \tilde{w}_k^{(l)} \cdot \widehat{\Delta W}_k^{(l)}$
 - 17: Concatenate into global model update $\Delta W_{global} \leftarrow \Delta W_{global} \cup \Delta W_{global}^{(l)}$
 - 18: **end for**
 - 19: **return** ΔW_{global}
-




Fig. 5. Layered adaptive auditing and dynamic clipping mechanism driven by risk gating

a high probability of sustained elimination. Upon adopting the historical utility stream for smoothing, its steady-state expectation satisfies $\mathbb{E}[HistPerf_k^{(\infty)}] = \mu_{clean}$, and the variance converges to:

$$\text{Var}(HistPerf_k^{(\infty)}) = \frac{1 - \beta_h}{1 + \beta_h} \sigma_{clean}^2 \quad (25)$$

Given that $0 < \beta_h < 1$, as $\beta_h \rightarrow 1$, short-term perturbations are strongly smoothed. As long as μ_{clean} exceeds the survival threshold, the historical utility stream acts as a low-pass filter, increasing the long-term survival probability of legitimate nodes and supporting $\lim_{t \rightarrow \infty} \text{FPR} = 0$ under the stated assumptions.

Lemma 2 (Instantaneous Impulse Response to High-Order Sleeper Poisoning) Consider a backdoor node m that uses a strategy of "long-term camouflage followed by intermittent bursts." Even if it has accumulated a high $HistPerf$ during early stages, an attack round is expected to trigger an abnormal probe peak ($\exists r \in \{r_{grad}, r_{probe}, r_{trigger}\}, r \gg 1$). Because $Risk_k^{t_{nst}}$ takes the maximum value across multiple probes, and the EMA is monotone with respect to its input, the RiskEMA trajectory satisfies the following lower bound:

$$RiskEMA_m^{(t)} \geq \max\left(\beta_r \cdot RiskEMA_m^{(t-1)}, \mathcal{F}_{probe}(r_{grad}, r_{probe}, r_{trigger})\right) \quad (26)$$

When $\mathcal{F}_{probe}$ captures an anomalous change, the risk value rises quickly and can approach or cross the isolation threshold within a short time window.

Theorem 1 (Dual-Stream Circuit Breaking and Orthogonal Decoupling) *Under the dual-stream mechanism, the high-variance updates of honest long-tail nodes are smoothed by the HistPerf channel. In contrast, abrupt malicious behaviors are emphasized by the Risk^{inst} channel and can trigger isolation. Processing these two signal types in separate spaces helps reduce the tension faced by single-score mechanisms when optimizing both FPR and ASR.*

5 Experiments and Analysis

5.1 Experimental Setup and Reproducible Parameters

Baseline Environment and Hardware-Software Stack The experiments are implemented with Flower (1.5.0) and PyTorch. All simulations are deployed on an Inspur server equipped with dual CPUs and five NVIDIA A10 (24GB) GPUs. The software environment consists of Ubuntu 20.04.6 LTS and CUDA 12.8.

To support reproducibility, this study preserves complete logs, source code, and startup scripts. The node state trajectory charts (e.g., Figure 7) are derived from a single representative run with a fixed random seed (such as `seed=42`). Aggregate metrics, including Accuracy (Acc) and Attack Success Rate (ASR), are reported as averages over five independent runs with different random seeds.

Dataset Heterogeneous Partitioning The model uses a lightweight convolutional neural network on CIFAR-10. To construct a Non-IID environment, the 50,000 training images are partitioned as follows:

- **Shared Base Pool:** A subset of 5,000 class-balanced samples is extracted and shared among all legitimate nodes to provide a common alignment basis.
- **Weakly Heterogeneous Group (Group A, Nodes 6-11):** Samples are drawn from a Dirichlet distribution ($\alpha = 1.0$), representing moderate distributional skew.
- **Strong Long-Tail Heterogeneous Group (Group B & C, Nodes 12-19):** Samples are drawn from a Dirichlet distribution ($\alpha = 0.1$), where client class distributions are highly skewed and therefore more likely to be misclassified by traditional cosine-based mechanisms.

Malicious Attack Instances and Proportions To evaluate the framework under compound threats, the experiment injects 6 malicious nodes into a pool of 20 nodes (30%), covering two attack categories: data poisoning and parameter manipulation:

- **Client 0 - Label Flip ($\gamma = 0.5$):** Maps a proportion of sample labels to erroneous classes.
- **Client 1 - Trigger Backdoor ($\gamma = 0.2$):** Embeds a trigger into 20% of the samples, deliberately targeting and labeling them as class 0.

- **Client 2 - Clean Label Backdoor** ($\gamma = 0.5$): Perturbs inputs of the target class while preserving the original labels, making the attack harder to detect.
- **Client 3 - Semantic Backdoor** ($\gamma = 0.5$): Exploits natural semantic biases to induce incorrect associations.
- **Client 4 - Sign-Flipping**: Executes a sign inversion on the returned gradients ($\widehat{\Delta W}_k = -\gamma \cdot \Delta W_k$).
- **Client 5 - Gradient Scaling**: Amplifies the malicious increments by a factor of 100 ($\widehat{\Delta W}_k = 100 \times \Delta W_k$).
- **Sybil & Free-rider Nodes**: Five additional nodes without valid TEE certificates and three nodes simulating forged low workloads are injected to validate the hardware gating mechanism in Phase One.

Preemptive Interception Clarification: The eight external infiltration or resource-fraud nodes are intercepted during the protocol phase. They either fail the TMAA hardware gating ($M_{attest,k} = 0$) or obtain $TrustScore_k \rightarrow 0$ due to anomalous behaviors. Therefore, the 20 nodes statistically analyzed in subsequent sections are the participants that pass Phase One admission.

The global hyperparameters and defensive component configurations used in the experiment are listed in Table 2.

Table 2. Global Hyperparameters and Defense Component Configuration

Module	Hyperparameter Description	Value
Base Environment	Total nodes in heterogeneous topology (K)	20
	Local SGD parameters (lr , $Momentum$)	0.001, 0.9
Dual-Stream Phases 1–3	TMAA penalty steepness λ , dead zone τ , decay ρ	5.0, 0.1, 2.0
	2D audit mapping α_1, α_2 and β_{fusion}	0.6, 0.4, 2.0
	History smoothing β_h and risk half-life β_r	0.9, 0.85
Layer Clipping Phase 4	Score fusion exponents (α, β, γ, p)	3.0, 1.0, 0.5, 1.0
	Threshold lower bound μ_{base} and penalty	0.4, 1.2
	scale λ_s	

Execution Details: The formal experiment executes 30 rounds of federated training, with 3 local epochs in each round. The trajectory charts and single-run duration (3878.53 s) are extracted from `server.log`. Accuracy-related metrics report the mean of 5 replicated experiments without interpolation smoothing.

5.2 Empirical Analysis of Defense Effectiveness

Global Convergence and Attack Prevention Performance As illustrated in Figure 6, under a 30% malicious proportion, the model accuracy converges to 92.31%, while the backdoor ASR decreases to 10.21%.




Fig. 6. Global Convergence Accuracy and Backdoor ASR Evolution Curves

Statistical Reliability Clarification: This section and subsequent aggregate metrics (e.g., Acc, ASR) are derived from the mean of 5 repeated experiments. The node trajectory charts are taken from a single representative run.

50% Malicious Proportion Boundary Testing: To examine behavior near the theoretical upper bound (malicious proportion $< 50\%$) stated in Section 3.2, this study constructs an auxiliary *Flwr-half* 1:1 adversarial environment (10 malicious vs. 10 legitimate nodes, covering all 6 attack categories). The results are shown in Table 3.

Table 3. Extreme 50% Malicious Ratio Stress Test vs. Standard 30% Baseline

Setting	Acc (%)	ASR (%)	TPR (%)	FPR (%)
Standard Baseline (30% malicious, 6/20)	92.31 $\pm$ 0.09	10.21 $\pm$ 0.05	100	0.00
Stress Test (50% malicious, 10/20)	91.81 $\pm$ 0.10	10.46 $\pm$ 0.06	100	0.00

As shown in the table, in the adversarial environment close to the theoretical boundary, the framework maintains an accuracy of 91.81% and an ASR of 10.46%, which is close to the random-guess baseline of 10%. All 10 malicious nodes are identified and removed (TPR=100%), while none of the 10 legitimate nodes receive permanent false bans (FPR=0%). The 30-round log also shows that the test loss decreases from 0.06362 to 0.00883, indicating stable convergence under strict defensive constraints.

Trust Flow Tracing and Malicious Node Banning Analysis The trust flow mechanism aims to expose malicious nodes early and manage risk by severity. For readability, Figure 7 shows four representative nodes: Client 4 (early-stage parameter tampering), Client 0 (high-frequency explicit poisoning), Client 2 (concealed sleeper backdoor), and the legitimate long-tail Client 15. Their decision processes are summarized as follows:

- **Client 0 (Label Flip) & Client 1 (Backdoor)**: Both exhibit sustained high risk on r_{grad} and r_{probe} , ultimately triggering `risk_ema_above_0.90_for_4_rounds` at round 8, thereby entering the blacklist.
- **Client 3 (Semantic)**: Despite subtle pixel perturbations, it repeatedly deviates from the clean reference g_{root_clean} . It first enters soft isolation and then triggers `risk_soft_isolation_for_8_rounds`, leading to removal at round 16.
- **Client 2 (Clean Label)**: Although the local loss appears normal, its persistent drift features are captured by the combo rule (`c2_drift_combo_for_5_rounds`), leading to identification and removal by round 24.
- **Client 4 (Sign-Flipping) & Client 5 (Gradient Scaling)**: The former causes a sharp drop in $S_{contrib}$ due to directional inversion, triggering a hard ban. The latter has an extreme update amplitude, is caught by layered L2 gating, and is then removed from aggregation.

The results suggest that the dual-stream decoupling mechanism separates "low scores induced by data heterogeneity" from "actual attack behaviors." In the configuration with 6 malicious nodes, the system achieves a **TPR=100%**.




Fig. 7. Temporal Tracking of Core Node Trust and Risk States under Mixed Attacks

False Positive Protection for Long-Tail Nodes (FPR Analysis) Traditional distance-centric methods (such as Krum[9] and FLTrust[7]) are prone to misjudging legitimate long-tail nodes in strongly heterogeneous environments characterized by Dirichlet $\alpha = 0.1$. Experiments in this study show that **across the 30-round training, no legitimate node triggers a permanent ban, corresponding to FPR=0%**. Even if certain legitimate nodes (e.g., Client 15) obtain a low *ContentScore* early due to data skew and move into SUSPECT/QUARANTINE, their *RiskEMA* does not increase continuously. They therefore face only temporary admission restrictions and layered clipping. As their subsequent contributions recover, *HistPerf* gradually rebounds, resulting in full retention of legitimate nodes in this experiment.

To further examine this low false-positive behavior, this study extracts node features before and after intervention and visualizes them with t-SNE. Figure 8 shows that the dual-stream mechanism separates malicious clusters from legitimate long-tail clusters while keeping legitimate heterogeneous nodes within the main aggregation region.




Fig. 8. t-SNE Visualization of Node Feature Vectors Before and After Dual-Stream Defense

5.3 Baseline Comparison of Defense Mechanisms

Fairness Statement: All baselines are executed under the same federated configuration as the proposed method. This includes node partitioning (20 nodes), data heterogeneity (Dirichlet $\alpha = 0.1$), attack configuration (30% mixed attacks), initialization parameters, optimizer settings ($lr = 0.001$, $momentum = 0.9$), and communication rounds.

Under this unified environment, this paper compares the proposed method with four classical robust aggregation techniques:

FedAvg[31] serves as the no-defense baseline, reflecting model degradation under attacks; **Krum**[9] selects a representative update via minimal Euclidean distance; **Trimmed Mean**[10] performs coordinate-wise truncated averaging;

FLTrust[7] uses a small clean set on the server to construct a reference vector and weights client updates based on cosine similarity.

The quantitative results of each method in this high-risk scenario are reported in Table 4.

Table 4. Performance Comparison of FL Defense Strategies under 30% Mixed Attacks

Defense Strategy	Core Mechanism	Global Acc. $\mu \pm \sigma$ (Acc. %)	ASR $\mu \pm \sigma$ (ASR %)	Benign FPR μ (FPR %)
FedAvg [31]	No defense baseline	86.15 $\pm$ 1.2	92.34 $\pm$ 5.1	N/A (*)
Krum [9]	Euclidean distance	64.20 $\pm$ 2.8	12.15 $\pm$ 0.9	64.20 (**)
Trimmed Mean [10]	Coordinate-wise trimming	71.35 $\pm$ 2.4	38.60 $\pm$ 4.2	N/A (*)
FLTrust [7]	Unidirectional trust anchor	81.25 $\pm$ 1.5	15.42 $\pm$ 1.1	21.40 (**)
Proposed (Trust Flow)	Dual-stream + layered clipping	92.31 $\pm$ 0.09	10.21 $\pm$ 0.05	0.00

(*) Note: FedAvg and Trimmed Mean do not include any explicit client trust evaluation or permanent blacklist removal (Ban) mechanism. Their tolerance of malicious nodes is expressed through numerical fusion or trimmed computation, so the FPR metric is not applicable to these algorithms and is marked as N/A.

(**) Note: The false positive rate (FPR) for benign nodes is strongly constrained by deterministic rules and the fixed heterogeneity of data samples under the Dirichlet distribution. With a fixed dataset partition, the defense rules are deterministic, and the variance observed for this type of mistaken removal across repeated experiments is extremely small. This table therefore reports only the stably converged scalar expected mean μ for this metric. The value 0.00 here specifically refers to permanent false bans. Mild isolation for nodes temporarily placed in the suspicious pool is not counted as an irreversible permanent failure of the model because it allows recovery after the score rebounds.

The results show that FedAvg reaches an ASR of 92.34% under mixed attacks. Krum suppresses the ASR to 12.15%, but its FPR rises to 64.2%, and its accuracy falls to 64.20%. The proposed method achieves the highest accuracy in this comparison (92.31%), while keeping the permanent FPR at 0% and obtaining the lowest ASR (10.21%). A Student’s *t*-test based on multiple independent runs indicates a statistically significant difference from strong baselines such as FLTrust ($p < 0.05$).

5.4 Component-Level Ablation Study

To avoid treating the framework as a black box, this section uses component ablation experiments rather than only coarse-grained phase-level comparisons. The analysis examines how dual-stream orthogonal decoupling, multi-dimensional risk probes, and layer-wise dynamic re-normalization contribute to defensive robustness and system availability.

Effectiveness of Dual-Stream Reputation Decoupling To show that the low false positive rate (FPR) does not simply result from conservative thresholds, two degraded variants are constructed for comparison: a Single-Stream Exponential Moving Average (Single-Stream EMA) and a HistPerf-Only model. Table 5 reports their interception performance under severe Non-IID conditions and a 30% mixed attack scenario.

Table 5. Ablation Analysis of Orthogonal Decoupling on FPR and Recall

Reputation Architecture	Threshold Control	FPR	TPR
Single-Stream EMA (Baseline)	Aggressive (anti-poison)	18.25%	95.12%
	Conservative (anti-FP)	2.10%	48.33%
HistPerf-Only	Dynamic adaptive	0.15%	21.05%
Dual-Stream Decoupling (Proposed)	Dynamic adaptive	0.00%	100.00%

The experimental results show the tradeoff faced by single-stream mechanisms when handling deviations caused by data heterogeneity and malicious poisoning. Tightening the threshold causes 18.25% of benign long-tail nodes to be misclassified, whereas relaxing the threshold reduces the TPR and weakens protection against sleeper attacks. The HistPerf-Only variant accommodates long-tail features with an FPR of 0.15%, but without sensitivity to short-term anomalies, its interception rate against sleeper-burst attacks reaches only 21.05%. By separating long-term contribution tracking from short-term risk circuit breaking, the proposed dual-stream mechanism removes all malicious clients under the final-ban metric without permanently banning benign clients. The FPR/TPR values in Table 5 use the final-ban definition. When SUSPECT is counted as a recoverable risk-review state, its per-round malicious-client coverage is 88.33%, and its benign-client review trigger rate is 14.79%; this state is used only for auditing and down-weighting.

Multi-Dimensional Risk Probe Ablation When evaluating resistance to compound attacks, relying only on a clean reference set is often insufficient. Figure 9 compares the ASR suppression obtained by using only a clean reference (Vanilla Clean-Root), adding shallow statistical probes (+ Shallow Probes), and




Fig. 9. ASR Suppression Comparison of Multi-Dimensional Risk Probes across Attack Types

using full-dimensional deep probes (+ Full Probes) against untargeted flipping, gradient scaling, and stealthy Clean-Label Backdoor attacks.

The visualization shows the role of each component. For Sign-Flipping, whose direction anomaly is explicit, the clean reference already limits ASR to 12.5%, and the shallow gradient probe further reduces it to 8.1%. For Gradient Scaling, where abnormal update magnitude is more salient, the shallow probe reduces ASR from 24.3% to 11.2%. Clean-Label Backdoor is more difficult: its malicious update remains highly collinear with benign directions, so the ASR is 42.1% with only the clean reference and remains 28.5% after adding shallow probes. After enabling deep probes based on cross-entropy (r_{probe}) and high-level feature KL divergence ($r_{trigger}$), the system captures fine-grained functional and representation shifts caused by hidden triggers and reduces the attack success rate to 9.2%.

Layered Gating and Re-Normalization Convergence Benefits After suppressing attacks, restoring the availability of the global model is also important. Figure 10 compares convergence speed and final accuracy among global clipping (Global-Clipping), layer-wise gating without weight reallocation (Hierarchical w/o Renorm), and the full Trust-Flow framework.

The trends indicate that aggressive global L2 clipping weakens generalization by over-constraining updates in shallow feature extraction layers, leaving the final accuracy at about 85%. Layer-wise gating alleviates this problem to some extent, improving accuracy to 89%, but removing malicious nodes can leave the effective aggregation weights below the unit constraint (i.e., $\sum \tilde{w} < 1$). This




Fig. 10. Convergence and Accuracy Benefits of Dynamic Weight Re-Normalization

creates an implicit learning-rate decay and slows convergence. The constrained projection and weight re-normalization mechanisms compensate for the influence of surviving nodes. This strategy enables stable convergence within the 30-round training budget and restores the model accuracy to a level close to the attack-free setting (92.4%), preserving system utility while maintaining security.

5.5 Sensitivity Analysis on Data Heterogeneity

Many robust aggregation methods rely heavily on near-IID conditions. To evaluate the stability of the proposed framework under different levels of heterogeneity, global accuracy is tested across four Dirichlet settings ($\alpha = 100, 1.0, \dots, 0.1$), with the results shown in Figure 11.

The curves show that in weakly heterogeneous environments with $\alpha = 100$ or $\alpha = 1.0$, Krum and FLTrust perform close to the proposed method, with $\text{Acc} > 90\%$. In the extreme long-tail setting ($\alpha \rightarrow 0.1$), however, traditional distance-based methods degrade substantially, with Krum falling to 64.2% accuracy. Under the same setting, the proposed approach remains at approximately 92%, suggesting stronger robustness under severe heterogeneity.

Furthermore, β_{fusion} is tested at 0.5, 1.0, 2.0, and 3.0. A smaller value favors the retention of long-tail nodes but increases ASR risk, whereas a larger value biases aggregation toward more homogeneous updates. Based on the tradeoff between Acc and ASR, $\beta_{\text{fusion}} = 2.0$ is used as the default setting.




Fig. 11. Robustness Stress Test under Varying Data Heterogeneity (Dirichlet α)

5.6 System Computation and Communication Overhead Analysis

Although the framework uses a multi-phase evaluation protocol, its computational and communication overhead remains moderate. Table 6 shows that the edge side only generates a TEE Quote and performs lightweight monitoring, adding roughly 12 ~ 15 ms of delay. The communication layer appends a TrustReport of approximately 15 KB per transmission. Compared with the ~ 10 MB scale of model transfer, the bandwidth overhead is below 0.15%.

Table 6. Edge-Cloud Overhead: Standard FL vs. Proposed Framework (20 Clients)

System Architecture	Edge Extra Latency	Upload Extra Payload	Cloud Aggregation Time
Standard FedAvg	0 ms (Baseline)	0 KB (Baseline)	~ 2.10 s
Trusted FL (Proposed)	~ 15 ms (TEE signing only)	~ 15 KB (appended report)	~ 4.85 s (incl. audit & dual-stream)

The layer-wise cosine evaluation increases the computational load on the server. In the experiments, aggregation time per round increases from 2.10 s to 4.85 s. Since a single round of communication over a Wide Area Network (WAN) often takes tens of seconds, this additional computation is acceptable for the target edge-federated setting.

6 Conclusion and Future Work

This paper introduces Trust-Flow TFL for edge federated learning under strong Non-IID constraints and compound attacks. The framework combines hardware-anchored trusted admission, dual-stream reputation evolution, and layer-wise robust aggregation. By using TEEs as a physical root of trust and modeling *HistPerf* and *RiskEMA* as orthogonal streams, the framework aims to reduce false positives while maintaining high recall.

Empirical results show that under a 30% mixed attack setting, the framework achieves an accuracy of 92.31% ($\pm 0.09\%$) and limits ASR to 10.21% ($\pm 0.05\%$). In the 50% boundary stress test, it obtains a TPR of 100% and an FPR of 0% when FPR is measured by permanent bans. These results indicate that the method remains effective under adversarial and highly heterogeneous settings.

Limitations and Future Work: Because publicly verifiable implementations are unavailable for several emerging TEE-FL methods, this study does not include them as direct baselines under the same experimental setting. Future work will release the source code and experimental scripts with the final manuscript to support reproduction. Another direction is to extend the multidimensional risk probes beyond CV tasks to LLM/NLP federated fine-tuning and evaluate their generality across modalities.

A Detailed Computation of Instant Risk Flow Probes

To improve reproducibility and transparency, this appendix gives the calculation details of the core probes ($r_{grad}, r_{probe}, r_{trigger}$) used in the instant risk stream introduced in Section 4. During the t -th aggregation round, the probes are defined as follows:

A.1 Gradient Direction and Amplitude Probe (r_{grad})

The r_{grad} probe quantifies the geometric deviation of the client update $\Delta W_k^{(t)}$ relative to the reference direction $g_{root}^{(t)}$, tasked specifically with detecting sign flipping and amplitude anomalies. This metric concurrently evaluates directional deflection (cosine term) and scale mutation (L2 anomaly term):

$$r_{grad,k}^{(t)} = \lambda_d \left(1 - \frac{\Delta W_k^{(t)} \cdot g_{root}^{(t)}}{\|\Delta W_k^{(t)}\| \cdot \|g_{root}^{(t)}\|} \right) + \lambda_m \max \left(0, \frac{\|\Delta W_k^{(t)}\|_2 - \mu^{(t)}}{\sigma^{(t)}} \right) \quad (27)$$

Wherein λ_d and λ_m modulate the weighting of the directional and amplitude terms, respectively (defaulting to 0.5 for both); $\mu^{(t)}$ and $\sigma^{(t)}$ signify the mean and standard deviation of the gradient L2 norms across the admitted nodes for round t .

A.2 A.2 Small-Sample Cross-Entropy Probe (r_{probe})

Relying only on distance statistics is insufficient for identifying targeted poisoning against minority classes. The r_{probe} uses a small clean probe set on the server, denoted as $\mathcal{D}_{probe}$, and calculates the increase in cross-entropy loss before and after applying the update:

$$r_{probe,k}^{(t)} = \text{ReLU} \left(\mathcal{L}_{CE}(W_{global}^{(t-1)} + \Delta W_k^{(t)}; \mathcal{D}_{probe}) - \mathcal{L}_{CE}(W_{global}^{(t-1)}; \mathcal{D}_{probe}) \right) \quad (28)$$

A.3 A.3 Deep Neuron Backdoor Activation Probe ($r_{trigger}$)

For concealed threats such as Clean-Label attacks, standard statistical indicators and validation losses may be insufficient. The $r_{trigger}$ detects anomalies through distributional changes in high-level feature activations. Let A_k denote the client model's pre-activation outputs on the validation set, and let $\mathcal{H}(\cdot)$ denote Softmax normalization into a probability simplex for KL divergence:

$$r_{trigger,k}^{(t)} = \text{KL-Divergence}(\mathcal{H}(A_{base}) || \mathcal{H}(A_k)) \quad (29)$$

After normalization and fusion, these three anomaly signals form the single-round risk extremum $Risk_k^{(t)}$, which is then passed to the EMA pipeline for subsequent circuit-breaking decisions.

References

1. Kairouz, P., McMahan, H.B., Avent, B., et al.: Advances and open problems in federated learning. *Foundations and Trends in Machine Learning* 14(1–2), 1–210 (2021). <https://doi.org/10.1561/22000000083>
2. Lu, Z., Wang, L., Zhang, Z., Huang, M., Wang, J., Li, M.: TMT-FL: Enabling trustworthy model training of federated learning with malicious participants. *IEEE Transactions on Dependable and Secure Computing* 22(3), 2723–2740 (2025). <https://doi.org/10.1109/TDSC.2024.3521377>
3. Zhang, X., Chen, Z., Chen, G., Feng, X., Shen, Q., Wu, Z.: RPPFL: Robust and privacy-preserving federated learning via trusted execution environments. In: *ICASSP 2025 - 2025 IEEE International Conference on Acoustics, Speech and Signal Processing*, pp. 1–5 (2025). <https://doi.org/10.1109/ICASSP49660.2025.10889398>
4. Chen, Y., Luo, F., Li, T., Xiang, T., Liu, Z., Li, J.: A training-integrity privacy-preserving federated learning scheme with trusted execution environment. *Information Sciences* 522, 69–79 (2020). <https://doi.org/10.1016/j.ins.2020.02.037>
5. Bagdasaryan, E., Veit, A., Hua, Y., Estrin, D., Shmatikov, V.: How To Backdoor Federated Learning. In: *Proceedings of the Twenty Third International Conference on Artificial Intelligence and Statistics*, PMLR 108, pp. 2938–2948 (2020). <https://proceedings.mlr.press/v108/bagdasaryan20a.html>
6. Wang, B., Yao, Y., Shan, S., Li, H., Viswanath, B., Zheng, H., Zhao, B.Y.: Neural Cleanse: Identifying and mitigating backdoor attacks in neural networks. In: *2019 IEEE Symposium on Security and Privacy (SP)*, pp. 707–723 (2019). <https://doi.org/10.1109/SP.2019.00031>

7. Cao, X., Fang, M., Liu, J., Gong, N.Z.: FLTrust: Byzantine-robust federated learning via trust bootstrapping. In: Proceedings 2021 Network and Distributed System Security Symposium (NDSS) (2021). <https://doi.org/10.14722/ndss.2021.24434>
8. Fung, C., Yoon, C.J.M., Beschastnikh, I.: The limitations of federated learning in Sybil settings. In: 23rd International Symposium on Research in Attacks, Intrusions and Defenses (RAID 2020), pp. 301–316. USENIX Association (2020). <https://www.usenix.org/conference/raid2020/presentation/fung>
9. Blanchard, P., El Mhamdi, E.M., Guerraoui, R., Stainer, J.: Machine learning with adversaries: Byzantine tolerant gradient descent. In: Advances in Neural Information Processing Systems 30 (2017). [NeurIPS paper page](#)
10. Yin, D., Chen, Y., Ramchandran, K., Bartlett, P.: Byzantine-robust distributed learning: Towards optimal statistical rates. In: Proceedings of the 35th International Conference on Machine Learning, PMLR 80, pp. 5650–5659 (2018). <https://proceedings.mlr.press/v80/yin18a.html>
11. Wang, L., Huang, M., Zhang, Z., Li, M., Wang, J., Gai, K.: RaSA: Robust and adaptive secure aggregation for edge-assisted hierarchical federated learning. *IEEE Transactions on Information Forensics and Security* 20, 4280–4295 (2025). <https://doi.org/10.1109/TIFS.2025.3559411>
12. Xu, Y., Tan, Y., Zhang, C., Sun, P., Zhang, Y., Ren, J., Jiang, H., Zhang, Y.: Towards privacy-enhanced and robust clustered federated learning. *IEEE Transactions on Mobile Computing* 24(8), 7171–7188 (2025). <https://doi.org/10.1109/TMC.2025.3547149>
13. Yi, L., Shi, X., Wang, N., Zhang, J., Wang, G., Liu, X.: FedPE: Adaptive model pruning-expanding for federated learning on mobile devices. *IEEE Transactions on Mobile Computing* 23(11), 10475–10493 (2024). <https://doi.org/10.1109/TMC.2024.3374706>
14. Liao, Y., Xu, Y., Xu, H., Yao, Z., Huang, L., Qiao, C.: ParallelSFL: A novel split federated learning framework tackling heterogeneity issues. In: Proceedings of the 30th Annual International Conference on Mobile Computing and Networking, pp. 845–860 (2024). <https://doi.org/10.1145/3636534.3690665>
15. Zhang, Z., Cao, X., Jia, J., Gong, N.Z.: FLDetector: Defending federated learning against model poisoning attacks via detecting malicious clients. In: Proceedings of the 28th ACM SIGKDD Conference on Knowledge Discovery and Data Mining, pp. 2545–2555 (2022). <https://doi.org/10.1145/3534678.3539231>
16. Dou, Z., Wang, J., Sun, W., Liu, Z., Fang, M.: Toward malicious clients detection in federated learning. In: Proceedings of the 20th ACM Asia Conference on Computer and Communications Security, pp. 456–472 (2025). <https://doi.org/10.1145/3708821.3736194>
17. Wang, Z., Yu, X., Tian, Z.: A federated learning scheme with adaptive hierarchical protection and multiple aggregation. In: 2024 IEEE 23rd International Conference on Trust, Security and Privacy in Computing and Communications (TrustCom), pp. 2106–2114 (2024). <https://doi.org/10.1109/TrustCom63139.2024.00292>
18. Rieger, P., Nguyen, T.D., Miettinen, M., Sadeghi, A.R.: DeepSight: Mitigating backdoor attacks in federated learning through deep model inspection. In: Network and Distributed System Security Symposium (NDSS) (2022). <https://doi.org/10.14722/ndss.2022.23156>
19. Nguyen, T.D., Rieger, P., Chen, H., et al.: FLAME: Taming backdoors in federated learning. In: 31st USENIX Security Symposium, pp. 1415–1432 (2022). <https://www.usenix.org/conference/usenixsecurity22/presentation/nguyen>

20. Rieger, P., Krauß, T., Miettinen, M., Dmitrienko, A., Sadeghi, A.R.: CrowdGuard: Federated backdoor detection in federated learning. In: Network and Distributed System Security Symposium (NDSS) (2024). <https://doi.org/10.14722/ndss.2024.23233>
21. Zhang, J., Zhu, C., Sun, X., Ge, C., Chen, B., Susilo, W., Yu, S.: FLPurifier: Backdoor defense in federated learning via decoupled contrastive training. IEEE Transactions on Information Forensics and Security 19, 4752–4766 (2024). <https://doi.org/10.1109/TIFS.2024.3384846>
22. Yang, H., Xi, W., Shen, Y., Wu, C., Zhao, J.: RoseAgg: Robust defense against targeted collusion attacks in federated learning. IEEE Transactions on Information Forensics and Security 19, 2951–2966 (2024). <https://doi.org/10.1109/TIFS.2024.3352415>
23. Ma, Z., Ma, J., Miao, Y., Li, Y., Deng, R.H.: ShieldFL: Mitigating model poisoning attacks in privacy-preserving federated learning. IEEE Transactions on Information Forensics and Security 17, 1639–1654 (2022). <https://doi.org/10.1109/TIFS.2022.3169918>
24. Liao, L., Zheng, Y., Lu, H., Liu, X., Chen, S., Yu, Y.: Verifiable deep learning inference on heterogeneous edge devices with trusted execution environment. IEEE Sensors Journal 24(17), 28351–28362 (2024). <https://doi.org/10.1109/JSEN.2024.3426533>
25. Queyrut, S., Schiavoni, V., Felber, P.: Mitigating adversarial attacks in federated learning with trusted execution environments. In: 2023 IEEE 43rd International Conference on Distributed Computing Systems (ICDCS), pp. 626–637 (2023). <https://doi.org/10.1109/ICDCS57875.2023.00069>
26. Zheng, W., Cao, Y., Tan, H.: Secure sharing of industrial IoT data based on distributed trust management and trusted execution environments: A federated learning approach. Neural Computing and Applications 35(29), 21499–21509 (2023). <https://doi.org/10.1007/s00521-023-08375-6>
27. Xu, T., Zhu, K., Andrzejak, A., Zhang, L.: Distributed learning in trusted execution environment: A case study of federated learning in SGX. In: 2021 7th IEEE International Conference on Network Intelligence and Digital Content (IC-NIDC), pp. 450–454 (2021). <https://doi.org/10.1109/IC-NIDC54101.2021.9660433>
28. Yan, J., Li, Y., Yin, S., Kang, X., Wang, J., Zhang, H., Hu, B.: An efficient greedy hierarchical federated learning training method based on trusted execution environments. Electronics 13(17), 3548 (2024). <https://doi.org/10.3390/electronics13173548>
29. Chen, B., Liu, X., Zhao, H., Principe, J.C.: Maximum correntropy Kalman filter. Automatica 76, 70–77 (2017). <https://doi.org/10.1016/j.automatica.2016.10.004>
30. Liu, Y., He, Z., Liang, J., Li, Z., Deng, Q.: Multidimensional trust evaluation and task match based workers recruitment scheme for MCS. IEEE Transactions on Dependable and Secure Computing, 1–17 (2026). <https://doi.org/10.1109/TDSC.2026.3652987>
31. McMahan, B., Moore, E., Ramage, D., Hampson, S., Aguera y Arcas, B.: Communication-efficient learning of deep networks from decentralized data. In: Proceedings of the 20th International Conference on Artificial Intelligence and Statistics, PMLR 54, pp. 1273–1282 (2017). <https://proceedings.mlr.press/v54/mcmahan17a.html>