

## SAMARTH ZADBUKE

**1) Write a query that lists each order number followed by the name of the customer who made the order.**

```
m2_SAMARTHZADBUKE_87083@localhost >SELECT ORDERS.ONUM,CUSTOMERS.CNAME FROM ORDERS JOIN CUSTOMERS ON ORDERS.CNUM = CUSTOMERS.CNUM;
+-----+-----+
| ONUM | CNAME |
+-----+-----+
| 3001 | Cisneros |
| 3003 | Hoffman |
| 3002 | Pereira |
| 3005 | Liu |
| 3006 | Cisneros |
| 3009 | Giovanni |
| 3007 | Grass |
| 3008 | Clemens |
| 3010 | Grass |
| 3011 | Clemens |
+-----+-----+
10 rows in set (0.00 sec)

m2_SAMARTHZADBUKE_87083@localhost >
```

**2) Write a query that gives the names of both the salesperson and the customer for each order along with the order number.**

```
m2_SAMARTHZADBUKE_87083@localhost >SELECT SALESPEOPLE.SNAME, CUSTOMERS.CNAME FROM CUSTOMERS JOIN ORDERS ON CUSTOMERS.SNUM = ORDERS.SNUM JOIN SALESPEOPLE ON ORDERS.SNUM = SALESPEOPLE.SNUM ORDER BY ORDERS.ONUM;
+-----+-----+
| SNAME | CNAME |
+-----+-----+
| Rifkin | Cisneros |
| Motika | Pereira |
| Peel | Hoffman |
| Peel | Clemens |
| Serres | Liu |
| Serres | Grass |
| Rifkin | Cisneros |
| Serres | Liu |
| Serres | Grass |
| Peel | Hoffman |
| Peel | Clemens |
| Axelrod | Giovanni |
| Serres | Liu |
| Serres | Grass |
| Peel | Hoffman |
| Peel | Clemens |
+-----+-----+
16 rows in set (0.00 sec)

m2_SAMARTHZADBUKE_87083@localhost >
```

**3) Write a query that produces all customers serviced by salespeople with a commission above 12%. Output the customer's name, the salesperson's name, and the salesperson's rate of commission.**

```
m2_SAMARTHZADBUKE_87083@localhost > SELECT SALESPEOPLE.SNAME, CUSTOMERS.CNAME, SALESPEOPLE.COMM FROM CUSTOMERS JOIN ORDERS ON CUSTOMERS.SNUM = ORDERS.SNUM JOIN SALESPEOPLE ON ORDERS.SNUM = SALESPEOPLE.SNUM WHERE SALESPEOPLE.COMM > 0.12;
```

SNAME	CNAME	COMM
Rifkin	Cisneros	0.15
Serres	Liu	0.13
Serres	Grass	0.13
Rifkin	Cisneros	0.15
Serres	Liu	0.13
Serres	Grass	0.13
Serres	Liu	0.13
Serres	Grass	0.13

8 rows in set (0.00 sec)

```
m2_SAMARTHZADBUKE_87083@localhost >
```

**4) Write a query that calculates the amount of the salesperson's commission on each order by a customer with a rating above 100.**

```
m2_SAMARTHZADBUKE_87083@localhost > SELECT Orders.ONUM, Orders.AMT, Salespeople.Comm, (Orders.AMT * Salespeople.Comm) AS Commission
-> FROM Orders
-> JOIN Salespeople ON Orders.SNUM = Salespeople.SNUM
-> JOIN Customers ON Orders.CNUM = Customers.CNUM
-> WHERE Customers.Rating > 100;
```

ONUM	AMT	Comm	Commission
3001	18.69	0.15	2.80
3005	5160.45	0.13	670.86
3006	1098.16	0.15	164.72
3009	1713.23	0.10	171.32
3007	75.75	0.13	9.85
3010	1309.95	0.13	170.29

6 rows in set (0.00 sec)

```
m2_SAMARTHZADBUKE_87083@localhost >
```