

SAMARTH ZADBUKE

```
W2_SAMARTHZADBUKE_87083>select CONCAT(UPPER(LEFT(Sname,1)),LOWER(RIGHT(sname, LENGTH(sname)-1))) AS SUPPLIER_NAME from s ;
+-----+
| SUPPLIER_NAME |
+-----+
| Smith         |
| Jones         |
| Blake         |
+-----+
3 rows in set (0.00 sec)

W2_SAMARTHZADBUKE_87083>_
```

```
W2_SAMARTHZADBUKE_87083>select UPPER(sname) AS SUPPLIER_NAME from s ;
+-----+
| SUPPLIER_NAME |
+-----+
| SMITH         |
| JONES         |
| BLAKE         |
+-----+
3 rows in set (0.00 sec)

W2_SAMARTHZADBUKE_87083>
```

```
W2_SAMARTHZADBUKE_87083>select LOWER(sname) AS SUPPLIER_NAME from s ;
+-----+
| SUPPLIER_NAME |
+-----+
| smith         |
| jones         |
| blake         |
+-----+
3 rows in set (0.00 sec)

W2_SAMARTHZADBUKE_87083>_
```

```
W2_SAMARTHZADBUKE_87083>select LPAD(sname,25,' ') AS SUPPLIER_NAME from s ;
+-----+
| SUPPLIER_NAME |
+-----+
|                Smith |
|                Jones |
|                Blake |
+-----+
3 rows in set (0.00 sec)

W2_SAMARTHZADBUKE_87083>
```

BEFORE:

```
W2_SAMARTHZADBUKE_87083>select sname from s ;
+-----+
| sname |
+-----+
| Smith |
| Jones |
| Blake |
+-----+
3 rows in set (0.00 sec)

W2_SAMARTHZADBUKE_87083>
```

AFTER:

```
W2_SAMARTHZADBUKE_87083>select REPLACE(sname,'la','ro') AS SUPPLIER_NAME from s ;
+-----+
| SUPPLIER_NAME |
+-----+
| Smith         |
| Jones         |
| Broke         |
+-----+
3 rows in set (0.00 sec)

W2_SAMARTHZADBUKE_87083>
```

```
W2_SAMARTHZADBUKE_87083>select REPLACE(REPLACE(sname,'l','r'),'a','o') AS SUPPLIER_NAME from s ;
+-----+
| SUPPLIER_NAME |
+-----+
| Smith         |
| Jones         |
| Broke         |
+-----+
3 rows in set (0.00 sec)

W2_SAMARTHZADBUKE_87083>
```

```
W2_SAMARTHZADBUKE_87083>select sname,LENGTH(sname) from s ;
+-----+-----+
| sname | LENGTH(sname) |
+-----+-----+
| Smith |              5 |
| Jones |              5 |
| Blake |              5 |
+-----+-----+
3 rows in set (0.00 sec)

W2_SAMARTHZADBUKE_87083>
```

```
W2_SAMARTHZADBUKE_87083>select * from s where soundex(sname) = soundex("BLOKE");
+-----+-----+-----+-----+
| S# | SNAME | STATUS | CITY   |
+-----+-----+-----+-----+
| S3 | Blake |      30 | New York |
+-----+-----+-----+-----+
1 row in set (0.00 sec)

W2_SAMARTHZADBUKE_87083>
```

```
W2_SAMARTHZADBUKE_87083>select sname, CASE when status=10 then 'Ten'
-> when status=20 then 'Twenty'
->
-> when status=30 then 'Thirty'
-> else 'other'
-> end as StatusText
-> from s;
```

```
+-----+-----+
| sname | StatusText |
+-----+-----+
| Smith | Twenty     |
| Jones | Ten        |
| Blake | Thirty     |
+-----+-----+
3 rows in set (0.00 sec)
```

```
W2_SAMARTHZADBUKE_87083>
```

```
W2_SAMARTHZADBUKE_87083>select sysdate() from dual;
```

```
+-----+
| sysdate()          |
+-----+
| 2024-09-29 10:49:32 |
+-----+
1 row in set (0.00 sec)
```

```
W2_SAMARTHZADBUKE_87083>_
```