

Table of Contents

hi	1
! " Bom Node# \$	1
! " BOM List	2
^_Demo.....	3
! " XYZ#\$	4
] 3[\ZIDI ^_[\Z` abc	5
] 3[\ZIDI ^_[\Z` abc49def8	6
] 3[\ZIDI ^_[\Zbc	7
] 3[\Z: I ^_[\Zbc	8
Yg^_	9
! " op` a	10
! " op#\$	12
! " rYZ#\$	13
! " uvZ` a	14
! " uvZ#\$	15
^_{ VZ # \$	16
^_Y # \$	17
^_I \} ~# \$	18
^_• Y# \$	19
€gXYbc	20
€gr Ybc	21
! " stZ#\$	22
! " stZ` a	24
! " stZ• ,	25
! " stZ• , 4(>98	26
matchLnNodeCount	27
matchLnNodes	27

! "

\$ Bom Node%&

```
GET /orgs/{orgId}/projects/{projectId}/bomnodes
```

' (

! " Bom Node# \$ %

) *

+ ,	- .	' (+ ,
Path	orgId ! "	orgId	string
Path	projectId ! "	&' id	string
Query	spmProjId ! "	SPM &' ID	string

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseBodyOfBomNodeResultsDTOE
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

34

¥ /

56

¥ appl i cati on/j son

78

¥ bom-controller

\$ BOM List

```
GET /orgs/{orgId}/projects/{projectId}/boms
```

' (
! " BOMList%
) *

+ ,	- .	' (+ ,
Path	orgId ! "	orgId	string
Path	projectId ! "	&' id	string
Query	bompath ! "	SPM BOM+ ,	string
Query	fetchAll ! "	- . " / O 1 2 3 4 5 6 7 . 8	boolean
Query	page.no ! "	9: 4; 1 < = 8	integer (int32)
Query	page.size ! "	> 9? @ 4" ABC 7 1~100D 5 6 7 208	integer (int32)
Query	sort ! "	E F G H I J K L G H M N O P F I Q <code>id:desc</code>	< string > array(multi)
Query	spmProjId ! "	SPM &' ID	string

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseBodyViewMxjPosEntityE
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

3 4

¥ /

56

¥ appl i cati on/ j son

78

¥ bom-controller

9: Demo

```
GET /orgs/{orgId}/projects/{projectId}/demo
```

' (

! " Demo list%

) *

+ ,	- .	' (+ ,
Path	orgId ! "	orgId	string
Path	projectId ! "	&' id	string
Query	fetchAll ! "	- . " / O 1 2 3 4 5 6 7 . 8	boolean
Query	name ! "	MR(ST/UT)	string
Query	page.no ! "	9: 4; 1 < = 8	integer (int32)
Query	page.size ! "	> 9? @4" ABC71~100D567208	integer (int32)
Query	processStageId ! "	V F W H id	string
Query	sort ! "	E F G H I J K L G H M N O P F I Q <code>id:desc</code>	< string > array(multi)

/ O

HTTP1 2	' (+ ,
200	OK	JsonResponseBody
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

56

¥ /

78

¥ demo-controller

\$; < = % &

GET /orgs/{orgId}/projects/{projectId}/issue-receipts

' (

! " XYZ # \$ %

) *

+ ,	- .	' (+ ,
Path	orgId ! "	orgId	string
Path	projectId ! "	&' id	string
Query	fahCode ! "	SPM [\ Z :	string
Query	fetchAll ! "	- . " / O 1 2 3 4 5 6 7 . 8	boolean
Query	page.no ! "	9: 4; 1 < = 8	integer (int32)
Query	page.size ! "	> 9? @ 4" ABC 7 1~100D 5 6 7 208	integer (int32)
Query	sort ! "	E F G H I J K L G H M N O P F I Q <code>id:desc</code>	< string > array(multi)
Query	spmProjId ! "	SPM &' ID	string

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseBody<IssueReceiptListResultsDTO>
401	Unauthorized	() *
403	Forbidden	() *

HTTP1 2	' (+ ,
404	Not Found	() *

34

¥ /

56

¥ appl i cati on/j son

78

¥ issue-receipt-controller

> ? @A = IDB 9: @A = C D E F

POST /orgs/{orgId}/projects/{projectId}/mr/fads

' (

] 3[\ Z IDI ^ _[\ Z ` a b c

) *

+ ,	- .	' (+ ,
Path	orgId !"	orgId	string
Path	projectId !"	&' id	string
Body	fadListDTO # \$	fadListDTO	FadListDTO

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseB odyC FadListResults DTOE
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *

HTTP1.2	' (+ ,
404	Not Found	() *

34

¥ /

56

¥ appl i cati on/j son

78

¥ spm-material-requisition-controller

> ? @A = IDB9: @A = C D E F G H I J K L

GET /orgs/{orgId}/projects/{projectId}/mr/fads

' (

] 3[\ Z IDI ^ _ [\ Z ` a b c 4 9 d e f 8 %

) *

+ ,	- .	' (+ ,
Path	orgId !"	orgId	string
Path	projectId !"	&' id	string
Query	fahId !"	[\ Z ID	string
Query	fetchAll !"	- . " / O 1 2 3 4 5 6 7 . 8	boolean
Query	page.no !"	9: 4; 1 < = 8	integer (int32)
Query	page.size !"	> 9? @4" A B C 7 1~100D5 6 7 208	integer (int32)
Query	sort !"	E F G H I J K L G H M N O P F I Q <code>id:desc</code>	< string > array(multi)
Query	spmProjId !"	SPM &' ID	string

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseB odyCfadListResults DTOE
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

3 4

¥ /

5 6

¥ appl i cati on/ j son

7 8

¥ spm-material-requisition-controller

> ? @A = IDB 9: @A = E F

POST /orgs/{orgId}/projects/{projectId}/mr/fah

' (

] 3[\ Z IDI ^ _[\ Z b c

) *

+ ,	- .	' (+ ,
Path	orgId !"	orgId	string
Path	projectId !"	&' id	string
Body	fadListDTO # \$	fadListDTO	FadListDTO

/ O

HTTP1 2	' (+ ,
200	OK	JsonObjectResponseBodyCfaListResultSDTOE
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

34

¥ /

56

¥ appl i cati on/j son

78

¥ spm-material-requisition-controller

> ? @A = MB9: @A = E F

GET /orgs/{orgId}/proj ects/{proj ectId}/mr/fas

' (

] 3[\ Z: | ^ _[\ Z b c

) *

+ ,	- .	' (+ ,
Path	orgId !"	orgId	string
Path	projectId !"	&' id	string
Query	faCode !"	[\ Z :	string
Query	fetchAll !"	- . " / O 1 2 3 4 5 6 7 . 8	boolean
Query	page.no !"	9: 4; 1 < = 8	integer (int32)
Query	page.size !"	> 9? @4" ABC71~100D567208	integer (int32)

+ ,	- .	' (+ ,
Query	sort ! "	E F G H I J K L G H M N O P F I Q <code>id:desc</code>	< string > array(multi)
Query	spmProjId ! "	SPM &' ID	string

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseBodyOfFaListResultsDTOE
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

3 4

¥ /

5 6

¥ appl i cati on/ j son

7 8

¥ spm-material-requisition-controller

< N 9:

GET /orgs/{orgId}/projects/{projectId}/mr/inventory

' (

Y g ^ _

) *

+ ,	- .	' (+ ,
Path	orgId ! "	orgId	string
Path	projectId ! "	&' id	string

	+,	- .	' (+,
Query	bomPath !"	bomhi		string
Query	fetchAll !"	- . " / 0 1 2 3 4 5 6 7 . 8		boolean
Query	page.no !"	9: 4; 1 < = 8		integer (int32)
Query	page.size !"	> 9? @ 4" ABC 7 1~100D5 6 7 208		integer (int32)
Query	shortDesc !"	j k		string
Query	sort !"	E F G H I J K L G H M N O P F I Q <code>id:desc</code>		< string > array(multi)
Query	spmProjId !"	SPM &' ID		string
Query	tagNumber !"	l \ mn		string

/ O

HTTP1 2	' (+,
200	OK	JsonListResponseBodyViewMxjBominfoEntityE
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

3 4

¥ /

5 6

¥ appl i cati on/ j son

7 8

¥ spm-material-requisition-controller

\$ O P C D

GET /orgs/{orgId}/projects/{projectId}/po

' (

! " op` a %

) *

+ ,	- .	' (+ ,
Path	orgId ! "	orgId	string
Path	projectId ! "	&' id	string
Query	buyer ! "	SPM BUYER	string
Query	fetchAll ! "	- . " / O 1 2 3 4 5 6 7 . 8	boolean
Query	page.no ! "	9: 4; 1 < = 8	integer (int32)
Query	page.size ! "	> 9? @ 4" A B C 7 1~100D 5 6 7 208	integer (int32)
Query	poNumber ! "	SPM q Z m:	string
Query	pohId ! "	SPM o p m:	string
Query	sort ! "	E F G H I J K L G H M N O P F I Q <code>id:desc</code>	< string > array(multi)
Query	spmProjId ! "	SPM &' ID	string

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseBodyÇPoDetailİ
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

3 4

¥ /

5 6

¥ appl i cati on/j son

¥ po-controller

\$OP%&

```
GET /orgs/{orgId}/projects/{projectId}/pos
```

' (

! " op# \$%

) *

+,	- .	' (+,
Path	orgId	orgId	string
Path	projectId	&' id	string
Query	buyer	SPM BUYER	string
Query	fetchAll	- . " / O1 234567. 8	boolean
Query	page.no	9: 4; 1 <= 8	integer (int32)
Query	page.size	> 9? @4" ABC71~100D567208	integer (int32)
Query	poNumber	SPM q Z m:	string
Query	poId	SPM opm:	string
Query	sort	E F G H I J K L G H M N O P F I Q <code>id:desc</code>	< string > array(multi)
Query	spmProjId	SPM &' ID	string

/ O

HTTP1 2	' (+,
200	OK	JsonListResponseBodyViewMxjValidPohEntity
401	Unauthorized	() *
403	Forbidden	() *

HTTP1 2	' (+ ,
404	Not Found	() *

34

¥ /

56

¥ appl i cati on/j son

78

¥ po-controller

\$ Q < = % &

GET /orgs/{orgId}/projects/{projectId}/receive-receipts

' (

! " r Y Z # \$ %

) *

+ ,	- .	' (+ ,
Path	orgId ! "	orgId	string
Path	projectId ! "	&' id	string
Query	fetchAll ! "	- . " / O 1 2 3 4 5 6 7 . 8	boolean
Query	page.no ! "	9: 4; 1 < = 8	integer (int32)
Query	page.size ! "	> 9? @ 4" A B C 7 1~100 D 5 6 7 208	integer (int32)
Query	poNumber ! "	SPM q Z m:	string
Query	reInNumber ! "	SPM s t Z	string
Query	sort ! "	E F G H I J K L G H M N O P F I Q <code>id:desc</code>	< string > array(multi)
Query	spmProjId ! "	SPM &' ID	string

/ O

HTTP1.2	' (+ ,
200	OK	JsonListResponseBodyÇReceiveReceiptListResultsDTOË
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

34

¥ /

56

¥ appl i cati on/ j son

78

¥ receive-receipt-controller

\$ RS = CD

GET /orgs/{orgId}/projects/{projectId}/req

' (

! " u v Z ` a %

) *

+ ,	- .	' (+ ,
Path	orgId !"	orgId	string
Path	projectId !"	&' id	string
Query	fetchAll !"	- . " / O 1 2 3 4 5 6 7 . 8	boolean
Query	page.no !"	9: 4; 1 < = 8	integer (int32)
Query	page.size !"	> 9? @ 4" A B C 7 1~100D 5 6 7 208	integer (int32)

+ ,	- .	' (+ ,
Query	reqId ! "	SPM u v Z ID	string
Query	sort ! "	E F G H I J K L G H M N O P F I Q <code>id:desc</code>	< string > array(multi)
Query	spmProjId ! "	SPM &' ID	string

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseBodyReqDetailE
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

3 4

¥ /

5 6

¥ appl i cati on/ j son

7 8

¥ req-controller

\$ R S = % &

GET /orgs/{orgId}/projects/{projectId}/reqs

' (

! " u v Z # \$ %

) *

+ ,	- .	' (+ ,
Path	orgId ! "	orgId	string

+,	- .	' (+,
Path	projectId	&' id	string
Query	buyer	wv x	string
Query	dpid	y z	string
Query	fetchAll	- . " / 0 1 2 3 4 5 6 7 . 8	boolean
Query	page.no	9: 4; 1 < = 8	integer (int32)
Query	page.size	> 9? @ 4" A B C 7 1~100 D 5 6 7 2 0 8	integer (int32)
Query	reqcode	u v Z m:	string
Query	sort	E F G H I J K L G H M N O P F I Q <code>id:desc</code>	< string > array(multi)
Query	spmProjId	SPM &' ID	string

/ O

HTTP1 2	' (+,
200	OK	JsonListResponseBodyViewMxjReqsE
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

3 4

¥ /

5 6

¥ appl i cati on/ j son

7 8

¥ req-controller

9: T U = V % &

GET /orgs/{orgId}/projects/{projectId}/spm-projects/{projectId}/m-companies

' (

^_{ VZ | # \$

) *

+ ,	- .	' (+ ,
Path	orgId	orgId	string
Path	projectId	projectId	string
Path	projectId	&' id	string

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseBodyCMCompaniesEntity
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

34

¥ /

56

¥ appl i cati on/ j son

78

¥ m-companies-controller

9: < V % &

GET /orgs/{orgId}/projects/{projectId}/spm-projects/{projectId}/m-l ocati ons

' (^ _ Y | # \$) *

+ ,	- .	' (+ ,
Path	orgId ! " "	orgId	string
Path	projId ! " "	projId	string
Path	projectId ! " "	&' id	string

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseBodyCMLocationEntityType
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

34

¥ /

56

¥ appl i cati on/ j son

78

¥ m-location-controller

9: WAXY %&

GET /orgs/{orgId}/proj ects/{proj ectId}/spm-proj ects/{proj Id}/m-si te-matl -status

' (^ _ l \ } ~ # \$

) *

+ ,	- .	' (+ ,
Path	orgId	orgId	string
Path	projId	projId	string
Path	projectId	&' id	string

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseBodyCMSiteMatlStatusEntity
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

34

¥ /

56

¥ appl i cati on/j son

78

¥ m-site-matl-status-controller

9: Z < %&

```
GET /orgs/{orgId}/proj ects/{proj ectId}/spm-proj ects/{proj l d}/m-ware-houses
```

' (

^ _ • Y # \$

) *

+,	- .	' (+,
Path	orgId	orgId	string
Path	projId	projId	string
Path	projectId	&' id	string

/ O

HTTP1 2	' (+,
200	OK	JsonListResponseBodyCMWareHouseEntity
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

3 4

¥ /

5 6

¥ appl i cati on/ j son

7 8

¥ m-ware-house-controller

[N; < E F

POST /orgs/{orgId}/proj ects/{proj ectId}/spm-proj ects/{proj l d}/save-mi r

' (

€gXYbc

) *

+,	- .	' (+,
Path	orgId	orgId	string

+,	- .	' (+,
Path	projId	projId	string
Path	projectId	&' id	string
Body	issueReceiptDT O # \$	issueReceiptDTO	FMaterialIssueReceipt DTO

/ O

HTTP1 2	' (+,
200	OK	JsonObjectResponseBodyReceiveReceiptResultDTO
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

3 4

¥ /

5 6

¥ appl i cati on/ j son

7 8

¥ issue-receipt-controller

[N Q < E F

POST /orgs/{orgId}/proj ects/{proj ectId}/spm-proj ects/{proj l d}/save-mrr

' (

€gr Ybc

) *

+ ,	- .	' (+ ,
Path	orgId ! "	orgId	string
Path	projectId ! "	projectId	string
Path	projectId ! "	&' id	string
Body	receiveReceipt DTO # \$	receiveReceiptDTO	FMaterialReceiveRece iptDTO

/ O

HTTP1 2	' (+ ,
200	OK	JsonObjectRespon seBodyÇReceiveRece iptResultDTOE
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

3 4

¥ /

5 6

¥ appl i cati on/j son

7 8

¥ receive-receipt-controller

\$ \] = %&

GET /orgs/{orgId}/proj ects/{proj ectId}/spm-proj ects/{spmProj ectId}/spm-
rel ease-notes

' (

! " s t Z # \$ %

) *

+ ,	- .	' (+ ,
Path	orgId ! "	orgId	string
Path	projectId ! "	&' id	string
Path	spmProjectId ! "	SPM&' id	string
Query	fetchAll ! "	- . " / O 1 2 3 4 5 6 7 . 8	boolean
Query	page.no ! "	9: 4; 1 < = 8	integer (int32)
Query	page.size ! "	> 9? @ 4" A B C 7 1~100 D 5 6 7 2 0 8	integer (int32)
Query	sort ! "	E F G H I J K L G H M N O P F I Q <code>id:desc</code>	< string > array(multi)
Query	spmReInNumbe r ! "	SPM s t Z :	string

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseB odyCReleaseNoteH eadE
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

34

¥ /

56

¥ appl i cati on/j son

78

¥ spm-release-note-controller

\$ \] = CD

```
GET /orgs/{orgId}/projects/{projectId}/spm-projects/{spmProjectId}/spm-release-notes/{relnNumber}
```

' (
! " s t Z ` a %
) *

+ ,	- .	' (+ ,
Path	orgId ! "	orgId	string
Path	projectId ! "	&' id	string
Path	relnNumber ! "	relnNumber	string
Path	spmProjectId ! "	SPM&' id	string

/ O

HTTP1 2	' (+ ,
200	OK	JsonObjectResponseBody<ReleaseNoteHead>
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

34

¥ /

56

¥ appl i cati on/ j son

78

¥ spm-release-note-controller

\$ \] = (^

POST /orgs/{orgId}/projects/{projectId}/spm-projects/{spmProjectId}/spm-release-notes/{relnNumber}/items

' (

! " s t Z • , %

) *

+ ,	- .	' (+ ,
Path	orgId ! "	orgId	string
Path	projectId ! "	&' id	string
Path	relnNumber ! "	relnNumber	string
Path	spmProjectId ! "	SPM&' id	string
Body	pageDTO # \$	pageDTO	PageDTO

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseBodyÇReleaseNoteÈ
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

3 4

¥ /

5 6

¥ appl i cati on/ j son

¥ spm-release-note-controller

\$ \] = (^ G _ ` H L

POST /orgs/{orgId}/projects/{projectId}/spm-projects/{spmProjectId}/spm-release-notes/{relnNumber}/no-page-items

' (

! " s t Z • , 4 (> 98%

) *

+ ,	- .	' (+ ,
Path	orgId ! "	orgId	string
Path	projectId ! "	&' id	string
Path	relnNumber ! "	relnNumber	string
Path	spmProjectId ! "	SPM&' id	string

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseBody<ReleaseNoteE
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

34

¥ /

56

¥ appl i cati on/ j son

78

¥ spm-release-note-controller

matchLnNodeCount

GET /orgs/{orgId}/projects/{projectId}/spmMatchLnNodeCount/{projectId}

) *

+,	- .	' (+,
Path	orgId # \$	orgId	string
Path	projectId # \$	projectId	string
Path	projectId # \$	projectId	string

/ O

HTTP1 2	' (+,
200	OK	integer (int64)
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

34

¥ /

56

¥ appl i cati on/ j son

78

¥ spm-match-ln-node-controller

matchLnNodes

GET /orgs/{orgId}/projects/{projectId}/spmMatchLnNodes

) *

+ ,	- .	' (+ ,
Path	orgId # \$	orgId	string
Path	projectId # \$	projectId	string
Body	spmMatchLnNodeDTO # \$	spmMatchLnNodeDTO	SpmMatchLnNodeDTO

/ O

HTTP1 2	' (+ ,
200	OK	JsonListResponseBodyC SpmMatchLnNodeE
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

34

¥ /

56

¥ appl i cati on/ j son

78

¥ spm-match-ln-node-controller