

# Table of Contents

vw .....1

! " # \$ % & ' ( .....1

. / % & # \$ .....1

O1 # \$ .....2

45 % & 6 .....3

45 # \$ 7 8 9: .....4

45 # \$ 7 8 9: .....5

@A # \$ .....5

BC # \$ .....6

J K # \$ % & 9: .....7

[ \ % & ] ^ .....8

\_ / ` [ \ ? % & ] ^ .....9

O1 # \$ .....10

45 % & 6 .....11

45 % & 9: .....11

bc # \$ .....12

45 f g # \$ .....13

j k l m # \$ .....14

45 f g # \$ .....15

de ` l m ? # \$ 9: no) \* .....16

45 f g # \$ .....17

l m # \$ .....17

p q # \$ .....18

4 # \$ r o) \* .....19

45 s t u # \$ 9: .....20

4 # \$ % & DE) \* .....21

! "

# \$ % & ' ( ) \*

POST /activity-task

+,

! " # \$ % & ' (

- .

/ O	1 2	+,	/ O
Body	createDTO ! "	# \$ ) *	ActTaskCreateDTO

3 4

HTTP5 6	+,	/ O
200	OK	JsonObjectResponseBodyÇActTaskCreateResponseDTOË
201	Created	+, -
401	Unauthorized	+, -
403	Forbidden	+, -
404	Not Found	+, -

7 8

¥ /

9:

¥ appl i cati on/j son

; <

¥ activity-controller

= > ' ( % &

DELETE /activity-task/{procInstId}

+,

./%&#\$

-.

/O	12	+,	/O
Path	procInstId !"	%&' ( id	string

34

HTTP56	+,	/O
200	OK	<a href="#">JsonResponseBody</a>
204	No Content	+, -
401	Unauthorized	+, -
403	Forbidden	+, -

9:

¥ application/json

; <

¥ activity-controller

?@%&

POST /activity-task/{procInstId}/active

+,

O1#\$

-.

/O	12	+,	/O
Path	procInstId !"	%&' ( id	string

34

HTTP56	+ ,	/ O
200	OK	JsonResponseBody
201	Created	+ , -
401	Unauthorized	+ , -
403	Forbidden	+ , -
404	Not Found	+ , -

78

¥ /

9:

¥ appl i cati on/j son

; <

¥ activity-controller

AB' ( C

GET /acti vi ty-task/{procl nstl d}/di agram

+ ,

23%&' ( id45%&6

- .

/ O	1 2	+ ,	/ O
Path	procl nstl d !"	%&' ( id	string

34

HTTP56	+ ,	/ O
200	OK	JsonObjectResponseBodyDiagramResourceDTOE
401	Unauthorized	+ , -

HTTP56	+,	/ O
403	Forbidden	+, -
404	Not Found	+, -

9:

¥ appl i cati on/j son

; <

¥ activity-controller

AB%&DE F G

GET /acti vi ty-task/{procl nstl d}/hi story-tasks

+,

23%&' ( id45# \$ 7 8 9:

- .

/ O	1 2	+,	/ O
Path	procl nstl d ! "	%&' ( id	string

3 4

HTTP56	+,	/ O
200	OK	JsonListResponseB odyCActHiTaskNod eDToE
401	Unauthorized	+, -
403	Forbidden	+, -
404	Not Found	+, -

9:

¥ appl i cati on/j son

; <

¥ activity-controller

AB%&DEFG

GET /activity-task/{procInstId}/ru-tasks

+,

23%&' ( id45; <=>?#\$

-.

/O	12	+,	/O
Path	procInstId !"	%&' ( id	string

34

HTTP5 6	+,	/O
200	OK	<a href="#">JsonListResponseBodyÇBpmActRuTaskÊ</a>
401	Unauthorized	+, -
403	Forbidden	+, -
404	Not Found	+, -

9:

¥ **application/json**

; <

¥ activity-controller

HI %&

POST /activity-task/{procInstId}/suspend

+ ,

@A# \$

- .

/ O	1 2	+ ,	/ O
Path	procInstId ! "	%&' ( id	string

3 4

HTTP5 6	+ ,	/ O
200	OK	<a href="#">JsonResponseBody</a>
201	Created	+ , -
401	Unauthorized	+ , -
403	Forbidden	+ , -
404	Not Found	+ , -

7 8

¥ /

9:

¥ appl i cati on/j son

; <

¥ activity-controller

J K %&

POST /acti vi ty-task/{procl nstId}/task-key/{taskDefKey}/task-  
name/{taskName}/users/{useri d}

+ ,

BC# \$

- .

/ O	1 2	+ ,	/ O
Path	procInstId !"	%&' ( id	string
Path	taskDefKey !"	# \$ 9: DE KEY	string
Path	taskName !"	# \$ 9: F G	string
Path	userid !"	HI id	string

3 4

HTTP5 6	+ ,	/ O
200	OK	<a href="#">JsonResponseBody</a>
201	Created	+ , -
401	Unauthorized	+ , -
403	Forbidden	+ , -
404	Not Found	+ , -

7 8

¥ /

9:

¥ appl i cati on/j son

; <

¥ activity-controller

L M%&' ( F G

POST /acti vi ty-task/{procInstId}/users/{userId}/revocati on

+ ,

J K # \$ % & 9:

- .



/ O	1 2	+ ,	/ O
Path	procInstId ! "	%&' ( id	string
Path	userId ! "	HI id	string

3 4

HTTP5 6	+ ,	/ O
200	OK	JsonObjectResponseBodyRevocationDTO
201	Created	+ , -
401	Unauthorized	+ , -
403	Forbidden	+ , -
404	Not Found	+ , -

7 8

¥ /

9:

¥ appl i cati on/ j son

; <

¥ activity-controller

NO' ( PO

POST /model s

+ ,

! " HI L MNOPQRST UVWXYZ

- .

/ O	1 2	+ ,	/ O
Body	deployDTO ! "	[ \ %&] ^	ModelDeployDTO

34

HTTP56	+ ,	/ O
200	OK	JsonObjectResponseBodyModelDeployResponseDTOE
201	Created	+ , -
401	Unauthorized	+ , -
403	Forbidden	+ , -
404	Not Found	+ , -

78

¥ /

9:

¥ appl i cati on/ j son

; <

¥ model-controller

Q> RNOS' ( PO

```
DELETE /model s/{depl oymentI d}
```

+ ,

23%&[ \ id\_ / ` a [ \ ? ] ^

- .

/ O	1 2	+ ,	/ O
Path	deploymentId !"	%&[ \ id	string

34

HTTP56	+ ,	/ O
200	OK	JsonResponseBody
204	No Content	+ , -

HTTP56	+,	/O
401	Unauthorized	+, -
403	Forbidden	+, -

9:

¥ appl i cati on/j son

; <

¥ model-controller

? @%&

POST /model s/{procDefI d}/acti ve

+,

23%&DE idO1 # \$

- .

/O	1 2	+,	/O
Path	procDefId !"	%&DE id	string

34

HTTP56	+,	/O
200	OK	JsonResponseBody
201	Created	+, -
401	Unauthorized	+, -
403	Forbidden	+, -
404	Not Found	+, -

78

¥ appl i cati on/j son

9:

¥ appl i cati on/j son

; <

¥ model-controller

AB' ( C

GET /model s/{procDefI d}/di agram

+,

2 3 %& DE id 4 5 %& 6

- .

/ O	1 2	+,	/ O
Path	procDefId !"	%& DE id	string

3 4

HTTP5 6	+,	/ O
200	OK	JsonObjectResponseBodyDiagramResourceDTO
401	Unauthorized	+, -
403	Forbidden	+, -
404	Not Found	+, -

9:

¥ appl i cati on/j son

; <

¥ model-controller

AB' ( F G

GET /model s/{procDefI d}/nodes

+ ,

23%&DE id45%&9:

- .

/ O	1 2	+ ,	/ O
Path	procDefId ! "	%&DE id	string

34

HTTP5 6	+ ,	/ O
200	OK	JsonListResponseB odyCActTaskNodeD TOE
401	Unauthorized	+ , -
403	Forbidden	+ , -
404	Not Found	+ , -

9:

¥ appl i cati on/j son

; <

¥ model-controller

T U%&

POST /model s/{procDefI d}/suspend

+ ,

23%&DE idb c # \$

- .

/ O	1 2	+ ,	/ O
Path	procDefId ! "	%&DE id	string

34

HTTP56	+ ,	/ O
200	OK	JsonResponseBody
201	Created	+ , -
401	Unauthorized	+ , -
403	Forbidden	+ , -
404	Not Found	+ , -

78

¥ appl i cati on/j son

9:

¥ appl i cati on/j son

; <

¥ model-controller

ABVW%&

POST /todo-task

+ ,

23de) \* def g# \$

- .

/ O	1 2	+ ,	/ O
Body	searchDTO ! "	de hi	TodoTaskSearchDTO

34

HTTP56	+ ,	/ O
200	OK	JsonListResponseB odyÇBpmActRuTas kE
201	Created	+ , -

HTTP56	+,	/ O
401	Unauthorized	+, -
403	Forbidden	+, -
404	Not Found	+, -

78

¥ appl i cati on/j son

9:

¥ appl i cati on/j son

; <

¥ task-controller

XYZ : %&

POST /todo-task/compl ete-batch

+,

j k l m# \$

- .

/ O	1 2	+,	/ O
Body	completeDTO ! "	# \$ l m) *	TaskCompleteBatchD TO

34

HTTP56	+,	/ O
200	OK	JsonListResponseB odyÇTaskComplete BatchResponseD TO
201	Created	+, -
401	Unauthorized	+, -
403	Forbidden	+, -
404	Not Found	+, -

78

¥ /

9:

¥ appl i cati on/j son

; <

¥ task-controller

ABVW%&

POST /todo-task/compl eted

+,

23de) \* de f g# \$

- .

/ O	1 2	+,	/ O
Body	searchDTO ! "	de hi	TodoTaskSearchDTO

34

HTTP5 6	+,	/ O
200	OK	JsonListResponseB odyCBpmActHiTask instE
201	Created	+, -
401	Unauthorized	+, -
403	Forbidden	+, -
404	Not Found	+, -

78

¥ appl i cati on/j son

9:

¥ appl i cati on/j son



; <

¥ task-controller

[ \ R Z : S % & F G ] ^ \_ `

GET /todo-task/proc-i nst/{procl nstI d}/task/{taskDefKey}

+ ,

de` l m? # \$ 9: no) \*

- .

/ O	1 2	+ ,	/ O
Path	proclnstId !"	%&' ( id	string
Path	taskDefKey !"	# \$ 9: id	string

3 4

HTTP5 6	+ ,	/ O
200	OK	<a href="#">JsonObjectResponseBodyÇTaskCompleteResponseDTOE</a>
401	Unauthorized	+ , -
403	Forbidden	+ , -
404	Not Found	+ , -

7 8

¥ /

9:

¥ appl i cati on/j son

; <

¥ task-controller

ABVW%&

GET /todo-task/{actTaskId}

+ ,

23# \$id45f g # \$

- .

/ O	1 2	+ ,	/ O
Path	actTaskId ! "	# \$id	string

34

HTTP5 6	+ ,	/ O
200	OK	JsonObjectResponseBodyÇBpmActRuTaskÊ
401	Unauthorized	+ , -
403	Forbidden	+ , -
404	Not Found	+ , -

78

¥ /

9:

¥ appl i cati on/ j son

; <

¥ task-controller

Z : %&

POST /todo-task/{actTaskId}/complete

+ ,

l m# \$

- .

/ O	1 2	+ ,	/ O
Path	actTaskId ! "	# \$id	string
Body	completeDTO ! "	# \$l m) *	TaskCompleteDTO

3 4

HTTP5 6	+ ,	/ O
200	OK	JsonObjectResponse eBodyÇTaskComple teResponseDTOÈ
201	Created	+ , -
401	Unauthorized	+ , -
403	Forbidden	+ , -
404	Not Found	+ , -

7 8

¥ /

9:

¥ appl i cati on/ j son

; <

¥ task-controller

a b % &

GET /todo-task/{actTaskId}/del egate/{useri d}

+ ,

p q # \$

- .

/ O	1 2	+ ,	/ O
Path	actTaskId !"	# \$ id	string
Path	userid !"	HI id	string

3 4

HTTP5 6	+ ,	/ O
200	OK	JsonObjectResponseBodyDelegateResponseDTOE
401	Unauthorized	+ , -
403	Forbidden	+ , -
404	Not Found	+ , -

7 8

¥ /

9:

¥ appl i cati on/j son

; <

¥ task-controller

A%&c ^ \_ `

GET /todo-task/{actTaskId}/gateway

+ ,

4# \$r o) \*

- .

/ O	1 2	+ ,	/ O
Path	actTaskId !"	# \$ id	string

34

HTTP56	+ ,	/ O
200	OK	JsonListResponseBodyÇTaskGatewayD TOE
401	Unauthorized	+ , -
403	Forbidden	+ , -
404	Not Found	+ , -

78

¥ /

9:

¥ appl i cati on/j son

; <

¥ task-controller

ABdef %&FG

GET /todo-task/{actTaskId}/next-node

+ ,

45s t u# \$ 9:

- .

/ O	1 2	+ ,	/ O
Path	actTaskId ! "	# \$ id	string

34

HTTP56	+ ,	/ O
200	OK	JsonObjectResponseBodyÇNextNodeD TOE
401	Unauthorized	+ , -

HTTP56	+,	/ O
403	Forbidden	+, -
404	Not Found	+, -

78

¥ /

9:

¥ appl i cati on/j son

; <

¥ task-controller

A%&' ( gh\_`

GET /todo-task/{actTaskId}/process-defi ni ti on

+,

4# \$%&DE) \*

- .

/ O	1 2	+,	/ O
Path	actTaskId ! "	# \$id	string

34

HTTP56	+,	/ O
200	OK	JsonObjectResponseBodyCbpmaActReProcdefE
401	Unauthorized	+, -
403	Forbidden	+, -
404	Not Found	+, -

78

¥ /

9:

¥ appl i cati on/j son

; <

¥ task-controller