

Table of Contents

, f	1
34€• gh „ ...† W	1
() cdef	1
‡ 3cdef s t	2
‡ 3cdef ^ %	4
Š< cdef	4
Œ• cdef Ž•	5
„ ...cdef 9• ' ' " =	6
„ ...€• gh	7
34€• gh „ ...† W	8
() KLMNO	9
‡ 3KLMNOL M s t	10
KLMNOL M ^ %	11
Š< KLMNOL M	12
Œ• KLMNO	12
() # \$€• ghmn	13
‡ 3# \$€• ghmn s t	14
‡ 3# \$€• ghmn ^ %	15
() €• gh	16
‡ 3€• gh s t	17
" • 34ghŽ•	19
— —€• gh	20
‡ 3€• gh ^ %	21
Œ• €• ghŽ•	21
() gh ~•	22
‡ 3~• s t	23
Œ• ~• Ž•	24
‡ 3€• gh ~™ Š> s t	25

! "

\$ % & ' () * + ,

```
GET /orgs/{orgId}/projects/{projectId}/experience-import-file
```

- .

/ O	1 2	3 4	/ O
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string

56

HTTP7 8	3 4	/ O
200	OK	JsonObjectResponseBodyIssueImportTemplateE
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ /

= >

¥ experience-controller

? @A B C D

```
POST /orgs/{orgId}/projects/{projectId}/experiences
```

- .

/ O	1 2	3 4	/ O
Path	orgId !"	! " ID	string
Path	projectId !"	# \$ ID	string
Body	experienceCreatedDTO # \$	experienceCreateDTO	ExperienceCreateDTO

56

HTTP7 8	3 4	/ O
201	Created	JsonObjectResponseBodyExperienceE
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/j son

= >

¥ experience-controller

E # A B C D F G

GET /orgs/{orgId}/proj ects/{proj ectId}/experi ences

- .

/ O	1 2	3 4	/ O
Path	orgId !"	! " ID	string
Path	projectId !"	# \$ ID	string

/ O	1 2	3 4	/ O
Query	createdAtEndTime	() * + , -	string (date-time)
Query	createdAtStartTime	() . / , -	string (date-time)
Query	creatorId	() O ID	string
Query	fetchAll	1 2 3 4 5 6 7 8 9 : ; < 2 =	boolean
Query	keyword	> ? @	string
Query	page.no	AB 9 C 1 . / =	integer (int32)
Query	page.size	DA EF 9 3 GHI < 1~100J : ; < 20 =	integer (int32)
Query	properties[0].propertyDefinitionId	K L M N O L M ID	string
Query	properties[0].values	P Q R N O G	< string > array(multi)
Query	props	K L M @ S T U V W 9 N O ID : G =	string
Query	sort	XY @ S Z [\] @ S ^ _ ` a Y Z b <code>id:desc</code>	< string > array(multi)

56

HTTP78	3 4	/ O
200	OK	JsonListResponseBodyExperienceE
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/ j son

= >

¥ experience-controller

E # ABCDHI

GET /orgs/{orgId}/projects/{projectId}/experiences/{experienceId}

- .

/ O	1 2	3 4	/ O
Path	experienceId ! "	cd ef ID	string
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string

56

HTTP7 8	3 4	/ O
200	OK	JsonObjectResponseBodyExperienceE
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ application/json

= >

¥ experience-controller

J K ABCD

DELETE /orgs/{orgId}/projects/{projectId}/experiences/{experienceId}

- .

/ O	1 2	3 4	/ O
Path	experienceId ! "	c d e f ID	string
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string

56

HTTP7 8	3 4	/ O
200	OK	JsonResponseBody
204	No Content	%&'
401	Unauthorized	%&'
403	Forbidden	%&'

9:

¥ /

; <

¥ appl i cati on/j son

= >

¥ experience-controller

L M A B C D N O

PATCH /orgs/{orgId}/projects/{projectId}/experiences/{experienceId}

- .

/ O	1 2	3 4	/ O
Path	experienceId ! "	c d e f ID	string
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string

/ O	1 2	3 4	/ O
Body	experienceUpdateDTO # \$	experienceUpdateDTO	ExperienceUpdateDT O

56

HTTP78	3 4	/ O
200	OK	JsonResponseBody
204	No Content	%&'
401	Unauthorized	%&'
403	Forbidden	%&'

9:

¥ /

; <

¥ appl i cati on/ j son

= >

¥ experience-controller

) * ABCDPQRST U

POST /orgs/{orgId}/proj ects/{proj ectId}/i mport-experi ences

- .

/ O	1 2	3 4	/ O
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string
Body	issueImportDT O # \$	issueImportDTO	IssueImportDTO

56

HTTP78	34	/ O
201	Created	%&'
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'
501	Not Implemented	JsonResponseBody

9:

¥ /

; <

¥ appl i cati on/ j son

= >

¥ experience-controller

) * %&' (

POST /orgs/{orgId}/proj ects/{proj ectId}/i mport-i ssues

- .

/ O	1 2	3 4	/ O
Path	orgId !"	! " ID	string
Path	projectId !"	# \$ ID	string
Body	issueImportDT O # \$	issueImportDTO	IssueImportDTO

56

HTTP78	34	/ O
200	OK	JsonResponseBody
201	Created	%&'
401	Unauthorized	%&'
403	Forbidden	%&'

HTTP78	34	/ O
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/j son

= >

¥ issue-controller

\$ % & ' () * + ,

GET /orgs/{orgId}/projects/{projectId}/issue-import-file

- .

/ O	1 2	3 4	/ O
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string

56

HTTP78	34	/ O
200	OK	JsonObjectResponseBodyÇIssueImportTemplateÊ
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ /

= >

¥ issue-controller

? @VWXYZ

POST /orgs/{orgId}/projects/{projectId}/issue-properties

- .

/ O	1 2	3 4	/ O
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string
Body	propertyDefinitionDTO # \$	propertyDefinitionDTO	PropertyDefinitionCreateDTO

56

HTTP78	3 4	/ O
201	Created	JsonObjectResponseBodyIssuePropertyDefinition
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ application/json

= >

¥ property-definition-controller

E # VWXYZ WXFG

```
GET /orgs/{orgId}/projects/{projectId}/issue-properties
```

- .

/ O	1 2	3 4	/ O	[\]
Path	orgId	! " ID	string	
Path	projectId	# \$ ID	string	
Query	fetchAll	1 2 3 4 5 6 7 8 9: ; < 2 =	boolean	"fal se"
Query	issueType	g h i j	enum (ISSUE, EXPERIENCE)	
Query	page.no	A B 9 C 1. / =	integer (int32)	
Query	page.size	D A E F 9 3 G H I < 1~100J : ; < 20 =	integer (int32)	
Query	propertyType	K L M N O G R i j	enum (TEXT, OPTIONS_SINGLE, OPTIONS_MULTIPLE)	
Query	sort	X Y @ S Z [\] @ S ^ _ ` a Y Z b <code>id:desc</code>	< string > array(multi)	

56

HTTP78	3 4	/ O
200	OK	JsonListResponseBodyIssuePropertyDefinitionE
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/j son

= >

¥ property-definition-controller

VWXY Z WX HI

```
GET /orgs/{orgId}/projects/{projectId}/issue-
properties/{propertyDefinitionId}
```

- .

/ O	1 2	3 4	/ O
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string
Path	propertyDefinit ionId ! "	K L MNOL M ID	string

56

HTTP7 8	3 4	/ O
200	OK	JsonObjectResponseBodyIssuePropertyDefinitionE
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/ j son

= >

¥ property-definition-controller

J K V W X Y Z W X

DELETE /orgs/{orgId}/projects/{projectId}/issue-properties/{propertyDefinitionId}

- .

/ O	1 2	3 4	/ O
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string
Path	propertyDefinitionId ! "	K L M N O L M ID	string

5 6

HTTP 78	3 4	/ O
200	OK	JsonResponseBody
204	No Content	%&'
401	Unauthorized	%&'
403	Forbidden	%&'

9:

¥ /

; <

¥ appl i cati on/j son

= >

¥ property-definition-controller

L M V W X Y Z

PATCH /orgs/{orgId}/projects/{projectId}/issue-properties/{propertyDefinitionId}

- .

/ O	1 2	3 4	/ O
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string
Path	propertyDefinit ionId ! "	K L MNOL M ID	string
Body	propertyDefinit ionDTO # \$	propertyDefinitionDTO	PropertyDefinitionUp dateDTO

56

HTTP7 8	3 4	/ O
200	OK	JsonResponseBody
204	No Content	%&'
401	Unauthorized	%&'
403	Forbidden	%&'

9:

¥ /

; <

¥ appl i cati on/j son

= >

¥ property-definition-controller

? @ ^ _ %&' (= >

POST /orgs/{orgId}/proj ects/{proj ectId}/i ssue_tags

- .

/ O	1 2	3 4	/ O
Path	orgId ! "	! " ID	string

/ O	1 2	3 4	/ O
Path	projectId ! "	# \$ ID	string
Body	tagCreateDTO # \$	tagCreateDTO	TagCreateDTO

56

HTTP78	3 4	/ O
200	OK	JsonResponseBody
201	Created	%&'
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/j son

= >

¥ tag-controller

E # ^ _ %&' (= > F G

GET /orgs/{orgId}/proj ects/{proj ectId}/i ssue_tags

- .

/ O	1 2	3 4	/ O
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string
Query	fetchAll ! "	1 2 3 4 5 6 7 8 9: ; < 2 =	boolean
Query	page.no ! "	AB9C 1. / =	integer (int32)

/ O	1 2	3 4	/ O
Query	page.size ! "	DAEF 93GHI < 1~100J : ; < 20=	integer (int32)
Query	parentId ! "	k l ID	string
Query	sort ! "	XY@SZ [\] @S ^ _ ` a Y Z b <code>id:desc</code>	< string > array(multi)
Query	targetId ! "	\$mID	string

56

HTTP7 8	3 4	/ O
200	OK	JsonListResponseBodyÇTagÈ
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/ j son

= >

¥ tag-controller

E # ^ _ %&' (= > HI

GET /orgs/{orgId}/projects/{projectId}/issue_tags/{tagId}

- .

/ O	1 2	3 4	/ O
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string

/ O	1 2	3 4	/ O
Path	tagId !"	mn ID	string

56

HTTP78	3 4	/ O
200	OK	JsonObjectResponseBodyÇTagÈ
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/j son

= >

¥ tag-controller

? @%&' (

POST /orgs/{orgId}/proj ects/{proj ectId}/i ssues

- .

/ O	1 2	3 4	/ O
Path	orgId !"	! " ID	string
Path	projectId !"	# \$ ID	string
Body	issueCreateDT O # \$	issueCreateDTO	IssueCreateDTO

56

HTTP78	34	/ O
201	Created	JsonObjectResponseBodyÇIssueÈ
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/j son

= >

¥ issue-controller

E # %&' (F G

GET /orgs/{orgId}/proj ects/{proj ectId}/i ssues

- .

/ O	1 2	34	/ O
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string
Query	createdAtEndTi me ! "	() * + , -	string (date-time)
Query	createdAtStart Time ! "	() . / , -	string (date-time)
Query	creatorId ! "	() O ID	string
Query	fetchAll ! "	1 2 3 4 5 6 7 8 9: ; < 2 =	boolean
Query	finishedEndTi me ! "	o p * + q r	string (date-time)

/ O	1 2	3 4	/ O
Query	finishedStartTime ! "	op, . /qr	string (date-time)
Query	issueIds ! "	gh IDs t	< string > array(multi)
Query	keyword ! "	> ? @	string
Query	leaderId ! "	u v wID	string
Query	page.no ! "	AB9C 1. / =	integer (int32)
Query	page.size ! "	DAEF 93GHI < 1~100J : ; < 20=	integer (int32)
Query	participantId ! "	x y O ID	string
Query	properties[0].p ropertyDefinit ionId ! "	K L MNOL M ID	string
Query	properties[0].v alues ! "	PQRNOG	< string > array(multi)
Query	props ! "	K L M@ST UVW9NO ID:G=	string
Query	sort ! "	XY@SZ [\] @S ^ _ ` a Y Z b <code>id:desc</code>	< string > array(multi)
Query	source ! "	ghz {	< enum (QC, OWNER, THIRD_PARTY) > array(multi)
Query	status ! "	}	< enum (ACTIVE, DISABLED, DELETED, REJECTED, APPROVED, PENDING, FINISHED, CLOSED) > array(multi)

56

HTTP7 8	3 4	/ O
200	OK	JsonListResponseBodyIssueE
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/j son

= >

¥ issue-controller

` a # \$' (NO

POST /orgs/{orgId}/projects/{projectId}/issues/batch-get

- .

/ O	1 2	3 4	/ O
Path	orgId !"	! " ID	string
Path	projectId !"	# \$ ID	string
Body	issueCriteriaDT O # \$	issueCriteriaDTO	IssueCriteriaDTO

56

HTTP7 8	3 4	/ O
200	OK	JsonListResponseB odyÇIssueÈ
201	Created	%&'
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/ j son

= >

¥ issue-controller

bc %&' (

PATCH /orgs/{orgId}/proj ects/{proj ectId}/i ssues/transfer

- .

/ O	1 2	3 4	/ O
Path	orgId !"	! " ID	string
Path	projectId !"	# \$ ID	string
Body	issueTransferD TO # \$	issueTransferDTO	IssueTransferDTO

56

HTTP7 8	3 4	/ O
200	OK	JsonResponseBody
204	No Content	%&'
401	Unauthorized	%&'
403	Forbidden	%&'

9:

¥ /

; <

¥ appl i cati on/ j son

= >

¥ issue-controller

E # % & ' (H I

```
GET /orgs/{orgId}/projects/{projectId}/issues/{issueId}
```

- .

/ O	1 2	3 4	/ O
Path	issueId ! "	gh ID	string
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string

56

HTTP7 8	3 4	/ O
200	OK	JsonObjectResponseBodyIssueE
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/ j son

= >

¥ issue-controller

L M % & ' (N O

```
PATCH /orgs/{orgId}/projects/{projectId}/issues/{issueId}
```

- .

/ O	1 2	3 4	/ O
Path	issuel d !	g h ID	string
Path	orgld !	! " ID	string
Path	projectld !	# \$ ID	string
Body	issueUpdateDT O # \$	issueUpdateDTO	IssueUpdateDTO

56

HTTP7 8	3 4	/ O
200	OK	JsonResponseBody
204	No Content	%&'
401	Unauthorized	%&'
403	Forbidden	%&'

9:

¥ /

; <

¥ appl i cati on/j son

= >

¥ issue-controller

? @' (de

POST /orgs/{orgld}/proj ect s/{proj ectld}/i ssues/{i ssuel d}/comments

- .

/ O	1 2	3 4	/ O
Path	issuel d !	g h ID	string
Path	orgld !	! " ID	string

/ O	1 2	3 4	/ O
Path	projectId ! "	# \$ ID	string
Body	commentCreateDTO # \$	commentCreateDTO	IssueCommentCreateDTO

56

HTTP78	3 4	/ O
200	OK	JsonResponseBody
201	Created	%&'
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/ j son

= >

¥ comment-controller

E#deFG

GET /orgs/{orgId}/projects/{projectId}/issues/{issueId}/comments

- .

/ O	1 2	3 4	/ O
Path	issueId ! "	gh ID	string
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string
Query	fetchAll ! "	1 2 3 4 5 6 7 8 9: ; < 2 =	boolean

/ O	1 2	3 4	/ O
Query	page.no !"	AB9C 1. / =	integer (int32)
Query	page.size !"	DAEF 93GHI < 1~100J : ; < 20=	integer (int32)
Query	sort !"	XY@SZ [\] @S ^ _ ` a Y Z b <code>id:desc</code>	< string > array(multi)

56

HTTP7 8	3 4	/ O
200	OK	JsonListResponseBodyÇIssueCommentE
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/j son

= >

¥ comment-controller

L Mde NO

PUT /orgs/{orgId}/proj ects/{proj ectId}/i ssues/{i ssueId}/comments/{commentId}

- .

/ O	1 2	3 4	/ O
Path	commentId !"	~ • ID	string
Path	issueId !"	gh ID	string
Path	orgId !"	! " ID	string

/ O	1 2	3 4	/ O
Path	projectId ! "	# \$ ID	string
Body	commentUpdateDTO # \$	commentUpdateDTO	IssueCommentUpdateDTO

56

HTTP78	3 4	/ O
200	OK	JsonResponseBody
201	Created	%&'
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/j son

= >

¥ comment-controller

E # %&' (f g h i F G

GET /orgs/{orgId}/proj ects/{proj ectId}/i ssues/{i ssueId}/records

- .

/ O	1 2	3 4	/ O
Path	issueId ! "	€ • ghID	string
Path	orgId ! "	! " ID	string
Path	projectId ! "	# \$ ID	string
Query	endTime ! "	T U* + q r	string (date-time)

/ O	1 2	3 4	/ O
Query	fetchAll !"	1 2 3 4 5 6 7 8 9: ; < 2 =	boolean
Query	page.no !"	AB9C 1. / =	integer (int32)
Query	page.size !"	DAEF 9 3 GHI < 1~100J : ; < 20 =	integer (int32)
Query	sort !"	XY@SZ[\] @S ^ _ ` a Y Z b <code>id:desc</code>	< string > array(multi)
Query	startTime !"	T U. / q r	string (date-time)

56

HTTP7 8	3 4	/ O
200	OK	JsonListResponseBodyÇIssueRecordĖ
401	Unauthorized	%&'
403	Forbidden	%&'
404	Not Found	%&'

9:

¥ /

; <

¥ appl i cati on/j son

= >

¥ issue-record-controller