

Table of Contents

í î	1
- . úû" 9	1
- . ô+úû	1
" ' / O1 2½¾	2
õ ef 892	3
_8ef 892	4
xy-†	5
" ' ëì - . k • €† ^ AöRF ÷ ° ‡ ^ R- F 7RF ...†	5
" ' úû- . k • €† ^ 7...† Høùw„ - úæ†	6
• Ž••	7
! " ‡ ^ ½¾	8
ûü" ' ‡ ^ gh' ZýöþÿO! - -	9
! " ‡ ^ " #	10
" ' 3 „ ‡ Õ~F \$€...† 7 6€½¾	10
! " 3 „ ‡ ÷ 7 ‡ ^ 6€½¾	11
¶••	12
K„••	13
! " •• 7 %° ½¾	14
•• & ^a 6€	14
! " 6€½¾	15
•• ' . 6€	17
! " - . ‡ ^ ••	17
! " ‡ ^ - . ÷ 7 ÁÂ ½¾	18
• Ž ÁÂ	19
! " ÁÂ ½¾	20
! " ÁÂ" #	21
K„ ÁÂgh	22
& ^a 6€	23
! " 6€½¾	24
' . ÁÂÕ7 6€	25
K„ - . ÁÂ	26
¶ ÁÂ	27
56ÇÈ # \$ % &	28
• Ž - .	29
yÖ- . gh	29
ûü" ' - . gh' ZýöþÿO! - -	31
ùw- . ©! " - . gh	31
validateAccessToken	32
èé- . úûç 2	33
! " à á â @P(g892	34
" ' - . ") gh	34
¶ - . úûü~	35
K„ - . gh	36
* - . úûü~	37
+ - . úûü~	38

, $L^{\pm 2} \pm \frac{1}{2} \frac{3}{4}$	39
- . - $\% \pm^2 \pm \frac{1}{2} \frac{3}{4}$	39
òó- . $\hat{U} \hat{U}_{\zeta} 2$	40

! "

\$ % & ' (

POST /authorizations

) *

! " # \$ % & '

+ ,

- .	/ O) *	- .
Body	credentials ! "	credentials	CredentialDTO

1 2

HTTP3 4) *	- .
201	Created	JsonObjectResponseBodyÇUserProfileE
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ appli cati on/j son

9:

¥ authentication-controller

\$; < % &

DELETE /authorizations/{accessToken}

) *

+ , # \$ % & '

+ ,

- .	/ O) *	- .
Path	accessToken # \$	- . # \$ % &	string

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
204	No Content	() *
401	Unauthorized	() *
403	Forbidden	() *

7 8

¥ appl i cati on/ j son

9:

¥ authentication-controller

= > ? @ 3 4 A B

GET /bi z-codes

+ ,

- .	/ O) *	- .
Query	type # \$	/ O 1 2 3 4	enum (ACCOUNT_TYPE, ORGANIZATION_TYPE, USER_PRIVILEGE, RESOURCE_TYPE, VERIFICATION_PURP OSE)

1 2

HTTP3 4) *	- .
200	OK	JsonListResponseBodyÇBizCodeDTOĖ
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

78

¥ appl i cati on/j son

9:

¥ biz-code-controller

CDEF G(4

POST /captcha

) *

567892: ; <. =- . 1 >? @ABC IPDEF GHI J KLMNOPQRST UVW89XY'

12

HTTP3 4) *	- .
200	OK	JsonObjectResponseBodyÇCaptchaDataĖ
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

56

¥ appl i cati on/j son

78

¥ appl i cati on/j son

9:

¥ captcha-controller

HGEFG(4

POST /captcha/{captchaId}/verify

) *

<. =ZS[\] ^_8'
`abcdPef892ghijklmn#\$\$%&(Gcd0`pqrlmn
n#\$\$%&qrcd0`ef892ps_8qlmn#\$\$stucd'

+,

- .	/O) *	- .
Path	captchaId #\$	ef892ID	string
Body	captchaDTO #\$	ef892_8vw	CaptchaDTO

12

HTTP3 4) *	- .
200	OK	JsonResponseBody
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

56

¥ application/json

78

¥ application/json

9:

¥ captcha-controller

I J # \$ K L

POST /check-privilege

) *

x y # \$ % & z F { - . | } ~ F ; • € • , [\ • € f „ 7 ... † ' "

+ ,

- .	/ O) *	- .
Body	privilegeCheck DTO ! "	privilegeCheckDTO	PrivilegeCheckDTO

1 2

HTTP3 4) *	- .
200	OK	JsonObjectResponseBodyOperatorDTO
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ application/json

9:

¥ privilege-controller

= > MN # \$ OPQRST UVWXYZ RSV # WZ VWKL

GET /current-user/orgs/{orgId}/available-privileges

+ ,

- .	/ O) *	- .
Path	orgId # \$	‡ ^ ID	string

1 2

HTTP3 4) *	- .
200	OK	JsonObjectResponseBody<UserPrivilegeDTO>
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ appl i cati on/ j son

9:

¥ privilege-controller

= > % & # \$ O P Q R S Z K L [\] ^ _ # ` a R

GET /current-user/orgs/{orgId}/privileges

+ ,

- .	/ O) *	- .
Path	orgId # \$	‡ ^ ID	string

1 2

HTTP34) *	- .
200	OK	JsonListResponseBodyÇUserPrivilegeDTO
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

56

¥ /

78

¥ appl i cati on/j son

9:

¥ privilege-controller

b c d e

POST /orgs

) *

%Š< Œ- F • Ž • • 7...†

+ ,

- .	/ O) *	- .
Body	organizationDT O # \$	• • gh	OrganizationDTO

1 2

HTTP34) *	- .
201	Created	JsonObjectResponseBodyÇOrganizatio nŒ
401	Unauthorized	() *
403	Forbidden	() *

HTTP3 4) *	- .
404	Not Found	() *

56

¥ /

78

¥ appl i cati on/j son

9:

¥ organization-controller

f = RSAB

GET /orgs

+,

- .	/ O) *	- .
Query	fetchAll # \$	} " ' RF v w' " " • } -	boolean
Query	page.no # \$	— ~ ' ™ 1 Š > -	integer (int32)
Query	page.size # \$	œ — • ž ' " Ÿ i • 1~100 o " " • 20—	integer (int32)
Query	sort # \$	ϕ £ ¤ ¥ H \$ ¨ ¤ ¥ © ª « ¬ £ H - <code>id:desc</code>	< string > array(multi)
Query	type # \$	‡ ^ 3 4	string

1 2

HTTP3 4) *	- .
200	OK	JsonListResponseBodyOrganizationE
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

56

¥ /

78

¥ appl i cati on/j son

9:

¥ organization-controller

gh => RSi j kI mUno@p#q

POST /orgs/batch-get

+ ,

- .	/ O) *	- .
Body	batchGetDTO ! "	batchGetDTO	BatchGetDTO

1 2

HTTP3 4) *	- .
200	OK	JsonListResponseB odyÇOrganizationB asicDToE
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

56

¥ appl i cati on/j son

78

¥ appl i cati on/j son

9:

¥ organization-controller

f = RSr s

```
GET /orgs/{orgId}
```

) *

%Š ~ F y ® • • ...†

+,

- .	/ O) *	- .
Path	orgId # \$	‡ ^ ID	string
Query	parentId # \$	- ° ‡ ^ ID	string

1 2

HTTP3 4) *	- .
200	OK	JsonObjectResponseBodyOrganization
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

7 8

¥ appl i cati on/ j son

9:

¥ organization-controller

= > t _ Ru v WwQK L Z 8x A B

```
POST /orgs/{orgId}/members-with-privileges
```

+,

- .	/ O) *	- .
Path	orgId # \$	± ^ ID	string
Body	teamPrivileges ! "	teamPrivileges	TeamPrivilegeListDTO

1 2

HTTP3 4) *	- .
200	OK	JsonListResponseB odyÇUserBasicÈ
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ appl i cati on/ j son

9:

¥ user-controller

f = t _RXZRS8x AB

GET /orgs/{orgId}/proj ects/{proj ectId}/teams/{ teamId}/orgs-members

+ ,

- .	/ O) *	- .
Path	orgId # \$	± ^ ID	string
Path	projectId # \$	± ² ID	string
Path	teamId # \$	³ „ ± ID	string
Query	privileges # \$...† ´ μ	< string > array(multi)

1 2

HTTP34) *	- .
200	OK	JsonListResponseBodyOrganizationE
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ appl i cati on/j son

9:

¥ organization-controller

yz de

DELETE /orgs/{organi zati onl d}

) *

%Š ~ F ¶ · · · ...†

+ ,

- .	/ O) *	- .
Path	organizationId # \$	• • ID	string

1 2

HTTP34) *	- .
200	OK	JsonResponseBody
204	No Content	() *
401	Unauthorized	() *
403	Forbidden	() *

78

¥ appl i cati on/ j son

9:

¥ organization-controller

{ Dd e

PATCH /orgs/{organi zati onl d}

) *

%Š ~ F K , • • 7 ... †

+ ,

- .	/ O) *	- .
Path	organizationId # \$	• • ID	string
Body	organizationDT O # \$	• • 1 K , v w	OrganizationDTO

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
204	No Content	() *
401	Unauthorized	() *
403	Forbidden	() *

56

¥ /

78

¥ appl i cati on/ j son

9:

¥ organization-controller

f = de Z | Y A B

```
GET /orgs/{organizationId}/hierarchy
```

) *

%Š ~ F y ® • • ...†

+ ,

- .	/ O) *	- .
Path	organizationId # \$	‡ ^ ID	string
Query	depth # \$	° »	integer (int32)
Query	name # \$	‡ ^ © ¼	string
Query	type # \$	‡ ^ 3 4	string
Query	userId # \$	- . ID	string

1 2

HTTP3 4) *	- .
200	OK	JsonObjectResponseBodyOrganizationBasicE
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

7 8

¥ appl i cati on/j son

9:

¥ organization-controller

de } ~ 8x

POST /orgs/{organizationId}/members

) *

%ŠF„ • • 7...†

+ ,

- .	/ O) *	- .
Path	organizationId # \$	• • ID	string
Body	addOrganizationMemberDTO # \$	6ÆID½¾	AddOrganizationMemberDTO

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ appl i cati on/j son

9:

¥ organization-controller

f = 8x A B

GET /orgs/{organizationId}/members

) *

%Š ~ F y ® ‡ ^ ... †

+,

- .	/ O) *	- .
Path	organizationId # \$	‡ ^ ID	string
Query	fetchAll # \$	} " ' R F v w' " " • } -	boolean
Query	fetchAll # \$	} " ' R F v w' " " • } -	boolean
Query	keyword # \$	¿ Å ¨	string
Query	page.no # \$	— ~ ' ™ 1 Š > -	integer (int32)
Query	page.no # \$	— ~ ' ™ 1 Š > -	integer (int32)
Query	page.size # \$	œ — • Ž ' " Ÿ ĭ • 1~100 O " " • 20—	integer (int32)
Query	page.size # \$	œ — • Ž ' " Ÿ ĭ • 1~100 O " " • 20—	integer (int32)
Query	sort # \$	Φ Ε ¨ ¨ H Ĩ Š ¨ ¨ ¨ © ª « ¬ Ε Η - <code>id:desc</code>	< string > array(multi)
Query	sort # \$	Φ Ε ¨ ¨ H Ĩ Š ¨ ¨ ¨ © ª « ¬ Ε Η - <code>id:desc</code>	< string > array(multi)

1 2

HTTP3 4) *	- .
200	OK	JsonListResponseBodyÇUserProfileĖ
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ appl i cati on/ j son

9:

¥ organization-controller

de • z 8x

```
DELETE /orgs/{organizationId}/members/{memberId}
```

) *

%ŠFf„ • • 7...†

+ ,

- .	/ O) *	- .
Path	memberId # \$	6ÆID	string
Path	organizationId # \$	• • ID	string

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
204	No Content	() *
401	Unauthorized	() *
403	Forbidden	() *

5 6

¥ /

7 8

¥ appl i cati on/j son

9:

¥ organization-controller

f = # \$RSde

GET /orgs/{organizationId}/members/{memberId}/orgs

+,

- .	/ O) *	- .
Path	memberId # \$	- . ID	string
Path	organizationId # \$	± ^ ID	string
Query	type # \$	± ^ 3 4	string

1 2

HTTP3 4) *	- .
200	OK	JsonListResponseBody<UserOrganization>
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ application/json

9:

¥ organization-controller

f = RS # \$ X Z € • A B

GET /orgs/{organizationId}/members/{memberId}/roles

+,

- .	/ O) *	- .
Path	memberId # \$	- . ID	string
Path	organizationId # \$	± ² ‡ ^ ID	string

1 2

HTTP3 4) *	- .
200	OK	JsonListResponseBody Role
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ appl i cati on/ j son

9:

¥ role-controller

b c € •

POST /orgs/{organi zati onl d}/rol es

) *

%Š F • Ž Á Â 7 ... †

+ ,

- .	/ O) *	- .
Path	organizationId # \$	‡ ^ ID	string
Body	roleDTO # \$	Á Â • Ž gh	RoleDTO

HTTP34) *	- .
201	Created	JsonObjectResponseBodyRoleE
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

¥ /

¥ appl i cati on/j son

¥ role-controller

f = € • A B

```
GET /orgs/{organi zati onl d}/rol es
```

) *

%Š ~ F y ®ÁÂ...†

+ ,

- .	/ O) *	- .
Path	organizationId # \$	‡ ^ ID	string
Query	code # \$	Á Âcode	string
Query	fetchAll # \$	} " ' RF v w' " " • } –	boolean
Query	isTemplate # \$	} .. ÃÄ	string
Query	keyword # \$	¿ À ¨	string
Query	page.no # \$	— ~ ' ™ 1 Š > –	integer (int32)

- .	/ O) *	- .
Query	page.size # \$	œ—• ž ' " Ÿ ĭ • 1~100o " " • 20—	integer (int32)
Query	sort # \$	¢ £ ¤ ¥ ¨ § ¨ ¤ ¥ © ª « ¬ £ ¨ - <code>id:desc</code>	< string > array(multi)
Query	status # \$	ÅÆ	< enum (ACTIVE, DISABLED, DELETED, REJECTED, APPROVED, PENDING, FINISHED, CLOSED) > array(multi)

1 2

HTTP3 4) *	- .
200	OK	JsonListResponseBody Role
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ appl i cati on/j son

9:

¥ role-controller

f = € • r s

GET /orgs/{organi zati onI d}/rol es/{rol el d}

) *

%Š ~ F y ® Á Â 7 ... †

+ ,

- .	/ O) *	- .
Path	organizationId # \$	± ^ ID	string
Path	roleId # \$	Á Â ID	string

1 2

HTTP3 4) *	- .
200	OK	JsonObjectResponseBodyÇRoleĖ
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ appl i cati on/j son

9:

¥ role-controller

{ D€• i j

PATCH /orgs/{organi zati onl d}/rol es/{rol el d}

) *

~ F K , Á Â ...†

+ ,

- .	/ O) *	- .
Path	organizationId # \$	± ^ ID	string
Path	roleId # \$	Á Â ID	string

- .	/ O) *	- .
Body	roleDTO ! "	roleDTO	RoleDTO

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
204	No Content	() *
401	Unauthorized	() *
403	Forbidden	() *

5 6

¥ /

7 8

¥ appl i cati on/ j son

9:

¥ role-controller

} ~ 8x

POST /orgs/{organi zati onl d}/rol es/{rol el d}/members

) *

%Š ~ F f „ ÁÂ...†

+ ,

- .	/ O) *	- .
Path	organizationId # \$	‡ ^ ID	string
Path	roleId # \$	ÁÂ ID	string
Body	addRoleMemb erDTO # \$	- . ID	AddRoleMemberDTO

HTTP34) *	- .
200	OK	JsonResponseBody
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

¥ /

¥ appl i cati on/j son

9:

¥ role-controller

f = 8x AB

GET /orgs/{organi zati onl d}/rol es/{rol el d}/members

) *

%Š ~ F y ®ÁÂ...†

+ ,

- .	/ O) *	- .
Path	organizationId # \$	‡ ^ ID	string
Path	roleId # \$	ÁÂ ID	string
Query	fetchAll # \$	} " ' RF √ w' " " • } –	boolean
Query	keyword # \$	¿ Ä ǻ	string
Query	page.no # \$	— ~ , ™ 1 Š > –	integer (int32)

- .	/ O) *	- .
Query	page.size # \$	œ—• ž ' " Ÿ ĭ • 1~100o " " • 20–	integer (int32)
Query	sort # \$	¢ £ ¤ ¥ ¨ § ¨ ¤ ¥ © ª « ¬ £ ¨ - <code>id:desc</code>	< string > array(multi)

1 2

HTTP3 4) *	- .
200	OK	JsonListResponseB odyÇUserProfileĖ
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ appl i cati on/j son

9:

¥ role-controller

• z € • u Z 8x

DELETE /orgs/{organi zati onl d}/rol es/{rol eI d}/members/{memberI d}

) *

%Š ~ F f „ ÁÂ 7 ...†

+ ,

- .	/ O) *	- .
Path	memberId # \$	- . ID	string
Path	organizationId # \$	‡ ^ ID	string

- .	/ O) *	- .
Path	roleId # \$	Ã Ã ID	string

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
204	No Content	() *
401	Unauthorized	() *
403	Forbidden	() *

5 6

¥ /

7 8

¥ appl i cati on/ j son

9:

¥ role-controller

{ D# \$ € •

POST /orgs/{proj ectOrgI d}/members/{memberI d}/set-user-rol es

+ ,

- .	/ O) *	- .
Path	memberId # \$	- . ID	string
Path	projectOrgId # \$	± ² ± ^ ID	string
Body	setUserRoleDT O # \$	Ã Ã ½¾	SetUserRoleDTO

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

56

¥ /

78

¥ appl i cati on/ j son

9:

¥ role-controller

yz €•

DELETE /rol es/{rol el d}

) *

~ F ¶ · Á Â ... †

+ ,

- .	/ O) *	- .
Path	roleId # \$	Ã Â ID	string

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
204	No Content	() *
401	Unauthorized	() *
403	Forbidden	() *

56

¥ /

78

¥ appl i cati on/j son

9:

¥ role-controller

78, f „ ...† ‡

GET /temporary-access-token

) *

ÇÈ # \$ % & É Ê ç <code>X-Temp-Access-Token</code> È Ì Í mn HÇÈ # \$ % & 7 F G Î Ï È Ð É Ê ç
<code>X-Temp-Access-Token-Expires-At</code> È Ì Í mn ' k Ñ Ò Ó Ô Õ Ê ç <code>access-
token</code> y Ö × v Ø Ù ÇÈ # \$ % & '

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

56

¥ /

78

¥ appl i cati on/j son

9:

¥ authentication-controller

bc # \$

POST /users

) *

• Ž - . ÚÛÜ~ H%ŠÝ Þß >Æ...† '

+ ,

- .	/ O) *	- .
Body	userDTO # \$	- . gh	UserDTO

1 2

HTTP3 4) *	- .
201	Created	JsonObjectResponseBodyçUserProfileĒ
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

56

¥ /

78

¥ appl i cati on/j son

9:

¥ user-controller

J ^ # \$ i j

GET /users

+ ,

- .	/ O) *	- .
Query	email # \$	à á â ã DE	string
Query	fetchAll # \$	} " ' RF v w' " " • } –	boolean
Query	keyword # \$	¿ À ¤	string
Query	mobile # \$	ä å ~ 2	string
Query	name # \$	æ©	string
Query	page.no # \$	— ~ ' ™ 1 Š > –	integer (int32)
Query	page.size # \$	œ — • ž ' " Ÿ ĭ • 1~100 〇 " " • 20—	integer (int32)
Query	sort # \$	£ ¤ ¤ ¥ H Ĩ \$ ¨ ¤ ¥ ©ª « ¬ £ H- <code>id:desc</code>	< string > array(multi)
Query	status # \$	- . Ú Û Ü ~ Å Æ	< enum (ACTIVE, DISABLED, DELETED, REJECTED, APPROVED, PENDING, FINISHED, CLOSED) > array(multi)
Query	type # \$	- . 3 4	< string > array(multi)
Query	username # \$	Ú Û - . ©	string

1 2

HTTP3 4) *	- .
200	OK	JsonListResponseBodyÇUserProfileÊ
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

7 8

¥ appl i cati on/j son

9:

¥ user-controller

gh => # \$ i j k l m U n o @ p # q

POST /users/batch-get

+ ,

- .	/ O) *	- .
Body	batchGetDTO ! "	batchGetDTO	BatchGetDTO

1 2

HTTP3 4) *	- .
200	OK	JsonListResponseB odyÇUserBasicÈ
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ appl i cati on/ j son

7 8

¥ appl i cati on/ j son

9:

¥ user-controller

] ^ # \$ / f = # \$ i j

POST /users/get-by-username

+ ,

- .	/ O) *	- .
Body	userNameCrite riaDTO ! "	userNameCriteriaDTO	UserNameCriteriaDTO

1 2

HTTP34) *	- .
200	OK	JsonListResponseBodyÇUserProfileÊ
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ appl i cati on/j son

9:

¥ user-controller

validateAccessToken

POST /users/i s-access-token-val i d

1 2

HTTP34) *	- .
200	OK	object
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

78

¥ appl i cati on/ j son

9:

¥ user-controller

%Š # \$ % & < 4

POST /users/{account}/reset-password

+ ,

- .	/ O) *	- .
Path	account # \$	- . à á â ã DE P ä å ~ 2	string
Body	userPasswordR esetDTO # \$	- . ç 2 è é ¾ ê	UserPasswordResetD TO

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

56

¥ /

78

¥ appl i cati on/ j son

9:

¥ user-controller

f = E • Ž • • ' i G(4

POST /users/{account}/verifications

+,

- .	/ O) *	- .
Path	account # \$	- . à á â ã DE P ä å ~ 2	string
Body	userAccountVerificationSend DTO # \$	892! " ÓÔ¾ê	UserAccountVerificationSendDTO

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

56

¥ /

78

¥ appl icati on/j son

9:

¥ user-controller

= > # \$r ' i j

GET /users/{userId}

) *

" ' ë ï ÚÛ- . ghÈÉí î x v <code>userId</code>ï é "" <code>current</code>""

+ ,

- .	/ O) *	- .
Path	userId # \$	- . ID	string

1 2

HTTP3 4) *	- .
200	OK	JsonObjectResponseBodyçUserProfileĖ
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

7 8

¥ appl i cati on/j son

9:

¥ user-controller

y z # \$ % & " "

```
DELETE /users/{userId}
```

) *

%ŠÝŁβ>Œ...†'

+ ,

- .	/ O) *	- .
Path	userId # \$	- . ID	string
Query	version # \$	- . v w ð ñ	integer (int64)

1 2

HTTP34) *	- .
200	OK	JsonResponseBody
204	No Content	() *
401	Unauthorized	() *
403	Forbidden	() *

78

¥ appl i cati on/j son

9:

¥ user-controller

{ D# \$i j

```
PATCH /users/{userId}
```

) *

%Š ~ F K , -†

+,

- .	/ O) *	- .
Path	userId # \$	- . ID	string
Body	userProfileDTO # \$	K , gh	UserProfileDTO

12

HTTP34) *	- .
200	OK	JsonResponseBody
204	No Content	() *
401	Unauthorized	() *
403	Forbidden	() *

56

¥ /

78

¥ appl i cati on/j son

9:

¥ user-controller

• # # \$ % & " "

POST /users/{userI d}/di sabl e

) *

%Š Ÿ Ð ß > Ě ... † '

+ ,

- .	/ O) *	- .
Path	userId # \$	- . ID	string
Query	version # \$	- . v w ð ñ	integer (int64)

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

56

¥ appl i cati on/j son

78

¥ appl i cati on/j son

9:

¥ user-controller

– # # \$ % & " "

```
POST /users/{userI d}/enabl e
```

) *

%ŠÝ▷β>Ⓔ...†'

+ ,

- .	/ O) *	- .
Path	userId # \$	- . ID	string
Query	version # \$	- . v w ð ñ	integer (int64)

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ appl i cati on/ j son

7 8

¥ appl i cati on/ j son

9:

¥ user-controller

— ~ ™ Š RSAB

POST /users/{userId}/switch-org

) *

%Š ~ FK , -†

+ ,

- .	/ O) *	- .
Path	userId # \$	- . ID	string
Body	switchOrgDTO # \$	± ² ‡ ^	SwitchOrgDTO

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ appl i cati on/ j son

9:

¥ user-controller

\$ > | ™ Š RSAB

GET /users/{userId}/top-project-orgs

+,

- .	/ O) *	- .
Path	userId # \$	- . ID	string

1 2

HTTP3 4) *	- .
200	OK	JsonListResponseB odyÇOrganizationÈ
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

5 6

¥ /

7 8

¥ appl i cati on/j son

9:

¥ user-controller

œ• # \$ % & < 4

POST /users/{userId}/update-password

+,

- .	/ O) *	- .
Path	userId # \$	- . ID	string
Body	userPassword UpdateDTO # \$	- . Ç 2 ò ó ¾ ê	UserPasswordUpdate DTO

1 2

HTTP3 4) *	- .
200	OK	JsonResponseBody
201	Created	() *
401	Unauthorized	() *
403	Forbidden	() *
404	Not Found	() *

56

¥ /

78

¥ appl i cati on/j son

9:

¥ user-controller