

Table of Contents

£ ¤	1
BomNodeResultsDTO	1
FMaterialIssueReceiptDTO	1
FMaterialIssueReceiptDetailDTO	2
FMaterialReceiveReceiptDTO	3
FMaterialReceiveReceiptDetailDTO	4
FaListResultsDTO	5
FadListDTO	6
FadListResultsDTO	6
FieldError	7
IssueReceiptListResultsDTO	8
JsonListResponseBodyÇBomNodeResultsDTOË	8
JsonListResponseBodyÇFaListResultsDTOË	9
JsonListResponseBodyÇFadListResultsDTOË	9
JsonListResponseBodyÇIssueReceiptListResultsDTOË	10
JsonListResponseBodyÇMCompaniesEntityË	10
JsonListResponseBodyÇMLocationEntityË	10
JsonListResponseBodyÇMSiteMatlStatusEntityË	11
JsonListResponseBodyÇMWareHouseEntityË	11
JsonListResponseBodyÇPoDetailË	12
JsonListResponseBodyÇReceiveReceiptListResultsDTOË	12
JsonListResponseBodyÇReleaseNoteHeadË	13
JsonListResponseBodyÇReleaseNoteË	13
JsonListResponseBodyÇReqDetailË	14
JsonListResponseBodyÇSpmMatchLnNodeË	14
JsonListResponseBodyÇViewMxjBominfoEntityË	15
JsonListResponseBodyÇViewMxjPosEntityË	15
JsonListResponseBodyÇViewMxjReqsË	15
JsonListResponseBodyÇViewMxjValidPohEntityË	16
JsonObjectResponseBodyÇFaListResultsDTOË	16
JsonObjectResponseBodyÇReceiveReceiptResultDTOË	17
JsonObjectResponseBodyÇReleaseNoteHeadË	17
JsonResponseBody	18
JsonResponseError	18
MCompaniesEntity	18
MLocationEntity	18
MSiteMatlStatusEntity	19
MWareHouseEntity	20
Meta	20
Page	21
PageDTO	21
PoDetail	21
ReceiveReceiptListResultsDTO	22
ReceiveReceiptResultDTO	22
ReleaseNote	23

ReleaseNoteHead	24
ReqDetail	24
SpmMatchLnNode	24
SpmMatchLnNodeDTO	25
ViewMxjBominfoEntity	25
ViewMxjPosEntity	26
ViewMxjReqs	27
ViewMxjValidPohEntity	28

! "

BomNodeResultsDTO

# \$	%&	' (
bompath ! "	BOM NODE bompath	string
children ! "	BOM NODE LIST	< BomNodeResultsDTO > array
lnCode ! "	BOM NODE LN CODE	string
lnId ! "	BOM NODE LN ID	string

FMaterialIssueReceiptDTO

# \$	%&	' (
bnId ! "	! " # \$ NULL	string
companyId ! "	%&' (ID	string
description ! ") * +	string
details ! "		< FMaterialIssueReceiptDetailDTO > array
esiStatus ! "	! " # \$ N	string
fahId ! "	, - , . ID	string
issueBy ! "	/ O 1	string
issueDate ! "	/ 2 3 4	string (date-time)
issueType ! "	, - , . :R 5 6 / O :R	string
locId ! "	7 (ID	string
mirCreateDate ! "	' 8 9 : 3 4	string (date-time)
mirNumber ! "	; 7 ' <	string
mirType ! "	, - , . :R 5 6 / O :D	string

# \$	%&	' (
poplIssByProc ! "	# \$ N	string
revisionId ! "	= >	string
shortDesc ! "	? * +	string
siteStatInd ! "	# \$ N	string
whId ! "	@ 7 ID	string

FMaterialIssueReceiptDetailDTO

# \$	%&	' (
esiStatus ! "	# \$ N	string
heatId ! "	A B < ID	string
ident ! "	CODE	string
identDeviation ! "	F C * + G H I J K	string
issueDate ! "	/ O L M	string (date-time)
issueQty ! "	/ O N O	number
ivId ! "	7 P ID	string
ivprId ! "	, - , . Q R I D G 5 6 ; 7 J K	string
locId ! "	7 (ID	string
lpId ! "	O S Q R I D	string
mirId ! "	/ O ' ID	string
mirNumber ! "	; 7 ' <	string
plateId ! "	# \$ NULL	string
saId ! "	# \$ NULL	string
siteStatInd ! "	# \$ N	string

# \$	%&	' (
smstld ! "	COT U	string
tagNumber ! "	(<	string
unitld ! "	' (string
whld ! "	@7 ID	string

FMaterialReceiveReceiptDTO

# \$	%&	' (
bnld ! "		string
description ! "		string
details ! "		< FMaterialReceiveReceiptDetailDTO > array
esiStatus ! "	! " # \$ N	string
fmstld ! "		string
locCode ! "		string
locld ! "		string
matlRecvDate ! "		string (date-time)
mrrNumber ! "		string
poplshByProc ! "		string
recvBy ! "		string
recvType ! "		string
relnld ! "		string
revisonld ! "		string
sgld ! "		string
shipper ! "		string

# \$	%&	' (
shipperRefNo ! "		string
shortDesc ! "		string
smstCode ! "		string
smstId ! "		string
spmPohId ! "		string
spmPohNumber ! "		string
spmReInId ! "		string
spmReInNumber ! "		string
whCode ! "		string
whId ! "		string

FMaterialReceiveReceiptDetailDTO

# \$	%&	' (
bnId ! "		string
certificateNumber ! "		string
esTagDescription ! "		string
esTagShortDesc ! "		string
esiStatus ! "	! " # \$ N	string
fileLocation ! "		string
heatNumber ! "		string
ident ! "		string

# \$	%&	' (
itemShipId ! "		string
ityCode ! "		string
locCode ! "		string
locId ! "		string
manufacturer ! "		string
recvDate ! "		string (date-time)
recvQty ! "		number
smstCode ! "		string
smstId ! "		string
tagNumber ! "		string
unitCode ! "		string
unitId ! "		string
whCode ! "		string
whId ! "		string

FaListResultsDTO

# \$	' (
dpId ! "	object
fahCode ! "	object
fahId ! "	object
fahType ! "	object
jobStatus ! "	object
lstId ! "	object

# \$	' (
projId ! "	object
runNumber ! "	object
userId ! "	object

FadListDTO

# \$	%&	' (
fahId ! "	VO' ID	string
fetchAll ! "	WXYZ [\ N 8] ! " \$ X ^	boolean
page ! "	_ ` a b	Page
sort ! "	c d e f G g h J e f i j k l d G m <code>id:desc</code>	< string > array
spmProjId ! "	SPM n o ID	string

FadListResultsDTO

# \$	' (
esiStatus ! "	object
fahId ! "	object
heatId ! "	object
heatNumber ! "	object
ident ! "	object
identDeviation ! "	object
issueDate ! "	object
issueQty ! "	object
ivild ! "	object
ivprId ! "	object

# \$	' (
locCode ! "	object
locId ! "	object
lpId ! "	object
mirId ! "	object
mirNumber ! "	object
plateId ! "	object
projId ! "	object
resvQty ! "	object
sasId ! "	object
siteStatInd ! "	object
smstCode ! "	object
smstId ! "	object
tagNumber ! "	object
unitCode ! "	object
unitId ! "	object
whCode ! "	object
whId ! "	object

FieldError

# \$	%&	' (
message ! "	p q * +	string
name ! "	/ r p q s e f	string
type ! "	p q t u	string

IssueReceiptListResultsDTO

# \$	' (
dpCode "	object
fahCode "	object
fahId "	object
issueType "	object
locCode "	object
mirDesc "	object
mirId "	object
mirNumber "	object
mirType "	object
projId "	object
revisionId "	object
runNumber "	object
whCode "	object

JsonListResponseBodyÇBomNodeResultsDTOÈ

# \$	%&	' (
accessToken "	v w x y z {	string
data "	} ~ •	< BomNodeResultsDTO > array
error "	p q € •	JsonResponseError
included "	, v N 8	object
links "	f " ... 6	< string, string > map
meta "	} † N 8	Meta

# \$	%&	' (
status !"	HTTP T U E	integer (int32)
success !"	± ^ WX%Š	boolean

JsonListResponseBodyÇFaListResultsDTOÈ

# \$	%&	' (
accessToken !"	v wx y z {	string
data !"	} ~ •	< FaListResultsDTO > array
error !"	p q € •	JsonResponseError
included !"	, v N 8	object
links !"	f „ ... 6	< string, string > map
meta !"	} † N 8	Meta
status !"	HTTP T U E	integer (int32)
success !"	± ^ WX%Š	boolean

JsonListResponseBodyÇFadListResultsDTOÈ

# \$	%&	' (
accessToken !"	v wx y z {	string
data !"	} ~ •	< FadListResultsDTO > array
error !"	p q € •	JsonResponseError
included !"	, v N 8	object
links !"	f „ ... 6	< string, string > map
meta !"	} † N 8	Meta
status !"	HTTP T U E	integer (int32)
success !"	± ^ WX%Š	boolean

JsonListResponseBodyÇIssueReceiptListResultsDTOÈ

# \$	%&	' (
accessToken ! "	v wx y z {	string
data ! "	} ~ •	< IssueReceiptListResultsDTO > array
error ! "	p q € •	JsonResponseError
included ! "	, v N 8	object
links ! "	f „ ... 6	< string, string > map
meta ! "	} † N 8	Meta
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ WX % Š	boolean

JsonListResponseBodyÇMCompaniesEntityÈ

# \$	%&	' (
accessToken ! "	v wx y z {	string
data ! "	} ~ •	< MCompaniesEntity > array
error ! "	p q € •	JsonResponseError
included ! "	, v N 8	object
links ! "	f „ ... 6	< string, string > map
meta ! "	} † N 8	Meta
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ WX % Š	boolean

JsonListResponseBodyÇMLocationEntityÈ

--	--	--

# \$	%&	' (
accessToken ! "	v w x y z {	string
data ! "	} ~ •	< MLocationEntity > array
error ! "	p q € •	JsonResponseError
included ! "	, v N 8	object
links ! "	f " ... 6	< string, string > map
meta ! "	} † N 8	Meta
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ W X % Š	boolean

JsonListResponseBodyÇMSiteMatlStatusEntityÈ

# \$	%&	' (
accessToken ! "	v w x y z {	string
data ! "	} ~ •	< MSiteMatlStatusEntity > array
error ! "	p q € •	JsonResponseError
included ! "	, v N 8	object
links ! "	f " ... 6	< string, string > map
meta ! "	} † N 8	Meta
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ W X % Š	boolean

JsonListResponseBodyÇMWarehouseEntityÈ

# \$	%&	' (
accessToken ! "	v w x y z {	string
data ! "	} ~ •	< MWarehouseEntity > array

# \$	%&	' (
error ! "	p q € •	JsonResponseError
included ! "	, v N 8	object
links ! "	f , ... 6	< string, string > map
meta ! "	} † N 8	Meta
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ W X % Š	boolean

JsonListResponseBodyÇPoDetailİ

# \$	%&	' (
accessToken ! "	v w x y z {	string
data ! "	} ~ •	< PoDetail > array
error ! "	p q € •	JsonResponseError
included ! "	, v N 8	object
links ! "	f , ... 6	< string, string > map
meta ! "	} † N 8	Meta
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ W X % Š	boolean

JsonListResponseBodyÇReceiveReceiptListResultsDTOİ

# \$	%&	' (
accessToken ! "	v w x y z {	string
data ! "	} ~ •	< ReceiveReceiptListResultsDTO > array
error ! "	p q € •	JsonResponseError
included ! "	, v N 8	object

# \$	%&	' (
links ! "	<i>f</i> " ...6	< string, string > map
meta ! "	} † N8	Meta
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ WX%Š	boolean

JsonListResponseBodyÇReleaseNoteHeadÈ

# \$	%&	' (
accessToken ! "	v wx y z {	string
data ! "	} ~ •	< ReleaseNoteHead > array
error ! "	p q € •	JsonResponseError
included ! "	, v N8	object
links ! "	<i>f</i> " ...6	< string, string > map
meta ! "	} † N8	Meta
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ WX%Š	boolean

JsonListResponseBodyÇReleaseNoteÈ

# \$	%&	' (
accessToken ! "	v wx y z {	string
data ! "	} ~ •	< ReleaseNote > array
error ! "	p q € •	JsonResponseError
included ! "	, v N8	object
links ! "	<i>f</i> " ...6	< string, string > map
meta ! "	} † N8	Meta

# \$	%&	' (
status !"	HTTP T U E	integer (int32)
success !"	± ^ WX%Š	boolean

JsonListResponseBodyÇReqDetailÈ

# \$	%&	' (
accessToken !"	v wx y z {	string
data !"	} ~ •	< ReqDetail > array
error !"	p q € •	JsonResponseError
included !"	, v N 8	object
links !"	f „ ... 6	< string, string > map
meta !"	} † N 8	Meta
status !"	HTTP T U E	integer (int32)
success !"	± ^ WX%Š	boolean

JsonListResponseBodyÇSpmMatchLnNodeÈ

# \$	%&	' (
accessToken !"	v wx y z {	string
data !"	} ~ •	< SpmMatchLnNode > array
error !"	p q € •	JsonResponseError
included !"	, v N 8	object
links !"	f „ ... 6	< string, string > map
meta !"	} † N 8	Meta
status !"	HTTP T U E	integer (int32)
success !"	± ^ WX%Š	boolean

JsonListResponseBodyÇViewMxjBominfoEntityĖ

# \$	%&	' (
accessToken ! "	v wx y z {	string
data ! "	} ~ •	< ViewMxjBominfoEntity > array
error ! "	p q € •	JsonResponseError
included ! "	, v N 8	object
links ! "	f „ ... 6	< string, string > map
meta ! "	} † N 8	Meta
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ WX % Š	boolean

JsonListResponseBodyÇViewMxjPosEntityĖ

# \$	%&	' (
accessToken ! "	v wx y z {	string
data ! "	} ~ •	< ViewMxjPosEntity > array
error ! "	p q € •	JsonResponseError
included ! "	, v N 8	object
links ! "	f „ ... 6	< string, string > map
meta ! "	} † N 8	Meta
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ WX % Š	boolean

JsonListResponseBodyÇViewMxjReqsĖ

# \$	%&	' (
accessToken ! "	v w x y z {	string
data ! "	} ~ •	< ViewMxjReqs > array
error ! "	p q € •	JsonResponseError
included ! "	, v N 8	object
links ! "	f " ... 6	< string, string > map
meta ! "	} † N 8	Meta
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ W X % Š	boolean

JsonListResponseBodyÇViewMxjValidPohEntityÈ

# \$	%&	' (
accessToken ! "	v w x y z {	string
data ! "	} ~ •	< ViewMxjValidPohEntity > array
error ! "	p q € •	JsonResponseError
included ! "	, v N 8	object
links ! "	f " ... 6	< string, string > map
meta ! "	} † N 8	Meta
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ W X % Š	boolean

JsonObjectResponseBodyÇFaListResultsDTOÈ

# \$	%&	' (
accessToken ! "	v w x y z {	string
data ! "	< Ć N 8	FaListResultsDTO

# \$	%&	' (
error ! "	p q € •	JsonResponseError
included ! "	, v N 8	object
links ! "	f " ... 6	< string, string > map
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ W X % Š	boolean

JsonObjectResponseBodyÇReceiveReceiptResultDTOÈ

# \$	%&	' (
accessToken ! "	v w x y z {	string
data ! "	< Ć N 8	ReceiveReceiptResult DTO
error ! "	p q € •	JsonResponseError
included ! "	, v N 8	object
links ! "	f " ... 6	< string, string > map
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ W X % Š	boolean

JsonObjectResponseBodyÇReleaseNoteHeadÈ

# \$	%&	' (
accessToken ! "	v w x y z {	string
data ! "	< Ć N 8	ReleaseNoteHead
error ! "	p q € •	JsonResponseError
included ! "	, v N 8	object
links ! "	f " ... 6	< string, string > map
status ! "	HTTP T U E	integer (int32)

# \$	%&	' (
success ! "	‡ ^ WX%Š	boolean

JsonResponseBody

# \$	%&	' (
accessToken ! "	v wx y z {	string
error ! "	p q € •	JsonResponseError
status ! "	HTTP T U E	integer (int32)
success ! "	‡ ^ WX%Š	boolean

JsonResponseError

# \$	%&	' (
code ! "	p q F E	string
errors ! "	p q • S	< JsonResponseError > array
fields ! "	/ r Ž • p q s e f s • S	< FieldError > array
message ! "	p q • •	string
status ! "	HTTP T U E	integer (int32)

MCompaniesEntity

# \$	' (
companyCode ! "	string
companyId ! "	integer (int64)
companyName ! "	string

MLocationEntity

# \$	' (
cableDrumInd ! "	string
description ! "	string
dpId ! "	integer (int64)
intRev ! "	integer (int64)
lmod ! "	string (date-time)
locCode ! "	string
locId ! "	integer (int64)
projId ! "	string
quarantLocInd ! "	string
shortDesc ! "	string
usrId ! "	string

MSiteMatlStatusEntity

# \$	' (
dpId ! "	integer (int64)
intRev ! "	integer (int64)
lmod ! "	string (date-time)
orderSeq ! "	integer (int64)
projId ! "	string
smstCode ! "	string
smstId ! "	integer (int64)
usrId ! "	string

MWareHouseEntity

# \$	' (
companyId ! "	integer (int64)
corporateWhInd ! "	string
deChIsWhInd ! "	string
description ! "	string
dpId ! "	integer (int64)
freeMaterialWhInd ! "	string
intRev ! "	integer (int64)
lmod ! "	string (date-time)
multiWhInd ! "	string
nestedPlateInd ! "	string
projId ! "	string
scrapWhInd ! "	string
shortDesc ! "	string
usrId ! "	string
whCode ! "	string
whId ! "	integer (int64)

Meta

# \$	%&	' (
count ! "	N8' N	integer (int64)
hasNextPage ! "	WX P' " H`	boolean
hasPreviousPage ! "	WX P' " H`	boolean

# \$	%&	' (
isFirstPage ! "		boolean
isLastPage ! "		boolean
pageNo ! "	• – ` <	integer (int32)
pageSize ! "	— ` —~	integer (int32)
pages ! "	N8' ` N	integer (int32)

Page

# \$	%&	' (
no ! "	` <] ™ 1 Š > ^	integer (int32)
size ! "	— ` —~] Y # œ • \$ 1~100ž ! " \$ 20 ^	integer (int32)

PageDTO

# \$	%&	' (
fetchAll ! "	WXYZ [\ N8] ! " \$ X ^	boolean
page ! "	— ` a b	Page
sort ! "	c d e f G g h J e f i j k l d G m <code>id:desc</code>	< string > array

PoDetail

# \$	' (
commodityCode ! "	object
ident ! "	object
invQty ! "	object
orderType ! "	object
pohId ! "	object
poliQty ! "	object

# \$	' (
poliUnitPrice ! "	object
reqCode ! "	object
shortDesc ! "	object
taxCost ! "	object
unitCode ! "	object

ReceiveReceiptListResultsDTO

# \$	' (
dpCode ! "	object
locCode ! "	object
mrrId ! "	object
mrrNumber ! "	object
poNumber ! "	object
poSupp ! "	object
pohId ! "	object
projId ! "	object
recvType ! "	object
reInNumber ! "	object
revisionId ! "	object
shortDesc ! "	object
whCode ! "	object

ReceiveReceiptResultDTO

# \$	' (
message ! "	string
result ! "	string

ReleaseNote

# \$	' (
commodityId ! "	object
dpCode ! "	object
dpId ! "	object
ident ! "	object
itemShipID ! "	object
poNumber ! "	object
poSupp ! "	object
pohId ! "	object
polId ! "	object
poliQty ! "	number
qtyUnitCode ! "	object
qtyUnitId ! "	object
recvOnSiteQty ! "	number
reInId ! "	object
reInNumber ! "	object
reInQty ! "	number
reInWeight ! "	number
shortDesc ! "	object

# \$	' (
tagNumber ! "	object

ReleaseNoteHead

# \$	' (
poNumber ! "	object
poSupp ! "	object
pohId ! "	object
reInId ! "	object
reInNumber ! "	object

ReqDetail

# \$	' (
commodityCode ! "	string
identCode ! "	string
increasePty ! "	string
rliPos ! "	string
shortDesc ! "	string
totalReleaseQty ! "	string
unitCode ! "	string

SpmMatchLnNode

# \$	' (
lastModified ! "	string
InCode ! "	string
InId ! "	integer (int32)

# \$	' (
matchPercent !"	number (float)

SpmMatchLnNodeDTO

# \$	%&	' (
InCode !"	SPM BOM Match Ÿ D<	string
InId !"	SPM BOM MatchŸ ID	string
pageNo !"	pageNo } s` E	integer (int32)
pageSize !"	pageSize Hl } ¢ N	integer (int32)
size !"	SPM BOM Match Ÿ ' N	integer (int64)
spmProjId !"	SPM n o ID	string

ViewMxjBominfoEntity

# \$	' (
bompath !"	string
cgGroupCode !"	string
controlDate !"	string (date-time)
id !"	string
ident !"	string
issueQty !"	string
lastLpId !"	string
lmod !"	string
InId !"	string
lpPos !"	string
lstDate !"	string (date-time)

# \$	' (
partCode ! "	string
projId ! "	string
quantity ! "	string
resvQty ! "	string
shortDesc ! "	string
tagNumber ! "	string
unitCode ! "	string

ViewMxjPosEntity

# \$	' (
bompath ! "	string
cgGroupCode ! "	string
controlDate ! "	string (date-time)
dpCode ! "	string
ident ! "	string
issueQty ! "	string
lastLpld ! "	string
lmod ! "	string
lnId ! "	string
lpId ! "	string
lpPos ! "	string
lstCode ! "	string
lstDate ! "	string (date-time)

# \$	' (
parentLnId ! "	string
partCode ! "	string
pos ! "	string
projId ! "	string
quantity ! "	string
resvQty ! "	string
shortDesc ! "	string
tagNumber ! "	string
unitCode ! "	string

ViewMxjReqs

# \$	' (
approvedDate ! "	string
bomNo ! "	string
buyer ! "	string
category ! "	string
description ! "	string
dpId ! "	string
id ! "	string
originator ! "	string
projectId ! "	string
reqCode ! "	string
reqSupp ! "	string

# \$	' (
reqType ! "	string
rstCode ! "	string

ViewMxjValidPohEntity

# \$	' (
activeInd ! "	string
amountRequired ! "	string
approvedBy ! "	string
basePohId ! "	string
bondIncreaseRequiredInd ! "	string
bondPremiumAmount ! "	string
budget ! "	string
buyer ! "	string
cSignedInd ! "	string
ccpId ! "	string
clientPoNumber ! "	string
commentsSettledInd ! "	string
commitmentLimit ! "	string
companyId ! "	string
companyName ! "	string
creationDate ! "	string (date-time)
currencyCode ! "	string
currencyId ! "	string

# \$	' (
cyld ! "	string
discountAmount ! "	string
discountBase ! "	string
discountPercent ! "	string
dpId ! "	string
escNoticeInd ! "	string
estimatedValue ! "	string
expediter ! "	string
firstPromContrDate ! "	string (date-time)
id ! "	string
intRev ! "	string
invoiceValue ! "	string
issuedBy ! "	string
jobId ! "	string
lastPromContrDate ! "	string (date-time)
lmod ! "	string (date-time)
opId ! "	string
ordDiscPercent ! "	string
orderDate ! "	string (date-time)
orderType ! "	string
orgEtaSiteDate ! "	string (date-time)
orgFldReqDate ! "	string (date-time)

# \$	' (
originId ! "	string
paymentBondRqdInd ! "	string
performanceBondRqdInd ! "	string
performanceScore ! "	string
poNumber ! "	string
poSupp ! "	string
preInspectReqInd ! "	string
projId ! "	string
readyForApprovalInd ! "	string
retentionPercent ! "	string
revisionId ! "	string
rfaDate ! "	string (date-time)
rmId ! "	string
scSignedInd ! "	string
shipmentGroupInd ! "	string
shortDesc ! "	string
supId ! "	string
techEvalCompDate ! "	string (date-time)
totMatlCost ! "	string
totalGrossWeight ! "	string
totalNetWeight ! "	string
totalVolume ! "	string

# \$	' (
traffic !"	string
usrId !"	string