```
| user                                              |
+---------------------------------------------------+
38 rows in set (0.00 sec)

w3_93119_sushant>select classwork;
ERROR 1054 (42S22): Unknown column 'classwork' in 'field list'
w3_93119_sushant>use classwork
Database changed
w3_93119_sushant>use classwork;
Database changed
w3_93119_sushant>show tables;
+---------------------+
| Tables_in_classwork |
+---------------------+
| customers           |
| salespeople         |
+---------------------+
2 rows in set (0.00 sec)

w3_93119_sushant>select salespeople;
ERROR 1054 (42S22): Unknown column 'salespeople' in 'field list'
w3_93119_sushant>select  * from customers;
+------+----------+-----------+--------+------+
| Cnum | Cname    | City      | Rating | Snum |
+------+----------+-----------+--------+------+
| 2001 | Hoffman  | London    |    100 | 1001 |
| 2002 | Giovanni | Rome      |    200 | 1003 |
| 2003 | Liu      | San Jose  |    200 | 1002 |
| 2004 | Grass    | Berlin    |    300 | 1002 |
| 2006 | Clemens  | London    |    100 | 1001 |
| 2008 | Cisneros | San Jose  |    300 | 1007 |
| 2007 | Pereira  | Rome      |    100 | 1004 |
+------+----------+-----------+--------+------+
7 rows in set (0.00 sec)

w3_93119_sushant>create table ORDERS(Onum int(4),Amt float(7,2),Odate date , Cnum int(4),Snum int(4));
Query OK, 0 rows affected, 4 warnings (0.01 sec)
```

```
w3_93119_sushant>insert into Orders values(3001, 18.69,date(03-OCT-1990),2008,1007);
ERROR 1054 (42S22): Unknown column 'OCT' in 'field list'
w3_93119_sushant>insert into Orders values(3001, 18.69,date('03-OCT-1990'),2008,1007);
ERROR 1292 (22007): Incorrect datetime value: '03-OCT-1990'
w3_93119_sushant>insert into Orders values(3001, 18.69,date('1990-10-03'),2008,1007);
Query OK, 1 row affected (0.00 sec)

w3_93119_sushant>selet * from orders;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your My
SQL server version for the right syntax to use near 'selet * from orders' at line 1
w3_93119_sushant>select * from orders;
+------+-------+------------+------+------+
| Onum | Amt   | Odate      | Cnum | Snum |
+------+-------+------------+------+------+
| 3001 | 18.69 | 1990-10-03 | 2008 | 1007 |
+------+-------+------------+------+------+
1 row in set (0.00 sec)

w3_93119_sushant>insert ^C
w3_93119_sushant>insert into orders values(3003,767.19,1990-10-03,2008,1007);
ERROR 1292 (22007): Incorrect date value: '1977' for column 'Odate' at row 1
w3_93119_sushant>insert into orders values(3003,767.19,date('1990-10-03'),2008,1007);
Query OK, 1 row affected (0.00 sec)

w3_93119_sushant>select * from orders;
+------+--------+------------+------+------+
| Onum | Amt    | Odate      | Cnum | Snum |
+------+--------+------------+------+------+
| 3001 |  18.69 | 1990-10-03 | 2008 | 1007 |
| 3003 | 767.19 | 1990-10-03 | 2008 | 1007 |
+------+--------+------------+------+------+
2 rows in set (0.00 sec)

w3_93119_sushant>insert into orders values(3002,1900.10,'1990-10-03',2007,1004);
Query OK, 1 row affected (0.00 sec)

w3_93119_sushant>insert into orders values(3005,5160.45,1990-10-03,2003,1002);
ERROR 1292 (22007): Incorrect date value: '1977' for column 'Odate' at row 1
w3_93119_sushant>insert into orders values(3005,5160.45,'1990-10-03',2003,1002);
Query OK, 1 row affected (0.00 sec)

w3_93119_sushant>insert into orders values(3006,1098.16,1990-10-03,2008,1007);
ERROR 1292 (22007): Incorrect date value: '1977' for column 'Odate' at row 1
w3_93119_sushant>insert into orders values(3006,1098.16,'1990-10-03',2008,1007);
Query OK, 1 row affected (0.00 sec)

w3_93119_sushant>insert into orders values(3009,1713.23,'1990-10-04',2002,1003);
Query OK, 1 row affected (0.00 sec)

w3_93119_sushant>
```

```
w3_93119_sushant>select * from orders;
+------+---------+------------+------+------+
| Onum | Amt     | Odate      | Cnum | Snum |
+------+---------+------------+------+------+
| 3001 |   18.69 | 1990-10-03 | 2008 | 1007 |
| 3003 |  767.19 | 1990-10-03 | 2008 | 1007 |
| 3002 | 1900.10 | 1990-10-03 | 2007 | 1004 |
| 3005 | 5160.45 | 1990-10-03 | 2003 | 1002 |
| 3006 | 1098.16 | 1990-10-03 | 2008 | 1007 |
| 3009 | 1713.23 | 1990-10-04 | 2002 | 1003 |
+------+---------+------------+------+------+
6 rows in set (0.00 sec)

w3_93119_sushant>insert into orders values(3007,75.75,'1990-10-04',2004,1002);
Query OK, 1 row affected (0.02 sec)

w3_93119_sushant>insert into orders values(3008,4723.00,'1990-10-05',2006,1001),(3010,9891.88,'1990-10-06',2004,1002);
Query OK, 2 rows affected (0.02 sec)
Records: 2  Duplicates: 0  Warnings: 0

w3_93119_sushant>insert into orders values(3011,9891.88,'1990-10-06',2006,1001);
Query OK, 1 row affected (0.01 sec)

w3_93119_sushant>select * from orders;
+------+---------+------------+------+------+
| Onum | Amt     | Odate      | Cnum | Snum |
+------+---------+------------+------+------+
| 3001 |   18.69 | 1990-10-03 | 2008 | 1007 |
| 3003 |  767.19 | 1990-10-03 | 2008 | 1007 |
| 3002 | 1900.10 | 1990-10-03 | 2007 | 1004 |
| 3005 | 5160.45 | 1990-10-03 | 2003 | 1002 |
| 3006 | 1098.16 | 1990-10-03 | 2008 | 1007 |
| 3009 | 1713.23 | 1990-10-04 | 2002 | 1003 |
| 3007 |   75.75 | 1990-10-04 | 2004 | 1002 |
| 3008 | 4723.00 | 1990-10-05 | 2006 | 1001 |
| 3010 | 9891.88 | 1990-10-06 | 2004 | 1002 |
| 3011 | 9891.88 | 1990-10-06 | 2006 | 1001 |
+------+---------+------------+------+------+
10 rows in set (0.00 sec)
```