1) Write a query that produces all pairs of salespeople who are living in the same city. Exclude combinations of salespeople with themselves as well as duplicate rows with the order reversed.

```
practice01>select city,a.cname , b.cname from customers a , customers b where a.cname != b.cname and a.city = b.city ;
ERROR 1052 (23000): Column 'city' in field list is ambiguous
practice01>select a.city,a.cname , b.cname from customers a , customers b where a.cname != b.cname and a.city = b.city ;
+----------+----------+----------+
| city     | cname    | cname    |
+----------+----------+----------+
| London   | Clemens  | Hoffman  |
| Rome     | Pereira  | Giovanni |
| San Jose | Cisneros | Liu      |
| London   | Hoffman  | Clemens  |
| San Jose | Liu      | Cisneros |
| Rome     | Giovanni | Pereira  |
+----------+----------+----------+
6 rows in set (0.00 sec)

practice01>
```

2) Write a query that produces the names and cities of all customers with the same rating as Hoffman.

```
practice01>select cname,city from customers where rating   = (select rating from customers  where cnam
e = 'Hoffman');
+---------+--------+
| cname   | city   |
+---------+--------+
| Hoffman | London |
| Clemens | London |
| Pereira | Rome   |
+---------+--------+
3 rows in set (0.00 sec)

practice01>
```