

New Ham Book

Rick Gilmore W3TM

2024-03-04

Table of contents

1 About	6
1.1 Origins	6
1.2 Philosophy	6
1.3 Acknowledgements	7
I Hands-on hamming	8
Quest 1: WebSDR	10
Listening to radio over the web	10
Visit the WebSDR site at https://websdr.org	10
Visit the K3FEF web SDR	10
Find a signal to listen to	13
Going further	15
[DMR]	16
Visit the Brandmeister Network	16
Click on an active QSO	16
[APRS]	19
Visit APRS.fi	19
Get more info	19
Click on a mobile (moving) station	19
Find the International Space Station (ISS)	21
Quest 4: Satellite tracking	24
Visit https://www.n2yo.com/space-station/	24
Visit the Amateur Satellite Corporation (AMSAT)	24
When will the ISS pass over you next?	26
Quest 5: [POTA]/[SOTA] hunting	28
About	28
Visit Pota.app	28
Choose a station to “hunt”	28
Open WebSDR	29
Tune to the POTA station frequency	29

Identify the signal	30
About	30
Find hams in your area	33
About	33
Open the Amateur Radio License Map application	33
Search for hams in your current Zip code	34
Search for a specific callsign	34
Ham geography	36
About	36
ITU Regions	36
ITU Zones	37
DX Entities	37
CQ Zones	39
Callsign areas	39
ARRL divisions	39
ARRL/RAC sections	39
Summits on the Air	39
Parks on the Air	39
Maidenhead Locator	39
Latitude/Longitude	41
Great Circle maps	41
II Gear	43
About	44
2 Planning	45
2.1 About	45
2.2 Questions	45
III FCC Regulations	46
3 FCC Part 97	47
Subpart A—General Provisions	47
§ 97.1 Basis and purpose.	47
§ 97.3 Definitions.	48
§ 97.5 Station license required.	53
§ 97.7 Control operator required.	55
§ 97.9 Operator license grant.	56
§ 97.11 Stations aboard ships or aircraft.	56
§ 97.13 Restrictions on station location.	56

§ 97.15 Station antenna structures.	57
§ 97.17 Application for new license grant.	58
§ 97.19 Application for a vanity call sign.	59
§ 97.21 Application for a modified or renewed license grant.	61
§ 97.23 Mailing and email addresses.	62
§ 97.25 License term.	63
3.0.1 § 97.27 FCC modification of station license grant.	63
§ 97.29 Replacement license grant document.	63
§ 97.31 Cancellation on account of the licensee's death.	63
Subpart B—Station Operation Standards	64
§ 97.101 General standards.	64
§ 97.103 Station licensee responsibilities.	64
§ 97.105 Control operator duties.	65
§ 97.107 Reciprocal operating authority.	65
§ 97.109 Station control.	66
§ 97.111 Authorized transmissions.	66
§ 97.113 Prohibited transmissions.	67
§ 97.115 Third party communications.	69
§ 97.117 International communications.	69
§ 97.119 Station identification.	70
§ 97.121 Restricted operation.	71
Subpart C—Special Operations	71
§ 97.201 Auxiliary station.	71
§ 97.203 Beacon station.	72
§ 97.205 Repeater station.	73
§ 97.207 Space station.	74
§ 97.209 Earth station.	78
§ 97.211 Space telecommand station.	79
§ 97.213 Telecommand of an amateur station.	79
§ 97.215 Telecommand of model craft.	80
§ 97.217 Telemetry.	80
§ 97.219 Message forwarding system.	80
§ 97.221 Automatically controlled digital station.	81
Subpart D—Technical Standards	81
§ 97.301 Authorized frequency bands.	81
§ 97.303 Frequency sharing requirements.	85
§ 97.305 Authorized emission types.	91
§ 97.307 Emission standards.	93
§ 97.309 RTTY and data emission codes.	96
§ 97.311 SS emission types.	97
§ 97.313 Transmitter power standards.	97
§ 97.315 Certification of external RF power amplifiers.	99
§ 97.317 Standards for certification of external RF power amplifiers.	99

Subpart E—Providing Emergency Communications	100
§ 97.401 Operation during a disaster.	100
§ 97.403 Safety of life and protection of property.	100
§ 97.405 Station in distress.	100
§ 97.407 Radio amateur civil emergency service.	101
Subpart F—Qualifying Examination Systems	102
§ 97.501 Qualifying for an amateur operator license.	102
§ 97.503 Element standards.	102
3.0.1 § 97.505 Element credit.	103
3.0.2 § 97.507 Preparing an examination.	103
3.0.3 § 97.509 Administering VE requirements.	104
3.0.4 § 97.511 Examinee conduct.	105
3.0.5 § 97.513 VE session manager requirements.	106
3.0.6 § 97.519 Coordinating examination sessions.	106
3.0.7 § 97.521 VEC qualifications.	107
3.0.8 § 97.523 Question pools.	107
3.0.9 § 97.525 Accrediting VEs.	107
3.0.10 § 97.527 Reimbursement for expenses.	108
3.0.11 Appendix 2 to Part 97—VEC Regions	108

1 About

This book is about amateur (ham) radio, a hobby that is both old school and new cool. It's designed to live on the web so that we can make use of the fabulous resources that exist online. It's also designed to supplement but not replace an existing outstanding set of materials for learning about the hobby.

1.1 Origins

This book originated when a group of Penn State students expressed interest in a licensing class. In starting with the Technician question pool provided by [HamStudy.org](#) Rick Gilmore W3TM realized just how much there is to explain! So, he started jotting down ideas about how to make the process easier in a web-book form that he uses in his teaching at Penn State and in his research.

1.2 Philosophy

Most hams agree that getting their “ticket” or license was the start of the journey, not the destination. In fact, for many hams, much of the material that must be mastered to pass one of the licensing exams only really makes sense in the specific context of operating or doing something related to operating. So, our philosophy with this book is to emphasize hands-on activities, operating practices, and especially *listening*. Other hams may have other ideas about the right approach. We think that there are many good ways to go forward, and this one particularly appeals to us.

In the U.S., you don't need a license to listen, and even if you are an active operator, you'll spend most of your time listening. Many hams started out as shortwave listeners (SWLs) back when the airwaves were full of shortwave stations that broadcasted programs in the ham bands or adjacent to ham bands. And listening to other hams operate is one of the best ways to learn what to do, and sometimes, what not to do.

1.3 Acknowledgements

While he would deny any involvement in this project, I want to give thanks to my main Elmer, Woody Brem K3YV.

Part I

Hands-on hamming

There as many types of hams as there are people. Some rarely get on the air, and others are on all the time. Some home-brew all their own gear, others buy theirs. The common thread is that ham radio is about doing things, building, listening, transmitting, and learning about radio in all of its many facets.

Naturally, there are many more radio-related activities a person can enjoy with a radio. But you might be surprised to know that there are a number of radio-active experiences, to borrow a phrase used by the ARRL, a person can enjoy *without any radio at all*. This section describes these in the form of a set of ‘quests’ that focus on a particular operating mode or facet of the hobby. They’re meant to give the quest-or a taste of what that part of ham radio is about. Try one, or try them all. And if you have ideas about how any of these quests could be improved, let me know.

Quest 1: WebSDR

Listening to radio over the web

Thanks to the widespread availability of inexpensive software-defined radios (SDRs), it's possible to listen to the ham bands over the internet from sites located all over the world. Yes, that means that your internet-connected phone, tablet, or computer can be your first ham radio receiver.

In this quest, we'll check-in on the bands and listen to some [HF] [QSO]s.

Here are some other web-based SDRs you might try:

<http://kiwisdr.com/public/>

<http://www.maghull-scene.co.uk/radio.htm>

Visit the WebSDR site at <https://websdr.org>.

You will see a screen like the following:

Scroll down to see all of the places around the world where there are webSDR stations to listen to. You can pick any one you like, but we'll focus on one in the U.S. that we use often because it's close to our location.

Visit the K3FEF web SDR

Go to <http://websdr.k3fef.com>. This station is located in Milford, Pennsylvania on the Delaware River. It's the closest one to Penn State. So, it's often one to consult for listeners in our area.

Here is a screenshot of the K3FEF control panel.

The dark blue area at the top depicts the band activity at the time you visit. The figure shows radio signals being heard by K3FEF from about 3300 kHz (3.3 MHz) below the 80m ham band to 5300 kHz (5.5 MHz) in the 60m ham band.

A WebSDR is a Software-Defined Radio receiver connected to the internet, allowing many listeners to listen and tune it simultaneously. SDR technology makes it possible that all listeners tune independently, and thus listen to *different* signals; this is in contrast to the many classical receivers that are already available via the internet.

More background information is available [here](#). Questions and comments can be sent to [PA3FWM](#), the author of the WebSDR software and maintainer of this site; but please check the [frequently asked questions](#) first.

WebSDR servers can register themselves automatically on this site, leading to the below list of currently active WebSDR servers.

Currently there are 172 servers active, with 2153 users and 786 MHz of radio spectrum.

Filter band: Any and region: Any and mobile support and covering MHz.

Location and URL	Frequency range	Antenna	
 WebSDR at the University of Twente, Enschede, NL http://websdr.ewi.utwente.nl:8901/ JO32KF; 805 users	0.000 - 29.160 MHz	Mini-Whip	1
 SAN JUAN, ARGENTINA / LU6PSG http://lu6psg.ddns.net/ FF58RK69; 13 users	6.643 - 7.667 MHz 3.238 - 4.262 MHz	Hexapolo 80-40-20 a 18m	2
 BATC & AMSAT-UK QO-100 (EsHail-2) Geostationary Satellite WebSDR http://eshai.batc.org.uk:8901/ IO70IB; 97 users	10489.500 - 10490.000 MHz	1.3m Dish -> GPS-locked Octagon LNB -> Airspy Receiver	3
	1.804 - 1.996 MHz 3.494 - 4.006 MHz 6.894 - 7.406 MHz 13.994 - 14.506 MHz 20.994 - 21.506 MHz 26.966 - 29.014 MHz 49.994 - 50.506 MHz 0.000 - 2.048 MHz	G5RV_Double	
 WEBSDR - Pardinho, SP - Brasil http://appr.org.br:8905/ GG56TV; 51 users	13.994 - 14.506 MHz 20.994 - 21.506 MHz 26.966 - 29.014 MHz 49.994 - 50.506 MHz 0.000 - 2.048 MHz	WINDOM 5/8 vertical BeamNorth G5RV_Double	4
 WebSDR Maasbree Netherlands: rural low noise level and full 80m/60m/40m/30m/20m band coverage, CW segments included http://sdr.websdrmaasbree.nl:8901/ JO31ai59; 63 users	3.394 - 3.906 MHz 5.279 - 5.471 MHz 6.829 - 7.341 MHz 10.054 - 10.246 MHz 13.653 - 14.677 MHz	Low noise active receiving loop and RSP1a Low noise active receiving loop and FiFi Low noise active receiving loop and RSP1a Low noise active receiving loop and FiFi Low noise active receiving loop and RSP1a	5
 Home of K3fef and W3TKP in Milford, Pennsylvania, NE USA. 160/80/40/30/20/17/11/6! http://websdr.k3fef.com:8901/ FN21mh; 42 users	0.000 - 2.048 MHz 3.276 - 5.324 MHz 5.326 - 7.374 MHz 8.876 - 10.924 MHz 13.076 - 15.124 MHz 16.584 - 18.632 MHz 26.957 - 29.005 MHz 49.976 - 52.024 MHz	130 ft Long Wire ZS6BKW w/ RPA-1Plus LNA	6
 WebSDR in C3 Ordino - ANDORRA PRINCIPALITY - ARDAM Ham Radio Association - RX 4 pcs FunckeDongle Pro+ http://sdr.radiolandorra.org/	7.008 - 7.200 MHz 5.262 - 5.454 MHz 3.610 - 3.802 MHz	Half wave Dipole. Short dipole. Half wave Dipole.	7

Figure 1.1: websdr.org




Figure 1.2: K3fef webSDR at <http://websdr.k3fef.com>

If you are watching this on the web, you will see upwards motion. This is how the webSDR depicts the time series or history of recent signals. So, time is on the vertical axis of this two-dimensional figure. Sometimes this type of frequency-over-time display is called a waterfall. Except this waterfall falls upward.

Below the figure are some orange ‘flag’ or labels that other listeners have added. These identify the specific transmissions. If you look especially closely, you’ll also see a yellow ‘hump’ around 3875 kHz. That’s the specific frequency this SDR defaulted to when we opened it up. We’ll explain what the yellow hump means a bit later.

In the static figure above, you’ll notice a lot of activity between about 3550 kHz and 4000 kHz. The 80m and 75m ham bands occupy 3500-4000 kHz, so those are hams communicating. The figure was taken about 8:00am EDT (1200 UTC). These bands are usually open from evening to mid-morning.

Let’s focus on the white panel below the waterfall.




Figure 1.3: K3FEF webSDR at <http://websdr.k3fef.com>

The panel’s **Frequency** control tells us that our radio is tuned to 3875 MHz, right in the middle of the 80/75m band, the phone (voice) portion. There are some controls to change the frequency, then below that, a set of buttons to change the band. The highlighted button confirms that we are in the 80/75m band¹.

¹Why is it called the 80m band and also the 75m band and sometimes the 80m/75m band? Well, $300/3.5=r$

Notice that the K3FEF webSDR covers ham bands up through 6m. It does not cover the 15m or 12m bands, though.

Below the **Frequency** control is a set of buttons that control **Bandwidth**. No, bandwidth is not the size of your favorite jazz combo. Bandwidth means how much of the frequency spectrum the webSDR is capturing at this moment, centered on the 3875 [kHz] frequency we just mentioned. Different types of radio transmissions (voice vs. Morse code/[CW] for example) have different bandwidths. We often want to adjust our bandwidth to match the type of signal. If the bandwidth is much wider than the signal, we're just adding noise. If the bandwidth is much narrower than the signal, we can lose information. Voice transmissions have wider bandwidth than Morse code/[CW]. And different types of voice signals have different bandwidths. [FM] is the widest, for example; [AM] is in the middle; and single sideband [SSB] the narrowest.

Our bandwidth is 9.69 [kHz] @ -6 [dB]². That's wide, except for broadcast FM stations. We can adjust the bandwidth incrementally using the *wider/narrower* buttons or adjust the bandwidth to match a specific type of signal: *CW-wide/CW-nrw* (narrow), *LSB-wide/LSB-nrw*, *USB-wide/USB-nrw*, *AM-wide/AM-nrw*, and *FM*. We can also adjust the bandwidth manually.

Find a signal to listen to

Click on the green *Firefox audio start* button in the upper right hand of the screen. Be ready to adjust the volume on your computer downward! Or adjust the volume in the panel or even mute it (see the figure below).

Chances are that you'll just hear static since we're on a random frequency.

To fix that, look at the **Waterfall view** panel. Zoom *in* by clicking on the button a couple of times. Sometimes zooming moves window beyond the frequency where you are currently tuned. If that happens, you won't see the yellow 'hump' anymore.

But you can find it again by clicking on the blue/purple area in the waterfall and dragging to the left or the right to put your current frequency—3875 kHz for our example—in the middle of the panel.

In our case, there's a very strong signal around 3810 kHz.

300/3.5 and 300/4.0=r 300/4.0. So, the approximate speed of light (in millions of meters per second) divided by the frequency in MHz gives us the approximate wavelength of radio waves. It's a single 0.5 MHz (500 kHz) chunk of frequency reserved exclusively for amateurs that roughly bracket ~80-75m.

²This means that if we look at the peak signal at 3875 kHz and calculate the point on both sides of 3875 kHz where the signal drops by 6 decibels (db) or about 4-fold, we're left with 9.69 kHz of signal. The *width* of the yellow 'hump' in the waterfall display shows us this bandwidth visually.




Figure 1.4: K3FEF webSDR at <http://websdr.k3fef.com>




Figure 1.5: K3FEF webSDR at <http://websdr.k3fef.com>

Notice that most of the signal around 3810 kHz (3.810 MHz) lies *below* 3810. That's because on 75m and 80m, hams use Lower Sideband ([LSB]) for [phone] transmissions. To see another example of what LSB and upper sideband ([USB]) signals look like, see [figure below](#).

Going further

Now that you've gotten familiar with the K3FEF WebSDR, you might be curious to know what else there is to listen to, and equally important, *when*. I say when because the high frequency (HF) bands change their propagation characteristics—how far and how well they convey radio signals—based on the time of day, season of the year, and phase of the 11-year sunspot cycle, among other characteristics. We'll do a deeper dive on these topics in the Band Conditions quest. For now, here are some general rules of thumb about *where* to listen and *when*:

75m/80m: These bands provide long distance (DX) communication at night, especially in the winter months, and regional communication in the early morning hours.

40m: This band also provides long distance communication at night and more reliable regional communication in the daylight hours.

20m: This band supports long distance communication during daylight hours.

17m: This band supports long distance communication during daylight hours.

15m: This band supports long distance communication during daylight hours.

12m: This band supports long distance communication during daylight hours during the peak times of the sunspot cycle. It is often closed at the depth of that cycle.

10m: This band supports long distance communication during daylight hours during the peak times of the sunspot cycle. It is often closed at the depth of that cycle.

Now, you might be interested to know what's worth listening to or for. My recommendation would be for you to listen to established nets that have published schedules. For example, you can search for a net that meets specific criteria on the ARRL website at www.arrl.org/arrrl-net-directory-search. You may also want to try the [NetFinder](#) site.

Note

It would be good to add some information about some SWL stations that are easy to hear.

Also, there are some nets that are good examples, e.g., the M-Su Rooster Net on 3.990 MHz and the YSL System Nets, and some frequencies that are *not* good examples, e.g., 7.200 MHz and 14.313 MHz.

[DMR]

These activities are relevant to the following license pool questions:

[T2B12](#); [T4B07](#); [T8D02](#); [T8D07](#).

You can listen to Digital Mobile Radio ([DMR]) transmissions across the globe on the web without having to log in or have a ham radio license.

In this quest, we'll listen in on some conversations using DMR.

Remember, as a ham, all of our communications except those controlling aircraft or satellites are presumed public.

Visit the Brandmeister Network

The Brandmeister Network is one of the largest organizations providing DMR services. The Brandmeister Network maintains a [hoseline site](#) that shows all of the DMR traffic going through the Network.

You will see something like the following:

This shows all of the stations connected to the Brandmeister network in the entire world.

Click on an active QSO

To listen in on one of these [QSO]s, click on an active QSO. Active QSOs will be outlined in red.

You can also listen in on specific talkgroups. A talkgroup is like a repeater, except that it repeats signals from stations connected via the internet. There is often traffic on talkgroup 91 (Worldwide) or talkgroup 93 (North America), so let's listen in on those.

Click the PLAYER button in the upper right hand corner.

This will open a small panel where you can select what talkgroups to listen to or which stations to monitor.

PLAYER

Show Everything

RegEx mode

91 World-wide N4VZY (Eddie L) N4VZY Eddie	214 Spain EA8BQZ (Naranjo) EA8BQZ Naranjo	222 Italia IZ0YCB (Renato) IZ0YCB Renato	260 Poland SP6AKP (Adam) SP6AKP Adam	262 Deutschland DL7HO () DL7HO Dirk DM	319 TAC 319 USA NO... W0SX (Larry) W0SX Larry
420 Saudi Arabia HZ1ZH (Maan) HZ1ZH/ECHOLINK.	950 00:11 ago G0DLD (Derrick) G0DLD Derrick	2026 Περιφή 6 Εθνικ... SV6JUL (Konstantinos) SV6JUL Konstantinos	2043 Zuid Nederland PA3GZR (Wiep) PA3GZR Wiep	2230 00:11 IUOLGK (Antonio) IUOLGK-400	2385 Denmark Sjaella... EA8DIC (Erik) EA8DIC DMR ID: 2148258
2407 Regional SM7 SM7MUN (Kenneth) SM7MUN SM7MUN	2504 'RUSSIA' (EchoL... RM6MM () RM6MM-L Yaroslavl 145.300#1	7162 TRUJILLO ZONA 2 EA1MH (Luis) EA1MH Luis	20222 SV2ZH (Kiritsis) SV2ZH Kiritsis	20835 Dépt Ille et Vil... F4FAP (Eric) F4FAP www.hamlab.eu	20877 Dépt Seine-et-M... F1SIR (Yves) F1SIR France YVES MMDVM_Bri
22471 00:14 IZ7JWR (Enrico) IZ7JWR Enrico	22603 PensioNET YO4CIL (Costin) YO4CIL Costin	23526 Hubnet UK MOADH (Markmettam) MOADH DMR ID: 2343758	24201 Chatrom 1 LB6OJ (Tom) LB6OJ Tom	26019 SP7TBS (Tomasz) SP7TBS Tomek	26233 TAC 3 DD9GJ (Juergen) DD9GJ (-i)
26421 00:52 C4FM DL-Hamburg DK3GZ (Günter) DK3GZ	28642 TA9EA (Una) TA9EA DMR ID: 2860727	31059 KSGU (Geeks In Jeeps) KSGU Geeks I	31656 America-Link N2WA (Walter) N2WA Walter	31662 LIMARC KC2JRO (Joe) KC2JRO Joe	46001 National Multi... BI1ONL (Chang) BI1ONL-CN-BJ
98008 00:10 ago Military Vetera...	235175 GB3RF (Neil) GB3RF	250212 Russia / Josphka... R4SBE (Dmitry) R4SBE Josphkar	260042 WireX Link SQ9ONP (Krzysztof) SQ9ONP	262810 Pegasus-Projekt DF3WV (Stefan) DF3WV	264666 DB9BV (Hans-Juergen) DB9BV DMR ID: 2633535
312128 00:09 KK4WH (Tim) KK4WH Black Mtn, Ky/Va Hill	313136 00:23 KVVL	330050 N1RER (Ruben) N1RER Ruben E	520191 HS9YS (Anawat) HS9YS Iceberg, North Atlant		

Hose 9a6b1d5 </> with ❤ by the BrandMeister Dev Team

Figure 1.6: Brandmeister DMR hoseline as of 2023-04-03 about 1745Z

02:41 ago 5	206 Belgium ON4DRX (Ronny) ON4DRX Ronny	214 Spain EA8BQZ (Naranjo) EA8BQZ Naranjo		
03:34 ago	262 Deutschland	01:35 ago	284 Bulgaria	01:27 ago




Figure 1.7: PLAYER panel from hose.brandmeister.network

[APRS]

In this quest, we'll check-in on the Automatic Packet Reporting System (APRS) where hams across the world provide real-time information about their locations and exchange messages, including weather reports.

Visit [APRS.fi](#)

The first time you visit this site, it may show you a view of APRS activity near the APRS.fi website author's home in Finland (hence the .fi web domain).

Feel free to scroll out using the minus (-) button in the lower right hand corner and then click and drag to another location. For example, here is a view near Philadelphia, PA.

Notice that some of the symbols look like vehicles and have a track that appears to show where they've been.

Get more info

Mouse over one of those symbols.

You should see a set of lines connecting the vehicle symbol to another one on the map. The lines show where the RF signal from the vehicle traveled before being heard and sent over the Internet to the APRS.fi site.

The figure shows the station K2WB connecting to a home-based relay station N2IVN and the relayed signal from N2IVN being heard by KD2DVW-1.

Click on a mobile (moving) station

Click on a mobile (moving) station's icon.

A small window will open with information about that station.

Click on the info button in the small window.




Figure 1.8: APRS activity near Philadelphia, PA on 2023-04-05





Figure 1.9: APRS track of moving vehicle K2WB-9.



Find the International Space Station (ISS)

The International Space Station has an APRS beacon! So, if you have an APRS-enabled radio set up you can hear the ISS when it passes near your location (and you are listening on the ISS APRS frequency of 144.825 MHz in the 2m band).

Enter **ISS** in the “Track callsign:” window in the upper right of the aprs.fi site.

I did this on the morning of 2023-04-05, and here was the result.

```
knitr::include_graphics("include/img/aprs-iss-2023-04-05.png")
```

[Station info](#) · [map view](#) · [info](#) · [telemetry](#) · [weather](#) · [raw](#) · [status](#) · [beacons](#) · [messages](#) · [bulletins](#) · [browse](#) · [moving](#) · [my account](#)

Callsign, ship name or locator: Completed generating statistics (took 0.026 s).

It is possible to search using wildcards (?) after a prefix. Example: OH*



APRS station **K2WB-9** - [show graphs](#)

Mic-E message: Off duty

Location: 39°29.59' N 74°54.30' W - locator [FM29NL18JI](#) - [show map](#)
6.5 miles East bearing 86° from Vineland, Cumberland County, New Jersey, United States [?]
7.4 miles Southeast bearing 120° from Newfield, Gloucester County, New Jersey, United States
34.6 miles Southeast bearing 156° from Philadelphia, Philadelphia County, Pennsylvania, United States
84.2 miles Southwest bearing 209° from Staten Island, Richmond County, New York, United States

Last position: 2023-04-05 09:15:05 EDT (13m55s ago)

2023-04-05 09:15:05 EDT local time at Vineland, United States [?]

Altitude: 82 ft

Course: 219°

Speed: 0 MPH

Device: Yaesu: FTM-400DR (rig)

Last path: K2WB-9>SYRY5Y via [N2IVN*](#),qAR,[KD2Dvw-1](#) **Good path!**

Positions stored: 29177


Packet rate: 518 seconds between packets on average during 3625 seconds.

Stations near current position of **K2WB-9** - [show more](#)

callsign	distance	last heard - EDT	callsign	distance	last heard - EDT
N2IVN-9	5.7 miles	277° 2023-04-02 19:03:54	N2IVN	5.8 miles	276° 2023-04-05 09:24:56
PHIMWSNqA	W 9.1 miles	42° 2023-04-01 20:03:29	W2JAZ-D	D 9.4 miles	226° 2023-04-02 12:35:06
DW2738	W 9.6 miles	106° 2023-04-05 09:22:57	N2JIE-9	10.6 miles	258° 2023-04-05 09:28:37
K2ZA-1	D 10.8 miles	314° 2023-03-24 22:32:46	K2ZA-7	10.8 miles	314° 2023-04-03 20:03:28
N3RJV-B	D 11.1 miles	291° 2023-04-05 01:26:15	N3RJV-B	D 11.1 miles	291° 2023-04-05 01:26:25
N3RJV-G	D 11.1 miles	291° 2023-04-05 01:26:35	N3RJV-G	D 11.1 miles	291° 2023-04-05 01:26:45
KC2TXB-10	W 11.8 miles	264° 2023-04-05 09:16:48	K2MFW-N	D 11.9 miles	231° 2023-04-05 09:13:58
FW7263	W 12.0 miles	81° 2023-04-05 09:27:02	MAYLDG	D 12.4 miles	108° 2023-04-05 09:19:35
N2JIE	J 12.7 miles	263° 2023-03-21 22:44:15	N2JIE	D 12.7 miles	263° 2023-03-10 23:14:55
W2WCC-1	X 13.1 miles	345° 2023-03-11 19:43:07	WN9Q-N	D 13.7 miles	100° 2023-03-18 10:59:29

Stations which heard **K2WB-9** directly on radio - [2023-04](#) ▾

callsign	pkts	first heard - EDT	last heard	longest	(tx => rx)	longest at - EDT
KC2QVT-15	3	2023-04-03 18:38:42	2023-04-04 18:05:09	FM29NO > FM29QX	27.6 miles 23°	2023-04-04 08:06:35
N2IVN	5	2023-04-03 08:39:11	2023-04-05 09:15:05	FM29NL > FM29LM	5.8 miles 276°	2023-04-05 09:15:05
KD2Dvw-1	1	2023-04-05 08:56:32	2023-04-05 08:56:32	FM29MM > FM29JL	13.6 miles 261°	2023-04-05 08:56:32



The ISS was somewhere over the North Atlantic Ocean. I say *was*, because if you look closely, you'll see that the last time the ISS was heard on APRS was on 2023-04-04, about 20 hours before the time I took this screenshot. The APRS beacon goes on and off from time to time.

Quest 4: Satellite tracking

Hams have launched satellites that permit communication across large areas, and the International Space Station (ISS) has ham radio equipment on board.

Visit <https://www.n2yo.com/space-station/>

The window in the upper left will show a map of the current location of the ISS.

The window in the upper right will show the current live video feed from the ISS. If it's dark, that's probably because the ISS is on the night side of the Earth.

Visit the Amateur Satellite Corporation (AMSAT)

The [Amateur Satellite Corporation \(AMSAT\)](#) also maintains a tracking site.

Here you can choose to track a number of amateur satellites.

The site will calculate the next time a satellite will pass over your location. You need to give it your latitude and longitude or your grid square for this to work.


What's a grid square? Well every part of the Earth has been assigned a code that is a combination of letters and numbers. The codes are part of the [Maidenhead Locator System](#).

By Mysid
- Self-drawn in Inkscape., Public Domain, Link

See the following two figures from Wikipedia.

By User:Denelson83 - Public Domain, Link

By Oona Räisänen (Mysid) - Base map from Image:Blank map of Europe (polar stereographic projection) cropped.svg; Grid drawn in Inkscape and based on the (public domain) output of Great Circle Maps v2.3., CC BY-SA 3.0, Link

 **AMSSAT**™ 

AMSSAT Online Satellite Pass Predictions

PO Box 27
Washington, DC 20044-0027
1-888-322-6728

AMSSAT Online Satellite Pass Predictions

Please select a satellite and provide your latitude, longitude and elevation or calculate them from your grid square. If you choose we will save your position information in a cookie on your system for future predictions.


Show Predictions for:	ISS	for Next	10	Passes
Calculate Latitude and Longitude from Gridsquare:		<input type="button" value="Calculate Position"/>		
Or				
Enter Decimal Latitude:	<input type="text"/>	North	<input type="button" value=""/>	
Enter Decimal Longitude:	<input type="text"/>	West	<input type="button" value=""/>	
Elevation in meters AMSL:	<input type="text"/>			
<input type="button" value="Predict"/>				
<input type="checkbox"/> Save my location for later use				

For the best in full featured tracking software visit [The AMSAT Store](#)

Based on the Predict engine, courtesy of John Magliacane, KD2BD
2023 Mar 31 01:49:22 UTC

Copyright©The Radio Amateur Satellite Corporation 2004,2021 - All Rights Reserved
[Report a bug on this page](#)

To find out your particular grid square, visit <https://www.karhukoti.com/maidenhead-grid-square-locator>. The site gives you both your latitude and longitude and grid square. The figure below shows my approximate location and grid square, FN10.



Notice that grid squares can be increasingly precise. For our purposes now, the four character grid square is sufficient. Hams who operate digital modes like FT8 and FT4 using the WSJT-X software use grid squares, too. And some hams “collect” contacts in different grid squares. For now, we’ll use our grid square to calculate when the ISS will pass over our grid square.

When will the ISS pass over you next?

Enter your grid square in the AMSAT Tracking site.

Hit “Calculate Position” to let the site calculate your latitude and longitude, then hit the “Predict” button.

The results show the next several passes of the [ISS] over my grid square. Yours will be different, even if you live in my grid square, because the ISS is always moving.

AMSAT Online Satellite Pass Predictions - ISS

[View the current location of ISS](#)

Date (UTC)	AOS (UTC)	Duration	AOS Azimuth	Maximum Elevation	Max El Azimuth	LOS Azimuth	LOS (UTC)
05 Apr 23	15:46:43	00:09:59	201	21	142	65	15:56:42
05 Apr 23	17:22:49	00:10:41	248	42	343	50	17:33:30
05 Apr 23	19:00:43	00:09:18	287	14	347	49	19:10:01
05 Apr 23	20:38:29	00:09:18	309	13	9	69	20:47:47
05 Apr 23	22:15:15	00:10:30	311	33	44	106	22:25:45
05 Apr 23	23:51:57	00:10:07	298	26	243	153	00:02:04
06 Apr 23	14:57:10	00:08:55	185	12	125	73	15:06:05
06 Apr 23	16:32:24	00:10:48	236	75	325	53	16:43:12
06 Apr 23	18:09:57	00:09:48	277	17	337	48	18:19:45
06 Apr 23	19:47:55	00:09:07	305	12	5	61	19:57:02

Quest 5: [POTA]/[SOTA] hunting

About

In this quest, you will “hunt” hams who are operating using portable stations from one of several thousand parks around the world as part of the Parks on the Air (POTA) system.

Visit Pota.app

The site shows hams who are active on the air *right now* and on what frequencies and using which modes.

Choose a station to “hunt”

By hunt, of course, we mean try to hear on the radio. Once you’re licensed with appropriate privileges, you can try to make contact. For now, let’s just try to hear the station.

You have some decisions to make. Which mode, CW, FT8, or phone? Which band?

Unless you have already set up a receiver to copy and decode FT8, you can eliminate stations using [FT8] or [FT4]. Phone is the easiest, but also requires the best band conditions.

Here are some rules of thumb to guide your choices:

1. The lower frequency (higher wavelength) bands (160m, 80m/75m, 60m, and 40m) propagate longer distances at night than during the day. During the early morning hours, 80m/75m might support regional propagation, meaning you can hear stations within several hundred miles of your location. 60m and 40m might also work for regional communication throughout the day.
2. The higher bands (30m, 20m, 17m, 15m, 12m, and 10m) are long distance (DX) bands and are most active during the day and under good solar conditions.

Once you’ve chosen a station to hunt, you can try to hear them on a WebSDR.

Open WebSDR

If you pick a WebSDR near your location, then you'll need to consider the rules of thumb above.

If you pick a WebSDR somewhere else, you'll have to think like a ham in one of those locations: What bands are open to hams and to what parts of the world from that location?

Tune to the POTA station frequency

If the station is still active on the frequency and propagation to the WebSDR location is good, you should see a signal in the waterfall. Try to copy the station? Can you hear the callsign? Can you hear any stations trying to call.

Identify the signal

About

In this quest, you'll use WebSDR or an SDR receiver to try to find and identify various signals found on the HF and VHF/UHF bands.




Figure 1.10: HF signal chart from https://www.reddit.com/r/amateurradio/comments/12ota0q/hf_signal_iden/




Figure 1.11: VHF signal chart from https://www.reddit.com/r/amateurradio/comments/12okhb4/i_whipped_u/


Find hams in your area

About

The FCC amateur radio license database is public. That's why some hams prefer to use a post office (P.O.) box as their permanent surface mailing address for their license. However, the fact that the database is public makes it easy to find hams in your geographic area.

Open the Amateur Radio License Map application

Visit <https://haminfo.tetranz.com/map>



The screenshot shows the homepage of the Amateur Radio License Map. At the top, there is a navigation bar with a logo, 'Ham Info', 'Home', and 'Log in' buttons. Below the navigation bar, the title 'Amateur Radio License Map' is displayed in a large, bold font. A sub-instruction below the title says, 'Use this map to find amateur radio license holders in the USA. [Click here](#) for more info.' To the left of the map area, there is a legend with four options: 'Callsign' (selected), 'Gridsquare', 'Zip code', and 'Street address'. Next to the legend is a text input field with placeholder text 'Enter a callsign.' and a blue 'Show the map' button. At the bottom left, there is a checked checkbox labeled 'Show grid labels'.

Figure 1.12: <https://haminfo.tetranz.com/map>

Search for hams in your current Zip code

I live in 16801. Here is a zoomed-out view of all the hams whose home addresses in the FCC database list 16801.




Figure 1.13: Hams in Zip code 16801 from <https://haminfo.tetranz.com/map>

If you check the “Show grid labels” checkbox you will see that the map shows the 6-character [grid square] designator. Some hams “collect” QSOs from different grid squares. Many hams operating [FT8] or [FT4] exchange grid squares, as do those who operate amateur satellites, see the [satellite quest](#).

Search for a specific callsign

If you know a ham’s callsign, enter it in the Callsign box.

Here is the map of licensed hams near to the mailing address for K3CR, the Penn State Amateur Radio Club’s callsign.




Figure 1.14: Hams near K3CR from <https://haminfo.tetranz.com/map>

Ham geography

About

One of the great joys of ham radio is communicating with people in different places. There are multiple ways to divide up the globe into smaller chunks. In this quest, we'll explore some of the ways hams have sliced up the global pie, geographically speaking. Each slice has its use in ham radio.

See <https://www.mapability.com/ei8ic/maps/maps.php>

ITU Regions

https://en.wikipedia.org/wiki/ITU_Region




Figure 1.15: ITU region map from <https://www.mapability.com/ei8ic/maps/regions.php>

ITU Zones




Figure 1.16: ITU zones map from <https://www.mapability.com/ei8ic/maps/ituzone.php>

DX Entities

ARRL: <http://www.arrl.org/country-lists-prefixes>

<https://www.ng3k.com/Dxcc/dxcc.html>




Figure 1.17: CQ Magazine zones map from <https://www.mapability.com/ei8ic/maps/cqzone.php>



Figure 1.18: USA callsign areas from https://www.mapability.com/ei8ic/maps/usa_call_areas.php



Figure 1.19: ARRL divisions map from https://www.mapability.com/ei8ic/maps/arrl_divisions.php

CQ Zones

Callsign areas

ARRL divisions

ARRL/RAC sections

Summits on the Air

Parks on the Air

Maidenhead Locator

[https://en.wikipedia.org/wiki/Maidenhead_Locator_System#:%7E;text=The%20Maidenhead%20Locator%20System%20\(a.k.a.,was%20limited%20to%20European%20contacts](https://en.wikipedia.org/wiki/Maidenhead_Locator_System#:%7E:text=The%20Maidenhead%20Locator%20System%20(a.k.a.,was%20limited%20to%20European%20contacts)





Figure 1.20: ARRL/RAC sections map from https://www.mapability.com/ei8ic/maps/sections_2.php

By User:Denelson83 - http://visibleearth.nasa.gov/view_rec.php?PubID=17000
Public Domain, Link

https://www.levinecentral.com/ham/grid_square.php?Call=K3CR

Latitude/Longitude

Great Circle maps



© MapAbility.Com

Figure 1.21: Great circle map centered on Washington, DC from https://www.mapability.com/ei8ic/maps/great_circle/capital_cities/washington_usa_great_circle.html

Part II

Gear

About

We've shown that there are many ham-related activities that a person can enjoy without buying any new gear. But of course, buying or borrowing radio equipment dramatically expands what a ham or ham-to-be can do. There's an old saying that if you ask two hams the same question about what gear to buy, they'll give you three opinions, and you should ignore all of them. Ok, so that's not much help.

In this short section, I'm going to give you a very opinionated take on *how you should think* about what gear to buy, not what specific bit of equipment to buy.

But before doing that, here are some general observations:

- There is *no* perfect radio.
- Most hams who remain active in the hobby end up with more than one radio.

2 Planning

2.1 About

Before you spend a dollar, I suggest that you put some time into planning the initial phases of your ham “career”. Your interests will probably change over time, but let’s start with what excites you about the hobby right now.

2.2 Questions

- *Where* do you plan to operate?

From home, in your car, or from a portable location like a park or a mountain summit?

- *What mode or modes* do you want to operate in these places?

Voice (SSB or FM), digital modes, or CW?

- *What type(s) of activities* interest you using these modes?

Special event support, contesting, SOTA/POTA, rag-chewing, nets.

Part III

FCC Regulations

3 FCC Part 97

The following was downloaded as a PDF from <https://www.ecfr.gov/current/title-47/chapter-I/subchapter-D/part-97> on 2023-04-01.

PART 97—AMATEUR RADIO SERVICE Authority: [47 U.S.C. 151–155, 301–609](#), unless otherwise noted. Source: [54 FR 25857](#), June 20, 1989, unless otherwise noted.

Editorial Note: Nomenclature changes to part 97 appear at 63 FR 54077, Oct. 8, 1998.

Subpart A—General Provisions

§ 97.1 Basis and purpose.

The rules and regulations in this part are designed to provide an amateur radio service having a fundamental purpose as expressed in the following principles:

- (a) Recognition and enhancement of the value of the amateur service to the public as a voluntary noncommercial communication service, particularly with respect to providing emergency communications.
- (b) Continuation and extension of the amateur's proven ability to contribute to the advancement of the radio art.
- (c) Encouragement and improvement of the amateur service through rules which provide for advancing skills in both the communication and technical phases of the art.
- (d) Expansion of the existing reservoir within the amateur radio service of trained operators, technicians, and electronics experts.
- (e) Continuation and extension of the amateur's unique ability to enhance international goodwill.

§ 97.3 Definitions.

- (a) The definitions of terms used in part 97 are:
- (1) Amateur operator. A person named in an amateur operator/primary license station grant on the ULS consolidated licensee database to be the control operator of an amateur station.
 - (2) Amateur radio services. The amateur service, the amateur-satellite service and the radio amateur civil emergency service.
 - (3) Amateur service. A radiocommunication service for the purpose of self-training, intercommunication and technical investigations carried out by amateurs, that is, duly authorized persons interested in radio technique solely with a personal aim and without pecuniary interest.
 - (4) Amateur station. A station in an amateur radio service consisting of the apparatus necessary for carrying on radiocommunications.
 - (5) Automatic control. The use of devices and procedures for control of a station when it is transmitting so that compliance with the FCC Rules is achieved without the control operator being present at a control point.
 - (6) Auxiliary station. An amateur station, other than in a message forwarding system, that is transmitting communications point-to-point within a system of cooperating amateur stations.
 - (7) Bandwidth. The width of a frequency band outside of which the mean power of the transmitted signal is attenuated at least 26 dB below the mean power of the transmitted signal within the band.
 - (8) Beacon. An amateur station transmitting communications for the purposes of observation of propagation and reception or other related experimental activities.
 - (9) Broadcasting. Transmissions intended for reception by the general public, either direct or relayed.
 - (10) Call sign system. The method used to select a call sign for amateur station over-the-air identification purposes. The call sign systems are:
 - (i) Sequential call sign system. The call sign is selected by the FCC from an alphabetized list corresponding to the geographic region of the licensee's mailing address and operator class. The call sign is shown on the license. The FCC will issue public announcements detailing the procedures of the sequential call sign system.
 - (ii) Vanity call sign system. The call sign is selected by the FCC from a list of call signs requested by the licensee. The call sign is shown on the license. The FCC will issue public announcements detailing the procedures of the vanity call sign system.

- (iii) Special event call sign system. The call sign is selected by the station licensee from a list of call signs shown on a common data base coordinated, maintained and disseminated by the amateur station special event call sign data base coordinators. The call sign must have the single letter prefix K, N or W, followed by a single numeral 0 through 9, followed by a single letter A through W or Y or Z (for example K1A). The special event call sign is substituted for the call sign shown on the station license grant while the station is transmitting. The FCC will issue public announcements detailing the procedures of the special event call sign system.
- (12) CEPT radio amateur license. A license issued by a country belonging to the European Conference of Postal and Telecommunications Administrations (CEPT) that has adopted Recommendation T/R 61-01 (Nice 1985, Paris 1992, Nicosia 2003).
- (13) Control operator. An amateur operator designated by the licensee of a station to be responsible for the transmissions from that station to assure compliance with the FCC Rules.
- (14) Control point. The location at which the control operator function is performed.
- (15) CSCE. Certificate of successful completion of an examination.
- (16) Earth station. An amateur station located on, or within 50 km of, the Earth's surface intended for communications with space stations or with other Earth stations by means of one or more other objects in space.
- (17) [Reserved]
- (18) External RF power amplifier. A device capable of increasing power output when used in conjunction with, but not an integral part of, a transmitter.
- (19) [Reserved]
- (20) FAA. Federal Aviation Administration.
- (21) FCC. Federal Communications Commission.
- (22) Frequency coordinator. An entity, recognized in a local or regional area by amateur operators whose stations are eligible to be auxiliary or repeater stations, that recommends transmit/receive channels and associated operating and technical parameters for such stations in order to avoid or minimize potential interference.
- (23) Harmful interference. Interference which endangers the functioning of a radionavigation service or of other safety services or seriously degrades, obstructs or repeatedly interrupts a radiocommunication service operating in accordance with the Radio Regulations.
- (24) IARP (International Amateur Radio Permit). A document issued pursuant to the terms of the Inter-American Convention on an International Amateur Radio Permit by a country signatory to that Convention, other than the United States. Montrouis, Haiti. AG/doc.3216/95.

- (25) Indicator. Words, letters or numerals appended to and separated from the call sign during the station identification.
- (26) Information bulletin. A message directed only to amateur operators consisting solely of subject matter of direct interest to the amateur service.
- (27) In-law. A parent, stepparent, sibling, or step-sibling of a licensee's spouse; the spouse of a licensee's sibling, step-sibling, child, or stepchild; or the spouse of a licensee's spouse's sibling or step-sibling.
- (28) International Morse code. A dot-dash code as defined in ITU-T Recommendation F.1 (March, 1998), Division B, I. Morse code.
- (29) ITU. International Telecommunication Union.
- (30) Line A. Begins at Aberdeen, WA, running by great circle arc to the intersection of 48° N, 120° W, thence along parallel 48° N, to the intersection of 95° W, thence by great circle arc through the southernmost point of Duluth, MN, thence by great circle arc to 45° N, 85° W, thence southward along meridian 85° W, to its intersection with parallel 41° N, thence along parallel 41° N, to its intersection with meridian 82° W, thence by great circle arc through the southernmost point of Bangor, ME, thence by great circle arc through the southernmost point of Searsport, ME, at which point it terminates.
- (31) Local control. The use of a control operator who directly manipulates the operating adjustments in the station to achieve compliance with the FCC Rules.
- (32) Message forwarding system. A group of amateur stations participating in a voluntary, cooperative, interactive arrangement where communications are sent from the control operator of an originating station to the control operator of one or more destination stations by one or more forwarding stations.
- (33) National Radio Quiet Zone. The area in Maryland, Virginia and West Virginia Bounded by 39°15' N on the north, 78°30' W on the east, 37°30' N on the south and 80°30' W on the west.
- (34) Physician. For the purpose of this part, a person who is licensed to practice in a place where the amateur service is regulated by the FCC, as either a Doctor of Medicine (M.D.) or a Doctor of Osteopathy (D.O.)
- (35) Question pool. All current examination questions for a designated written examination element.
- (36) Question set. A series of examination questions on a given examination selected from the question pool.
- (37) Radio Regulations. The latest ITU Radio Regulations to which the United States is a party.

- (38) RACES (radio amateur civil emergency service). A radio service using amateur stations for civil defense communications during periods of local, regional or national civil emergencies.
- (39) Remote control. The use of a control operator who indirectly manipulates the operating adjustments in the station through a control link to achieve compliance with the FCC Rules.
- (40) Repeater. An amateur station that simultaneously retransmits the transmission of another amateur station on a different channel or channels.
- (41) Space station. An amateur station located more than 50 km above the Earth's surface.
- (42) Space telemetry. A one-way transmission from a space station of measurements made from the measuring instruments in a spacecraft, including those relating to the functioning of the spacecraft.
- (43) Spurious emission. An emission, or frequencies outside the necessary bandwidth of a transmission, the level of which may be reduced without affecting the information being transmitted.
- (44) Telecommand. A one-way transmission to initiate, modify, or terminate functions of a device at a distance.
- (45) Telecommand station. An amateur station that transmits communications to initiate, modify or terminate functions of a space station.
- (46) Telemetry. A one-way transmission of measurements at a distance from the measuring instrument.
- (47) Third party communications. A message from the control operator (first party) of an amateur station to another amateur station control operator (second party) on behalf of another person (third party).
- (48) ULS (Universal Licensing System). The consolidated database, application filing system and processing system for all Wireless Telecommunications Services.
- (49) VE. Volunteer examiner.
- (50) VEC. Volunteer-examiner coordinator.
 - (b) The definitions of technical symbols used in this part are:
 - (1) EHF (extremely high frequency). The frequency range 30–300 GHz.
 - (2) EIRP (equivalent isotropically radiated power). The product of the power supplied to the antenna and the antenna gain in a given direction relative to an isotropic antenna (absolute or isotropic gain).

Note: Divide EIRP by 1.64 to convert to effective radiated power. (3) ERP (effective radiated power) (in a given direction). The product of the power supplied to the antenna and its gain relative to a half-wave dipole in a given direction.

Note: Multiply ERP by 1.64 to convert to equivalent isotropically radiated power. (4) HF (high frequency). The frequency range 3–30 MHz.

- (5) Hz. Hertz.
 - (6) LF (low frequency). The frequency range 30–300 kHz.
 - (7) m. Meters.
 - (8) MF (medium frequency). The frequency range 300–3000 kHz.
 - (9) PEP (peak envelope power). The average power supplied to the antenna transmission line by a transmitter during one RF cycle at the crest of the modulation envelope taken under normal operating conditions.
 - (10) RF. Radio frequency.
 - (11) SHF (super high frequency). The frequency range 3–30 GHz.
 - (12) UHF (ultra high frequency). The frequency range 300–3000 MHz.
 - (13) VHF (very high frequency). The frequency range 30–300 MHz.
 - (14) W. Watts.
- (c) The following terms are used in this part to indicate emission types. Refer to § 2.201 of the FCC Rules, Emission, modulation and transmission characteristics, for information on emission type designators.
- (1) CW. International Morse code telegraphy emissions having designators with A, C, H, J or R as the first symbol; 1 as the second symbol; A or B as the third symbol; and emissions J2A and J2B.
 - (2) Data. Telemetry, telecommand and computer communications emissions having
 - (i) designators with A, C, D, F, G, H, J or R as the first symbol, 1 as the second symbol, and D as the third symbol;
 - (ii) emission J2D; and
 - (iii) emissions A1C, F1C, F2C, J2C, and J3C having an occupied bandwidth of 500 Hz or less when transmitted on an amateur service frequency below 30 MHz. Only a digital code of a type specifically authorized in this part may be transmitted.

- (3) Image. Facsimile and television emissions having designators with A, C, D, F, G, H, J or R as the first symbol; 1, 2 or 3 as the second symbol; C or F as the third symbol; and emissions having B as the first symbol; 7, 8 or 9 as the second symbol; W as the third symbol.
- (4) MCW. Tone-modulated international Morse code telegraphy emissions having designators with A, C, D, F, G, H or R as the first symbol; 2 as the second symbol; A or B as the third symbol.
- (5) Phone. Speech and other sound emissions having designators with A, C, D, F, G, H, J or R as the first symbol; 1, 2, 3 or X as the second symbol; E as the third symbol. Also speech emissions having B or F as the first symbol; 7, 8 or 9 as the second symbol; E as the third symbol. MCW for the purpose of performing the station identification procedure, or for providing telegraphy practice interspersed with speech. Incidental tones for the purpose of selective calling or alerting or to control the level of a demodulated signal may also be considered phone.
- (6) Pulse. Emissions having designators with K, L, M, P, Q, V or W as the first symbol; 0, 1, 2, 3, 7, 8, 9 or X as the second symbol; A, B, C, D, E, F, N, W or X as the third symbol.
- (7) RTTY. Narrow-band direct-printing telegraphy emissions having designators with A, C, D, F, G, H, J or R as the first symbol; 1 as the second symbol; B as the third symbol; and emission J2B. Only a digital code of a type specifically authorized in this part may be transmitted.
- (8) SS. Spread spectrum emissions using bandwidth-expansion modulation emissions having designators with A, C, D, F, G, H, J or R as the first symbol; X as the second symbol; X as the third symbol.
- (9) Test. Emissions containing no information having the designators with N as the third symbol. Test does not include pulse emissions with no information or modulation unless pulse emissions are also authorized in the frequency band.

[54 FR 25857, June 20, 1989]

EDITORIAL NOTE Editorial Note: For Federal Register citations affecting § 97.3, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.govinfo.gov.

§ 97.5 Station license required.

- (a) The station apparatus must be under the physical control of a person named in an amateur station license grant on the ULS consolidated license database or a person authorized for alien reciprocal operation by § 97.107 of this part, before the station may transmit on any amateur service frequency from any place that is:

- (1) Within 50 km of the Earth's surface and at a place where the amateur service is regulated by the FCC;
- (2) Within 50 km of the Earth's surface and aboard any vessel or craft that is documented or registered in the United States; or
- (3) More than 50 km above the Earth's surface aboard any craft that is documented or registered in the United States.

(b) The types of station license grants are:

- (1) An operator/primary station license grant. One, but only one, operator/primary station license grant may be held by any one person. The primary station license is granted together with the amateur operator license. Except for a representative of a foreign government, any person who qualifies by examination is eligible to apply for an operator/primary station license grant.
- (2) A club station license grant. A club station license grant may be held only by the person who is the license trustee designated by an officer of the club. The trustee must be a person who holds an operator/primary station license grant. The club must be composed of at least four persons and must have a name, a document of organization, management, and a primary purpose devoted to amateur service activities consistent with this part.
- (3) A military recreation station license grant. A military recreation station license grant may be held only by the person who is the license custodian designated by the official in charge of the United States military recreational premises where the station is situated. The person must not be a representative of a foreign government. The person need not hold an amateur operator license grant.

(c) The person named in the station license grant or who is authorized for alien reciprocal operation by § 97.107 of this part may use, in accordance with the applicable rules of this part, the transmitting apparatus under the physical control of the person at places where the amateur service is regulated by the FCC.

(d) A CEPT radio-amateur license is issued to the person by the country of which the person is a citizen. The person must not:

- (1) Be a resident alien or citizen of the United States, regardless of any other citizenship also held;
- (2) Hold an FCC-issued amateur operator license nor reciprocal permit for alien amateur licensee;

- (3) Be a prior amateur service licensee whose FCC-issued license was revoked, suspended for less than the balance of the license term and the suspension is still in effect, suspended for the balance of the license term and relicensing has not taken place, or surrendered for cancellation following notice of revocation, suspension or monetary forfeiture proceedings; or
 - (4) Be the subject of a cease and desist order that relates to amateur service operation and which is still in effect.
- (e) An IARP is issued to the person by the country of which the person is a citizen. The person must not:
- (1) Be a resident alien or citizen of the United States, regardless of any other citizenship also held;
 - (2) Hold an FCC-issued amateur operator license nor reciprocal permit for alien amateur licensee;
 - (3) Be a prior amateur service licensee whose FCC-issued license was revoked, suspended for less than the balance of the license term and the suspension is still in effect, suspended for the balance of the license term and relicensing has not taken place, or surrendered for cancellation following notice of revocation, suspension or monetary forfeiture proceedings; or
 - (4) Be the subject of a cease and desist order that relates to amateur service operation and which is still in effect.

[59 FR 54831, Nov. 2, 1994, as amended at 62 FR 17567, Apr. 10, 1997; 63 FR 68977, Dec. 14, 1998; 75 FR 78169, Dec. 15, 2010]

§ 97.7 Control operator required.

When transmitting, each amateur station must have a control operator. The control operator must be a person:

- (a) For whom an amateur operator/primary station license grant appears on the ULS consolidated licensee database, or
- (b) Who is authorized for alien reciprocal operation by § 97.107 of this part.

[63 FR 68978, Dec. 14, 1998]

§ 97.9 Operator license grant.

- (a) The classes of amateur operator license grants are: Novice, Technician, General, Advanced, and Amateur Extra. The person named in the operator license grant is authorized to be the control operator of an amateur station with the privileges authorized to the operator class specified on the license grant.
- (b) The person named in an operator license grant of Novice, Technician, General or Advanced Class, who has properly submitted to the administering VEs a FCC Form 605 document requesting examination for an operator license grant of a higher class, and who holds a CSCE indicating that the person has completed the necessary examinations within the previous 365 days, is authorized to exercise the rights and privileges of the higher operator class until final disposition of the application or until 365 days following the passing of the examination, whichever comes first.

[75 FR 78169, Dec. 15, 2010]

§ 97.11 Stations aboard ships or aircraft.

- (a) The installation and operation of an amateur station on a ship or aircraft must be approved by the master of the ship or pilot in command of the aircraft.
- (b) The station must be separate from and independent of all other radio apparatus installed on the ship or aircraft, except a common antenna may be shared with a voluntary ship radio installation. The station's transmissions must not cause interference to any other apparatus installed on the ship or aircraft.
- (c) The station must not constitute a hazard to the safety of life or property. For a station aboard an aircraft, the apparatus shall not be operated while the aircraft is operating under Instrument Flight Rules, as defined by the FAA, unless the station has been found to comply with all applicable FAA Rules.

§ 97.13 Restrictions on station location.

- (a) Before placing an amateur station on land of environmental importance or that is significant in American history, architecture or culture, the licensee may be required to take certain actions prescribed by §§ 1.1305–1.1319 of this chapter.
- (b) A station within 1600 m (1 mile) of an FCC monitoring facility must protect that facility from harmful interference. Failure to do so could result in imposition of operating restrictions upon the amateur station pursuant to § 97.121. Geographical coordinates of the facilities that require protection are listed in § 0.121(c) of this chapter.

- (c) Before causing or allowing an amateur station to transmit from any place where the operation of the station could cause human exposure to RF electromagnetic field levels in excess of those allowed under § 1.1310 of this chapter, the licensee is required to take certain actions.
 - (1) The licensee shall ensure compliance with the Commission's radio frequency exposure requirements in §§ 1.1307(b), 2.1091, and 2.1093 of this chapter, where applicable. In lieu of evaluation with the general population/uncontrolled exposure limits, amateur licensees may evaluate their operation with respect to members of his or her immediate household using the occupational/controlled exposure limits in § 1.1310, provided appropriate training and information has been accessed by the amateur licensee and members of his/her household. RF exposure of other nearby persons who are not members of the amateur licensee's household must be evaluated with respect to the general population/uncontrolled exposure limits. Appropriate methodologies and guidance for evaluating amateur radio service operation is described in the Office of Engineering and Technology (OET) Bulletin 65, Supplement B.
 - (2) If the routine environmental evaluation indicates that the RF electromagnetic fields could exceed the limits contained in § 1.1310 of this chapter in accessible areas, the licensee must take action to prevent human exposure to such RF electromagnetic fields. Further information on evaluating compliance with these limits can be found in the FCC's OET Bulletin Number 65, "Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields."

[54 FR 25857, June 20, 1989, as amended at 55 FR 20398, May 16, 1990; 61 FR 41019, Aug. 7, 1996; 62 FR 47963, Sept. 12, 1997; 62 FR 49557, Sept. 22, 1997; 62 FR 61448, Nov. 18, 1997; 63 FR 68978, Dec. 14, 1998; 65 FR 6549, Feb. 10, 2000; 80 FR 53752, Sept. 8, 2015; 85 FR 18151, Apr. 1, 2020]

§ 97.15 Station antenna structures.

- (a) Owners of certain antenna structures more than 60.96 meters (200 feet) above ground level at the site or located near or at a public use airport must notify the Federal Aviation Administration and register with the Commission as required by part 17 of this chapter.
- (b) Except as otherwise provided herein, a station antenna structure may be erected at heights and dimensions sufficient to accommodate amateur service communications. (State and local regulation of a station antenna structure must not preclude amateur service communications. Rather, it must reasonably accommodate such communications and must constitute the minimum practicable regulation to accomplish the state or local authority's legitimate purpose. See PRB-1, 101 FCC 2d 952 (1985) for details.)

- (c) Antennas used to transmit in the 2200 m and 630 m bands must not exceed 60 meters in height above ground level.

[64 FR 53242, Oct. 1, 1999, as amended at 82 FR 27214, June 14, 2017]

§ 97.17 Application for new license grant.

- (a) Any qualified person is eligible to apply for a new operator/primary station, club station or military recreation station license grant. No new license grant will be issued for a Novice or Advanced Class operator/primary station.
- (b) Each application for a new amateur service license grant must be filed with the FCC as follows:
- (1) Each candidate for an amateur radio operator license which requires the applicant to pass one or more examination elements must present the administering VEs with all information required by the rules prior to the examination. The VEs may collect all necessary information in any manner of their choosing, including creating their own forms.
 - (2) For a new club or military recreation station license grant, each applicant must present all information required by the rules to an amateur radio organization having tax-exempt status under section 501(c)(3) of the Internal Revenue Code of 1986 that provides voluntary, uncompensated and unreimbursed services in providing club and military recreation station call signs (“Club Station Call Sign Administrator”) who must submit the information to the FCC in an electronic batch file. The Club Station Call Sign Administrator may collect the information required by these rules in any manner of their choosing, including creating their own forms. The Club Station Call Sign Administrator must retain the applicants information for at least 15 months and make it available to the FCC upon request. The FCC will issue public announcements listing the qualified organizations that have completed a pilot autogrant batch filing project and are authorized to serve as a Club Station Call Sign Administrator.
 - (c) No person shall obtain or attempt to obtain, or assist another person to obtain or attempt to obtain, an amateur service license grant by fraudulent means.
 - (d) One unique call sign will be shown on the license grant of each new primary, club and military recreation station. The call sign will be selected by the sequential call sign system. Effective February 14, 2011, no club station license grants will be issued to a licensee who is shown as the license trustee on an existing club station license grant.

[63 FR 68978, Dec. 14, 1998, as amended at 64 FR 53242, Oct. 1, 1999; 65 FR 6549, Feb. 10, 2000; 75 FR 78170, Dec. 15, 2010]

§ 97.19 Application for a vanity call sign.

- (a) The person named in an operator/primary station license grant or in a club station license grant is eligible to make application for modification of the license grant, or the renewal thereof, to show a call sign selected by the vanity call sign system. Effective February 14, 2011, the person named in a club station license grant that shows on the license a call sign that was selected by a trustee is not eligible for an additional vanity call sign. (The person named in a club station license grant that shows on the license a call sign that was selected by a trustee is eligible for a vanity call sign for his or her operator/primary station license grant on the same basis as any other person who holds an operator/primary station license grant.) Military recreation stations are not eligible for a vanity call sign.
- (b) Each application for a modification of an operator/primary or club station license grant, or the renewal thereof, to show a call sign selected by the vanity call sign system must be filed in accordance with § 1.913 of this chapter.
- (c) Unassigned call signs are available to the vanity call sign system with the following exceptions:
 - (1) A call sign shown on an expired license grant is not available to the vanity call sign system for 2 years following the expiration of the license.
 - (2) A call sign shown on a surrendered or canceled license grant (except for a license grant that is canceled pursuant to § 97.31) is not available to the vanity call sign system for 2 years following the date such action is taken. (The availability of a call sign shown on a license canceled pursuant to § 97.31 is governed by paragraph (c)(3) of this section.)
 - (i) This 2-year period does not apply to any license grant pursuant to paragraph (c)(3)(i), (ii), or (iii) of this section that is surrendered, canceled, revoked, voided, or set aside because the grantee acknowledged or the Commission determined that the grantee was not eligible for the exception. In such a case, the call sign is not available to the vanity call sign system for 30 days following the date such action is taken, or for the period for which the call sign would not have been available to the vanity call sign system pursuant to paragraphs (c)(2) or (3) of this section but for the intervening grant to the ineligible applicant, whichever is later.
 - (ii) An applicant to whose operator/primary station license grant, or club station license grant for which the applicant is the trustee, the call sign was previously assigned is exempt from the 2-year period set forth in paragraph (c)(2) of this section.

- (3) A call sign shown on a license canceled pursuant to § 97.31 of this part is not available to the vanity call sign system for 2 years following the person's death, or for 2 years following the expiration of the license grant, whichever is sooner. If, however, a license is canceled more than 2 years after the licensee's death (or within 30 days before the second anniversary of the licensee's death), the call sign is not available to the vanity call sign system for 30 days following the date such action is taken. The following applicants are exempt from this 2-year period:
 - (i) An applicant to whose operator/primary station license grant, or club station license grant for which the applicant is the trustee, the call sign was previously assigned; or
 - (ii) An applicant who is the spouse, child, grandchild, stepchild, parent, grandparent, stepparent, brother, sister, stepbrother, stepsister, aunt, uncle, niece, nephew, or in-law of the person now deceased or of any other deceased former holder of the call sign, provided that the vanity call sign requested by the applicant is from the group of call signs corresponding to the same or lower class of operator license held by the applicant as designated in the sequential call sign system; or
 - (iii) An applicant who is a club station license trustee acting with a written statement of consent signed by either the licensee ante mortem but who is now deceased, or by at least one relative as listed in paragraph (c)(3)(ii) of this section, of the person now deceased or of any other deceased former holder of the call sign, provided that the deceased former holder was a member of the club during his or her life.
- (d) The vanity call sign requested by an applicant must be selected from the group of call signs corresponding to the same or lower class of operator license held by the applicant as designated in the sequential call sign system.
- (1) The applicant must request that the call sign shown on the license grant be vacated and provide a list of up to 25 call signs in order of preference. In the event that the Commission receives more than one application requesting a vanity call sign from an applicant on the same receipt day, the Commission will process only the first such application entered into the Universal Licensing System. Subsequent vanity call sign applications from that applicant with the same receipt date will not be accepted.
 - (2) The first assignable call sign from the applicant's list will be shown on the license grant. When none of those call signs are assignable, the call sign vacated by the applicant will be shown on the license grant.
 - (3) Vanity call signs will be selected from those call signs assignable at the time the application is processed by the FCC.

- (4) A call sign designated under the sequential call sign system for Alaska, Hawaii, Caribbean Insular Areas, and Pacific Insular areas will be assigned only to a primary or club station whose licensee's mailing address is in the corresponding state, commonwealth, or island. This limitation does not apply to an applicant for the call sign as the spouse, child, grandchild, stepchild, parent, grandparent, stepparent, brother, sister, stepbrother, stepsister, aunt, uncle, niece, nephew, or in-law, of the former holder now deceased.

[60 FR 7460, Feb. 8, 1995, as amended at 60 FR 50123, Sept. 28, 1995; 60 FR 53132, Oct. 12, 1995; 63 FR 68979, Dec. 14, 1998; 71 FR 66461, Nov. 15, 2006; 75 FR 78170, Dec. 15, 2010]

§ 97.21 Application for a modified or renewed license grant.

- (a) A person holding a valid amateur station license grant:
 - (1) Must apply to the FCC for a modification of the license grant as necessary to show the correct mailing and email address, licensee name, club name, license trustee name, or license custodian name in accordance with § 1.913 of this chapter. For a club or military recreation station license grant, the application must be presented in document form to a Club Station Call Sign Administrator who must submit the information thereon to the FCC in an electronic batch file. The Club Station Call Sign Administrator must retain the collected information for at least 15 months and make it available to the FCC upon request. A Club Station Call Sign Administrator shall not file with the Commission any application to modify a club station license grant that was submitted by a person other than the trustee as shown on the license grant, except an application to change the club station license trustee. An application to modify a club station license grant to change the license trustee name must be submitted to a Club Station Call Sign Administrator and must be signed by an officer of the club.
 - (2) May apply to the FCC for a modification of the operator/primary station license grant to show a higher operator class. Applicants must present the administering VEs with all information required by the rules prior to the examination. The VEs may collect all necessary information in any manner of their choosing, including creating their own forms.
 - (3) May apply to the FCC for renewal of the license grant for another term in accordance with §§ 1.913 and 1.949 of this chapter. Application for renewal of a Technician Plus Class operator/primary station license will be processed as an application for renewal of a Technician Class operator/primary station license.
 - (i) For a station license grant showing a call sign obtained through the vanity call sign system, the application must be filed in accordance with § 97.19 of this part in order to have the vanity call sign reassigned to the station.

- (ii) For a primary station license grant showing a call sign obtained through the sequential call sign system, and for a primary station license grant showing a call sign obtained through the vanity call sign system but whose grantee does not want to have the vanity call sign reassigned to the station, the application must be filed with the FCC in accordance with § 1.913 of this chapter. When the application has been received by the FCC on or before the license expiration date, the license operating authority is continued until the final disposition of the application.
 - (iii) For a club station or military recreation station license grant showing a call sign obtained through the sequential call sign system, and for a club station license grant showing a call sign obtained through the vanity call sign system but whose grantee does not want to have the vanity call sign reassigned to the station, the application must be presented in document form to a Club Station Call Sign Administrator who must submit the information thereon to the FCC in an electronic batch file. The replacement call sign will be selected by the sequential call sign system. The Club Station Call Sign Administrator must retain the collected information for at least 15 months and make it available to the FCC upon request.
- (b) A person whose amateur station license grant has expired may apply to the FCC for renewal of the license grant for another term during a 2 year filing grace period. The application must be received at the address specified above prior to the end of the grace period. Unless and until the license grant is renewed, no privileges in this part are conferred.
- (c) Except as provided in paragraph (a)(3) of this section, a call sign obtained under the sequential or vanity call sign system will be reassigned to the station upon renewal or modification of a station license.

[63 FR 68979, Dec. 14, 1998, as amended at 64 FR 53242, Oct. 1, 1999; 65 FR 6550, Feb. 10, 2000; 75 FR 78170, Dec. 15, 2010; 79 FR 35291, July 21, 2014; 85 FR 85532, Dec. 29, 2020]

§ 97.23 Mailing and email addresses.

Each license grant must show the grantee's correct name, mailing address, and email address. The email address must be an address where the grantee can receive electronic correspondence. Revocation of the station license or suspension of the operator license may result when correspondence from the FCC is returned as undeliverable because the grantee failed to provide the correct email address.

[85 FR 85533, Dec. 29, 2020]

§ 97.25 License term.

An amateur service license is normally granted for a 10-year term.

[63 FR 68979, Dec. 14, 1998]

3.0.1 § 97.27 FCC modification of station license grant.

- (a) The FCC may modify a station license grant, either for a limited time or for the duration of the term thereof, if it determines:
 - (1) That such action will promote the public interest, convenience, and necessity; or
 - (2) That such action will promote fuller compliance with the provisions of the Communications Act of 1934, as amended, or of any treaty ratified by the United States.
- (b) When the FCC makes such a determination, it will issue an order of modification. The order will not become final until the licensee is notified in writing of the proposed action and the grounds and reasons therefor. The licensee will be given reasonable opportunity of no less than 30 days to protest the modification; except that, where safety of life or property is involved, a shorter period of notice may be provided. Any protest by a licensee of an FCC order of modification will be handled in accordance with the provisions of 47 U.S.C. 316.

[59 FR 54833, Nov. 2, 1994, as amended at 63 FR 68979, Dec. 14, 1998]

§ 97.29 Replacement license grant document.

Each grantee whose amateur station license grant document is lost, mutilated or destroyed may apply to the FCC for a replacement in accordance with § 1.913 of this chapter.

[63 FR 68979, Dec. 14, 1998]

§ 97.31 Cancellation on account of the licensee's death.

- (a) A person may request cancellation of an operator/primary station license grant on account of the licensee's death by submitting a signed request that includes a death certificate, obituary, or Social Security Death Index data that shows the person named in the operator/primary station license grant has died. Such a request may be submitted as a pleading associated with the deceased licensee's license. See § 1.45 of this chapter. In addition, the Commission may cancel an operator/primary station license grant if it

becomes aware of the grantee's death through other means. No action will be taken during the last thirty days of the post-expiration grace period (see § 97.21(b)) on a request to cancel a license due to the licensee's death.

- (b) A license that is canceled due to the licensee's death is canceled as of the date of the licensee's death.

[75 FR 78171, Dec. 15, 2010]

Subpart B—Station Operation Standards

§ 97.101 General standards.

- (a) In all respects not specifically covered by FCC Rules each amateur station must be operated in accordance with good engineering and good amateur practice.
- (b) Each station licensee and each control operator must cooperate in selecting transmitting channels and in making the most effective use of the amateur service frequencies. No frequency will be assigned for the exclusive use of any station.
- (c) At all times and on all frequencies, each control operator must give priority to stations providing emergency communications, except to stations transmitting communications for training drills and tests in RACES.
- (d) No amateur operator shall willfully or maliciously interfere with or cause interference to any radio communication or signal.

§ 97.103 Station licensee responsibilities.

- (a) The station licensee is responsible for the proper operation of the station in accordance with the FCC Rules. When the control operator is a different amateur operator than the station licensee, both persons are equally responsible for proper operation of the station.
- (b) The station licensee must designate the station control operator. The FCC will presume that the station licensee is also the control operator, unless documentation to the contrary is in the station records.
- (c) The station licensee must make the station and the station records available for inspection upon request by an FCC representative.

[54 FR 25857, June 20, 1989, as amended at 71 FR 66462, Nov. 15, 2006; 75 FR 27201, May 14, 2010]

§ 97.105 Control operator duties.

- (a) The control operator must ensure the immediate proper operation of the station, regardless of the type of control.
- (b) A station may only be operated in the manner and to the extent permitted by the privileges authorized for the class of operator license held by the control operator.

§ 97.107 Reciprocal operating authority.

A non-citizen of the United States (“alien”) holding an amateur service authorization granted by the alien’s government is authorized to be the control operator of an amateur station located at places where the amateur service is regulated by the FCC, provided there is in effect a multilateral or bilateral reciprocal operating arrangement, to which the United States and the alien’s government are parties, for amateur service operation on a reciprocal basis. The FCC will issue public announcements listing the countries with which the United States has such an arrangement. No citizen of the United States or person holding an FCC amateur operator/primary station license grant is eligible for the reciprocal operating authority granted by this section. The privileges granted to a control operator under this authorization are:

- (a) For an amateur service license granted by the Government of Canada:
 - (1) The terms of the Convention Between the United States and Canada (TIAS No. 2508) Relating to the Operation by Citizens of Either Country of Certain Radio Equipment or Stations in the Other Country;
 - (2) The operating terms and conditions of the amateur service license issued by the Government of Canada; and
 - (3) The applicable rules of this part, but not to exceed the control operator privileges of an FCC-granted Amateur Extra Class operator license.
- (b) For an amateur service license granted by any country, other than Canada, with which the United States has a multilateral or bilateral agreement:
 - (1) The terms of the agreement between the alien’s government and the United States;
 - (2) The operating terms and conditions of the amateur service license granted by the alien’s government;
 - (3) The applicable rules of this part, but not to exceed the control operator privileges of an FCC-granted Amateur Extra Class operator license; and
- (c) At any time the FCC may, in its discretion, modify, suspend or cancel the reciprocal operating authority granted to any person by this section.

[63 FR 68979, Dec. 14, 1998]

§ 97.109 Station control.

- (a) Each amateur station must have at least one control point.
- (b) When a station is being locally controlled, the control operator must be at the control point. Any station may be locally controlled.
- (c) When a station is being remotely controlled, the control operator must be at the control point. Any station may be remotely controlled.
- (d) When a station is being automatically controlled, the control operator need not be at the control point. Only stations specifically designated elsewhere in this part may be automatically controlled. Automatic control must cease upon notification by a Regional Director that the station is transmitting improperly or causing harmful interference to other stations. Automatic control must not be resumed without prior approval of the Regional Director.

[54 FR 39535, Sept. 27, 1989, as amended at 60 FR 26001, May 16, 1995; 69 FR 24997, May 5, 2004; 80 FR 53753, Sept. 8, 2015]

§ 97.111 Authorized transmissions.

- (a) An amateur station may transmit the following types of two-way communications:
 - (1) Transmissions necessary to exchange messages with other stations in the amateur service, except those in any country whose administration has notified the ITU that it objects to such communications. The FCC will issue public notices of current arrangements for international communications.
 - (2) Transmissions necessary to meet essential communication needs and to facilitate relief actions.
 - (3) Transmissions necessary to exchange messages with a station in another FCC-regulated service while providing emergency communications;
 - (4) Transmissions necessary to exchange messages with a United States government station, necessary to providing communications in RACES; and
 - (5) Transmissions necessary to exchange messages with a station in a service not regulated by the FCC, but authorized by the FCC to communicate with amateur stations. An amateur station may exchange messages with a participating United States military station during an Armed Forces Day Communications Test.

- (b) In addition to one-way transmissions specifically authorized elsewhere in this part, an amateur station may transmit the following types of one-way communications:
- (1) Brief transmissions necessary to make adjustments to the station;
 - (2) Brief transmissions necessary to establishing two-way communications with other stations;
 - (3) Telecommand;
 - (4) Transmissions necessary to providing emergency communications;
 - (5) Transmissions necessary to assisting persons learning, or improving proficiency in, the international Morse code; and
 - (6) Transmissions necessary to disseminate information bulletins.
 - (7) Transmissions of telemetry.

[54 FR 25857, June 20, 1989, as amended at 56 FR 56171, Nov. 1, 1991; 71 FR 25982, May 3, 2006; 71 FR 66462, Nov. 15, 2006]

§ 97.113 Prohibited transmissions.

- (a) No amateur station shall transmit:
- (1) Communications specifically prohibited elsewhere in this part;
 - (2) Communications for hire or for material compensation, direct or indirect, paid or promised, except as otherwise provided in these rules;
 - (3) Communications in which the station licensee or control operator has a pecuniary interest, including communications on behalf of an employer, with the following exceptions:
 - (i) A station licensee or station control operator may participate on behalf of an employer in an emergency preparedness or disaster readiness test or drill, limited to the duration and scope of such test or drill, and operational testing immediately prior to such test or drill. Tests or drills that are not government-sponsored are limited to a total time of one hour per week; except that no more than twice in any calendar year, they may be conducted for a period not to exceed 72 hours.
 - (ii) An amateur operator may notify other amateur operators of the availability for sale or trade of apparatus normally used in an amateur station, provided that such activity is not conducted on a regular basis.

- (iii) A control operator may accept compensation as an incident of a teaching position during periods of time when an amateur station is used by that teacher as a part of classroom instruction at an educational institution.
 - (iv) The control operator of a club station may accept compensation for the periods of time when the station is transmitting telephony practice or information bulletins, provided that the station transmits such telephony practice and bulletins for at least 40 hours per week; schedules operations on at least six amateur service MF and HF bands using reasonable measures to maximize coverage; where the schedule of normal operating times and frequencies is published at least 30 days in advance of the actual transmissions; and where the control operator does not accept any direct or indirect compensation for any other service as a control operator.
 - (4) Music using a phone emission except as specifically provided elsewhere in this section; communications intended to facilitate a criminal act; messages encoded for the purpose of obscuring their meaning, except as otherwise provided herein; obscene or indecent words or language; or false or deceptive messages, signals or identification.
 - (5) Communications, on a regular basis, which could reasonably be furnished alternatively through other radio services.
- (b) An amateur station shall not engage in any form of broadcasting, nor may an amateur station transmit one-way communications except as specifically provided in these rules; nor shall an amateur station engage in any activity related to program production or news gathering for broadcasting purposes, except that communications directly related to the immediate safety of human life or the protection of property may be provided by amateur stations to broadcasters for dissemination to the public where no other means of communication is reasonably available before or at the time of the event.
- (c) No station shall retransmit programs or signals emanating from any type of radio station other than an amateur station, except propagation and weather forecast information intended for use by the general public and originated from United States Government stations, and communications, including incidental music, originating on United States Government frequencies between a manned spacecraft and its associated Earth stations. Prior approval for manned spacecraft communications retransmissions must be obtained from the National Aeronautics and Space Administration. Such retransmissions must be for the exclusive use of amateur radio operators. Propagation, weather forecasts, and manned spacecraft communications retransmissions may not be conducted on a regular basis, but only occasionally, as an incident of normal amateur radio communications.
- (d) No amateur station, except an auxiliary, repeater, or space station, may automatically retransmit the radio signals of other amateur station.

[58 FR 43072, Aug. 13, 1993; 58 FR 47219, Sept. 8, 1993, as amended at 71 FR 25982, May 3, 2006; 71 FR 66462, Nov. 15, 2006; 75 FR 46857, Aug. 4, 2010; 79 FR 35291, June 20, 2014]

§ 97.115 Third party communications.

- (a) An amateur station may transmit messages for a third party to:
 - (1) Any station within the jurisdiction of the United States.
 - (2) Any station within the jurisdiction of any foreign government when transmitting emergency or disaster relief communications and any station within the jurisdiction of any foreign government whose administration has made arrangements with the United States to allow amateur stations to be used for transmitting international communications on behalf of third parties. No station shall transmit messages for a third party to any station within the jurisdiction of any foreign government whose administration has not made such an arrangement. This prohibition does not apply to a message for any third party who is eligible to be a control operator of the station.
- (b) The third party may participate in stating the message where:
 - (1) The control operator is present at the control point and is continuously monitoring and supervising the third party's participation; and
 - (2) The third party is not a prior amateur service licensee whose license was revoked or not renewed after hearing and re-licensing has not taken place; suspended for less than the balance of the license term and the suspension is still in effect; suspended for the balance of the license term and re-licensing has not taken place; or surrendered for cancellation following notice of revocation, suspension or monetary forfeiture proceedings. The third party may not be the subject of a cease and desist order which relates to amateur service operation and which is still in effect.
- (c) No station may transmit third party communications while being automatically controlled except a station transmitting a RTTY or data emission.
- (d) At the end of an exchange of international third party communications, the station must also transmit in the station identification procedure the call sign of the station with which a third party message was exchanged.

[54 FR 25857, June 20, 1989; 54 FR 39535, Sept. 27, 1989, as amended at 71 FR 25982, May 3, 2006; 71 FR 66462, Nov. 15, 2006]

§ 97.117 International communications.

Transmissions to a different country, where permitted, shall be limited to communications incidental to the purposes of the amateur service and to remarks of a personal character.

[71 FR 25982, May 3, 2006]

§ 97.119 Station identification.

- (a) Each amateur station, except a space station or telecommand station, must transmit its assigned call sign on its transmitting channel at the end of each communication, and at least every 10 minutes during a communication, for the purpose of clearly making the source of the transmissions from the station known to those receiving the transmissions. No station may transmit unidentified communications or signals, or transmit as the station call sign, any call sign not authorized to the station.
- (b) The call sign must be transmitted with an emission authorized for the transmitting channel in one of the following ways:
 - (1) By a CW emission. When keyed by an automatic device used only for identification, the speed must not exceed 20 words per minute;
 - (2) By a phone emission in the English language. Use of a [phonetic alphabet](#) as an aid for correct station identification is encouraged;
 - (3) By a RTTY emission using a specified digital code when all or part of the communications are transmitted by a RTTY or data emission;
 - (4) By an image emission conforming to the applicable transmission standards, either color or monochrome, of § 73.682(a) of the FCC Rules when all or part of the communications are transmitted in the same image emission
- (c) One or more indicators may be included with the call sign. Each indicator must be separated from the call sign by the slant mark (/) or by any suitable word that denotes the slant mark. If an indicator is self-assigned, it must be included before, after, or both before and after, the call sign. No self-assigned indicator may conflict with any other indicator specified by the FCC Rules or with any prefix assigned to another country.
- (d) When transmitting in conjunction with an event of special significance, a station may substitute for its assigned call sign a special event call sign as shown for that station for that period of time on the common data base coordinated, maintained and disseminated by the special event call sign data base coordinators. Additionally, the station must transmit its assigned call sign at least once per hour during such transmissions.
- (e) When the operator license class held by the control operator exceeds that of the station licensee, an indicator consisting of the call sign assigned to the control operator's station must be included after the call sign.
- (f) When the control operator is a person who is exercising the rights and privileges authorized by § 97.9(b) of this part, an indicator must be included after the call sign as follows:
 - (1) For a control operator who has requested a license modification from Novice Class to Technical Class: KT;

- (2) For a control operator who has requested a license modification from Novice or Technician to General Class: AG;
 - (3) For a control operator who has requested a license modification from Novice, Technician, General, or Advanced Class to Amateur Extra Class: AE.
- (g) When the station is transmitting under the authority of § 97.107 of this part, an indicator consisting of the appropriate letter-numeral designating the station location must be included before the call sign that was issued to the station by the country granting the license. For an amateur service license granted by the Government of Canada, however, the indicator must be included after the call sign. At least once during each intercommunication, the identification announcement must include the geographical location as nearly as possible by city and state, commonwealth or possession.

[54 FR 25857, June 20, 1989, as amended at 54 FR 39535, Sept. 27, 1989; 55 FR 30457, July 26, 1990; 56 FR 28, Jan. 2, 1991; 62 FR 17567, Apr. 10, 1997; 63 FR 68980, Dec. 14, 1998; 64 FR 51471, Sept. 23, 1999; 66 FR 20752, Apr. 25, 2001; 75 FR 78171, Dec. 15, 2010]

§ 97.121 Restricted operation.

- (a) If the operation of an amateur station causes general interference to the reception of transmissions from stations operating in the domestic broadcast service when receivers of good engineering design, including adequate selectivity characteristics, are used to receive such transmissions, and this fact is made known to the amateur station licensee, the amateur station shall not be operated during the hours from 8 p.m. to 10:30 p.m., local time, and on Sunday for the additional period from 10:30 a.m. until 1 p.m., local time, upon the frequency or frequencies used when the interference is created.
- (b) In general, such steps as may be necessary to minimize interference to stations operating in other services may be required after investigation by the FCC.

Subpart C—Special Operations

§ 97.201 Auxiliary station.

- (a) Any amateur station licensed to a holder of a Technician, General, Advanced or Amateur Extra Class operator license may be an auxiliary station. A holder of a Technician, General, Advanced or Amateur Extra Class operator license may be the control operator of an auxiliary station, subject to the privileges of the class of operator license held.
- (b) An auxiliary station may transmit only on the 2 m and shorter wavelength bands, except the 144.0–144.5 MHz, 145.8–146.0 MHz, 219–220 MHz, 222.00–222.15 MHz, 431–433 MHz, and 435–438 MHz segments.

- (c) Where an auxiliary station causes harmful interference to another auxiliary station, the licensees are equally and fully responsible for resolving the interference unless one station's operation is recommended by a frequency coordinator and the other station's is not. In that case, the licensee of the non-coordinated auxiliary station has primary responsibility to resolve the interference.
- (d) An auxiliary station may be automatically controlled.
- (e) An auxiliary station may transmit one-way communications.

[54 FR 25857, June 20, 1989, as amended at 56 FR 56171, Nov. 1, 1991; 60 FR 15687, Mar. 27, 1995; 63 FR 68980, Dec. 14, 1998; 71 FR 66462, Nov. 15, 2006; 75 FR 78171, Dec. 15, 2010]

§ 97.203 Beacon station.

- (a) Any amateur station licensed to a holder of a Technician, General, Advanced or Amateur Extra Class operator license may be a beacon. A holder of a Technician, General, Advanced or Amateur Extra Class operator license may be the control operator of a beacon, subject to the privileges of the class of operator license held.
- (b) A beacon must not concurrently transmit on more than 1 channel in the same amateur service frequency band, from the same station location.
- (c) The transmitter power of a beacon must not exceed 100 W.
- (d) A beacon may be automatically controlled while it is transmitting on the 28.20–28.30 MHz, 50.06–50.08 MHz, 144.275–144.300 MHz, 222.05–222.06 MHz or 432.300–432.400 MHz segments, or on the 33 cm and shorter wavelength bands.
- (e) Before establishing an automatically controlled beacon in the National Radio Quiet Zone or before changing the transmitting frequency, transmitter power, antenna height or directivity, the station licensee must give written notification thereof to the Interference Office, National Radio Astronomy Observatory, P.O. Box 2, Green Bank, WV 24944.
 - (1) The notification must include the geographical coordinates of the antenna, antenna ground elevation above mean sea level (AMSL), antenna center of radiation above ground level (AGL), antenna directivity, proposed frequency, type of emission, and transmitter power.
 - (2) If an objection to the proposed operation is received by the FCC from the National Radio Astronomy Observatory at Green Bank, Pocahontas County, WV, for itself or on behalf of the Naval Research Laboratory at Sugar Grove, Pendleton County, WV, within 20 days from the date of notification, the FCC will consider all aspects of the problem and take whatever action is deemed appropriate.

- (f) A beacon must cease transmissions upon notification by a Regional Director that the station is operating improperly or causing undue interference to other operations. The beacon may not resume transmitting without prior approval of the Regional Director.

- (g) A beacon may transmit one-way communications.

[54 FR 25857, June 20, 1989, as amended at 55 FR 9323, Mar. 13, 1990; 56 FR 19610, Apr. 29, 1991; 56 FR 32517, July 17, 1991; 62 FR 55536, Oct. 27, 1997; 63 FR 41204, Aug. 3, 1998; 63 FR 68980, Dec. 14, 1998; 69 FR 24997, May 5, 2004; 71 FR 66462, Nov. 15, 2006; 75 FR 78171, Dec. 15, 2010; 80 FR 53753, Sept. 8, 2015]

§ 97.205 Repeater station.

- (a) Any amateur station licensed to a holder of a Technician, General, Advanced or Amateur Extra Class operator license may be a repeater. A holder of a Technician, General, Advanced or Amateur Extra Class operator license may be the control operator of a repeater, subject to the privileges of the class of operator license held.
- (b) A repeater may receive and retransmit only on the 10 m and shorter wavelength frequency bands except the 28.0–29.5 MHz, 50.0–51.0 MHz, 144.0–144.5 MHz, 145.5–146.0 MHz, 222.00–222.15 MHz, 431.0–433.0 Mhz, and 435.0–438.0 Mhz segments.
- (c) Where the transmissions of a repeater cause harmful interference to another repeater, the two station licensees are equally and fully responsible for resolving the interference unless the operation of one station is recommended by a frequency coordinator and the operation of the other station is not. In that case, the licensee of the non-coordinated repeater has primary responsibility to resolve the interference.
- (d) A repeater may be automatically controlled.
- (e) Ancillary functions of a repeater that are available to users on the input channel are not considered remotely controlled functions of the station. Limiting the use of a repeater to only certain user stations is permissible.
- (f) [Reserved]
- (g) The control operator of a repeater that retransmits inadvertently communications that violate the rules in this part is not accountable for the violative communications.
- (h) The provisions of this paragraph do not apply to repeaters that transmit on the 1.2 cm or shorter wavelength bands. Before establishing a repeater within 16 km (10 miles) of the Arecibo Observatory or before changing the transmitting frequency, transmitter power, antenna height or directivity of an existing repeater, the station licensee must give written notification thereof to the Interference Office, Arecibo Observatory, HC3 Box 53995, Arecibo, Puerto Rico 00612, in writing or electronically, of the technical

parameters of the proposal. Licensees who choose to transmit information electronically should e-mail to: prcz@naic.edu.

- (1) The notification shall state the geographical coordinates of the antenna (NAD-83 datum), antenna height above mean sea level (AMSL), antenna center of radiation above ground level (AGL), antenna directivity and gain, proposed frequency and FCC Rule Part, type of emission, effective radiated power, and whether the proposed use is itinerant. Licensees may wish to consult interference guidelines provided by Cornell University.
- (2) If an objection to the proposed operation is received by the FCC from the Arecibo Observatory, Arecibo, Puerto Rico, within 20 days from the date of notification, the FCC will consider all aspects of the problem and take whatever action is deemed appropriate. The licensee will be required to make reasonable efforts in order to resolve or mitigate any potential interference problem with the Arecibo Observatory.

[54 FR 25857, June 20, 1989, as amended at 55 FR 4613, Feb. 9, 1990; 56 FR 32517, July 17, 1991; 58 FR 64385, Dec. 7, 1993; 59 FR 18975, Apr. 21, 1994; 62 FR 55536, Oct. 27, 1997; 63 FR 41205, Aug. 3, 1998; 63 FR 68980, Dec. 14, 1998; 69 FR 24997, May 5, 2004; 70 FR 31374, June 1, 2005]

§ 97.207 Space station.

- (a) Any amateur station may be a space station. A holder of any class operator license may be the control operator of a space station, subject to the privileges of the class of operator license held by the control operator.
- (b) A space station must be capable of effecting a cessation of transmissions by telecommand whenever such cessation is ordered by the FCC.
- (c) The following frequency bands and segments are authorized to space stations:
 - (1) The 17 m, 15 m, 12 m, and 10 m bands, 6 mm, 4 mm, 2 mm and 1 mm bands; and
 - (2) The 7.0–7.1 MHz, 14.00–14.25 MHz, 144–146 MHz, 435–438 MHz, 2400–2450 MHz, 5.83–5.85 GHz, 10.45–10.50 GHz, and 24.00–24.05 GHz segments.
- (d) A space station may automatically retransmit the radio signals of Earth stations and other space stations.
- (e) A space station may transmit one-way communications.
- (f) Space telemetry transmissions may consist of specially coded messages intended to facilitate communications or related to the function of the spacecraft.
- (g) The license grantee of each space station must make the following written notifications to the International Bureau, FCC, Washington, DC 20554.

- (1) A pre-space notification within 30 days after the date of launch vehicle determination, but no later than 90 days before integration of the space station into the launch vehicle. The notification must be in accordance with the provisions of Articles 9 and 11 of the International Telecommunication Union (ITU) Radio Regulations and must specify the information required by Appendix 4 and Resolution No. 642 of the ITU Radio Regulations. The notification must also include a description of the design and operational strategies that the space station will use to mitigate orbital debris, including the following information:
 - (i) A statement that the space station operator has assessed and limited the amount of debris released in a planned manner during normal operations. Where applicable, this statement must include an orbital debris mitigation disclosure for any separate deployment devices, distinct from the space station launch vehicle, that may become a source of orbital debris;
 - (ii) A statement indicating whether the space station operator has assessed and limited the probability that the space station(s) will become a source of debris by collision with small debris or meteoroids that would cause loss of control and prevent disposal. The statement must indicate whether this probability for an individual space station is 0.01 (1 in 100) or less, as calculated using the NASA Debris Assessment Software or a higher fidelity assessment tool;
 - (iii) A statement that the space station operator has assessed and limited the probability, during and after completion of mission operations, of accidental explosions or of release of liquids that will persist in droplet form. This statement must include a demonstration that debris generation will not result from the conversion of energy sources on board the spacecraft into energy that fragments the spacecraft. Energy sources include chemical, pressure, and kinetic energy. This demonstration should address whether stored energy will be removed at the spacecraft's end of life, by depleting residual fuel and leaving all fuel line valves open, venting any pressurized system, leaving all batteries in a permanent discharge state, and removing any remaining source of stored energy, or through other equivalent procedures specifically disclosed in the application;
 - (iv) A statement that the space station operator has assessed and limited the probability of the space station(s) becoming a source of debris by collisions with large debris or other operational space stations.

Check formatting of the next section. It appears to be a continuation of (iv)

- (A) Where the application is for an NGSO space station or system, the following information must also be included:
- (1) A demonstration that the space station operator has assessed and limited the probability of collision between any space station of the system and other large objects (10 cm or

larger in diameter) during the total orbital lifetime of the space station, including any de-orbit phases, to less than 0.001 (1 in 1,000). The probability shall be calculated using the NASA Debris Assessment Software or a higher fidelity assessment tool. The collision risk may be assumed zero for a space station during any period in which the space station will be maneuvered effectively to avoid colliding with large objects.

- (2) The statement must identify characteristics of the space station(s)' orbits that may present a collision risk, including any planned and/or operational space stations in those orbits, and indicate what steps, if any, have been taken to coordinate with the other spacecraft or system, or what other measures the operator plans to use to avoid collision.
 - (3) If at any time during the space station(s)' mission or de-orbit phase the space station(s) will transit through the orbits used by any habitable spacecraft, including the International Space Station, the statement must describe the design and operational strategies, if any, that will be used to minimize the risk of collision and avoid posing any operational constraints to the habitable spacecraft.
 - (4) The statement must disclose the accuracy, if any, with which orbital parameters will be maintained, including apogee, perigee, inclination, and the right ascension of the ascending node(s). In the event that a system is not be maintained to specific orbital tolerances, e.g., its propulsion system will not be used for orbital maintenance, that fact should be included in the debris mitigation disclosure. Such systems must also indicate the anticipated evolution over time of the orbit of the proposed satellite or satellites. All systems must describe the extent of satellite maneuverability, whether or not the space station design includes a propulsion system.
 - (5) The space station operator must certify that upon receipt of a space situational awareness conjunction warning, the operator will review and take all possible steps to assess the collision risk, and will mitigate the collision risk if necessary. As appropriate, steps to assess and mitigate the collision risk should include, but are not limited to: Contacting the operator of any active spacecraft involved in such a warning; sharing ephemeris data and other appropriate operational information with any such operator; and modifying space station attitude and/or operations.
- (B) Where a space station requests the assignment of a geostationary orbit location, it must assess whether there are any known satellites located at, or reasonably expected to be located at, the requested orbital location, or assigned in the vicinity of that location, such that the station keeping volumes of the respective satellites might overlap or touch. If so, the statement must include a statement as to the identities of those parties and the measures that will be taken to prevent collisions.
- (v) A statement addressing the trackability of the space station(s). Space station(s) operating in low-Earth orbit will be presumed trackable if each individual space station is 10 cm or larger in its smallest dimension, exclusive of deployable components. Where the

application is for an NGSO space station or system, the statement shall also disclose the following:

- (A) How the operator plans to identify the space station(s) following deployment and whether space station tracking will be active or passive;
 - (B) Whether, prior to deployment, the space station(s) will be registered with the 18th Space Control Squadron or successor entity; and
 - (C) The extent to which the space station operator plans to share information regarding initial deployment, ephemeris, and/or planned maneuvers with the 18th Space Control Squadron or successor entity, other entities that engage in space situational awareness or space traffic management functions, and/or other operators.
- (vi) A statement disclosing planned proximity operations, if any, and addressing debris generation that will or may result from the proposed operations, including any planned release of debris, the risk of accidental explosions, the risk of accidental collision, and measures taken to mitigate those risks.
 - (vii) A statement detailing the disposal plans for the space station, including the quantity of fuel—if any—that will be reserved for disposal maneuvers. In addition, the following specific provisions apply:
 - (A) For geostationary orbit space stations, the statement must disclose the altitude selected for a disposal orbit and the calculations that are used in deriving the disposal altitude.
 - (B) For space stations terminating operations in an orbit in or passing through the low-Earth orbit region below 2,000 km altitude, the statement must disclose whether the spacecraft will be disposed of either through atmospheric re-entry, specifying if direct retrieval of the spacecraft will be used. The statement must also disclose the expected time in orbit for the space station following the completion of the mission.
 - (C) For space stations not covered by either paragraph (g)(1)(vii)(A) or (B) of this section, the statement must indicate whether disposal will involve use of a storage orbit or long-term atmospheric re-entry and rationale for the selected disposal plan.
 - (D) For all NGSO space stations under paragraph (g)(1)(vii)(B) or (C) of this section, the following additional specific provisions apply:
 - (1) The statement must include a demonstration that the probability of success of the chosen disposal method will be 0.9 or greater for any individual space station. For space station systems consisting of multiple space stations, the demonstration should include additional information regarding efforts to achieve a higher probability of success, with a goal, for large systems, of a probability of success for any individual space station of 0.99 or better. For space stations under paragraph (g)(1)(vii)(B) of this section that will be terminating operations in or passing through low-Earth orbit, successful disposal is

defined as atmospheric re-entry of the spacecraft within 25 years or less following completion of the mission. For space stations under paragraph (g)(1)(vii)(C) of this section, successful disposal will be assessed on a case-by-case basis.

- (2) If planned disposal is by atmospheric re-entry, the statement must also include:
 - (i) A disclosure indicating whether the atmospheric re-entry will be an uncontrolled re-entry or a controlled targeted reentry.
 - (ii) An assessment as to whether portions of any individual spacecraft will survive atmospheric re-entry and impact the surface of the Earth with a kinetic energy in excess of 15 joules, and demonstration that the calculated casualty risk for an individual spacecraft using the NASA Debris Assessment Software or a higher fidelity assessment tool is less than 0.0001 (1 in 10,000).
 - (iii) If any material item described in this notification changes before launch, a replacement pre-space notification shall be filed with the International Bureau no later than 90 days before integration of the space station into the launch vehicle.
- (2) An in-space station notification is required no later than 7 days following initiation of space station transmissions. This notification must update the information contained in the pre-space notification.
- (3) A post-space station notification is required no later than 3 months after termination of the space station transmissions. When termination of transmissions is ordered by the FCC, the notification is required no later than 24 hours after termination of transmissions.

[54 FR 25857, June 20, 1989, as amended at 54 FR 39535, Sept. 27, 1989; 56 FR 56171, Nov. 1, 1991; 57 FR 32736, July 23, 1992; 60 FR 50124, Sept. 28, 1995; 63 FR 68980, Dec. 14, 1998; 69 FR 54588, Sept. 9, 2004; 71 FR 66462, Nov. 15, 2006; 75 FR 27201, May 14, 2010; 85 FR 52453, Aug. 25, 2020; 85 FR 64068, Oct. 9, 2020]

§ 97.209 Earth station.

- (a) Any amateur station may be an Earth station. A holder of any class operator license may be the control operator of an Earth station, subject to the privileges of the class of operator license held by the control operator.
- (b) The following frequency bands and segments are authorized to Earth stations:
 - (1) The 17 m, 15 m, 12 m, and 10 m bands, 6 mm, 4 mm, 2 mm and 1 mm bands; and
 - (2) The 7.0–7.1 MHz, 14.00–14.25 MHz, 144–146 MHz, 435–438 MHz, 1260–1270 MHz and 2400–2450 MHz, 5.65–5.67 GHz, 10.45–10.50 GHz and 24.00–24.05 GHz segments.

[54 FR 25857, June 20, 1989, as amended at 54 FR 39535, Sept. 27, 1989; 85 FR 64068, Oct. 9, 2020; 85 FR 69515, Nov. 3, 2020]

§ 97.211 Space telecommand station.

- (a) Any amateur station designated by the licensee of a space station is eligible to transmit as a telecommand station for that space station, subject to the privileges of the class of operator license held by the control operator.
- (b) A telecommand station may transmit special codes intended to obscure the meaning of telecommand messages to the station in space operation.
- (c) The following frequency bands and segments are authorized to telecommand stations:
 - (1) The 17 m, 15 m, 12 m and 10 m bands, 6 mm, 4 mm, 2 mm and 1 mm bands; and
 - (2) The 7.0–7.1 MHz, 14.00–14.25 MHz, 144–146 MHz, 435–438 MHz, 1260–1270 MHz and 2400–2450 MHz, 5.65–5.67 GHz, 10.45–10.50 GHz and 24.00–24.05 GHz segments.
- (d) A telecommand station may transmit one-way communications.

[54 FR 25857, June 20, 1989, as amended at 54 FR 39535, Sept. 27, 1989; 56 FR 56171, Nov. 1, 1991; 85 FR 64068, Oct. 9, 2020]

§ 97.213 Telecommand of an amateur station.

An amateur station on or within 50 km of the Earth's surface may be under telecommand where:

- (a) There is a radio or wireline control link between the control point and the station sufficient for the control operator to perform his/her duties. If radio, the control link must use an auxiliary station. A control link using a fiber optic cable or another telecommunication service is considered wireline.
- (b) Provisions are incorporated to limit transmission by the station to a period of no more than 3 minutes in the event of malfunction in the control link.
- (c) The station is protected against making, willfully or negligently, unauthorized transmissions.
- (d) A photocopy of the station license and a label with the name, address, and telephone number of the station licensee and at least one designated control operator is posted in a conspicuous place at the station location.

[54 FR 25857, June 20, 1989, as amended at 56 FR 56171, Nov. 1, 1991]

§ 97.215 Telecommand of model craft.

An amateur station transmitting signals to control a model craft may be operated as follows:

- (a) The station identification procedure is not required for transmissions directed only to the model craft, provided that a label indicating the station call sign and the station licensee's name and address is affixed to the station transmitter.
- (b) The control signals are not considered codes or ciphers intended to obscure the meaning of the communication.
- (c) The transmitter power must not exceed 1 W.

[54 FR 25857, June 20, 1989, as amended at 56 FR 56171, Nov. 1, 1991]

§ 97.217 Telemetry.

Telemetry transmitted by an amateur station on or within 50 km of the Earth's surface is not considered to be codes or ciphers intended to obscure the meaning of communications.

[56 FR 56172, Nov. 1, 1991. Redesignated at 59 FR 18975, Apr. 21, 1994]

§ 97.219 Message forwarding system.

- (a) Any amateur station may participate in a message forwarding system, subject to the privileges of the class of operator license held.
- (b) For stations participating in a message forwarding system, the control operator of the station originating a message is primarily accountable for any violation of the rules in this part contained in the message.
- (c) Except as noted in (d) of this section, for stations participating in a message forwarding system, the control operators of forwarding stations that retransmit inadvertently communications that violate the rules in this part are not accountable for the violative communications. They are, however, responsible for discontinuing such communications once they become aware of their presence.
- (d) For stations participating in a message forwarding system, the control operator of the first forwarding station must:
 - (1) Authenticate the identity of the station from which it accepts communications on behalf of the system; or
 - (2) Accept accountability for any violation of the rules in this part contained in messages it retransmits to the system.

[59 FR 18975, Apr. 21, 1994]

§ 97.221 Automatically controlled digital station.

- (a) This rule section does not apply to an auxiliary station, a beacon station, a repeater station, an earth station, a space station, or a space telecommand station.
- (b) A station may be automatically controlled while transmitting a RTTY or data emission on the 6 m or shorter wavelength bands, and on the 28.120–28.189 MHz, 24.925–24.930 MHz, 21.090–21.100 MHz, 18.105–18.110 MHz, 14.0950–14.0995 MHz, 14.1005–14.112 MHz, 10.140–10.150 MHz, 7.100–7.105 MHz, or 3.585–3.600 MHz segments.
- (c) Except for channels specified in § 97.303(h), a station may be automatically controlled while transmitting a RTTY or data emission on any other frequency authorized for such emission types provided that:
 - (1) The station is responding to interrogation by a station under local or remote control; and
 - (2) No transmission from the automatically controlled station occupies a bandwidth of more than 500 Hz.

[60 FR 26001, May 16, 1995, as amended at 72 FR 3082, Jan. 24, 2007; 77 FR 5412, Feb. 3, 2012]

Subpart D—Technical Standards

§ 97.301 Authorized frequency bands.

The following transmitting frequency bands are available to an amateur station located within 50 km of the Earth's surface, within the specified ITU Region, and outside any area where the amateur service is regulated by any authority other than the FCC.

- (a) For a station having a control operator who has been granted a Technician, General, Advanced, or Amateur Extra Class operator license or who holds a CEPT radio-amateur license or IARP of any class:

**Wavelength band ITU Region 1 ITU Region 2 ITU Region 3 Sharing requirements
see § 97.303 (paragraph)**

VHF	MHz	MHz	MHz	paragraph
6 m	50–54	50–54		(a).
2 m	144–146	144–148	144–148	(a), (k).

VHF	MHz	MHz	MHz	paragraph
1.25 m	219–220			(l).
Do	222–225			(a).

UHF	MHz	MHz	MHz	paragraph
70 cm	430–440	420–450	430–440	(a), (b), (m).
33 cm	902–928			(a), (b), (e), (n).
23 cm	1240–1300	1240–1300	1240–1300	(b), (d), (o).
13 cm	2300–2310	2300–2310	2300–2310	(d), (p).
Do	2390–2450	2390–2450	2390–2450	(d), (e), (p).

SHF	GHz	GHz	GHz	paragraph
5 cm	5.650–5.850	5.650–5.925	5.650–5.850	(a), (b), (e), (r).
3 cm	10.0–10.5	10.0–10.5	10.0–10.5	(a), (b), (k).
1.2 cm	24.00–24.25	24.00–24.25	24.00–24.25	(b), (d), (e).

EHF	GHz	GHz	GHz	paragraph
6 mm	47.0–47.2	47.0–47.2	47.0–47.2	
4 mm	76–81	76–81	76–81	(c), (f), (s).
2.5 mm	122.25–123.00	122.25–123.00	122.25–123.00	(e), (t).
2 mm	134–141	134–141	134–141	(c), (f).
1 mm	241–250	241–250	241–250	(c), (e), (f).
	Above 275	Above 275	Above 275	(f).

- (b) For a station having a control operator who has been granted an Amateur Extra Class operator license, who holds a CEPT radio amateur license, or who holds a Class 1 IARP license:

**Wavelength band ITU Region 1 ITU Region 2 ITU Region 3 Sharing requirements
see § 97.303 (paragraph)**

LF	kHz	kHz	kHz	paragraph
2200 m	135.7–137.8	135.7–137.8	135.7–137.8	(a), (g).

**Wavelength band ITU region 1 ITU region 2 ITU region 3 Sharing requirements
see § 97.303 (paragraph)**

MF	kHz	kHz	kHz	paragraph
160 m	1810–1850	1800–2000	1800–2000	(a)
630 m	472–479	472–479	472–479	(g).

HF	MHz	MHz	MHz	paragraph
80 m	3.500–3.600	3.500–3.600	3.500–3.600	(a)
75 m	3.600–3.800	3.600–4.000	3.600–3.900	(a)
60 m	See § 97.303(h)			(h)
40 m	7.000–7.200	7.000–7.300	7.000–7.200	(i)
30 m	10.100–10.150	10.100–10.150	10.100–10.150	(j)
20 m	14.000–14.350	14.000–14.350	14.000–14.350	
17 m	18.068–18.168	18.068–18.168	18.068–18.168	
15 m	21.000–21.450	21.000–21.450	21.000–21.450	
12 m	24.890–24.990	24.890–24.990	24.890–24.990	
10 m	28.000–29.700	28.000–29.700	28.000–29.700	

(c) For a station having a control operator who has been granted an operator license of Advanced Class:

**Wavelength band ITU Region 1 ITU Region 2 ITU Region 3 Sharing requirements
see § 97.303 (paragraph)**

LF	kHz	kHz	kHz	paragraph
2200 m	135.7–137.8	135.7–137.8	135.7–137.8	(a), (g).

**Wavelength band ITU region 1 ITU region 2 ITU region 3 Sharing requirements
see § 97.303 (Paragraph)**

MF	kHz	kHz	kHz	paragraph
160 m	1810–1850	1800–2000	1800–2000	(a)
630 m	472–479	472–479	472–479	(g).

HF	MHz	MHz	MHz	paragraph
80 m	3.525–3.600	3.525–3.600	3.525–3.600	(a)
75 m	3.700–3.800	3.700–4.000	3.700–3.900	(a)
60 m	See § 97.303(h)			(h)
40 m	7.025–7.200	7.025–7.300	7.025–7.200	(i)

HF	MHz	MHz	MHz	paragraph
30 m	10.100–10.150	10.100–10.150	10.100–10.150	(j)
20 m	14.025–14.150	14.025–14.150	14.025–14.150	
Do	14.175–14.350	14.175–14.350	14.175–14.350	
17 m	18.068–18.168	18.068–18.168	18.068–18.168	
15 m	21.025–21.200	21.025–21.200	21.025–21.200	
Do	21.225–21.450	21.225–21.450	21.225–21.450	
12 m	24.890–24.990	24.890–24.990	24.890–24.990	
10 m	28.000–29.700	28.000–29.700	28.000–29.700	

- (d) For a station having a control operator who has been granted an operator license of General Class:

Wavelength band ITU Region 1 ITU Region 2 ITU Region 3 Sharing requirements see § 97.303 (paragraph)

LF | kHz | kHz | kHz | paragraph |
2200 m | 135.7–137.8 | 135.7–137.8 | 135.7–137.8 | (a), (g). |

Wavelength band ITU region 1 ITU region 2 ITU region 3 Sharing requirements see § 97.303 (paragraph)

MF | kHz | kHz | kHz | paragraph |

:—|:—|:—|:—| 160 m | 1810–1850 | 1800–2000 | 1800–2000 | (a) || 630 m | 472–479
| 472–479 | 472–479 | (g). |

HF	MHz	MHz	MHz	paragraph
80 m	3.525–3.600	3.525–3.600	3.525–3.600	(a)
75 m	3.800–4.000	3.800–3.900		(a)
60 m	See § 97.303(h)			(h)
40 m	7.025–7.125	7.025–7.125	7.025–7.125	(i)
40 m	Do 7.175–7.200	7.175–7.300	7.175–7.200 (i)	
30 m	10.100–10.150	10.100–10.150	10.100–10.150	(j)
20 m	14.025–14.150	14.025–14.150	14.025–14.150	
20 m	Do 14.225–14.350	14.225–14.350	14.225–14.350	
17 m	18.068–18.168	18.068–18.168	18.068–18.168	
15 m	21.025–21.200	21.025–21.200	21.025–21.200	
15 m	Do 21.275–21.450	21.275–21.450	21.275–21.450	
12 m	24.890–24.990	24.890–24.990	24.890–24.990	
10 m	28.000–29.700	28.000–29.700	28.000–29.700	

- (e) For a station having a control operator who has been granted an operator license of Novice Class or Technician Class:

**Wavelength band ITU region 1 ITU region 2 ITU region 3 Sharing requirements
see § 97.303 (paragraph)**

HF	MHz	MHz	MHz	paragraph
80 m	3.525–3.600	3.525–3.600	3.525–3.600	(a)
40 m	7.025–7.125	7.025–7.125	7.025–7.125	(i)
15 m	21.025–21.200	21.025–21.200	21.025–21.200	
10 m	28.0–28.5	28.0–28.5	28.0–28.5	

VHF	MHz	MHz	MHz	paragraph
1.25 m	222–225			(a)

UHF	MHz	MHz	MHz	paragraph
23 cm	1270–1295	1270–1295	1270–1295	(d), (o)

[75 FR 27201, May 14, 2010, as amended at 75 FR 78171, Dec. 15, 2010; 80 FR 38911, July 7, 2015; 82 FR 27214, June 14, 2017; 85 FR 64068, Oct. 9, 2020]

§ 97.303 Frequency sharing requirements.

The following paragraphs summarize the frequency sharing requirements that apply to amateur stations transmitting in the frequency bands specified in § 97.301 of this part. Each frequency band allocated to the amateur service is designated as either a secondary service or a primary service. A station in a secondary service must not cause harmful interference to, and must accept interference from, stations in a primary service.

- (a) Where, in adjacent ITU Regions or sub-Regions, a band of frequencies is allocated to different services of the same category (i.e., primary or secondary services), the basic principle is the equality of right to operate. Accordingly, stations of each service in one Region or sub-Region must operate so as not to cause harmful interference to any service of the same or higher category in the other Regions or sub-Regions.
- (b) Amateur stations transmitting in the 70 cm band, the 33 cm band, the 23 cm band, the 5 cm band, the 3 cm band, or the 24.05–24.25 GHz segment must not cause harmful interference to, and must accept interference from, stations authorized by the United States Government in the radiolocation service.

- (c) Amateur stations transmitting in the 76–81 GHz segment, the 136–141 GHz segment, or the 241–248 GHz segment must not cause harmful interference to, and must accept interference from, stations authorized by the United States Government, the FCC, or other nations in the radiolocation service.
- (d) Amateur stations transmitting in the 430–450 MHz segment, the 23 cm band, the 3.3–3.4 GHz segment, the 5.65–5.85 GHz segment, the 13 cm band, or the 24.05–24.25 GHz segment, must not cause harmful interference to, and must accept interference from, stations authorized by other nations in the radiolocation service.
- (e) Amateur stations receiving in the 33 cm band, the 2400–2450 MHz segment, the 5.725–5.875 GHz segment, the 1.2 cm band, the 2.5 mm band, or the 244–246 GHz segment must accept interference from industrial, scientific, and medical (ISM) equipment.
- (f) Amateur stations transmitting in the following segments must not cause harmful interference to radio astronomy stations: 76–81 GHz, 136–141 GHz, 241–248 GHz, 275–323 GHz, 327–371 GHz, 388–424 GHz, 426–442 GHz, 453–510 GHz, 623–711 GHz, 795–909 GHz, or 926–945 GHz. In addition, amateur stations transmitting in the following segments must not cause harmful interference to stations in the Earth exploration-satellite service (passive) or the space research service (passive): 275–286 GHz, 296–306 GHz, 313–356 GHz, 361–365 GHz, 369–392 GHz, 397–399 GHz, 409–411 GHz, 416–434 GHz, 439–467 GHz, 477–502 GHz, 523–527 GHz, 538–581 GHz, 611–630 GHz, 634–654 GHz, 657–692 GHz, 713–718 GHz, 729–733 GHz, 750–754 GHz, 771–776 GHz, 823–846 GHz, 850–854 GHz, 857–862 GHz, 866–882 GHz, 905–928 GHz, 951–956 GHz, 968–973 GHz and 985–990 GHz.
- (g) In the 2200 m and 630 m bands:
 - (1) Amateur stations in the 135.7–137.8 kHz (2200 m) and 472–479 kHz (630 m) bands shall only operate at fixed locations. Amateur stations shall not operate within a horizontal distance of one kilometer from a transmission line that conducts a power line carrier (PLC) signal in the 135.7–137.8 kHz or 472–479 kHz bands. Horizontal distance is measured from the station's antenna to the closest point on the transmission line.
 - (2) Prior to commencement of operations in the 135.7–137.8 kHz (2200 m) and/or 472–479 kHz (630 m) bands, amateur operators shall notify the Utilities Telecom Council (UTC) of their intent to operate by submitting their call signs, intended band or bands of operation, and the coordinates of their antenna's fixed location. Amateur stations will be permitted to commence operations after the 30-day period unless UTC notifies the station that its fixed location is located within one kilometer of PLC systems operating in the same or overlapping frequencies.
 - (3) Amateur stations in the 135.7–137.8 kHz (2200 m) band shall not cause harmful interference to, and shall accept interference from:

- (i) Stations authorized by the United States Government in the fixed and maritime mobile services;
 - (ii) Stations authorized by other nations in the fixed, maritime mobile, and radionavigation service.
- (4) Amateur stations in the 472–479 kHz (630 m) band shall not cause harmful interference to, and shall accept interference from:
- (i) Stations authorized by the FCC in the maritime mobile service;
 - (ii) Stations authorized by other nations in the maritime mobile and aeronautical radionavigation services.
- (5) Amateur stations causing harmful interference shall take all necessary measures to eliminate such interference—including temporary or permanent termination of transmissions.
- (h) 60 m band:

- (1) In the 5330.5–5406.4 kHz band (60 m band), amateur stations may transmit only on the five center frequencies specified in the table below. In order to meet this requirement, control operators of stations transmitting phone, data, and RTTY emissions (emission designators 2K80J3E, 2K80J2D, and 60H0J2B, respectively) may set the carrier frequency 1.5 kHz below the center frequency as specified in the table below. For CW emissions (emission designator 150HA1A), the carrier frequency is set to the center frequency. Amateur operators shall ensure that their emissions do not occupy more than 2.8 kHz centered on each of these center frequencies.

Expand Table

60 M Band Frequencies (kHz)

Carrier	Center
5330.5	5332.0
5346.5	5348.0
5357.0	5358.5
5371.5	5373.0
5403.5	5405.0

- (2) Amateur stations transmitting on the 60 m band must not cause harmful interference to, and must accept interference from, stations authorized by:
- (i) The United States (NTIA and FCC) and other nations in the fixed service; and
 - (ii) Other nations in the mobile except aeronautical mobile service.

- (iii) Amateur stations transmitting in the 7.2–7.3 MHz segment must not cause harmful interference to, and must accept interference from, international broadcast stations whose programming is intended for use within Region 1 or Region 3.
- (j) Amateur stations transmitting in the 30 m band must not cause harmful interference to, and must accept interference from, stations by other nations in the fixed service. The licensee of the amateur station must make all necessary adjustments, including termination of transmissions, if harmful interference is caused.
- (k) For amateur stations located in ITU Regions 1 and 3: Amateur stations transmitting in the 146–148 MHz segment or the 10.00–10.45 GHz segment must not cause harmful interference to, and must accept interference from, stations of other nations in the fixed and mobile services.
- (l) In the 219–220 MHz segment:
 - (1) Use is restricted to amateur stations participating as forwarding stations in fixed point-to-point digital message forwarding systems, including intercity packet backbone networks. It is not available for other purposes.
 - (2) Amateur stations must not cause harmful interference to, and must accept interference from, stations authorized by:
 - (i) The FCC in the Automated Maritime Telecommunications System (AMTS), the 218–219 MHz Service, and the 220 MHz Service, and television stations broadcasting on channels 11 and 13; and
 - (ii) Other nations in the fixed and maritime mobile services.
 - (3) No amateur station may transmit unless the licensee has given written notification of the station's specific geographic location for such transmissions in order to be incorporated into a database that has been made available to the public. The notification must be given at least 30 days prior to making such transmissions. The notification must be given to: The American Radio Relay League, Inc., 225 Main Street, Newington, CT 06111–1494.
 - (4) No amateur station may transmit from a location that is within 640 km of an AMTS coast station that operates in the 217–218 MHz and 219–220 MHz bands unless the amateur station licensee has given written notification of the station's specific geographic location for such transmissions to the AMTS licensee. The notification must be given at least 30 days prior to making such transmissions. The location of AMTS coast stations using the 217–218/219–220 MHz channels may be obtained as noted in paragraph (l)(3) of this section.

(5) No amateur station may transmit from a location that is within 80 km of an AMTS coast station that uses frequencies in the 217–218 MHz and 219–220 MHz bands unless that amateur station licensee holds written approval from that AMTS licensee. The location of AMTS coast stations using the 217–218/219–220 MHz channels may be obtained as noted in paragraph (l)(3) of this section.

(m) In the 70 cm band:

- (1) No amateur station shall transmit from north of Line A in the 420–430 MHz segment. See § 97.3(a) for the definition of Line A.
- (2) Amateur stations transmitting in the 420–430 MHz segment must not cause harmful interference to, and must accept interference from, stations authorized by the FCC in the land mobile service within 80.5 km of Buffalo, Cleveland, and Detroit. See § 2.106, footnote US230 for specific frequencies and coordinates.
- (3) Amateur stations transmitting in the 420–430 MHz segment or the 440–450 MHz segment must not cause harmful interference to, and must accept interference from, stations authorized by other nations in the fixed and mobile except aeronautical mobile services.

(n) In the 33 cm band:

- (1) Amateur stations must not cause harmful interference to, and must accept interference from, stations authorized by:
 - (i) The United States Government;
 - (ii) The FCC in the Location and Monitoring Service; and
 - (iii) Other nations in the fixed service.
 - (2) No amateur station shall transmit from those portions of Texas and New Mexico that are bounded by latitudes 31°41' and 34°30' North and longitudes 104°11' and 107°30' West; or from outside of the United States and its Region 2 insular areas.
 - (3) No amateur station shall transmit from those portions of Colorado and Wyoming that are bounded by latitudes 39° and 42° North and longitudes 103° and 108° West in the following segments: 902.4–902.6 MHz, 904.3–904.7 MHz, 925.3–925.7 MHz, and 927.3–927.7 MHz.
- (o) Amateur stations transmitting in the 23 cm band must not cause harmful interference to, and must accept interference from, stations authorized by:
- (1) The United States Government in the aeronautical radionavigation, Earth exploration-satellite (active), or space research (active) services;
 - (2) The FCC in the aeronautical radionavigation service; and

(3) Other nations in the Earth exploration-satellite (active), radionavigation-satellite (space-to-Earth) (space-to-space), or space research (active) services.

(p) In the 13 cm band:

- (1) Amateur stations must not cause harmful interference to, and must accept interference from, stations authorized by other nations in fixed and mobile services.
- (2) Amateur stations transmitting in the 2305–2310 MHz segment must not cause harmful interference to, and must accept interference from, stations authorized by the FCC in the fixed, mobile except aeronautical mobile, and radiolocation services.

(q) [Reserved]

(r) In the 5 cm band:

- (1) Amateur stations transmitting in the 5.650–5.725 GHz segment must not cause harmful interference to, and must accept interference from, stations authorized by other nations in the mobile except aeronautical mobile service.
- (2) Amateur stations transmitting in the 5.850–5.925 GHz segment must not cause harmful interference to, and must accept interference from, stations authorized by the FCC and other nations in the fixed-satellite (Earth-to-space) and mobile services and also stations authorized by other nations in the fixed service. In the United States, the use of mobile service is restricted to Dedicated Short Range Communications operating in the Intelligent Transportation System.

(s) [Reserved]

- (t) Amateur stations transmitting in the 2.5 mm band must not cause harmful interference to, and must accept interference from, stations authorized by the United States Government, the FCC, or other nations in the fixed, inter-satellite, or mobile services.

Note to § 97.303: The Table of Frequency Allocations contains the complete, unabridged, and legally binding frequency sharing requirements that pertain to the Amateur Radio Service. See 47 CFR 2.104, 2.105, and 2.106. The United States, Puerto Rico, and the U.S. Virgin Islands are in Region 2 and other U.S. insular areas are in either Region 2 or 3; see appendix 1 to part 97.

[75 FR 27203, May 14, 2010, as amended at 77 FR 5412, Feb. 3, 2012; 80 FR 38912, July 7, 2015; 82 FR 27215, June 14, 2017; 82 FR 43872, Sept. 20, 2017; 85 FR 64068, Oct. 9, 2020]

§ 97.305 Authorized emission types.

- (a) Except as specified elsewhere in this part, an amateur station may transmit a CW emission on any frequency authorized to the control operator.
- (b) A station may transmit a test emission on any frequency authorized to the control operator for brief periods for experimental purposes, except that no pulse modulation emission may be transmitted on any frequency where pulse is not specifically authorized and no SS modulation emission may be transmitted on any frequency where SS is not specifically authorized.
- (c) A station may transmit the following emission types on the frequencies indicated, as authorized to the control operator, subject to the standards specified in § 97.307(f) of this part.

Wavelength band	Frequencies	Emission types	authorized Standards see § 97.307(f), paragraph:
LF:			
2200 m	Entire band	RTTY, data	(3).
2200 m	Entire band	Phone, image	(1), (2).
MF:			
160 m	Entire band	RTTY, data	(3).
160 m	Entire band	Phone, image	(1), (2).
630 m	Entire band	RTTY, data	(3).
630 m	Entire band	Phone, image	(1), (2).
HF:			
80 m	Entire band	RTTY, data	(3), (9).
75 m	Entire band	Phone, image	(1), (2).
60 m	5.332, 5.348, 5.3585, 5.373 and 5.405 MHz	Phone, RTTY, data	(14).
40 m	7.000–7.100 MHz	RTTY, data	(3), (9)
40 m	7.075–7.100 MHz	Phone, image	(1), (2), (9), (11)
40 m	7.100–7.125 MHz	RTTY, data	(3), (9)
40 m	7.125–7.300 MHz	Phone, image	(1), (2)
30 m	Entire band	RTTY, data	(3).
20 m	14.00–14.15 MHz	RTTY, data	(3).
20 m	14.15–14.35 MHz	Phone, image	(1), (2).
17 m	18.068–18.110 MHz	RTTY, data	(3).
17 m	18.110–18.168 MHz	Phone, image	(1), (2).
15 m	21.0–21.2 MHz	RTTY, data	(3), (9).
15 m	21.20–21.45 MHz	Phone, image	(1), (2).
12 m	24.89–24.93 MHz	RTTY, data	(3).

Wavelength band	Frequencies	Emission types	authorized Standards see § 97.307(f), paragraph:
12 m	24.93–24.99 MHz	Phone, image	(1), (2).
10 m	28.0–28.3 MHz	RTTY, data	(4).
10 m	28.3–28.5 MHz	Phone, image	(1), (2), (10).
10 m	28.5–29.0 MHz	Phone, image	(1), (2).
10 m	29.0–29.7 MHz	Phone, image	(2).
VHF:			
6 m	50.1–51.0 MHz	MCW, phone, image, RTTY, data	(2), (5).
6 m	51.0–54.0 MHz	MCW, phone, image, RTTY, data, test	(2), (5), (8).
2 m	144.1–148.0 MHz	MCW, phone, image, RTTY, data, test	(2), (5), (8).
1.25 m	219–220 MHz	Data	(13)
1.25 m	222–225 MHz	RTTY, data, test MCW, phone, SS, image	(2), (6), (8)
UHF:			
70 cm	Entire band	MCW, phone, image, RTTY, data, SS, test	(6), (8).
33 cm	Entire band	MCW, phone, image, RTTY, data, SS, test, pulse	(7), (8), and (12).
23 cm	Entire band	MCW, phone, image, RTTY, data, SS, test	(7), (8), and (12).
13 cm	Entire band	MCW, phone, image, RTTY, data, SS, test, pulse	(7), (8), and (12).
SHF:			
5 cm	Entire band	MCW, phone, image, RTTY, data, SS, test, pulse	(7), (8), and (12).
3 cm	Entire band	MCW, phone, image, RTTY, data, SS, test	(7), (8), and (12).
1.2 cm	Entire band	MCW, phone, image, RTTY, data, SS, test, pulse	(7), (8), and (12).
EHF:			

Wavelength band	Frequencies	Emission types	authorized Standards see § 97.307(f), paragraph:
6 mm	Entire band	MCW, phone, image, RTTY, data, SS, test, pulse	(7), (8), and (12).
4 mm	Entire band	MCW, phone, image, RTTY, data, SS, test, pulse	(7), (8), and (12).
2.5 mm	Entire band	MCW, phone, image, RTTY, data, SS, test, pulse	(7), (8), and (12).
2 mm	Entire band	MCW, phone, image, RTTY, data, SS, test, pulse	(7), (8), and (12).
1 mm	Entire band	MCW, phone, image, RTTY, data, SS, test, pulse	(7), (8), and (12).
Above 275 GHz		MCW, phone, image, RTTY, data, SS, test, pulse	(7), (8), and (12).

[54 FR 25857, June 20, 1989; 54 FR 39536, Sept. 27, 1989; 55 FR 22013, May 30, 1990, as amended at 55 FR 30457, July 26, 1990; 60 FR 15688, Mar. 27, 1995; 64 FR 51471, Sept. 23, 1999; 71 FR 66465, Nov. 15, 2006; 75 FR 27204, May 14, 2010; 77 FR 5412, Feb. 3, 2012; 82 FR 27215, June 14, 2017; 85 FR 64069, Oct. 9, 2020]

§ 97.307 Emission standards.

- (a) No amateur station transmission shall occupy more bandwidth than necessary for the information rate and emission type being transmitted, in accordance with good amateur practice.
- (b) Emissions resulting from modulation must be confined to the band or segment available to the control operator. Emissions outside the necessary bandwidth must not cause splatter or keyclick interference to operations on adjacent frequencies.
- (c) All spurious emissions from a station transmitter must be reduced to the greatest extent practicable. If any spurious emission, including chassis or power line radiation, causes harmful interference to the reception of another radio station, the licensee of the interfering amateur station is required to take steps to eliminate the interference, in accordance with good engineering practice.

- (d) For transmitters installed after January 1, 2003, the mean power of any spurious emission from a station transmitter or external RF power amplifier transmitting on a frequency below 30 MHz must be at least 43 dB below the mean power of the fundamental emission. For transmitters installed on or before January 1, 2003, the mean power of any spurious emission from a station transmitter or external RF power amplifier transmitting on a frequency below 30 MHz must not exceed 50 mW and must be at least 40 dB below the mean power of the fundamental emission. For a transmitter of mean power less than 5 W installed on or before January 1, 2003, the attenuation must be at least 30 dB. A transmitter built before April 15, 1977, or first marketed before January 1, 1978, is exempt from this requirement.
- (e) The mean power of any spurious emission from a station transmitter or external RF power amplifier transmitting on a frequency between 30–225 MHz must be at least 60 dB below the mean power of the fundamental. For a transmitter having a mean power of 25 W or less, the mean power of any spurious emission supplied to the antenna transmission line must not exceed 25 μ W and must be at least 40 dB below the mean power of the fundamental emission, but need not be reduced below the power of 10 μ W. A transmitter built before April 15, 1977, or first marketed before January 1, 1978, is exempt from this requirement.
- (f) The following standards and limitations apply to transmissions on the frequencies specified in § 97.305(c) of this part.
- (1) No angle-modulated emission may have a modulation index greater than 1 at the highest modulation frequency.
 - (2) No non-phone emission shall exceed the bandwidth of a communications quality phone emission of the same modulation type. The total bandwidth of an independent sideband emission (having B as the first symbol), or a multiplexed image and phone emission, shall not exceed that of a communications quality A3E emission.
 - (3) Only a RTTY or data emission using a specified digital code listed in § 97.309(a) of this part may be transmitted. The symbol rate must not exceed 300 bauds, or for frequency-shift keying, the frequency shift between mark and space must not exceed 1 kHz.
 - (4) Only a RTTY or data emission using a specified digital code listed in § 97.309(a) of this part may be transmitted. The symbol rate must not exceed 1200 bauds, or for frequency-shift keying, the frequency shift between mark and space must not exceed 1 kHz.
 - (5) A RTTY, data or multiplexed emission using a specified digital code listed in § 97.309(a) of this part may be transmitted. The symbol rate must not exceed 19.6 kilobauds. A RTTY, data or multiplexed emission using an unspecified digital code under the limitations listed in § 97.309(b) of this part also may be transmitted. The authorized bandwidth is 20 kHz.

- (6) A RTTY, data or multiplexed emission using a specified digital code listed in § 97.309(a) of this part may be transmitted. The symbol rate must not exceed 56 kilobauds. A RTTY, data or multiplexed emission using an unspecified digital code under the limitations listed in § 97.309(b) of this part also may be transmitted. The authorized bandwidth is 100 kHz.
- (7) A RTTY, data or multiplexed emission using a specified digital code listed in § 97.309(a) of this part or an unspecified digital code under the limitations listed in § 97.309(b) of this part may be transmitted.
- (8) A RTTY or data emission having designators with A, B, C, D, E, F, G, H, J or R as the first symbol; 1, 2, 7, 9 or X as the second symbol; and D or W as the third symbol is also authorized.
- (9) A station having a control operator holding a Novice or Technician Class operator license may only transmit a CW emission using the international Morse code.
- (10) A station having a control operator holding a Novice Class operator license or a Technician Class operator license may only transmit a CW emission using the international Morse code or phone emissions J3E and R3E.
- (11) Phone and image emissions may be transmitted only by stations located in ITU Regions 1 and 3, and by stations located within ITU Region 2 that are west of 130° West longitude or south of 20° North latitude.
- (12) Emission F8E may be transmitted.
- (13) A data emission using an unspecified digital code under the limitations listed in § 97.309(b) also may be transmitted. The authorized bandwidth is 100 kHz.
- (14) In the 60 m band:
 - (i) A station may transmit only phone, RTTY, data, and CW emissions using the emission designators and any additional restrictions that are specified in the table below (except that the use of a narrower necessary bandwidth is permitted):

60 M Band Emission Requirements

Emission type	Emission designator	Restricted to:
Phone	2K80J3E	Upper sideband transmissions (USB).
Data	2K80J2D	USB (for example, PACTOR-III).
RTTY	60H0J2B	USB (for example, PSK31).
CW	150HA1A	Morse telegraphy by means of on-off keying.

- (ii) The following requirements also apply:

- (A) When transmitting the phone, RTTY, and data emissions, the suppressed carrier frequency may be set as specified in § 97.303(h).
- (B) The control operator of a station transmitting data or RTTY emissions must exercise care to limit the length of transmission so as to avoid causing harmful interference to United States Government stations.

[54 FR 25857, June 20, 1989; 54 FR 30823, July 24, 1989, as amended at 54 FR 39537, Sept. 27, 1989; 60 FR 15688, Mar. 27, 1995; 65 FR 6550, Feb. 10, 2000; 69 FR 24997, May 5, 2004; 77 FR 5412, Feb. 3, 2012; 79 FR 35291, June 20, 2014]

§ 97.309 RTTY and data emission codes.

- (a) Where authorized by §§ 97.305(c) and 97.307(f) of the part, an amateur station may transmit a RTTY or data emission using the following specified digital codes:
 - (1) The 5-unit, start-stop, International Telegraph Alphabet No. 2, code defined in ITU-T Recommendation F.1, Division C (commonly known as “Baudot”).
 - (2) The 7-unit code specified in ITU-R Recommendations M.476-5 and M.625-3 (commonly known as “AMTOR”).
 - (3) The 7-unit, International Alphabet No. 5, code defined in IT-T Recommendation T.50 (commonly known as “ASCII”).
 - (4) An amateur station transmitting a RTTY or data emission using a digital code specified in this paragraph may use any technique whose technical characteristics have been documented publicly, such as CLOVER, G-TOR, or PACTOR, for the purpose of facilitating communications.
- (b) Where authorized by §§ 97.305(c) and 97.307(f), a station may transmit a RTTY or data emission using an unspecified digital code, except to a station in a country with which the United States does not have an agreement permitting the code to be used. RTTY and data emissions using unspecified digital codes must not be transmitted for the purpose of obscuring the meaning of any communication. When deemed necessary by a Regional Director to assure compliance with the FCC Rules, a station must:
 - (1) Cease the transmission using the unspecified digital code;
 - (2) Restrict transmissions of any digital code to the extent instructed;
 - (3) Maintain a record, convertible to the original information, of all digital communications transmitted.

[54 FR 25857, June 20, 1989, as amended at 54 FR 39537, Sept. 27, 1989; 56 FR 56172, Nov. 1, 1991; 60 FR 55486, Nov. 1, 1995; 71 FR 25982, May 3, 2006; 71 FR 66465, Nov. 15, 2006; 80 FR 53753, Sept. 8, 2015]

§ 97.311 SS emission types.

- (a) SS emission transmissions by an amateur station are authorized only for communications between points within areas where the amateur service is regulated by the FCC and between an area where the amateur service is regulated by the FCC and an amateur station in another country that permits such communications. SS emission transmissions must not be used for the purpose of obscuring the meaning of any communication.
- (b) A station transmitting SS emissions must not cause harmful interference to stations employing other authorized emissions, and must accept all interference caused by stations employing other authorized emissions.
- (c) When deemed necessary by a Regional Director to assure compliance with this part, a station licensee must:
 - (1) Cease SS emission transmissions;
 - (2) Restrict SS emission transmissions to the extent instructed; and
 - (3) Maintain a record, convertible to the original information (voice, text, image, etc.) of all spread spectrum communications transmitted.

[64 FR 51471, Sept. 23, 1999, as amended at 76 FR 17569, Mar. 30, 2011; 80 FR 53753, Sept. 8, 2015]

§ 97.313 Transmitter power standards.

- (a) An amateur station must use the minimum transmitter power necessary to carry out the desired communications.
- (b) No station may transmit with a transmitter power exceeding 1.5 kW PEP.
- (c) No station may transmit with a transmitter power output exceeding 200 W PEP:
 - (1) On the 10.10–10.15 MHz segment;
 - (2) On the 3.525–3.60 MHz, 7.025–7.125 MHz, 21.025–21.20 MHz, and 28.0–28.5 MHz segment when the control operator is a Novice Class operator or a Technician Class operator; or
 - (3) The 7.050–7.075 MHz segment when the station is within ITU Regions 1 or 3.
- (d) No station may transmit with a transmitter power exceeding 25 W PEP on the VHF 1.25 m band when the control operator is a Novice operator.
- (e) No station may transmit with a transmitter power exceeding 5 W PEP on the UHF 23 cm band when the control operator is a Novice operator.

- (f) No station may transmit with a transmitter power exceeding 50 W PEP on the UHF 70 cm band from an area specified in paragraph (a) of footnote US270 in § 2.106, unless expressly authorized by the FCC after mutual agreement, on a case-by-case basis, between the Regional Director of the applicable field facility and the military area frequency coordinator at the applicable military base. An Earth station or telecommand station, however, may transmit on the 435–438 MHz segment with a maximum of 611 W effective radiated power (1 kW equivalent isotropically radiated power) without the authorization otherwise required. The transmitting antenna elevation angle between the lower half-power (−3 dB relative to the peak or antenna bore sight) point and the horizon must always be greater than 10°.
- (g) No station may transmit with a transmitter power exceeding 50 W PEP on the 33 cm band from within 241 km of the boundaries of the White Sands Missile Range. Its boundaries are those portions of Texas and New Mexico bounded on the south by latitude 31°41' North, on the east by longitude 104°11' West, on the north by latitude 34°30' North, and on the west by longitude 107°30' West.
- (h) No station may transmit with a transmitter power exceeding 50 W PEP on the 219–220 MHz segment of the 1.25 m band.
- (i) No station may transmit with an effective radiated power (ERP) exceeding 100 W PEP on the 60 m band. For the purpose of computing ERP, the transmitter PEP will be multiplied by the antenna gain relative to a half-wave dipole antenna. A half-wave dipole antenna will be presumed to have a gain of 1 (0 dBd). Licensees using other antennas must maintain in their station records either the antenna manufacturer's data on the antenna gain or calculations of the antenna gain.
- (j) No station may transmit with a transmitter output exceeding 10 W PEP when the station is transmitting a SS emission type.
- (k) No station may transmit in the 135.7–137.8 kHz (2200 m) band with a transmitter power exceeding 1.5 kW PEP or a radiated power exceeding 1 W EIRP.
- (l) No station may transmit in the 472–479 kHz (630 m) band with a transmitter power exceeding 500 W PEP or a radiated power exceeding 5 W EIRP, except that in Alaska, stations located within 800 kilometers of the Russian Federation may not transmit with a radiated power exceeding 1 W EIRP.
- (m) No station may transmit with a peak equivalent isotropically radiated power (EIRP) exceeding 316 W in the 76–81 GHz (4 mm) band.

[54 FR 25857, June 20, 1989, as amended at 56 FR 37161, Aug. 5, 1991; 56 FR 3043, Jan. 28, 1991; 60 FR 15688, Mar. 27, 1995; 65 FR 6550, Feb. 10, 2000; 71 FR 66465, Nov. 15, 2006; 75 FR 27204, May 14, 2010; 75 FR 78171, Dec. 15, 2010; 76 FR 17569, Mar. 30, 2011; 77 FR 5413, Feb. 3, 2012; 80 FR 53753, Sept. 8, 2015; 82 FR 27216, June 14, 2017; 82 FR 43872, Sept. 20, 2017]

§ 97.315 Certification of external RF power amplifiers.

- (a) Any external RF power amplifier (see § 2.815 of the FCC Rules) manufactured or imported for use at an amateur radio station must be certificated for use in the amateur service in accordance with subpart J of part 2 of the FCC Rules. No amplifier capable of operation below 144 MHz may be constructed or modified by a non-amateur service licensee without a grant of certification from the FCC.
- (b) The requirement of paragraph (a) does not apply if one or more of the following conditions are met:
 - (1) The amplifier is constructed or modified by an amateur radio operator for use at an amateur station.
 - (2) The amplifier was manufactured before April 28, 1978, and has been issued a marketing waiver by the FCC, or the amplifier was purchased before April 28, 1978, by an amateur radio operator for use at that operator's station.
 - (3) The amplifier is sold to an amateur radio operator or to a dealer, the amplifier is purchased in used condition by a dealer, or the amplifier is sold to an amateur radio operator for use at that operator's station.
- (c) Any external RF power amplifier appearing in the Commission's database as certificated for use in the amateur service may be marketed for use in the amateur service.

[71 FR 66465, Nov. 15, 2006]

§ 97.317 Standards for certification of external RF power amplifiers.

- (a) To receive a grant of certification, the amplifier must:
 - (1) Satisfy the spurious emission standards of § 97.307 (d) or (e) of this part, as applicable, when the amplifier is operated at the lesser of 1.5 kW PEP or its full output power and when the amplifier is placed in the "standby" or "off" positions while connected to the transmitter.
 - (2) Not be capable of amplifying the input RF power (driving signal) by more than 15 dB gain. Gain is defined as the ratio of the input RF power to the output RF power of the amplifier where both power measurements are expressed in peak envelope power or mean power.
 - (3) Exhibit no amplification (0 dB gain) between 26 MHz and 28 MHz.
- (b) Certification shall be denied when:

- (1) The Commission determines the amplifier can be used in services other than the Amateur Radio Service, or
- (2) The amplifier can be easily modified to operate on frequencies between 26 MHz and 28 MHz.

[71 FR 66465, Nov. 15, 2006]

Subpart E—Providing Emergency Communications

§ 97.401 Operation during a disaster.

A station in, or within 92.6 km (50 nautical miles) of, Alaska may transmit emissions J3E and R3E on the channel at 5.1675 MHz (assigned frequency 5.1689 MHz) for emergency communications. The channel must be shared with stations licensed in the Alaska-Private Fixed Service. The transmitter power must not exceed 150 W PEP. A station in, or within 92.6 km of, Alaska may transmit communications for tests and training drills necessary to ensure the establishment, operation, and maintenance of emergency communication systems.

[71 FR 66465, Nov. 15, 2006]

§ 97.403 Safety of life and protection of property.

No provision of these rules prevents the use by an amateur station of any means of radiocommunication at its disposal to provide essential communication needs in connection with the immediate safety of human life and immediate protection of property when normal communication systems are not available.

§ 97.405 Station in distress.

- (a) No provision of these rules prevents the use by an amateur station in distress of any means at its disposal to attract attention, make known its condition and location, and obtain assistance.
- (b) No provision of these rules prevents the use by a station, in the exceptional circumstances described in paragraph (a) of this section, of any means of radiocommunications at its disposal to assist a station in distress.

§ 97.407 Radio amateur civil emergency service.

- (a) No station may transmit in RACES unless it is an FCC-licensed primary, club, or military recreation station and it is certified by a civil defense organization as registered with that organization. No person may be the control operator of an amateur station transmitting in RACES unless that person holds a FCC-issued amateur operator license and is certified by a civil defense organization as enrolled in that organization.
- (b) The frequency bands and segments and emissions authorized to the control operator are available to stations transmitting communications in RACES on a shared basis with the amateur service. In the event of an emergency which necessitates invoking the President's War Emergency Powers under the provisions of section 706 of the Communications Act of 1934, as amended, 47 U.S.C. 606, amateur stations participating in RACES may only transmit on the frequency segments authorized pursuant to part 214 of this chapter.
- (c) An amateur station registered with a civil defense organization may only communicate with the following stations upon authorization of the responsible civil defense official for the organization with which the amateur station is registered:
 - (1) An amateur station registered with the same or another civil defense organization; and
 - (2) A station in a service regulated by the FCC whenever such communication is authorized by the FCC.
- (d) All communications transmitted in RACES must be specifically authorized by the civil defense organization for the area served. Only civil defense communications of the following types may be transmitted:
 - (1) Messages concerning impending or actual conditions jeopardizing the public safety, or affecting the national defense or security during periods of local, regional, or national civil emergencies;
 - (2) Messages directly concerning the immediate safety of life of individuals, the immediate protection of property, maintenance of law and order, alleviation of human suffering and need, and the combating of armed attack or sabotage;
 - (3) Messages directly concerning the accumulation and dissemination of public information or instructions to the civilian population essential to the activities of the civil defense organization or other authorized governmental or relief agencies; and
 - (4) Communications for RACES training drills and tests necessary to ensure the establishment and maintenance of orderly and efficient operation of the RACES as ordered by the responsible civil defense organization served. Such drills and tests may not exceed a total time of 1 hour per week. With the approval of the chief officer for emergency planning in the applicable State, Commonwealth, District or

territory, however, such tests and drills may be conducted for a period not to exceed 72 hours no more than twice in any calendar year.

[75 FR 78171, Dec. 15, 2010]

Subpart F—Qualifying Examination Systems

§ 97.501 Qualifying for an amateur operator license.

Each applicant must pass an examination for a new amateur operator license grant and for each change in operator class. Each applicant for the class of operator license grant specified below must pass, or otherwise receive examination credit for, the following examination elements:

- (a) Amateur Extra Class operator: Elements 2, 3, and 4;
- (b) General Class operator: Elements 2 and 3;
- (c) Technician Class operator: Element 2.

[65 FR 6550, Feb. 10, 2000, as amended at 72 FR 3082, Jan. 24, 2007]

§ 97.503 Element standards.

A written examination must be such as to prove that the examinee possesses the operational and technical qualifications required to perform properly the duties of an amateur service licensee. Each written examination must be comprised of a question set as follows:

- (a) Element 2: 35 questions concerning the privileges of a Technician Class operator license. The minimum passing score is 26 questions answered correctly.
- (b) Element 3: 35 questions concerning the privileges of a General Class operator license. The minimum passing score is 26 questions answered correctly.
- (c) Element 4: 50 questions concerning the privileges of an Amateur Extra Class operator license. The minimum passing score is 37 questions answered correctly.

[54 FR 25857, June 20, 1989, as amended at 61 FR 41019, Aug. 7, 1996; 65 FR 6550, Feb. 10, 2000; 72 FR 3082, Jan. 24, 2007]

3.0.1 § 97.505 Element credit.

- (a) The administering VEs must give credit as specified below to an examinee holding any of the following license grants:

Operator class	Unexpired (or within the renewal grace period)	Expired and beyond the renewal grace period
(1) Amateur Extra	Not applicable	Elements 3 and 4.
(2) Advanced; General; or Technician granted before March 21, 1987	Elements 2 and 3	Element 3.
(3) Technician Plus; or Technician granted on or after March 21, 1987	Element 2	No credit.

- (b) The administering VEs must give credit to an examinee holding a CSCE for each element the CSCE indicates the examinee passed within the previous 365 days.

[79 FR 35291, June 20, 2014]

3.0.2 § 97.507 Preparing an examination.

- (a) Each written question set administered to an examinee must be prepared by a VE holding an Amateur Extra Class operator license. A written question set may also be prepared for the following elements by a VE holding an operator license of the class indicated:
- (1) Element 3: Advanced Class operator.
 - (2) Element 2: Advanced or General class operators.
- (b) Each question set administered to an examinee must utilize questions taken from the applicable question pool.
- (c) Each written question set administered to an examinee for an amateur operator license must be prepared, or obtained from a supplier, by the administering VEs according to instructions from the coordinating VEC.

[54 FR 25857, June 20, 1989, as amended at 58 FR 29126, May 19, 1993; 59 FR 54834, Nov. 2, 1994; 65 FR 6551, Feb. 10, 2000; 69 FR 24997, May 5, 2004; 79 FR 35291, June 20, 2014; 79 FR 52226, Sept. 3, 2014]

3.0.3 § 97.509 Administering VE requirements.

- (a) Each examination for an amateur operator license must be administered by a team of at least 3 VEs at an examination session coordinated by a VEC. The number of examinees at the session may be limited.
- (b) Each administering VE must:
 - (1) Be accredited by the coordinating VEC;
 - (2) Be at least 18 years of age;
 - (3) Be a person who holds an amateur operator license of the class specified below:
 - (i) Amateur Extra, Advanced or General Class in order to administer a Technician Class operator license examination;
 - (ii) Amateur Extra or Advanced Class in order to administer a General Class operator license examination;
 - (iii) Amateur Extra Class in order to administer an Amateur Extra Class operator license examination.
 - (4) Not be a person whose grant of an amateur station license or amateur operator license has ever been revoked or suspended.
- (c) Each administering VE must observe the examinee throughout the entire examination. The administering VEs are responsible for the proper conduct and necessary supervision of each examination. The administering VEs must immediately terminate the examination upon failure of the examinee to comply with their instructions.
- (d) No VE may administer an examination to his or her spouse, children, grandchildren, stepchildren, parents, grandparents, stepparents, brothers, sisters, stepbrothers, stepsisters, aunts, uncles, nieces, nephews, and in-laws.
- (e) No VE may administer or certify any examination by fraudulent means or for monetary or other consideration including reimbursement in any amount in excess of that permitted. Violation of this provision may result in the revocation of the grant of the VE's amateur station license and the suspension of the grant of the VE's amateur operator license.
- (f) No examination that has been compromised shall be administered to any examinee. The same question set may not be re-administered to the same examinee.
- (g) [Reserved]

- (h) Upon completion of each examination element, the administering VEs must immediately grade the examinee's answers. For examinations administered remotely, the administering VEs must grade the examinee's answers at the earliest practical opportunity. The administering VEs are responsible for determining the correctness of the examinee's answers.
- (i) When the examinee is credited for all examination elements required for the operator license sought, 3 VEs must certify that the examinee is qualified for the license grant and that the VEs have complied with these administering VE requirements. The certifying VEs are jointly and individually accountable for the proper administration of each examination element reported. The certifying VEs may delegate to other qualified VEs their authority, but not their accountability, to administer individual elements of an examination.
- (j) When the examinee does not score a passing grade on an examination element, the administering VEs must return the application document to the examinee and inform the examinee of the grade.
- (k) The administering VEs must accommodate an examinee whose physical disabilities require a special examination procedure. The administering VEs may require a physician's certification indicating the nature of the disability before determining which, if any, special procedures must be used.
- (l) The administering VEs must issue a CSCE to an examinee who scores a passing grade on an examination element.
- (m) After the administration of a successful examination for an amateur operator license, the administering VEs must submit the application document to the coordinating VEC according to the coordinating VEC's instructions.

[59 FR 54834, Nov. 2, 1994, as amended at 61 FR 9953, Mar. 12, 1996; 62 FR 17567, Apr. 10, 1997; 63 FR 68980, Dec. 14, 1998; 65 FR 6551, Feb. 10, 2000; 71 FR 66465, Nov. 15, 2006; 79 FR 35291, June 20, 2014]

3.0.4 § 97.511 Examinee conduct.

Each examinee must comply with the instructions given by the administering VEs.

[59 FR 54835, Nov. 2, 1994]

3.0.5 § 97.513 VE session manager requirements.

- (a) A VE session manager may be selected by the VE team for each examination session. The VE session manager must be accredited as a VE by the same VEC that coordinates the examination session. The VE session manager may serve concurrently as an administering VE.
- (b) The VE session manager may carry on liaison functions between the VE team and the coordinating VEC.
- (c) The VE session manager may organize activities at an examination session.

[62 FR 17567, Apr. 10, 1997, as amended at 79 FR 35291, June 20, 2014]

§§ 97.515-97.517 [Reserved]

3.0.6 § 97.519 Coordinating examination sessions.

- (a) A VEC must coordinate the efforts of VEs in preparing and administering examinations.
- (b) At the completion of each examination session, the coordinating VEC must collect applicant information and test results from the administering VEs. The coordinating VEC must:
 - (1) Screen collected information;
 - (2) Resolve all discrepancies and verify that the VEs' certifications are properly completed; and
 - (3) For qualified examinees, forward electronically all required data to the FCC. All data forwarded must be retained for at least 15 months and must be made available to the FCC upon request.
- (c) Each VEC must make any examination records available to the FCC, upon request
- (d) The FCC may:
 - (1) Administer any examination element itself;
 - (2) Readminister any examination element previously administered by VEs, either itself or under the supervision of a VEC or VEs designated by the FCC; or
 - (3) Cancel the operator/primary station license of any licensee who fails to appear for readministration of an examination when directed by the FCC, or who does not successfully complete any required element that is readministered. In an instance of such cancellation, the person will be granted an operator/primary station license consistent with completed examination elements that have not been invalidated by not appearing for, or by failing, the examination upon readministration.

[54 FR 25857, June 20, 1989, as amended at 59 FR 54835, Nov. 2, 1994; 62 FR 17567, Apr. 10, 1997; 63 FR 68981, Dec. 14, 1998; 71 FR 66465, Nov. 15, 2006; 79 FR 35291, June 20, 2014]

3.0.7 § 97.521 VEC qualifications.

No organization may serve as a VEC unless it has entered into a written agreement with the FCC. The VEC must abide by the terms of the agreement. In order to be eligible to be a VEC, the entity must:

- (a) Be an organization that exists for the purpose of furthering the amateur service;
- (b) Be capable of serving as a VEC in at least the VEC region (see appendix 2) proposed;
- (c) Agree to coordinate examinations for any class of amateur operator license;
- (d) Agree to assure that, for any examination, every examinee qualified under these rules is registered without regard to race, sex, religion, national origin or membership (or lack thereof) in any amateur service organization;

[54 FR 25857, June 20, 1989, as amended at 58 FR 29127, May 19, 1993; 61 FR 9953, Mar. 12, 1996]

3.0.8 § 97.523 Question pools.

All VECs must cooperate in maintaining one question pool for each written examination element. Each question pool must contain at least 10 times the number of questions required for a single examination. Each question pool must be published and made available to the public prior to its use for making a question set. Each question on each VEC question pool must be prepared by a VE holding the required FCC-issued operator license. See § 97.507(a) of this part.

3.0.9 § 97.525 Accrediting VEs.

- (a) No VEC may accredit a person as a VE if:
 - (1) The person does not meet minimum VE statutory qualifications or minimum qualifications as prescribed by this part;
 - (2) The FCC does not accept the voluntary and uncompensated services of the person;
 - (3) The VEC determines that the person is not competent to perform the VE functions;
or

- (4) The VEC determines that questions of the person's integrity or honesty could compromise the examinations.
- (b) Each VEC must seek a broad representation of amateur operators to be VEs. No VEC may discriminate in accrediting VEs on the basis of race, sex, religion or national origin; nor on the basis of membership (or lack thereof) in an amateur service organization; nor on the basis of the person accepting or declining to accept reimbursement.

3.0.10 § 97.527 Reimbursement for expenses.

VEs and VECs may be reimbursed by examinees for out-of-pocket expenses incurred in preparing, processing, administering, or coordinating an examination for an amateur operator license.

[66 FR 20752, Apr. 25, 2001]

Appendix 1 to Part 97—Places Where the Amateur Service is Regulated by the FCC

In ITU Region 2, the amateur service is regulated by the FCC within the territorial limits of the 50 United States, District of Columbia, Caribbean Insular areas [Commonwealth of Puerto Rico, United States Virgin Islands (50 islets and cays) and Navassa Island], and Johnston Island (Islets East, Johnston, North and Sand) and Midway Island (Islets Eastern and Sand) in the Pacific Insular areas.

In ITU Region 3, the amateur service is regulated by the FCC within the Pacific Insular territorial limits of American Samoa (seven islands), Baker Island, Commonwealth of Northern Mariana Islands, Guam Island, Howland Island, Jarvis Island, Kingman Reef, Palmyra Island (more than 50 islets) and Wake Island (Islets Peale, Wake and Wilkes).

3.0.11 Appendix 2 to Part 97—VEC Regions

1. Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island and Vermont.
2. New Jersey and New York.
3. Delaware, District of Columbia, Maryland and Pennsylvania.
4. Alabama, Florida, Georgia, Kentucky, North Carolina, South Carolina, Tennessee and Virginia.
5. Arkansas, Louisiana, Mississippi, New Mexico, Oklahoma and Texas.
6. California.
7. Arizona, Idaho, Montana, Nevada, Oregon, Utah, Washington and Wyoming.
8. Michigan, Ohio and West Virginia.
9. Illinois, Indiana and Wisconsin.
10. Colorado, Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota and South Dakota.

11. Alaska.
12. Caribbean Insular areas.
13. Hawaii and Pacific Insular areas.