
NETWORK DOCUMENTATION

UniFi



PREPARED FOR

City of Example (fictional)

Demo City Hall (UniFi)

UniFi network documentation · City hall and annex

CLIENT	SITE
City of Example (fictional)	Demo City Hall (UniFi) City hall and annex
LAST SCAN	**ISSUED ON**
Nov 10, 2026, 10:34 AM MST	Nov 10, 2026

6	7	3	52
DEVICES	NETWORKS / VLANS	ACCESS POINTS	CLIENTS

CLIENT CONTACT

Jordan Reyes, City Recorder
it@cityofexample.example
+1 (555) 010-0170
100 Main Street, Example City

PREPARED BY

Northpoint Networks (fictional)

support@northpoint-networks.example
+1 (555) 010-0100
www.northpoint-networks.example
48 Sample Street, Suite 200, Springfield

DOCUMENT

6af3a9513ae6e1619ea6fe79
ref. 15b40de9-4024-4291-9c6c-7c2e16df3ec0

Contents

Infrastructure summary 3
Internet / ISP 3
Network topology 4
UniFi inventory 5
- Gateway 5
- Switches 5
- Ports / PoE 5

Access points 7
Wi-Fi / SSID 8
Networks / VLAN 8
DHCP / IP addressing 8
Network clients 8
Health status 10
- Devices 10
- WAN link 10

VPN 10
- VPN servers 10
- Site-to-site tunnels 10

Firewall 10
Security findings 12
- Checks performed 14

Device identification 14

DOCUMENT INFORMATION

Client	**City of Example (fictional)**
Site	**Demo City Hall (UniFi)**
Platform	**UniFi · UDM SE**
Source	**Bundled demonstration dataset**
Captured	**Nov 10, 2026, 10:34 AM MST**
Issued	**Nov 10, 2026**
Template	**Technical · Clean Light**
Data sources	**13 read**
Client history	**30 days**
Document ID	**6af3a9513ae6e1619ea6fe79**

LEGEND

- Online · Connected · Active
- Disabled · Inactive · Recently seen
- Offline · Disconnected
- — Blank cell: not reported by the source

INTRODUCTION

Network documentation for the city hall and annex buildings, generated from the UniFi console **DemoCityHall-UDMSE**.

- Gateway, two PoE switches and three access points
- Separate wired and wireless networks for the office and the annex
- Guest Wi-Fi on its own isolated network

ADDITIONAL NOTES

The **Legacy LAN** (untagged, `192.168.8.0/24`) still carries the servers and two access points and is scheduled for migration.

Four wired clients report no switch port and are listed under *Undetermined relationship*.

Infrastructure summary

DEVICES
6

NETWORKS / VLANS
7

ACCESS POINTS
3

SSID
4

SWITCHES
2

CLIENTS
52

Internet / ISP


LINK	PUBLIC IP	CONNECTION TYPE
WAN	192.0.2.44	DHCP
ISP	**STATE**	**CAPTURED ON**
Example Broadband	• Connected	Nov 10, 2026, 10:34 AM MST

AVERAGE LATENCY	PACKET LOSS	WAN AVAILABILITY - RECENT MEASUREMENT	MAX LATENCY
13 ms	0%	100%	16 ms

UPLOAD	DOWNLOAD	MEASURED ON
340000 kbit/s (340 Mbit/s)	900000 kbit/s (900 Mbit/s)	Nov 10, 2026, 9:55 AM MST

Security findings 1 High 4 Medium 6 Low 1 Info details on page 12

Network topology



UNDETERMINED RELATIONSHIP

HPI80101C 10:1c Wired client	**SIP-T54W 91:b1** Wired client	**d4:01:c3:28:c5:ea** Wired client	**Demo-MBP 37:c9** Wired client

Name	Model	IP	MAC	Firmware	State
DemoCityHall-UDMSE	UDM SE	10.64.1.1	70:a7:41:99:59:f1	5.1.35	• Online
Admin Office Switch	USW Pro Max 48 PoE	10.64.1.11	9c:05:d6:bf:a3:5c	7.5.15	• Online
Annex Switch	USW Pro Max 24 PoE	10.64.1.12	9c:05:d6:a7:75:a7	7.5.15	• Online
Office-U7-Pro	U7 Pro	192.168.8.21	9c:05:d6:ce:47:b4	8.7.11	• Online
Annex-U7-Pro	U7 Pro	192.168.8.22	9c:05:d6:e5:cd:72	8.7.11	• Online
Annex-Outdoor	U7 Outdoor	10.64.20.21	58:d6:1f:59:fe:69	8.7.11	• Online

Equipment images (manufacturer product photos or generated illustrations) are shown for visual representation purposes and may differ slightly from the actual appearance of the devices.

UniFi inventory

Gateway

NAME	MODEL	IP
DemoCityHall-UDMSE	UDM SE	192.0.2.44
MAC	**FIRMWARE**	**UPTIME**
70:a7:41:99:59:f1	5.1.35	2d 7h

Switches

Name	Model	IP	Firmware	Ports	State
Admin Office Switch	USW Pro Max 48 PoE	10.64.1.11	7.5.15	52	• Online
Annex Switch	USW Pro Max 24 PoE	10.64.1.12	7.5.15	26	• Online

Ports / PoE

DemoCityHall-UDMSE - port	Link state	Speed	PoE enabled	PoE status	Standard	Type
1	DOWN		Yes	Inactive	802.3af	1
2	DOWN		Yes	Inactive	802.3af	1
3	DOWN		Yes	Inactive	802.3af	1
4	DOWN		Yes	Inactive	802.3af	1
5	DOWN		Yes	Inactive	802.3af	1
6	DOWN		Yes	Inactive	802.3af	1
7	DOWN		Yes	Inactive	802.3at	2
8	DOWN		Yes	Inactive	802.3at	2
9 · WAN	UP	2500 Mbit/s	No			
10 · SFP+ WAN	DOWN		No			
11 · SFP+ LAN	UP	10 Gbit/s	No			

Admin Office Switch - port	Link state	Speed	PoE enabled	PoE status	Standard	Type
1	DOWN		Yes	Inactive	802.3at	2
2	DOWN		Yes	Inactive	802.3at	2
3	UP	1 Gbit/s	Yes	Inactive	802.3at	2
4	DOWN		Yes	Inactive	802.3at	2
5	UP	1 Gbit/s	Yes	Active	802.3at	2
6	DOWN		Yes	Inactive	802.3at	2
7	DOWN		Yes	Inactive	802.3at	2
8	UP	100 Mbit/s	Yes	Inactive	802.3at	2
9	DOWN		Yes	Inactive	802.3at	2
10	DOWN		Yes	Inactive	802.3at	2
11	DOWN		Yes	Inactive	802.3at	2
12	UP	1 Gbit/s	Yes	Inactive	802.3at	2
13	DOWN		Yes	Inactive	802.3at	2
14	UP	1 Gbit/s	Yes	Active	802.3at	2
15	DOWN		Yes	Inactive	802.3at	2
16	DOWN		Yes	Inactive	802.3at	2
17	UP	1 Gbit/s	Yes	Inactive	802.3at	2
18	DOWN		Yes	Inactive	802.3at	2
19	DOWN		Yes	Inactive	802.3at	2
20	DOWN		Yes	Inactive	802.3at	2
21	UP	1 Gbit/s	Yes	Inactive	802.3at	2
22	DOWN		Yes	Inactive	802.3at	2
23	DOWN		Yes	Inactive	802.3at	2
24	DOWN		Yes	Inactive	802.3at	2
25	DOWN		Yes	Inactive	802.3bt	3
26	UP	1 Gbit/s	Yes	Active	802.3bt	3
27	DOWN		Yes	Inactive	802.3bt	3
28	DOWN		Yes	Inactive	802.3bt	3
29	UP	1 Gbit/s	Yes	Inactive	802.3bt	3
30	DOWN		Yes	Inactive	802.3bt	3
31	DOWN		Yes	Inactive	802.3bt	3
32	DOWN		Yes	Inactive	802.3bt	3
33	UP	1 Gbit/s	Yes	Inactive	802.3at	2
34	DOWN		Yes	Inactive	802.3at	2
35	DOWN		Yes	Inactive	802.3at	2
36	DOWN		Yes	Inactive	802.3at	2
37	DOWN		Yes	Inactive	802.3at	2
38	UP	100 Mbit/s	Yes	Active	802.3at	2
39	DOWN		Yes	Inactive	802.3at	2
40	UP	1 Gbit/s	Yes	Inactive	802.3at	2
41	DOWN		Yes	Inactive	802.3bt	3
42	UP	1 Gbit/s	Yes	Inactive	802.3bt	3
43	DOWN		Yes	Inactive	802.3bt	3
44	DOWN		Yes	Inactive	802.3bt	3
45	DOWN		Yes	Inactive	802.3bt	3
46	DOWN		Yes	Inactive	802.3bt	3
47	UP	2500 Mbit/s	Yes	Active	802.3bt	3
48	DOWN		Yes	Inactive	802.3bt	3
49	UP	10 Gbit/s	No			

Admin Office Switch - port	Link state	Speed	PoE enabled	PoE status	Standard	Type
50	DOWN		No			
51	DOWN		No			
52	UP	10 Gbit/s	No			

Annex Switch - port	Link state	Speed	PoE enabled	PoE status	Standard	Type
1	UP	1 Gbit/s	Yes	Inactive	802.3at	2
2	UP	1 Gbit/s	Yes	Active	802.3at	2
3	DOWN		Yes	Inactive	802.3at	2
4	DOWN		Yes	Inactive	802.3at	2
5	DOWN		Yes	Inactive	802.3at	2
6	UP	1 Gbit/s	Yes	Inactive	802.3at	2
7	DOWN		Yes	Inactive	802.3at	2
8	DOWN		Yes	Inactive	802.3at	2
9	UP	1 Gbit/s	Yes	Inactive	802.3bt	3
10	DOWN		Yes	Inactive	802.3bt	3
11	DOWN		Yes	Inactive	802.3bt	3
12	UP	1 Gbit/s	Yes	Active	802.3bt	3
13	UP	1 Gbit/s	Yes	Inactive	802.3bt	3
14	DOWN		Yes	Inactive	802.3bt	3
15	UP	1 Gbit/s	Yes	Inactive	802.3bt	3
16	UP	1 Gbit/s	Yes	Inactive	802.3bt	3
17	DOWN		Yes	Inactive	802.3bt	3
18	UP	1 Gbit/s	Yes	Active	802.3bt	3
19	DOWN		Yes	Inactive	802.3bt	3
20	UP	1 Gbit/s	Yes	Inactive	802.3bt	3
21	DOWN		Yes	Inactive	802.3bt	3
22	DOWN		Yes	Inactive	802.3bt	3
23	UP	2500 Mbit/s	Yes	Active	802.3bt	3
24	DOWN		Yes	Inactive	802.3bt	3
25	DOWN		No			
26	UP	10 Gbit/s	No			

Access points

Name	Model	IP	Radios	Clients	State
Office-U7-Pro	U7 Pro	`192.168.8.21`	2.4 GHz ch 11 · 40 MHz · 802.11be / 5 GHz ch 100 · 240 MHz · 802.11be / 6 GHz ch 37 · 320 MHz · 802.11be	8	• Online
Annex-U7-Pro	U7 Pro	`192.168.8.22`	2.4 GHz ch 1 · 40 MHz · 802.11be / 5 GHz ch 100 · 240 MHz · 802.11be / 6 GHz ch 37 · 320 MHz · 802.11be	3	• Online
Annex-Outdoor	U7 Outdoor	`10.64.20.21`	2.4 GHz ch 6 · 20 MHz · 802.11be / 5 GHz ch 48 · 40 MHz · 802.11be	4	• Online

Wi-Fi / SSID

SSID	Network	Security	Bands	State	Guest
Demo-Secure	NATIVE	WPA2_WPA3_PERSONAL	2.4 GHz / 6 GHz / 5 GHz	● Disabled	No
DemoPublicAccess	Guest	WPA2_WPA3_PERSONAL	2.4 GHz / 6 GHz / 5 GHz	● Active	No
Annex WIFI	Annex WIFI	WPA2_PERSONAL	2.4 GHz / 6 GHz / 5 GHz	● Active	No
Office WIFI	Office WIFI	WPA2_WPA3_PERSONAL	2.4 GHz / 6 GHz / 5 GHz	● Active	No

Networks / VLAN

Network	VLAN	Subnet	Gateway	State	Isolation	Internet access
Default	1	10.64.1.0/24	10.64.1.1	● Active	No	Yes
Annex LAN	20	10.64.20.0/24	10.64.20.1	● Active	No	Yes
Office LAN	10	10.64.10.0/24	10.64.10.1	● Active	No	Yes
Guest	100	10.64.100.0/23	10.64.100.1	● Active	No	Yes
Annex WIFI	25	10.64.25.0/24	10.64.25.1	● Active	No	Yes
Office WIFI	15	10.64.15.0/24	10.64.15.1	● Active	No	Yes
Legacy LAN		192.168.8.0/24	192.168.8.1	● Active	No	Yes

DHCP / IP addressing

Network	DHCP	Range	DNS	Lease
Default	SERVER	10.64.1.6 - 10.64.1.254	Automatic	86400 s
Annex LAN	SERVER	10.64.20.26 - 10.64.20.254	192.168.8.10, 10.64.1.1	86400 s
Office LAN	SERVER	10.64.10.26 - 10.64.10.254	192.168.8.10, 10.64.1.1	86400 s
Guest	SERVER	10.64.100.11 - 10.64.101.254	Automatic	28800 s
Annex WIFI	SERVER	10.64.25.6 - 10.64.25.254	192.168.8.10, 10.64.1.1	86400 s
Office WIFI	SERVER	10.64.15.6 - 10.64.15.254	192.168.8.10, 10.64.1.1	86400 s
Legacy LAN	SERVER	192.168.8.6 - 192.168.8.254	192.168.8.10, 8.8.8.8	86400 s

Network clients

Host	IP	MAC	Connection	Uplink	Presence
SIP-T54W		24:9a:d8:cf:11:f0	Wireless	Annex-U7-Pro	● Connected
SIP-T54W		24:9a:d8:ec:1c:47	Wireless	Annex-U7-Pro	● Connected
d4:01:c3:28:c5:ea		d4:01:c3:28:c5:ea	Wired		● Connected
Manager SW		d4:01:c3:4f:b0:58	Wired	Admin Office Switch	● Connected
cfmesh	10.64.1.76	00:0d:48:c6:7b:f3	Wired	Admin Office Switch	● Connected
SIP-T54W	10.64.1.97	24:9a:d8:4e:53:69	Wired	Admin Office Switch	● Connected
CyberPower-UPS	10.64.1.141	00:0c:15:2d:6e:ef	Wired	Admin Office Switch	● Connected
SIP-T54W	10.64.1.153	24:9a:d8:21:25:9c	Wired	Admin Office Switch	● Connected
Office2-7010SFF	10.64.10.32	cc:96:e5:b3:1d:15	Wired	Admin Office Switch	● Connected
Office1-7010SFF	10.64.10.35	cc:96:e5:9f:ea:24	Wired	Admin Office Switch	● Connected
Records HP Laptop	10.64.10.55	6c:02:e0:71:7c:a4	Wired	Admin Office Switch	● Connected
Sharp-Color-Copier	10.64.10.77	8c:52:19:93:a4:d3	Wired	Admin Office Switch	● Connected
HPIC557EE	10.64.10.79	28:c5:c8:c5:57:ee	Wired	Admin Office Switch	● Connected
SIP-T54W	10.64.10.91	24:9a:d8:40:91:b1	Wired		● Connected

Host	IP	MAC	Connection	Uplink	Presence
HPI80101C	10.64.10.109	f8:ed:fc:80:10:1c	Wired		Connected
SIP-T54W	10.64.10.114	24:9a:d8:77:5c:74	Wired	Admin Office Switch	Connected
DEMO-7QK2M41	10.64.10.145	48:21:0b:0a:a0:0e	Wired	Admin Office Switch	Connected
HPI43CD81	10.64.10.164	48:ea:62:43:cd:81	Wired	Admin Office Switch	Connected
SIP-T54W	10.64.10.167	24:9a:d8:0a:77:11	Wired	Admin Office Switch	Connected
Demo-MBP	10.64.10.187	00:0e:01:f8:37:c9	Wired		Connected
Verkada-Lobby-Cam	10.64.10.213	e0:a7:00:1a:29:5e	Wired	Admin Office Switch	Connected
Clerk-P3590	10.64.10.224	10:98:19:00:fb:c6	Wired	Admin Office Switch	Connected
Reception-HPEnvy	10.64.10.232	38:ca:84:10:33:cd	Wired	Admin Office Switch	Connected
Clerk-P3590	10.64.15.34	68:34:21:d4:ca:46	Wireless	Office-U7-Pro	Connected
Watch	10.64.15.74	fa:3e:da:5c:d3:47	Wireless	Office-U7-Pro	Connected
d4:13:68:e0:72:64	10.64.15.80	d4:13:68:e0:72:64	Wireless	Annex-Outdoor	Connected
SIP-T54W	10.64.15.95	24:9a:d8:d5:52:37	Wireless	Office-U7-Pro	Connected
Mac	10.64.15.154	ce:8f:3d:95:3b:1d	Wireless	Office-U7-Pro	Connected
Chromecast	10.64.15.162	20:1f:3b:51:3f:7a	Wireless	Annex-U7-Pro	Connected
DESKTOP-D3M0PC1	10.64.15.174	1c:bc:ec:09:78:4f	Wireless	Office-U7-Pro	Connected
Main-Office-Thermostat	10.64.15.194	44:61:32:63:c5:c8	Wireless	Annex-Outdoor	Connected
Manager's Office Alexa Show	10.64.15.199	0c:dc:91:2b:d3:20	Wireless	Annex-Outdoor	Connected
Chromecast	10.64.15.201	20:1f:3b:42:df:dd	Wireless	Office-U7-Pro	Connected
Galaxy-S24-FE	10.64.15.235	d6:90:72:06:65:51	Wireless	Office-U7-Pro	Connected
BACKUP-BCDR	10.64.20.48	c0:47:0e:fe:9b:45	Wired	Annex Switch	Connected
Annex-MediaPC5820	10.64.20.50	b0:7b:25:cd:24:e4	Wired	Annex Switch	Connected
AnnexMgr-7010SF	10.64.20.77	cc:96:e5:25:ff:76	Wired	Annex Switch	Connected
SIP-T54W	10.64.20.85	24:9a:d8:8b:b5:4a	Wired	Annex Switch	Connected
SIP-T54W	10.64.20.86	24:9a:d8:2f:77:f2	Wired	Annex Switch	Connected
Annex2-7010	10.64.20.110	cc:96:e5:bb:26:b5	Wired	Annex Switch	Connected
X70000123	10.64.20.127	e0:92:8f:dd:1e:5f	Wired	Annex Switch	Connected
SIP-T54W	10.64.20.138	24:9a:d8:28:c2:61	Wired	Annex Switch	Connected
BRN3C2AF4F8D8D7	10.64.20.197	3c:2a:f4:f8:d8:d7	Wired	Annex Switch	Connected
SIP-T54W	10.64.20.204	24:9a:d8:3d:6d:5f	Wired	Annex Switch	Connected
HPI7EBD1D	10.64.20.220	48:ea:62:7e:bd:1d	Wired	Annex Switch	Connected
Finance PC	10.64.20.223	80:e8:2c:f1:60:a6	Wired	Annex Switch	Connected
Annex-T16	10.64.25.122	84:08:3a:13:0a:2d	Wireless	Annex-Outdoor	Connected
Pixel-10	10.64.101.112	ee:74:0f:da:e7:d1	Wireless	Office-U7-Pro	Connected
DC01	192.168.8.10	b8:cb:29:64:7f:ec	Wired	Annex Switch	Connected
Records SW	192.168.8.30	2c:c8:1b:e1:07:8d	Wired	Admin Office Switch	Connected
Front Desk SW	192.168.8.50	48:a9:8a:2a:43:0f	Wired	Admin Office Switch	Connected
Dell iDRAC 6 Enterprise	192.168.8.181	b8:cb:29:6e:19:92	Wired	Annex Switch	Connected

Health status

Devices

Name	Uptime	CPU	Memory	Load (1 min)	Wi-Fi retries	Captured on
DemoCityHall-UDMSE	2d 7h	44.5%	70.6%	2.65		Nov 10, 2026, 10:34 AM MST
Admin Office Switch	62d 7h	12.5%	16.9%	0.95		Nov 10, 2026, 10:34 AM MST
Annex Switch	34d 22h	17%	14.7%	1.05		Nov 10, 2026, 10:34 AM MST
Office-U7-Pro	3d 8h	1.9%	48.8%	1.01	12.2%	Nov 10, 2026, 10:34 AM MST
Annex-U7-Pro	3d 8h	1.7%	48.6%	1.03	6.8%	Nov 10, 2026, 10:34 AM MST
Annex-Outdoor	6d 19h	1.8%	81.7%	1	18.4%	Nov 10, 2026, 10:34 AM MST

WAN link

Name	Availability - recent measurement	Average latency	Max latency	Packet loss
WAN	100%	13 ms	16 ms	0%

VPN

VPN servers

Name	Type	State	Origin	Client
RemoteAccess	WIREGUARD	• Active	USER DEFINED	No

Site-to-site tunnels

No site-to-site tunnel configured.

Firewall

State	Order	Name	Action	Source zone	Destination zone	Protocol	IP version	Connection states	Logging	Schedule
• Disabled	10000	**Allow Accounting Client**	ALLOW	Internal	Internal	All	IPv4 & IPv6		Yes	Always
• Active	2147483647	**Allow All Traffic**	ALLOW	Internal	Internal	All	IPv4 & IPv6		No	Always
• Active	10000	**Payment Portal**	ALLOW	Internal	External	All	IPv4 & IPv6		Yes	Always
• Active	10002	**Allow Backup Appliance**	ALLOW	Internal	External	All	IPv4		No	Always
• Active	30000	**Block Invalid Traffic**	BLOCK	Internal	External	All	IPv4 & IPv6	INVALID	No	Always
• Active	2147483647	**Allow All Traffic**	ALLOW	Internal	External	All	IPv4 & IPv6		No	Always
• Active	30000	**Allow mDNS**	ALLOW	Internal	Gateway	All	IPv4 & IPv6		No	Always
• Active	2147483647	**Allow All Traffic**	ALLOW	Internal	Gateway	All	IPv4 & IPv6		No	Always
• Active	2147483647	**Allow All Traffic**	ALLOW	Internal	Vpn	All	IPv4 & IPv6		No	Always
• Active	2147483647	**Allow All Traffic**	ALLOW	Internal	Hotspot	All	IPv4 & IPv6		No	Always
• Active	2147483647	**Allow All Traffic**	ALLOW	Internal	Dmz	All	IPv4 & IPv6		No	Always
• Active	30000	**Allow Return Traffic**	ALLOW	External	Internal	All	IPv4 & IPv6	ESTABLISHED, RELATED	No	Always
• Active	30001	**Block Invalid Traffic**	BLOCK	External	Internal	All	IPv4 & IPv6	INVALID	No	Always
• Active	2147483647	**Block All Traffic**	BLOCK	External	Internal	All	IPv4 & IPv6		No	Always
• Active	30000	**Allow Return Traffic**	ALLOW	External	External	All	IPv4 & IPv6	ESTABLISHED, RELATED	No	Always
• Active	30001	**Block Invalid Traffic**	BLOCK	External	External	All	IPv4 & IPv6	INVALID	No	Always
• Active	2147483647	**Block All Traffic**	BLOCK	External	External	All	IPv4 & IPv6		No	Always

State	Order	Name	Action	Source zone	Destination zone	Protocol	IP version	Connection states	Logging	Schedule
Disabled	10000	**Syslog Test**	BLOCK	External	Gateway	All	IPv4		Yes	Always
Active	30000	**Allow Return Traffic**	ALLOW	External	Gateway	All	IPv4 & IPv6	ESTABLISHED, RELATED	No	Always
Active	30001	**Block Invalid Traffic**	BLOCK	External	Gateway	All	IPv4 & IPv6	INVALID	No	Always
Active	30002	**Allow WireGuard VPNs**	ALLOW	External	Gateway	All	IPv4 & IPv6		No	Always
Active	30003	**Allow Direct Remote Connection**	ALLOW	External	Gateway	All	IPv4 & IPv6		No	Always
Active	30004	**Allow Neighbor Solicitations**	ALLOW	External	Gateway	All	IPv6		No	Always
Active	30005	**Allow Neighbor Advertisements**	ALLOW	External	Gateway	All	IPv6		No	Always
Active	30006	**Allow Link-Local DHCPv6**	ALLOW	External	Gateway	All	IPv6		No	Always
Active	30007	**Allow DHCPv6**	ALLOW	External	Gateway	All	IPv6		No	Always
Active	30008	**Allow Router Advertisements**	ALLOW	External	Gateway	All	IPv6		No	Always
Active	2147483647	**Block All Traffic**	BLOCK	External	Gateway	All	IPv4 & IPv6		No	Always
Active	30000	**Allow Return Traffic**	ALLOW	External	Vpn	All	IPv4 & IPv6	ESTABLISHED, RELATED	No	Always
Active	30001	**Block Invalid Traffic**	BLOCK	External	Vpn	All	IPv4 & IPv6	INVALID	No	Always
Active	2147483647	**Block All Traffic**	BLOCK	External	Vpn	All	IPv4 & IPv6		No	Always
Active	30000	**Allow Return Traffic**	ALLOW	External	Hotspot	All	IPv4 & IPv6	ESTABLISHED, RELATED	No	Always
Active	30001	**Block Invalid Traffic**	BLOCK	External	Hotspot	All	IPv4 & IPv6	INVALID	No	Always
Active	2147483647	**Block All Traffic**	BLOCK	External	Hotspot	All	IPv4 & IPv6		No	Always
Active	30000	**Allow Return Traffic**	ALLOW	External	Dmz	All	IPv4 & IPv6	ESTABLISHED, RELATED	No	Always
Active	30001	**Block Invalid Traffic**	BLOCK	External	Dmz	All	IPv4 & IPv6	INVALID	No	Always
Active	2147483647	**Block All Traffic**	BLOCK	External	Dmz	All	IPv4 & IPv6		No	Always
Active	2147483647	**Allow All Traffic**	ALLOW	Gateway	Internal	All	IPv4 & IPv6		No	Always
Active	2147483647	**Allow All Traffic**	ALLOW	Gateway	External	All	IPv4 & IPv6		No	Always
Active	2147483647	**Allow All Traffic**	ALLOW	Gateway	Vpn	All	IPv4 & IPv6		No	Always
Active	2147483647	**Allow All Traffic**	ALLOW	Gateway	Hotspot	All	IPv4 & IPv6		No	Always
Active	2147483647	**Allow All Traffic**	ALLOW	Gateway	Dmz	All	IPv4 & IPv6		No	Always
Active	2147483647	**Allow All Traffic**	ALLOW	Vpn	Internal	All	IPv4 & IPv6		No	Always
Active	30000	**Block Invalid Traffic**	BLOCK	Vpn	External	All	IPv4 & IPv6	INVALID	No	Always
Active	2147483647	**Allow All Traffic**	ALLOW	Vpn	External	All	IPv4 & IPv6		No	Always
Active	2147483647	**Allow All Traffic**	ALLOW	Vpn	Gateway	All	IPv4 & IPv6		No	Always
Active	2147483647	**Allow All Traffic**	ALLOW	Vpn	Vpn	All	IPv4 & IPv6		No	Always
Active	2147483647	**Allow All Traffic**	ALLOW	Vpn	Hotspot	All	IPv4 & IPv6		No	Always
Active	2147483647	**Allow All Traffic**	ALLOW	Vpn	Dmz	All	IPv4 & IPv6		No	Always
Active	30000	**Allow Public DNS**	ALLOW	Hotspot	Internal	All	IPv4		No	Always
Active	30001	**Post-Authorization Restrictions**	BLOCK	Hotspot	Internal	All	IPv4		No	Always
Active	30002	**Allow Return Traffic**	ALLOW	Hotspot	Internal	All	IPv4 & IPv6	ESTABLISHED, RELATED	No	Always
Active	2147483647	**Block All Traffic**	BLOCK	Hotspot	Internal	All	IPv4 & IPv6		No	Always
Active	10001	**Payment Portal**	ALLOW	Hotspot	External	All	IPv4 & IPv6		Yes	Always
Active	30000	**Allow Public DNS**	ALLOW	Hotspot	External	All	IPv4		No	Always
Active	30001	**Allow Hotspot Portal**	ALLOW	Hotspot	External	All	IPv4		No	Always
Active	30002	**Post-Authorization Restrictions**	BLOCK	Hotspot	External	All	IPv4		No	Always
Active	30003	**Block Unauthorized Traffic**	BLOCK	Hotspot	External	All	IPv4		No	Always
Active	30005	**Block Invalid Traffic**	BLOCK	Hotspot	External	All	IPv4 & IPv6	INVALID	No	Always
Active	2147483647	**Allow All Traffic**	ALLOW	Hotspot	External	All	IPv4 & IPv6		No	Always
Active	30000	**Allow DNS**	ALLOW	Hotspot	Gateway	All	IPv4 & IPv6		No	Always

State	Order	Name	Action	Source zone	Destination zone	Protocol	IP version	Connection states	Logging	Schedule
Active	30001	**Allow ICMP**	ALLOW	Hotspot	Gateway	All	IPv4		No	Always
Active	30002	**Allow DHCP**	ALLOW	Hotspot	Gateway	All	IPv4		No	Always
Active	30003	**Allow Hotspot Portal Authentication**	ALLOW	Hotspot	Gateway	All	IPv4		No	Always
Active	30004	**Allow Hotspot Portal Redirects**	ALLOW	Hotspot	Gateway	All	IPv4		No	Always
Active	30005	**Allow ICMPv6**	ALLOW	Hotspot	Gateway	All	IPv6		No	Always
Active	30006	**Allow DHCPv6**	ALLOW	Hotspot	Gateway	All	IPv6		No	Always
Active	30007	**Allow Return Traffic**	ALLOW	Hotspot	Gateway	All	IPv4 & IPv6	ESTABLISHED, RELATED	No	Always
Active	2147483647	**Block All Traffic**	BLOCK	Hotspot	Gateway	All	IPv4 & IPv6		No	Always
Active	30000	**Allow Public DNS**	ALLOW	Hotspot	Vpn	All	IPv4		No	Always
Active	30001	**Post-Authorization Restrictions**	BLOCK	Hotspot	Vpn	All	IPv4		No	Always
Active	30002	**Allow Return Traffic**	ALLOW	Hotspot	Vpn	All	IPv4 & IPv6	ESTABLISHED, RELATED	No	Always
Active	2147483647	**Block All Traffic**	BLOCK	Hotspot	Vpn	All	IPv4 & IPv6		No	Always
Active	30000	**Allow Public DNS**	ALLOW	Hotspot	Hotspot	All	IPv4		No	Always
Active	30001	**Post-Authorization Restrictions**	BLOCK	Hotspot	Hotspot	All	IPv4		No	Always
Active	2147483647	**Block All Traffic**	BLOCK	Hotspot	Hotspot	All	IPv4 & IPv6		No	Always
Active	30000	**Allow Public DNS**	ALLOW	Hotspot	Dmz	All	IPv4		No	Always
Active	2147483647	**Block All Traffic**	BLOCK	Hotspot	Dmz	All	IPv4 & IPv6		No	Always
Active	30000	**Allow Return Traffic**	ALLOW	Dmz	Internal	All	IPv4 & IPv6	ESTABLISHED, RELATED	No	Always
Active	2147483647	**Block All Traffic**	BLOCK	Dmz	Internal	All	IPv4 & IPv6		No	Always
Active	30000	**Block Invalid Traffic**	BLOCK	Dmz	External	All	IPv4 & IPv6	INVALID	No	Always
Active	2147483647	**Allow All Traffic**	ALLOW	Dmz	External	All	IPv4 & IPv6		No	Always
Active	30000	**Allow Return Traffic**	ALLOW	Dmz	Gateway	All	IPv4 & IPv6	ESTABLISHED, RELATED	No	Always
Active	2147483647	**Block All Traffic**	BLOCK	Dmz	Gateway	All	IPv4 & IPv6		No	Always
Active	30000	**Allow Return Traffic**	ALLOW	Dmz	Vpn	All	IPv4 & IPv6	ESTABLISHED, RELATED	No	Always
Active	2147483647	**Block All Traffic**	BLOCK	Dmz	Vpn	All	IPv4 & IPv6		No	Always
Active	2147483647	**Block All Traffic**	BLOCK	Dmz	Hotspot	All	IPv4 & IPv6		No	Always
Active	2147483647	**Block All Traffic**	BLOCK	Dmz	Dmz	All	IPv4 & IPv6		No	Always

Security findings

High	Medium	Low	Info	CHECKS EVALUATED
1	4	6	1	17

Results of automated checks of the configuration imported on Nov 10, 2026. Each finding states what was observed and is an indication to review, not a verdict: this is not a penetration test or a compliance audit, and a check without a finding does not prove the area is secure. Checks that could not be evaluated are listed as such.

Ref	Severity	Finding	Observed	Recommendation
F-01	High	**Services are published to the internet** Firewall	2 port forwards expose internal systems to the internet, including Remote Desktop open to any source address. Each exposed service is reachable by anyone who scans the public address. • Lobby camera web view: tcp 8443 to 10.64.10.213:443 • RDP to Finance PC: tcp 3389 to 10.64.20.223:3389	Remove forwards for remote administration and file sharing and use the VPN instead. Limit the rest to known source addresses.

Ref	Severity	Finding	Observed	Recommendation
F-02	Medium	**UPnP is enabled on the gateway** Firewall	UPnP lets any device on the LAN open ports from the internet to itself without an administrator's approval. Malware and poorly built devices use it to expose themselves. • DemoCityHall-UDMSE	Turn UPnP off and create specific port forwards for the few devices that need one.
F-03	Medium	**IoT and media devices share a network with computers** Segmentation	On 3 networks, cameras, media players or other embedded devices sit on the same network as computers or servers. Such devices are rarely patched and can be used to reach the computers beside them. • Office LAN: Verkada-Lobby-Cam 29:5e with 5 computers • Annex LAN: X70000123 1e:5f with 2 computers • Office WIFI: Manager's Office Alexa Show d3:20, Chromecast df:dd, Chromecast 3f:7a, Main-Office-Thermostat c5:c8 with 3 computers	Move embedded and media devices to their own network and allow only the traffic they need.
F-04	Medium	**Unidentified devices on internal networks** Inventory	2 connected devices could not be identified from their vendor, name or DHCP data. Unknown devices on an internal network should be accounted for. • DEMO-7QK2M41 a0:0e (10.64.10.145) • d4:13:68:e0:72:64 (10.64.15.80)	Locate each device, record what it is, and remove or isolate any that are not authorized.
F-05	Medium	**Firmware updates are available** Maintenance	2 devices are running firmware older than the version the controller offers. Updates regularly fix security flaws. • Admin Office Switch: 7.5.15 to 7.6.4 • Annex Switch: 7.5.15 to 7.6.4	Schedule the updates in a maintenance window and consider enabling automatic updates.
F-06	Low	**Intrusion detection and prevention is off** Firewall	The gateway is not inspecting traffic for known attacks, malware traffic or connections to known-bad addresses. • DemoCityHall-UDMSE	Enable intrusion prevention (or at least detection) on the gateway, checking the throughput impact for this model.
F-07	Low	**Wi-Fi limited to WPA2** Wi-Fi	1 active network accepts WPA2 only. A WPA2 Wi-Fi password can be attacked offline once a connection handshake is captured. • Annex WIFI	Enable WPA2/WPA3 transition mode where the client devices allow it, and use a long, unique Wi-Fi password.
F-08	Low	**Network equipment is managed on a network that carries clients** Segmentation	Switches or access points have their management address on 3 networks that also have client devices, so any of those clients can reach the management interfaces. • Default: Admin Office Switch, Annex Switch with 3 clients • Annex LAN: Annex-Outdoor with 12 clients • Legacy LAN: Office-U7-Pro, Annex-U7-Pro with 2 clients	Place management interfaces on a dedicated network that only administrators can reach.
F-09	Low	**DHCP hands out a public DNS resolver next to the internal one** Segmentation	1 DHCP scope lists both an internal and a public resolver. Clients use either, which bypasses internal name resolution and any DNS filtering. • Legacy LAN: 192.168.8.10, 8.8.8.8	List only the internal resolvers and let them forward to the internet.
F-10	Low	**Devices with randomized addresses on internal networks** Inventory	3 connected devices use a private (randomized) hardware address, which is typical of personal phones and laptops and prevents a stable inventory. • Mac 3b:1d (10.64.15.154) • Galaxy-S24-FE 65:51 (10.64.15.235) • Watch d3:47 (10.64.15.74)	Confirm these are authorized devices; move personal devices to the guest network.
F-11	Low	**Network equipment that is not managed here** Inventory	3 switches, routers or access points on the network are not managed by this system, and 4 clients could not be traced to a managed port. Their configuration, firmware and port security are not covered by this document. • Front Desk SW 43:0f (192.168.8.50) • Records SW 07:8d (192.168.8.30) • Manager SW b0:58	Bring the equipment under management or document it separately, and confirm each device is authorized.

Ref	Severity	Finding	Observed	Recommendation
F-12	Info	**Disabled firewall rules left in place** Firewall	2 user-defined rules are disabled. Disabled rules are easily re-enabled by mistake and make the rule set harder to review. • Allow Accounting Client: Internal to Internal, allow • Syslog Test: External to Gateway, block	Delete rules that are no longer needed, or note why each one is kept.

Checks performed

Area	Check	Result	Note
Firewall	**Custom rules that allow traffic in from the internet**	No finding	
Firewall	**Guest zone allowed into internal networks**	No finding	
Firewall	**Disabled firewall rules left in place**	Finding	
Firewall	**Services published to the internet (port forwards)**	Finding	
Firewall	**UPnP (devices opening ports by themselves)**	Finding	
Firewall	**Intrusion detection and prevention**	Finding	
Remote access	**PPTP or L2TP remote access**	No finding	
Wi-Fi	**Wi-Fi networks without encryption**	No finding	
Wi-Fi	**Wi-Fi networks using WEP or first-generation WPA**	No finding	
Wi-Fi	**Wi-Fi networks limited to WPA2**	Finding	
Segmentation	**IoT and media devices on the same network as computers**	Finding	
Segmentation	**Network equipment managed on a network that carries clients**	Finding	
Segmentation	**Internal and public DNS resolvers mixed in one DHCP scope**	Finding	
Inventory	**Unidentified devices on internal networks**	Finding	
Inventory	**Devices with randomized addresses on internal networks**	Finding	
Inventory	**Network equipment that is not managed here**	Finding	
Maintenance	**Firmware updates available**	Finding	

Device identification

DEVICES SEEN	CONNECTED NOW	RECENTLY SEEN	IDENTIFIED (HIGH / MEDIUM)	UNIDENTIFIED	RANDOMIZED MAC
52	52	0	41	2	4

Types are inferred passively from the IEEE MAC vendor registry, DHCP hostname and vendor class, LLDP/CDP/MNDP data and controller records — no scanning. The Evidence column lists the signals behind each result; treat types as an indication, not a verified inventory. Window: connected now plus devices seen in the last 30 days.

BY TYPE

Computer	16	IP phone	12	Printer / copier	6	Network equipment	5
Phone / tablet	2	TV / streaming	2	Unknown	2	Building / HVAC	1
Camera / NVR	1	IoT / embedded	1	Server / VM	1	Smart speaker / media	1
UPS / power	1	Wearable	1				

Device	IP / Network	Vendor	Type / OS / model	Seen on	Evidence	Confidence
SIP-T54W 24:9a:d8:cf:11:f0		Yealink YEALINK(XIAME...	**IP phone** SIP-T54W	Annex-U7-Pro Wireless	IEEE OUI vendor · Vendor Yealink · Hostname "SIP-T54W"	High
SIP-T54W 24:9a:d8:ec:1c:47		Yealink YEALINK(XIAME...	**IP phone** SIP-T54W	Annex-U7-Pro Wireless	IEEE OUI vendor · Vendor Yealink · Hostname "SIP-T54W"	High
d4:01:c3:28:c5:ea d4:01:c3:28:c5:ea		MikroTik Routerboard.com	**Network equipment**	undetermined Wired	IEEE OUI vendor · Vendor MikroTik	Low
Manager SW d4:01:c3:4f:b0:58		MikroTik Routerboard.com	**Network equipment**	Admin Office Switch Wired	IEEE OUI vendor · Vendor MikroTik · Hostname "Manager SW"	Medium
cfmesh 00:0d:48:c6:7b:f3	10.64.1.76	Aewin AEWIN Technolo...	**Network equipment**	Admin Office Switch Wired	IEEE OUI vendor · Hostname "cfmesh"	Low
SIP-T54W 24:9a:d8:4e:53:69	10.64.1.97	Yealink YEALINK(XIAME...	**IP phone** SIP-T54W	Admin Office Switch Wired	IEEE OUI vendor · Vendor Yealink · Hostname "SIP-T54W"	High
CyberPower-UPS 00:0c:15:2d:6e:ef	10.64.1.141	CyberPower CyberPower Syst...	**UPS / power**	Admin Office Switch Wired	IEEE OUI vendor · Vendor CyberPower · Hostname	High
SIP-T54W 24:9a:d8:21:25:9c	10.64.1.153	Yealink YEALINK(XIAME...	**IP phone** SIP-T54W	Admin Office Switch Wired	IEEE OUI vendor · Vendor Yealink · Hostname "SIP-T54W"	High
Office2-7010SFF cc:96:e5:b3:1d:15	10.64.10.32	Dell Dell Inc.	**Computer**	Admin Office Switch Wired	IEEE OUI vendor · Vendor Dell · Hostname "Office2-7010SFF"	Medium
Office1-7010SFF cc:96:e5:9f:ea:24	10.64.10.35	Dell Dell Inc.	**Computer**	Admin Office Switch Wired	IEEE OUI vendor · Vendor Dell · Hostname "Office1-7010SFF"	Medium
Records HP Laptop 6c:02:e0:71:7c:a4	10.64.10.55	HP HP Inc.	**Computer**	Admin Office Switch Wired	IEEE OUI vendor · Hostname "Records HP Laptop"	Medium
Sharp-Color-Copier 8c:52:19:93:a4:d3	10.64.10.77	Sharp SHARP Corporati...	**Printer / copier**	Admin Office Switch Wired	IEEE OUI vendor · Vendor Sharp · Hostname "Sharp-Color-Copier"	High
HPIC557EE 28:c5:c8:c5:57:ee	10.64.10.79	HP HP Inc.	**Printer / copier**	Admin Office Switch Wired	IEEE OUI vendor · Vendor HP · Hostname "HPIC557EE"	Medium
SIP-T54W 24:9a:d8:40:91:b1	10.64.10.91	Yealink YEALINK(XIAME...	**IP phone** SIP-T54W	undetermined Wired	IEEE OUI vendor · Vendor Yealink · Hostname "SIP-T54W"	High
HPI80101C f8:ed:fc:80:10:1c	10.64.10.109	HP HP Inc.	**Printer / copier**	undetermined Wired	IEEE OUI vendor · Vendor HP · Hostname "HPI80101C"	Medium
SIP-T54W 24:9a:d8:77:5c:74	10.64.10.114	Yealink YEALINK(XIAME...	**IP phone** SIP-T54W	Admin Office Switch Wired	IEEE OUI vendor · Vendor Yealink · Hostname "SIP-T54W"	High
DEMO-7QK2M41 48:21:0b:0a:a0:0e	10.64.10.145	Pegatron PEGATRON COR...	**Unknown**	Admin Office Switch Wired	IEEE OUI vendor	Unknown
HPI43CD81 48:ea:62:43:cd:81	10.64.10.164	HP HP Inc.	**Printer / copier**	Admin Office Switch Wired	IEEE OUI vendor · Vendor HP · Hostname "HPI43CD81"	Medium
SIP-T54W 24:9a:d8:0a:77:11	10.64.10.167	Yealink YEALINK(XIAME...	**IP phone** SIP-T54W	Admin Office Switch Wired	IEEE OUI vendor · Vendor Yealink · Hostname "SIP-T54W"	High
Demo-MBP 00:0e:01:f8:37:c9	10.64.10.187	Asip ASIP Technologie...	**Computer** macOS	undetermined Wired	IEEE OUI vendor · Hostname "Demo-MBP"	Medium
Verkada-Lobby-Cam e0:a7:00:1a:29:5e	10.64.10.213	Verkada Verkada Inc	**Camera / NVR**	Admin Office Switch Wired	IEEE OUI vendor · Vendor Verkada · Hostname "Verkada-Lobby-Cam"	High
Clerk-P3590 10:98:19:00:fb:c6	10.64.10.224	Dell Dell Inc.	**Computer**	Admin Office Switch Wired	IEEE OUI vendor · Vendor Dell · Hostname "Clerk-P3590"	Medium
Reception-HPEnvy 38:ca:84:10:33:cd	10.64.10.232	HP HP Inc.	**Computer**	Admin Office Switch Wired	IEEE OUI vendor · Hostname "Reception-HPEnvy"	Low
Clerk-P3590 68:34:21:d4:ca:46	10.64.15.34	Intel Intel Corporate	**Computer**	Office-U7-Pro Wireless	IEEE OUI vendor · Vendor Intel · Hostname "Clerk-P3590"	Medium
Watch fa:3e:da:5c:d3:47	10.64.15.74	Randomized MAC private address	**Wearable** watchOS	Office-U7-Pro Wireless	Randomized (private) MAC — vendor cannot be derived ·	Low
d4:13:68:e0:72:64 d4:13:68:e0:72:64	10.64.15.80	Shenzhen Intelli... Shenzhen Intellir...	**Unknown**	Annex-Outdoor Wireless	IEEE OUI vendor	Unknown
SIP-T54W 24:9a:d8:d5:52:37	10.64.15.95	Yealink YEALINK(XIAME...	**IP phone** SIP-T54W	Office-U7-Pro Wireless	IEEE OUI vendor · Vendor Yealink · Hostname "SIP-T54W"	High
Mac ce:8f:3d:95:3b:1d	10.64.15.154	Randomized MAC private address	**Computer** macOS	Office-U7-Pro Wireless	Randomized (private) MAC — vendor cannot be derived ·	Medium

Device	IP / Network	Vendor	Type / OS / model	Seen on	Evidence	Confidence
Chromecast 20:1f:3b:51:3f:7a	10.64.15.162	Google Google, Inc.	**TV / streaming**	Annex-U7-Pro Wireless	IEEE OUI vendor · Vendor Google · Hostname “Chromecast”	Medium
DESKTOP-D3M0PC1 1c:bc:ec:09:78:4f	10.64.15.174	silex silex technology, ...	**Computer** Windows	Office-U7-Pro Wireless	IEEE OUI vendor · Hostname “DESKTOP-D3M0PC1”	High
Main-Office-Thermostat 44:61:32:63:c5:c8	10.64.15.194	ecobee ecobee inc	**Building / HVAC**	Annex-Outdoor Wireless	IEEE OUI vendor · Vendor ecobee · Hostname “Main-Office-Thermostat”	High
Manager’s Office Alex... 0c:dc:91:2b:d3:20	10.64.15.199	Amazon Amazon Technol...	**Smart speaker / media**	Annex-Outdoor Wireless	IEEE OUI vendor · Vendor Amazon · Hostname “Manager’s Office Alexa	High
Chromecast 20:1f:3b:42:df:dd	10.64.15.201	Google Google, Inc.	**TV / streaming**	Office-U7-Pro Wireless	IEEE OUI vendor · Vendor Google · Hostname “Chromecast”	Medium
Galaxy-S24-FE d6:90:72:06:65:51	10.64.15.235	Randomized MAC private address	**Phone / tablet** Android	Office-U7-Pro Wireless	Randomized (private) MAC — vendor cannot be derived ·	Medium
BACKUP-BCDR c0:47:0e:fe:9b:45	10.64.20.48	Dell Dell Inc.	**Computer**	Annex Switch Wired	IEEE OUI vendor · Vendor Dell	Low
Annex-MediaPC5820 b0:7b:25:cd:24:e4	10.64.20.50	Dell Dell Inc.	**Computer**	Annex Switch Wired	IEEE OUI vendor · Vendor Dell · Hostname “Annex-MediaPC5820”	Medium
AnnexMgr-7010SF cc:96:e5:25:ff:76	10.64.20.77	Dell Dell Inc.	**Computer**	Annex Switch Wired	IEEE OUI vendor · Vendor Dell · Hostname “AnnexMgr-7010SF”	Medium
SIP-T54W 24:9a:d8:8b:b5:4a	10.64.20.85	Yealink YEALINK(XIAME...	**IP phone** SIP-T54W	Annex Switch Wired	IEEE OUI vendor · Vendor Yealink · Hostname “SIP-T54W”	High
SIP-T54W 24:9a:d8:2f:77:f2	10.64.20.86	Yealink YEALINK(XIAME...	**IP phone** SIP-T54W	Annex Switch Wired	IEEE OUI vendor · Vendor Yealink · Hostname “SIP-T54W”	High
Annex2-7010 cc:96:e5:bb:26:b5	10.64.20.110	Dell Dell Inc.	**Computer**	Annex Switch Wired	IEEE OUI vendor · Vendor Dell	Low
X70000123 e0:92:8f:dd:1e:5f	10.64.20.127	Texas Instrume...	**IoT / embedded**	Annex Switch Wired	IEEE OUI vendor · Vendor Texas Instruments	Medium
SIP-T54W 24:9a:d8:28:c2:61	10.64.20.138	Yealink YEALINK(XIAME...	**IP phone** SIP-T54W	Annex Switch Wired	IEEE OUI vendor · Vendor Yealink · Hostname “SIP-T54W”	High
BRN3C2AF4F8D8D7 3c:2a:f4:f8:d8:d7	10.64.20.197	Brother Brother Industrie...	**Printer / copier**	Annex Switch Wired	IEEE OUI vendor · Vendor Brother · Hostname “BRN3C2AF4F8D8D7”	High
SIP-T54W 24:9a:d8:3d:6d:5f	10.64.20.204	Yealink YEALINK(XIAME...	**IP phone** SIP-T54W	Annex Switch Wired	IEEE OUI vendor · Vendor Yealink · Hostname “SIP-T54W”	High
HPI7EBD1D 48:ea:62:7e:bd:1d	10.64.20.220	HP HP Inc.	**Printer / copier**	Annex Switch Wired	IEEE OUI vendor · Vendor HP · Hostname “HPI7EBD1D”	Medium
Finance PC 80:e8:2c:f1:60:a6	10.64.20.223	HP Hewlett Packard	**Computer**	Annex Switch Wired	IEEE OUI vendor · Hostname “Finance PC”	Low
Annex-T16 84:08:3a:13:0a:2d	10.64.25.122	Intel Intel Corporate	**Computer**	Annex-Outdoor Wireless	IEEE OUI vendor · Vendor Intel	Low
Pixel-10 ee:74:0f:da:e7:d1	10.64.101.112	Randomized MAC private address	**Phone / tablet** Android	Office-U7-Pro Wireless	Randomized (private) MAC — vendor cannot be derived ·	Medium
DC01 b8:cb:29:64:7f:ec	192.168.8.10	Dell Dell Inc.	**Computer**	Annex Switch Wired	IEEE OUI vendor · Vendor Dell	Low
Records SW 2c:c8:1b:e1:07:8d	192.168.8.30	MikroTik Routerboard.com	**Network equipment**	Admin Office Switch Wired	IEEE OUI vendor · Vendor MikroTik · Hostname “Records SW”	Medium
Front Desk SW 48:a9:8a:2a:43:0f	192.168.8.50	MikroTik Routerboard.com	**Network equipment**	Admin Office Switch Wired	IEEE OUI vendor · Vendor MikroTik · Hostname “Front Desk SW”	Medium
Dell iDRAC 6 Enterprise b8:cb:29:6e:19:92	192.168.8.181	Dell Dell Inc.	**Server / VM** Out-of-band managem...	Annex Switch Wired	IEEE OUI vendor · Hostname “Dell iDRAC 6 Enterprise”	Medium