



ASSET VERIFICATION AND RECORDING TOOL KIT

SK&CO **Seijaaka, Kaawaase & Co.**
AUDIT • ADVISORY • FORENSICS **Certified Public Accountants**
Plot 31, Bukoto Street
P.O Box 7657, Kampala, Uganda
+256 (0) 39 2000216/0772525235
email: cpa@cpa.ug
www.cpa.com

August to September 2026

VERIFICATION DETAILS

NAME OF THE REGION:	Western
SUB-REGION:	T0RO
Name of Local Government	KYEGEGWA
VERIFIER PARTICULARS	
Full name	NAMAYANJA VANESSA
Contact/ email and Telephone	0775458303
Supervisor/ Sub team leader	
Name	MR MBONIGABA DEPAUL
Contact	0788483159
Date of submission	

**HEALTH CENTRES
INFORMANT INTERVIEW/DISCUSSION GUIDE (INCHARGE OR RESPONSIBLE PERSON)**

Name of Health Centre:KARWENYI HEALTH CENTER
3.....

1a	Does the Facility have a record of all assets provided under UgIFT. (Obtain a record and verify if it has the costs and numbers supplied	Yes
1b	If Not ask how many were supplied and when.	18/11/2025

2	How does this facility Maintain (repair/service/replace) the assets provided under Ugift
---	--

The facility gets support from the Primary Health Care (PHC) fund.

3	Does the facility take regular record about functionality/ or breakdown of the assets provided?	
---	---	--

Yes;

The facility has an inventory book and asset register which is always updated.

4	How has the UgIFT support helped in service delivery in the area, any issues, challenges and any recommendations for better program implementation.	
---	--	--

Challenges;

The items/ assets supplied are not engraved.

Failure to get micro cuvettes and glucosticks for glucometer and HB system.

Recommendation;

Supply the assets after engraving them.

Exchange and get the glucometer and hemoglobin system that one on market in their region where the facility is.

PROCEED TO VERIFICATION AFTER THIS DISCUSSION

Health centre checklist

NAME OF LG.....KYELEGWA..... NAME OF HEALTH FACILITY.....KARWENYI HEALTH CENTRE III.....

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
B.P. Machine, Digital	Health		White in color with a screen and plastic frame		Not engraved		18/11/2025						functional	In use
B.P. Machine (Aneroid wall mounted)	Health		Navy blue ,has a bulb and tubing, has a black pulse rate connected on an arm cuff on a holder		Not engraved		18/11/2025						Not functional	In store
Autoclave 20 Liters., Duo Operated	Health		Cylindrical drum made of stainless steel with a heavy cover with black pressure valves		Not engraved		18/11/2025						Functioning well	In use
Bowl, Kick	Health		A mobile stainless-steel bowl mounted on a metal frame with wheels that can be moved		Not engraved		18/11/2025						In good condition	In use

[illegible]

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
ESR Stand	health		Rectangular plastic stand with holes and clips to hold ESR tubes		Not engraved		18/11/2025						Still in store	In store
Examination Couch	health		Washable padded black surface with a metallic frame ,adjustable back rest(head)		Not engraved		20/9/2025						Functioning well and clean	In use
Examination light,LED	health		Movable lamp on a wheeled stainless steel stand		Not engraved		20/9/2025						Functioning well	1 in use 1 in store
Glucometer	health		Hand held electronic device with a small screen ,a slot where you insert a test strip and button for control		Not engraved		18/11/2025						Not working because the glucostick supplied with the asset were not working	Not working due to lack of glucosticks
Haemoglobin	health		Hand held device with a LDC		Not engraved		18/11/2025						Not working	Not

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Meter, Digital			display ,has a meter where the cuvette is inserted										because the micro cuvettes supplied with the asset wasn't working	
Height Meter	Health		Head piece that rests on patients head, stable base plate scale in centimeters		Not engraved		18/11/20 25						Function well	In use
Instrume nt Trolley	Health		Stainless steel with shelves, push handles and 2 rings for bowls		Not engraved		18/11/20 25						In use	In use
Microsco pe Binocular	Health		Metal body, rotatable white in color		Not engraved		18/11/20 25						In store still in use	In store
Otoscope	Health		Metal handle with magnifying lens and light source battery operated		Not engraved		18/11/20 25						Still in box	In store

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Patient Screen	Health		Foldable, blue curtain and a stainless steel frame		Not engraved		20/9/202 5						In use	In use
Patient Trolley	Health		Stainless steel, wheeled push handles at both ends		Not engraved		20/9/202 5						In good condition functional	In use
Refrigera tor, Basic	Health		2 door, Midea brand, silver in color		Not engraved		18/11/20 25						Functionin g well	In use
Stethosc ope	Health		Black tube, ear tips stainless steel chest piece		Not engraved		20/9/202 5						Still in boxes	In store
Stop Watch	health		Battery operated, hour ,minute, second display, reset function		Not engraved		18/11/20 25						Still in boxes	In store
Stretcher	Health		Blue mattress wheeled with a steel frame		Not engraved		18/11/20 25						Still in boxes	In store
Stove, Gas	health		Orange cylinder, total energies 8kg		Not engraved		18/11/20 25						Functionin g well	In store

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Weighing Scale with Height Meter, Adult	Health		Heavy duty steel platform, aluminum height rod, rubber mat		Not engraved		20/9/2025						Functioning well	1 in use and other in store
Weighing Scale, Infant	Health		Bowl/tray type battery operated white tray				20/9/2025						Still in boxes	In store
Weighing Scale, Toddler	Health		A small, sturdy device with a flat or tray like platform where a toddler sits or stands		Not engraved		20/9/2025						Still in boxes in store	In store
Wheel Chair	Health		Black, folding, rubber tyres seat and back push handles, rest		Not engraved		20/9/2025						Functioning well in use	In use
Audio Visual Equipment														
Medical Waste Bin	Health		Metallic containers, foot-Bin		Not engraved		20/9/25						Clean, covered	In use

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
			operated with a lid										functioning well	
Wall Clock	Health		Battery operated circular, plastic frame with glass		Not engraved		20/9/2025						Still in boxes in the store	In store
Diagnostic Equipment Set for MCH	Health		Contains many equipment in a carry case		Not engraved		18/11/2025						Still packed well in the stainless steel container	In store
Diagnostic Equipment Set for OPD	Health		Contains many equipment in carry case		Not engraved		18/11/2025						Still packed well in store	In store
Glassware Set, Laboratory, Basic	Health		A set of glass apparatus used in the laboratory		Not engraved		18/11/25						Still in boxes in store	In store
Hollow Ware Set, Treatment	Health		A set of stainless steel equipment		Not engraved		18/11/25						Still in boxes in store	In store

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Instrument Set, Dressing	Health		Stainless steel and contains all equipment		Not engraved		18/11/25						Still packed in boxes	In store
Instrument Set, Basic ENT	Health		Set of stainless steel instrument, auto clavable stainless steel		Not engraved		18/11/25						Still in carry case	In store
Instrument Set, Suture	Health													
Pulse Oximeter, Hand held	Health		Digital display rechargeable battery ,alarm, white		Not engraved		18/11/25						Still in boxes	in store
Bed, Adult Patient with Mattress	Health		Black mattress metallic frame washable adjustable back rest with wheels and drip stand		Not engraved		20/9/25						Functioning well	In use
Bed, Pediatric Patient, With Mattress	Health		Black mattress side rails, pink and blue, grey with drip stand		Not engraved		20/9/25						In good condition	In use

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Bedside Locker	Health		Blue, metallic with lockers			20/9/25							functional	In use
Cupboar d, Instrume nt	Health		Grey steel with shelves inside		Not engraved	18/11/25							funcional	In use
Delivery Bed, Hydraulic Manual	Health		Blue padded surface, washable		Not engraved	20/9/25							functional	In use
Oxygen Therapy Apparatu s, Mininum 45L cylinder														
Resuscit ator Manual, Infant, with all Mask sizes	Health		White containers containing different equipment with a cover and reusable		Not engraved	18/11/25							Still new and in store	In use
Resuscit ator Manual,	Health		White container containing different		Not engraved	18/11/25							Still new and in store	In store

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Adult, with all mask sizes			equipment and reusable											
Suction Apparatu s, (Electric)	Health		Machine has 2 jars, suction tubing, foot pedal		Not engraved		18/11/25						Still in box	In store
Nebulizer , Ultrasoni c	Health		Has mask, mouth piece, air tubing medication cups		Not engraved		18/11/25						Still in box	In store
Oxygen Concentr ator, Duo Flow	Health		Floor standing, humidifier bottle air filter, nasal cannula		Not engraved		20/9/25						Still in box	In store
Bench	Health		Furniture with a metallic frame		Not engraved		20/9/25						Good condition and functioning	In use
Disinfecti on Buckets	health		Plastic ,white with covers		Not engraved		18/11/25						Clean and in use	Cleaned well and covered
Baby Cot	health		Rectangular small bed for infants of steel		Not engraved		18/11/25						In good conditions, no	In use

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
			frame with drop sides ,a mattress and wheels										damaged mattress All in use	
Diagnosti c Equipme nt Set for Ward	health		Consists of different equipment in a carry bag like patella harmer, digital thermometer ,tounge depressor ,pen light, stethoscope		Not engraved		18/11/25						All equipment are still in the carry bag still new in the store Notin use	Not in use still in boxes
Hollow Ware Set, Ward	Health		Contains a list of equipment		Not engraved		18/11/25						Still in boxes	In store
Instrume nt Set, Delivery	Health		Contains a list of equipment		Not engraved		18/11/25						Still in package	In store
Instrume nt Set, Stitch Removin g	Health		Package of medical equipment		Not engraved		18/11/25						Still packed well	In store

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
MVA Kit	Health		Packed in autoclavable stainless-steel container/tray with covered		Not engraved		18/11/25						Not functional	In store
Stool, Laboratory	Health		Round ,wheeled, with a backrest		Not engraved		18/11/25						In good condition	In use
Penguin Sucker	Health		Soft rubber bulb shaped like a penguin with a nozzle		Not engraved		20/9/25						functional	In use
Fetoscope, Dopplar	Health		Hand held device with power buttons and screen display		Not engraved		18/11/25						Still in boxes	In store
Bubble CPAP	Health		Has a bottle, stand, patient circuit nasal interface		Not engraved		20/9/25						Still in box	In store
Centrifuge (Electric)	Health		Has a timer , a grey and blue machine		Not engraved		20/9/25						Functioning well	In use
Kangaroo Mother Care Chair	Health		Brown, padded seat and blackened that can be adjusted		Not engraved		18/11/25						Functioning well	In use

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
			has arm rest and foot rest											
Radiant Infant Warmer	Health		Mobile electrically operated open warmer, trolley with basement		Not engraved		20/9/25						Functioning well	In use
Haemoglobin Meter, Sahli	Health		Portable device that uses micro cuvettes		Not engraved		18/11/25						Not working due to lack of micro cuvettes	Not working
Delivery Bed	Health		Pink, adjustable padded, shoulder, rest, a large metal base with brake tray for keeping instrument		Not engraved		20/9/25						Functioning well	In use
Examination light	Health		Goose neck type, adjustable height, 5 leg base with casters and brakes		Not engraved		20/9/25						Functioning well	In use
Instrument set,	Health		A set of ear, nose and throat		Not engraved		20/9/25						Not functioning	In store

[illegible]

[illegible]

SCHOOL VERIFICATION CHECKLIST

SCHOOL INTERVIEW/DISCUSSION GUIDE

Name of school:

1a	Does the Facility have a record of all assets provided under UgIFT. (Obtain a record and verify if it has the costs and numbers supplied	
1b	If Not ask how many were supplied and when.	

2	How does this facility Maintain (repair/service/replace) the assets provided under Ugift	
---	--	--

3	Does the facility take regular record about functionality/ or breakdown of the assets provided? Nonfunctional/ working, and reasons for non-functionality.	
---	---	--

4	How has the UgIFT support helped in service delivery in the area, any issues, challenges and any recommendations for better program implementation.	
---	--	--

PROCEED TO VERIFICATION AFTER THIS DISCUSSION

(School Desks, Office chairs, Laboratory stools, Book shelves)

Name of LG..... Name of SCHOOL.....

[illegible]

[illegible]

[illegible]

ICT ITEMS TO VERIFY

(Desktop Computer, Server Processor, Network Switch 24 Port, Multipurpose Printer, UPS, Projector, Air Conditioners, Server, CCTV Camera)

Name of LG..... Name of SCHOOL.....

[illegible]

[illegible]

[illegible]

BUILDINGS TO VERIFY

(Non- Residential and Residential, Kitchen, Toilets/Pit latrine Water tanks, Fences etc.)

Name of LG..... Name of SCHOOL.....

[illegible]

[illegible]

[illegible]

