



ASSET VERIFICATION AND RECORDING TOOL KIT

SK&CO **Sejjaaka, Kaawaase & Co.**
AUDIT • ADVISORY • FORENSICS **Certified Public Accountants**

Plot 31, Bukoto Street
P.O Box 7657, Kampala, Uganda
+256 (0) 39 2000216/0772525235
email: cpa@cpa.ug
www.cpa.com

August to September 2026

VERIFICATION DETAILS

NAME OF THE REGION:	WESTERN
SUB-REGION:	TORO
Name of Local Government	KYENJOJO
VERIFIER PARTICULARS	
Full name	NAMAYANJA VANESSA
Contact/ email and Telephone	0775458303
Supervisor/ Sub team leader	MR DEPAUL
Name	
Contact	
Date of submission	

HEALTH CENTRES INFORMANT INTERVIEW/DISCUSSION GUIDE (INCHARGE OR RESPONSIBLE PERSON)

Name of Health Centre: ...MBALE HEALTH CENTER
3.....

1a	Does the Facility have a record of all assets provided under UgIFT. (Obtain a record and verify if it has the costs and numbers supplied	YES ,without costs
1b	If Not ask how many were supplied and when.	16 th /03/2024 and 15/04/2024

2	How does this facility Maintain (repair/service/replace) the assets provided under Ugift
---	--

The facility doesn't repair the assets ,the facility buys another item or new asset

3	Does the facility take regular record about functionality/ or breakdown of the assets provided?	
---	---	--

YES ,the Head of departments of each department reports every asset that gets spoilt and its recorded

4	How has the UgIFT support helped in service delivery in the area, any issues, challenges and any recommendations for better program implementation.	
---	---	--

Eased movement of patients from OPD to different wards for example the wheelchairs
It has helped in diagnosis for example examination couch, B.P Machine and others

Challenges

The assets are not engraved so its difficult to differeciate them from others

Most assets were delivered without indicating the name of the asset and those that were supposed to be in packages or kits were supplied when distorted so they couldn't identify which equipment is supposed to be in a certain kit

The nurses working in the facility don't know how to use some assets supplied

Recommendation

Orientation is needed about how to use some assets supplied

Assets should be engraved

PROCEED TO VERIFICATION AFTER THIS DISCUSSION

Health centre checklist

NAME OF LG.....KYENJOJO..... NAME OF HEALTH FACILITY.....MBALE HEALTH CENTER
3.....

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
B.P. Machine, Digital			White in colour with a screen and plastic frame		Not engraved		16 th /3/24						1 Not working because of battery Another one still working	1 lacks a bsttery 1 is in use
B.P. Machine (Aneroid wall mounted)			Navy blue ,has a bulb and tubing,has a black pulse rate connected on an arm cuff on a holder		Not engraved		16/03/24						Not in use	In store
Autoclav e 20 Liters.,Du o Operated			Cylindrical drum made of stainless steel with a heavy cover with black pressure valves		Not engraved		16/3/24						Functionin g well	In use
Bowl, Kick			A mobile stainless-steel		Not engraved		16/3/202 4						Functionin g well	In use

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
			bowl mounted on a metal frame with wheels that can be moved around by kicking wth the foot											
Bowl Stand			Low stand made of stainless steel with two circular rings to hold washing bowls		Not engraved		16/3/24						Functionin g well	In use
Counting chamber Neubaue r- Improved			Rectangular glass slide with droppers		Not engraved		16/3/24						Still packed well	In use
Cupboard Steel, Lockable			Rectangular grey double door storage cabinet,locking steel handles and shelves inside		Not engraved		16/3/24						functional	In use
Drip Stand			Tall stainless- steel with adju stable height with wheels and hooks at the top		Not engraved		16/3/24						functional	In use

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
			to hang the drip											
ESR Stand			Rectangular plastic stand with holes and clips to hold ESR tubes		Not engraved		16/3/24						In store	In store
Examination Couch			Washable padded black surface with a metallic frame ,adjustable back rest(head)		Not engraved		16/3/24						functional	In use
Examination light,LED			Movable lamp on a wheeled stainless steel stand		Not engraved		16/3/24						1 in use and 3 in store	1 in use and
Glucometer			Hand held electronic device with a small screen ,a slot where you insert a test strip and button for control one touch		Not engraved		16/3/24						Not working because the cuvettes supplied are not compatible	Not working New cuvettes needed
Haemoglobin Meter,			Hand held device with a LDC display ,has a		Not engraved		16/3/24						Not working because	New cuvettes needed

[illegible]

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Trolley			with trays or shelves ,wheeled, push handles at both ends											
Refrigera tor, Basic			2 door, Midea brand, silver in color		Not engraved		16/3/24						Functionin g well	In use
Stethosc ope			Black tube, ear tips stainless steel chest piece		Not engraved		16/3/24						Not in use	Still in boxes in store
Stop Watch			Has a plastic frame and ,screen		Not engraved		16/3/24						In store	In store in boxes
Stretcher			Blue mattress wheeled with a steel frame and a drip stand		Not engraved		16/3/24						Functionin g well	In use
Stove, Gas			Total energies,		Not engraved		15/5/24						Not in use	Not in use
Weighing Scale with Height Meter, Adult			Heavy duty steel platform, aluminium height rod, rubber mat		Not engraved		16/3/24						functional	1 in use 1 in store
Weighing			Bowl/tray type		Not engraved		16/3/24						1 in use 3in	1 in use 3

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Scale, Infant			battery operated white tray										store	in store
Weighing Scale, Toddler			A small, sturdy device with a flat or tray like platform where a toddler sits or stands		Not engraved		16/3/24						In use	In use
Wheel Chair			Black, folding, rubber tyres seat and back push handles, rest		Not engraved		15/04/24						Functioning well	In use
Audio Visual Equipment														
Medical Waste Bin			Metallic containers, foot-operated with a lid		Not engraved		16/3/24						Cleaned ,covered	In use and clean
Wall Clock			Battery operated circular, plastic frame with glass		Not engraved		15/4/24						1 was damaged on the way 1 in store	In store
Diagnostic Equipment			Contains many equipment in a carry case		Not engraved								Not delivered	Not delivered but on the

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
nt Set for MCH														list
Diagnosti c Equipme nt Set for OPD			Contains many equipment in carry case		Not engraved		16/3/24						All equipment s in store	In store they were not supplied as a package rather one by one
Glasswar e Set, Laborator y, Basic			A set of glass apparatus used in the laboratory		Not engraved		16/3/24						Equipment s in store	In store they were not supplied as a package rather one by one
Hollow Ware Set, Treatmen t			A set of stainless steel equipments		Not engraved		16/3/24						All equipments in store	In store they were not supplied as a package rather one by one
Instrume nt Set, Dressing			Stainless steel and contains all equipment		Not engraved		16/3/24						Equipment s in store	In store they were not supplied as

[illegible]

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Bed, Pediatric Patient, With Mattress			Black mattress side rails, pink and blue, grey with drip stand		Not engraved		16/3/24						Functioning well	In use
Bedside Locker														
Cupboard, Instrument			Grey steel with shelves inside		Not engraved		16/3/24						Functioning well	In use
Delivery Bed, Hydraulic Manual			Blue padded surface, washable		Not engraved		16/3/24						Functioning well	In use
Oxygen Therapy Apparatus, Minimum 45L cylinder														
Resuscitator Manual, Infant, with all			White containers containing different equipment with a cover and		Not engraved		16/3/24						13 in store 2 in use	In store and 2 in use and clean

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Mask sizes			reusable											
Resuscitator Manual, Adult, with all mask sizes			White container containing different equipment and reusable		Not engraved		16/3/24						In store	Still in store
Suction Apparatus, (Electric)			Machine has 2 jars, suction tubing, foot pedal		Not engraved		16/3/24						In store	Still in boxes
Nebulizer, Ultrasonic			Has mask, mouth piece, air tubing medication cups		Not engraved		16/3/24						In store	Still in box
Oxygen Concentrator, Duo Flow			Floor standing, humidifier bottle air filter, nasal cannula		Not engraved		16/3/24						2 in store 1 in use	2Still in boxes 1 in use
Bench			Furniture with a metallic frame		Not engraved		16/3/24						In good condition	In use
Disinfection Buckets			Plastic, white with covers				15/4/24						2In use 4 in store, clean	Cleaned well and in use

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Baby Cot			Rectangular small bed for infants of steel frame with drop sides ,a mattress and wheels		Not engraved		16/3/24						Functioning well	In use
Diagnostic Equipment Set for Ward			Consists of different equipment in a carry bag like patella harmer, digital thermometer, tongue depressor, penlight, stethoscope		Not engraved		16/3/24						In store	Still in box
Hollow Ware Set, Ward			Contains a list of equipments		Not engraved		16/3/24						In store not in use	Still in box
Instrument Set, Delivery			Contains a list of equipment		Not engraved		16/3/24						In store	In store

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Instrument Set, Stitch Removing			Contains a lot of equipment in a carrying bag		Not engraved		16/3/24						In store	Still packaged well in store
MVA Kit			Packed in autoclavable stainless steel container/tray with coverer		Not engraved		16/3/24						In store	Still packaged
Stool, Laboratory			Wheeled, round seat, leather		Not engraved		16/3/24						In use	In use
Penguin Sucker			Soft rubber bulb shaped like a penguin with a nozzle		Not engraved		16/3/24						Clean ,stored well	1 in use ,others in box
Fetoscope, Dopplar			Cone shaped plastic instrument		Not engraved		16/3/24						In use	In use
Bubble CPAP			Has a bottle, stand, patient circuit nasal interface		Not engraved		16/3/24						In store	Still in boxes
Centrifuge			Has a timer, a machine grey		Not engraved		16/3/24						Functioning well	In use

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
(Electric)			and blue in colour											
Kangaroo Mother Care Chair			Brown chair with padded seat and back rest that can be adjusted , has arm rests,foot rests		Not engraved		16/3/24						In use	In use
Radiant Infant Warmer			Mobile electrically operated open warmer consisting of trolley with base net, a control panel and alarm		Not engraved		16/3/24						Functioning well	In use
Haemoglobin Meter, Sahli			Portable, uses disposable micro cuvettes		Not engraved		16/3/24						Not working	Not working because the cuvettes are not compatible
Delivery Bed			Blue in color, adjustable padded shoulder rest, a large		Not engraved		16/3/24						Working well	In use

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
			metal base with brake											
Examination light			LED light, goose neck type, adjustable height, 5 leg base with casters and brake		Not engraved		16/3/24						In use and functioning well	In use
Instrument set, ENT Basic for HCIII			A set of ear,nose and throat examination and procedure instruments for diagnosis and minor treatment in stainless steel tray with cover		Not engraved		16/3/24						Still packed well in carrycase	In store
Bag Valve mask (Ambu Bag), Neonatal Incubator			Handheld self inflating device		Not engraved		16/3/24						In store	In store

[illegible]

SCHOOL VERIFICATION CHECKLIST

SCHOOL INTERVIEW/DISCUSSION GUIDE

Name of school: ...KIGARAALE SEED SECONDARY SCHOOL.....

1a	Does the Facility have a record of all assets provided under UgIFT. (Obtain a record and verify if it has the costs and numbers supplied	NO
1b	If Not ask how many were supplied and when.	

2	How does this facility Maintain (repair/service/replace) the assets provided under Ugift
---	--

✓ Maintenance has not been made because the school is under construction

3	Does the facility take regular record about functionality/ or breakdown of the assets provided? Nonfunctional/ working, and reasons for non-functionality.	
---	---	--

❖ Most of the assets are not yet in use

4	How has the UgIFT support helped in service delivery in the area, any issues, challenges and any recommendations for better program implementation.	
---	---	--

Challenges

- Not officially handed over to the head teacher its like borrowing from the district
- Delay in completion from the district

Recommendations

- The government should ensure that contractors should be fair and just in their work
- Procedures must be implemented and followed in service delivery
- Verification and testing the quality of machines or assets supplied and material to be used for building technically

PROCEED TO VERIFICATION AFTER THIS DISCUSSION

SCHOOL FURNITURE

[illegible]

[illegible]

ICT ITEMS TO VERIFY
(Desktop Computer, Server Processor, Network Switch 24 Port, Multipurpose Printer, UPS, Projector, Air Conditioners, Server, CCTV Camera)

Name of LG..... Name of SCHOOL.....

[illegible]

[illegible]

BUILDINGS TO VERIFY

(Non- Residential and Residential, Kitchen, Toilets/Pit latrine Water tanks, Fences etc.)

Name of LG.....kyenjojo..... Name of SCHOOL.....kigaraale seed.....

[illegible]

[illegible]

[illegible]

