



ASSET VERIFICATION AND RECORDING TOOL KIT

SK&CO **Seijaaka, Kaawaase & Co.**
AUDIT • ADVISORY • FORENSICS **Certified Public Accountants**
Plot 31, Bukoto Street
P.O Box 7657, Kampala, Uganda
+256 (0) 39 2000216/0772525235
email: cpa@cpa.ug
www.cpa.com

August to September 2026

VERIFICATION DETAILS

NAME OF THE REGION:	Western
SUB-REGION:	T0RO
Name of Local Government	KYENJOJO
VERIFIER PARTICULARS	
Full name	NAMAYANJA VANESSA
Contact/ email and Telephone	0775458303
Supervisor/ Sub team leader	
Name	MR MBONIGABA DEPAUL
Contact	0788483159
Date of submission	

**HEALTH CENTRES
INFORMANT INTERVIEW/DISCUSSION GUIDE (INCHARGE OR RESPONSIBLE PERSON)**

Name of Health Centre:KIGUMA HEALTH CENTER
3.....

1a	Does the Facility have a record of all assets provided under UgIFT. (Obtain a record and verify if it has the costs and numbers supplied	Yes but with no costs
1b	If Not ask how many were supplied and when.	10/9/2025

2	How does this facility Maintain (repair/service/replace) the assets provided under Ugift
---	--

Some times they get support from fort portal regional referral hospital but there is no clear way of mantainace

3	Does the facility take regular record about functionality/ or breakdown of the assets provided?	
---	---	--

Yes,they do inventory taking annually

4	How has the UgIFT support helped in service delivery in the area, any issues, challenges and any recommendations for better program implementation.	
---	--	--

The machines supplied eased service delivery because they save time for doing work and more patients are attended to .

Challenges

Some asset like the baby warmer was supplied with a plug which is not compatible

The supplied assets are not engraved

Some accessories for the supplied assets are difficult to get from there region when they get spoilt for example the battery for the BP machine ,digital

Recommendations

The assets should be engraved wen supplied for easy identification

First testing the machines before being supplied to see whether the accessories given out with them are compatible

PROCEED TO VERIFICATION AFTER THIS DISCUSSION

Health centre checklist

NAME OF LG..... **KYENJOJO** NAME OF HEALTH FACILITY..... **KIGUMA HEALTH CENTER 3**

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
B.P. Machine, Digital	Health		SN 20053742370020 32 White in colour with a screen and plastic frame		Not engraved		10/9/2025						Not working because it lacks new battery	New battery is needed because the facility failed to get them from their region
B.P. Machine (Aneroid wall mounted)	Health		Navy blue ,has a bulb and tubing,has a black pulse rate connected on an arm cuff on a holder		Not engraved		10/9/2025						Functioning well but still in the box in the store	Still in store
Autoclave 20 Liters., Duo Operated	Health		Cylindrical drum made of stainless steel with a heavy cover with black pressure valves		Not engraved		10/9/2025						Functioning well and in use	In use
Bowl, Kick	Health		A mobile stainless-steel		Not engraved		10/9/2025						The bowl is the one in	Kick is in store

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
			bowl mounted on a metal frame with wheels that can be moved around by kicking wth the foot										use ,the kick is still in store not attached to the bowl	
Bowl Stand			Low stand made of stainless steel with two circular rings to hold washing bowls		Not engraved		10/9/202 5						In use and in good condition	In use
Counting chamber Neubaue r- Improved	Health		Rectangular glass slide with droppers		Not engraved		10/9/202 5						Still in the store packed	Not in use
Cupboar d Steel, Lockable	Health		Rectangular grey double door storage cabinet,locking steel handles and shelves inside		Not engraved		10/9/202 5						in use with drugs ,and equipment s inside	In use
Drip Stand	Health		Tall stainless- steel with adju stable height with wheels and hooks at the top		Not engraved		10/9/202 5						Still new and in use	In use

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
			to hang the drip											
Drip stand	health		tall stainless- steel without adjustable height attached to the bed , with hooks at the top to hang the drip		Not engraved		10/9/202 5						Still new and in use	In use
ESR Stand	health		Rectangular plastic stand with holes and clips to hold ESR tubes		Not engraved		10/9/[20 25						Functionin g well and in use	In use
Examinat ion Couch	health		Washable padded black surface with a metallic frame ,adjustable back rest(head)		Not engraved		10/9/202 5						Not damaged,c lean and in use	In use
Examinat ion couch	health		Washable padded black surface with a metallic frame ,adjustable back rest(head)		Not engraved		10/9/202 5						Not damaged ,clean and In use	In use
Examinat ion light,LED	health		Movable lamp on a wheeled stainless steel		Not engraved		10/9/202 5						Good condition and both in	Functionin g well

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
			stand										use	
Examination light LED	Health		Movable lamp on a wheeled stainless steel stand		Not engraved		10/9/2025						Good condition all in use	Functioning well
Glucometer	health		Hand held electronic device with a small screen ,a slot where you insert a test strip and button for control		Not engraved		10/9/2025						Still in boxes	In store/boxes
Haemoglobin Meter, Digital	health		Hand held device with a LDC display ,has a meter where the cuvette is inserted		Not engraved		10/9/2025						Still in boxes	In store
Height Meter	Health		Head piece that rests on patients head, stable base plate scale in centimeters		Not engraved		10/9/25						Functioning well	In use
Instrument Trolley	Health		Stainless steel with shelves, push handles and 2 rings for		Not engraved		10/9/25						functional	In use

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
			bowls											
Microscope Binocular	Health		Metal body, rotatable white in color		Not engraved		10/9/25						Functioning well	In use
Otoscope	Health		Metal handle with magnifying lens and light source battery operated		Not engraved		10/9/25						Functioning well and still new	In store
Patient Screen	Health		Foldable, blue curtain and a stainless steel frame		Not engraved		10/9/25						Still new and all in use	All in use and well functioning
Patient Trolley	Health		Stainless steel, wheeled push handles at both ends		Not engraved		10/9/25						In use and well functioning	In use
Refrigerator, Basic	Health		2 door, Midea brand, silver in color		Not engraved		10/9/25						New, functioning well and in use	In use
Stethoscope			Black tube, ear tips stainless steel chest piece		Not engraved		10/9/25						Functioning well	1 In use and 3 in store
Stop Watch	health		Battery operated, hour ,minute, second display,		Not engraved		10/9/25						Still in boxes and not in use	In store

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
			reset function											
Stretcher			Blue mattress wheeled with a steel frame		Not engraved		10/9/25						Not damaged new and in use	In use
Stove, Gas	health		Orange cylinder, total energies 8kg		Not engraved		10/9/202 5						Not rusted, working well	In a safe place for use
Weighing Scale with Height Meter, Adult	Health		Heavy duty steel platform, aluminium height rod, rubber mat		Not engraved		10/9/25						In use and functioning well	In use
Weighing Scale, Infant	health		Bowl/tray type battery operated white tray		Not engraved		10/9/25						In use and functioning well	In use
Weighing Scale, Toddler	health		A small, sturdy device with a flat or tray like platform where a toddler sits or stands		Not engraved		10/9/25						In use	In use
Wheel Chair	health		Black, folding, rubber tyres seat and back push		Not engraved		10/9/25						In use and functioning well	In use and in good condition

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
			handles, rest											
Audio Visual Equipme nt	health				Not engraved		10/9/25							
Medical Waste Bin	health		Metallic containers, foot- operated with a lid		Not engraved		10/9/25						In use and functioning well	Clean and functioning well
Wall Clock	health		Battery operated circular, plastic frame with glass		Not engraved		10/9/25						Functionin g well, new and in use	In use
Diagnosti c Equipme nt Set for MCH	health		Contains many equipment in a carry case		Not engraved		10/9/25						In store	In store still packaged
Diagnosti c Equipme nt Set for OPD	health		Contains many equipment in carry case		Not engraved		10/9/25						In store	In store still packaged
Glasswar e Set, Laborator y, Basic	health		A set of glass apparatus used in the laboratory		Not engraved		10/9/25						In box and working well	In store and in box

[illegible]

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Bed, Pediatric Patient, With Mattress	health		Black mattress side rails, pink and blue, grey with drip stand		Not engraved		10/9/25						Not damaged, new and in use	In use
Bedside Locker	health				Not engraved		10/9/25							
Cupboard, Instrument	health		Grey steel with shelves inside		Not engraved		10/9/25						In use and functioning well	In use
Delivery Bed, Hydraulic Manual	health		Blue padded surface, washable		Not engraved		10/9/25						Functioning well	In use
Oxygen Therapy Apparatus, Minimum 45L cylinder	health		Metallic cylinder		Not engraved		10/9/25						In good condition	Only saw the cylinder
Resuscitator Manual, Infant, with all	health		White containers containing different equipment with a cover and		Not engraved		10/9/25						In store	Still in box in store

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Mask sizes			reusable											
Resuscitator Manual, Adult, with all mask sizes	health		White container containing different equipment and reusable				10/9/25						In store	Still in box in store
Suction Apparatus, (Electric)	health		Machine has 2 jars, suction tubing, foot pedal		Not engraved		10/9/25						In store	Still in box in store
Nebulizer , Ultrasonic	health		Has mask, mouth piece, air tubing medication cups		Not engraved		10/9/25						Not in use in store but functioning well	Still in box in store
Oxygen Concentrator, Duo Flow	health		Floor standing, humidifier bottle air filter, nasal cannula		Not engraved		10/9/25						Still in box in store but functioning well	In store
Bench			Furniture with a metallic frame				10/9/25						Good condition functional	In use
Disinfection	health		Plastic ,white with covers		Not engraved		10/9/2025						Clean and in use	Cleaned well and

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Buckets														covered
Baby Cot	health		Rectangular small bed for infants of steel frame with drop sides ,a mattress and wheels		Not engraved		10/9/202 5						In good conditions ,no damaged mattress All in use	In use
Diagnosti c Equipme nt Set for Ward	health		Consists of different equipment in a carry bag like patella harmer, digital thermometer,tou ngue depressor,penlig ht,stethoscope		Not engraved		10/9/202 5						All equipment are still in the carry bag still new in the store Noting use	Not in use still in boxes
Hollow Ware Set, Ward	health		Contains a list of equipments		Not engraved		10/9/25						In store with all equipment inside	In store
Instrume nt Set, Delivery	health		Contains a list of equipment		Not engraved		10/9/25						In store	In store

Equipment/ Item	Department	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purchase	Date Placed In Service	Recoverable cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Instrument Set, Stitch Removing	health		Contains a lot of equipment in a carrying bag		Not engraved		10/9/25						In store	In store
MVA Kit	health		Packed in autoclavable stainless steel container/tray with coverer				10/9/25						Still packaged with all equipment	In store
Stool, Laboratory	health		Wheeled, round seat, leather		Not engraved		10/9/25						In use	In use
Penguin Sucker	health		Soft rubber bulb shaped like a penguin with a nozzle		Not engraved		10/9/25						Clean in good condition	1 in use and the other in store well packed
Fetoscope, Dopplar	health		Cone shaped plastic instrument		Not engraved		10/9/25						In use and functioning well	In use
Bubble CPAP	health		Has a bottle, stand, patient circuit nasal interface		Not engraved		10/9/25						Still in box	In store

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Centrifug e (Electric)	health		Has a timer, a machine grey and blue in colour		Not engraved		10/9/25						Working well	In use
Kangaroo Mother Care Chair	health		Brown chair with padded seat and back rest that can be adjusted , has arm rests,foot rests		Not engraved		10/9/25						Functionin g well	In use
Radiant Infant Warmer	health		Mobile electrically operated open warmer consisting of trolley with base net, a control panel and alarm		Not engraved		10/9/25						Not working	Not working because the plug supplied with it was incompatib le
Haemogl obin Meter, Sahli	health		Portable, uses disposable micro cuvettes		Not engraved		10/9/25						Not working because of cuvettes	Cuvettes are needed and can't be got from the region
Delivery Bed	health		Blue in color, adjustable		Not engraved		10/9/25						Functionin g well and	In use

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
			padded shoulder rest, a large metal base with brake										in use	
Examinat ion light	health		LED light, goose neck type, adjustable height, 5 leg base with casters and brake		Not engraved		10/9/25						Functionin g well	In use
Instrume nt set, ENT Basic for HCIII	health		A set of ear,nose and throat examination and procedure instruments for diagonosis and minor treatment in stainless steel tray with cover		Not engraved		10/9/25						Still new and functioning	In store
Bag Valve mask (Ambu Bag), Neonatal	health				Not engraved		10/9/25							

Equipme nt/ Item	Depart ment	Asset Number	Item Description	Life in Months	Tag Number (engrave no.)	Date Of Purcha se	Date Placed In Service	Recover able cost	Cost	Acc Dep Cost	Net Book Value	Ytd Deprn	Equipment status	Remarks
Incubator	health				Not engraved		10/9/25							
Office Chair	health		Black, leather with handles and wheels		Not engraved		10/9/25						Functionin g well and in use	In use
Desk	health		Furniture brown with metal		Not engraved		10/9/25						In good condition and in use	In use
Filing Cabinet	health		Metallic, 4 drawer vertical locking system		Not engraved		10/9/25						In use and functioning	In use
Non Residenti al Buildings	health				Not engraved		10/9/25							
Residenti al Buildings	health				Not engraved		10/9/25							

SCHOOL VERIFICATION CHECKLIST

SCHOOL INTERVIEW/DISCUSSION GUIDE

Name of school:

1a	Does the Facility have a record of all assets provided under UgIFT. (Obtain a record and verify if it has the costs and numbers supplied	
1b	If Not ask how many were supplied and when.	

2	How does this facility Maintain (repair/service/replace) the assets provided under Ugift	
---	--	--

3	Does the facility take regular record about functionality/ or breakdown of the assets provided? Nonfunctional/ working, and reasons for non-functionality.	
---	---	--

4	How has the UgIFT support helped in service delivery in the area, any issues, challenges and any recommendations for better program implementation.	
---	--	--

PROCEED TO VERIFICATION AFTER THIS DISCUSSION

(School Desks, Office chairs, Laboratory stools, Book shelves)

Name of LG..... Name of SCHOOL.....

[illegible]

[illegible]

[illegible]

ICT ITEMS TO VERIFY

(Desktop Computer, Server Processor, Network Switch 24 Port, Multipurpose Printer, UPS, Projector, Air Conditioners, Server, CCTV Camera)

Name of LG..... Name of SCHOOL.....

[illegible]

[illegible]

[illegible]

BUILDINGS TO VERIFY

(Non- Residential and Residential, Kitchen, Toilets/Pit latrine Water tanks, Fences etc.)

Name of LG..... Name of SCHOOL.....

[illegible]

[illegible]

[illegible]

