




mod4 pelagic-sharks
(n=1131 surveyed, 82 with MaxN>0)




mod5 large-demersal-sharks
(n=1131 surveyed, 254 with MaxN>0)







mod6 small-sharks-and-rays
(n=1131 surveyed, 86 with MaxN>0)




mod7 pelagic-piscivores
(n=1131 surveyed, 851 with MaxN>0)







mod17 vermilion-snapper
(n=1131 surveyed, 677 with MaxN>0)




mod19 other-snapper
(n=1131 surveyed, 872 with MaxN>0)




mod20 gag-0
(n=1131 surveyed, 91 with MaxN>0)




mod21 gag-1
(n=1131 surveyed, 180 with MaxN>0)




mod22 gag-2
(n=1131 surveyed, 185 with MaxN>0)




mod23 gag-3
(n=1131 surveyed, 172 with MaxN>0)







mod24 gag-4
(n=1131 surveyed, 178 with MaxN>0)




mod25 gag-5-
(n=1131 surveyed, 330 with MaxN>0)







mod30 red-grouper-4
(n=1131 surveyed, 331 with MaxN>0)




mod31 red-grouper-5-
(n=1131 surveyed, 622 with MaxN>0)




mod36 other-SWG
(n=1131 surveyed, 614 with MaxN>0)




mod37 other-DWG
(n=1131 surveyed, 71 with MaxN>0)




mod38 blueline-tilefish
(n=1131 surveyed, 101 with MaxN>0)




mod41 lionfish-adult
(n=1131 surveyed, 471 with MaxN>0)




mod42 gray-triggerfish
(n=1131 surveyed, 680 with MaxN>0)




mod43 red-porgy
(n=1131 surveyed, 473 with MaxN>0)




mod44 hogfish
(n=1131 surveyed, 301 with MaxN>0)




mod46 reef-carnivores
(n=1131 surveyed, 1026 with MaxN>0)




mod47 reef-crustacean-eaters
(n=1131 surveyed, 493 with MaxN>0)




mod48 reef-invertivores
(n=1131 surveyed, 1025 with MaxN>0)




mod49 medium-reef-omnivores
(n=1131 surveyed, 625 with MaxN>0)




mod50 small-reef-omnivores
(n=1131 surveyed, 568 with MaxN>0)




mod51 reef-planktivores
(n=1131 surveyed, 733 with MaxN>0)




mod52 coastal-piscivores
(n=1131 surveyed, 579 with MaxN>0)




mod53 offshore-demersal-carnivores
(n=1131 surveyed, 468 with MaxN>0)




mod54 nearshore-demersal-carnivores
(n=1131 surveyed, 519 with MaxN>0)



mod55 demersal-omnivores
(n=1131 surveyed, 322 with MaxN>0)



mod56 sardine-herring-scad
(n=1131 surveyed, 701 with MaxN>0)




mod58 offshore-small-pelagics
(n=1131 surveyed, 148 with MaxN>0)

selection ratio (used / available)

5
4
3
2
1
0

AH AM AL NH NM NL RCK GVL SND MUD



availability coverage

- good
- partial
- poor (e.g. mud — not identifiable)