Game of Thrones

Table of contents

```
season = "season_4"
# Injected Parameters
season = "season_1"
import pandas as pd
from pathlib import Path
import os
from IPython.display import Markdown, display
# List of seasons to process
seasons = ["season_1", "season_2", "season_3", "season_4",
       "season_5", "season_6", "season_7", "season_8"]
# Construct the base data directory path
data_dir = Path("../Data/")
# Loop through each season
file_path = os.path.join(data_dir, season + '.csv')
print(file_path)
df = pd.read_csv(file_path)
```

..\Data\season_1.csv

```
display(Markdown(f"""
### Game of Thrones - {season} summary in numbers
"""))
```

0.1 Game of Thrones - season_1 summary in numbers

0.2 (Warning: spoilers ahead)

0.3 Overview

(From the Wikipedia) Game of Thrones is an American fantasy drama television series created by David Benioff and D. B. Weiss for HBO. It is an adaptation of A Song of Ice and Fire, a series of fantasy novels by George R. R. Martin, the first of which is A Game of Thrones.

Set on the fictional continents of Westeros and Essos, Game of Thrones has a large ensemble cast and follows several story arcs throughout the course of the show. A major arc concerns the Iron Throne of the Seven Kingdoms of Westeros through a web of political conflicts among the noble families either vying to claim the throne or fighting for independence from it. Another focuses on the last descendant of the realm's deposed ruling dynasty, who has been exiled to Essos and is plotting a return to the throne. A third story arc follows the Night's Watch, a military order defending the realm against threats from the North.


```
display(Markdown(f"""
### {season} - episode descriptions
"""))
```

0.4 season_1 - episode descriptions

- > North of the Seven Kingdoms of Westeros, Night's Watch soldiers are attacked by supernature
- > Ned, the new Hand of the King, travels to King's Landing accompanied by his daughters, San
- > Ned attends the King's Small Council and learns Westeros has been poorly managed and deeply
- > While returning to King's Landing, Tyrion stops at Winterfell where he presents the Starks
- > King Robert's eunuch spy, Varys, has uncovered that Daenerys Targaryen is pregnant. Ned re
- > King Robert reappoints Ned as Hand and tasks him with running affairs until Robert returns
- > In King's Landing, Ned confronts Cersei, saying he knows Jaime fathered her children and w
- > Arya escapes the Red Keep after Syrio Forel, her Braavosian sword master, fends off guards
- > The Stark army arrives at the Twins castle; Catelyn persuades Lord Walder Frey to allow the
- > The North secedes from the Seven Kingdoms and proclaims Robb as king. With Jaime as the Sta

You can see how the viewership of the episodes changed in Figure 1.

```
plt.ylabel('Viewers (Millions)', fontsize=12)
plt.grid(True, linestyle='--', alpha=0.3, axis='y')
# Ensure x-axis shows whole numbers for episode numbers
plt.gca().xaxis.set_major_locator(MaxNLocator(integer=True))
# Add value labels on top of each bar
for bar in bars:
    height = bar.get_height()
    plt.text(bar.get_x() + bar.get_width()/2., height,
             f'{height:.2f}',
             ha='center', va='bottom',
             fontsize=9)
# Add episode titles below each bar
for i, row in df.iterrows():
    plt.text(row['no_season'], -0.2,
             row['title'],
             rotation=45,
             ha='right',
             va='top',
             fontsize=8,
             alpha=0.8)
# Adjust margins to accommodate episode titles
plt.subplots_adjust(bottom=0.3)
# Add some thematic styling
plt.gca().set_facecolor('#f8f8f8')
plt.gcf().set_facecolor('#f0f0f0')
plt.tight_layout()
plt.show()
```



```
from IPython.display import Markdown
import pandas as pd
# Calculate total viewers and average
total_viewers = df['viewers'].sum()
avg_view = total_viewers / len(df)
# Filter episodes with above-average viewership
above_avg = df[df['viewers'] >= avg_view]
# Create Markdown table
table_header = " | Episode | Title | Viewers (Millions) | \n | ------
table_rows = []
for _, row in above_avg.iterrows():
    table_rows.append(f" | {int(row['no_season'])} | {row['title']} | {row['viewers']:.2f} |"
# Combine header and rows
markdown_table = f"""
**Episodes with Above-Average Viewership (Average: {avg_view:.2f} million viewers)**
{table_header}
{"\n".join(table_rows)}
```

Display the table
display(Markdown(markdown_table))

Episodes with Above-Average Viewership (Average: 2.52 million viewers)

Episode	Title	Viewers (Millions)
5	"The Wolf and the Lion"	2.58
8	"The Pointy End"	2.72
9	"Baelor"	2.66
10	"Fire and Blood"	3.04