

LAB 5 – ANIMAL KINGDOM 2

Shamelessly Stealing Assignment from the University of Washington's CS Department

CS 143

You may work individually or in groups of two


This lab is similar to Lab 4 but now the animals will interact as well as move. This week's programming assignment is more or less identical to the last programming the University of Washington assigns in its CS 142 course. The assignment focuses on classes, objects and OOP. In this lab you will not be writing a main program, but rather one will be provided for you. You will be writing classes which will all be subclasses of a Critter class that will be provided for you.

INSTRUCTIONS:

- From Canvas Download
 - CritterMain.java (The Main Program)
 - Critter.java (The parent class that all your classes will extend)
 - Stone.java (A sample class that isn't very interesting)
 - critters.jar (A sample program that shows you how your simulation should run once it is completed.)
- Make sure you save all the files to the same folder, where you plan to work. (Or add all the .java files to the same project if using Eclipse)
- You are to turn in the following classes that you will write:
 - Ant.java
 - Bird.java
 - Hippo.java
 - Vulture.java
 - Huskey.java

Program Behavior: You are provided with several client program classes that implement a graphical simulation of a 2D world of animals. You will write classes that define the behavior of those animals. Animals move and behave in different ways. Your classes will define the unique behaviors for each animal.

The critter world is divided into cells with integer coordinates. The world is 60 cells wide and 50 cells tall. The upper-left cell has coordinates (0, 0); x increases to the right and y increases downward.



Movement: On each round of the simulation, the simulator asks each critter object which direction it wants to move. Each round a critter can move one square **north, south, east, west**, or stay at its current location ("**center**"). The world has a finite size, but it wraps around in all four directions (for example, moving east from the right edge brings you back to the left edge).

This program will be confusing at first, because you do not write its `main` method; your code is not in control of the overall execution. Instead, your objects are part of a larger system. You might want your critters make several moves at once using a loop, but you can't. The only way a critter moves is to wait for the simulator to ask it for a single move and return that move. This experience can be frustrating, but it is a good introduction to object-oriented programming.

Fighting/Mating: As the simulation runs, animals may collide by moving onto the same location. When two animals collide, if they are from different species, they fight. The winning animal survives and the losing animal is removed from the game. Each animal chooses one of `Attack.ROAR`, `Attack.POUNCE`, or `Attack.SCRATCH`. Each attack is strong against one other (e.g. roar beats scratch) and weak against another (roar loses to pounce). The following table summarizes the choices and which animal will win in each case. To remember which beats which, notice that the starting letters of "Roar, Pounce, Scratch" match those of "Rock, Paper, Scissors." If the animals make the same choice, the winner is chosen at random.

Critter #1	Critter #2		
	<code>Attack.ROAR</code>	<code>Attack.POUNCE</code>	<code>Attack.SCRATCH</code>
<code>Attack.ROAR</code>	Random Winner	#2 wins	#1 wins
<code>Attack.POUNCE</code>	#1 wins	Random Winner	#2 wins
<code>Attack.SCRATCH</code>	#2 wins	#1 wins	Random Winner

If two animals of the same species collide, they "mate" to produce a baby. Animals are vulnerable to attack while mating: any other animal that collides with them will defeat them. An animal can mate only once during its lifetime.

Eating: The simulation world also contains **food** (represented by the period character, ".") for the animals to eat. There are pieces of food on the world initially, and new food slowly grows into the world over time. As an animal moves, it may encounter food, in which case the simulator will ask your animal whether it wants to eat it. Different kinds of animals have different eating behavior; some always eat, and others only eat under certain conditions. Every time one class of animals eats a few pieces of food, that animal will be put to "sleep" by the simulator for a small amount of time. While asleep, animals cannot move, and if they enter a fight with another animal, they will always lose.

Scoring: The simulator keeps a score for each class of animal, shown on the right side of the screen. A class's score is based on how many animals of that class are alive, how much food they have eaten, and how many other animals they have killed.

Provided Files:

Each class you write will **extend a superclass** named `Critter`. This is an example of inheritance, as discussed in Ch. 9 of the textbook. Inheritance makes it easier for our code to talk to your critter classes, and it helps us be sure that all your animal classes will implement all the methods we need. Your class headers should indicate the inheritance by writing `extends Critter`, like the following:

```
public class Ant extends Critter { ...
```

The `Critter` class contains the following methods, some/all of which you must write in each of your classes:

- `public boolean eat()`

When your animal encounters food, our code calls this on it to ask whether it wants to eat (true) or not (false).

- `public Attack fight(String opponent)`

When two animals move onto the same square of the grid, they fight. When they collide, our code calls this on each animal to ask it what kind of attack it wants to use in a fight with the given opponent.

- `public Color getColor()`

Every time the board updates, our code calls this on your animal to ask it what color it wants to be drawn with.

- `public Direction getMove()`

Every time the board updates, our code calls this on your animal to ask it which way it wants to move.

- `public String toString()`

Every time the board updates, our code calls this on your animal to ask what letter it should be drawn as.

Just by writing `extends Critter` as shown above, you receive a default version of these methods. The default behavior is to never eat, to always forfeit fights, to use the color black, to always stand still (a move of `Direction.CENTER`), and a `toString` of "?". If you don't want this default, rewrite (override) the methods in your class with your own behavior.

Continued next page...

For example, below is a critter class `Stone`. A `Stone` is displayed with the letter `S`, is gray in color, never moves or eats, and always roars in a fight. Your classes will look like this class, except with fields, a constructor, and more sophisticated code. The `Stone` does not need an `eat` or `getMove` method; it uses the default behavior for those operations.

```
import java.awt.*;    // for Color

public class Stone extends Critter {
    public Attack fight(String opponent) {
        return Attack.ROAR;
    }

    public Color getColor() {
        return Color.GRAY;
    }

    public String toString() {
        return "S";
    }
}
```

NOTE: You are not necessarily required to write `extends Critter` on every single animal class you write. If you find that two animal classes are very similar to each other, you should have one extend the other to reduce redundancy.

Running the Simulator:

When you press the Go button, it begins a series of turns. On each turn, the simulator does the following for each animal:

- move the animal once (calling its `getMove` method), in random order
- if the animal has moved onto an occupied square, fight! (call both animals' `fight` methods) or mate
- if the animal has moved onto food, ask it if it wants to eat (call the animal's `eat` method)

After moving all animals, the simulator redraws the screen, asking each animal for its `toString` and `getColor` values. It can be difficult to test and debug with many animals. We suggest adjusting the initial settings to use a smaller world and fewer animals. There is also a **Debug checkbox** that, when checked, prints console output about the game behavior.

Continued next page...

Critter Classes:

The following are the five animal classes to implement. Each has one constructor that accepts exactly the parameter(s) in the table. For random moves, each choice must be equally likely; use a `Random` object or the `Math.random` method.

1. Ant

constructor	<code>public Ant(boolean walkSouth)</code>
Color	Red
Eating behavior	Always returns <code>true</code>
Fighting behavior	Always scratch
Movement	if the Ant was constructed with a <code>walkSouth</code> value of <code>true</code> , then alternates between south and east in a zigzag (S, E, S, E, ...); otherwise, if the Ant was constructed with a <code>walkSouth</code> value of <code>false</code> , then alternates between north and east in a zigzag (N, E, N, E, ...)
toString	"%" (percent)

2. Bird

constructor	<code>public Bird()</code>
Color	Blue
Eating behavior	Never eats (returns <code>false</code>)
Fighting behavior	Roars if the opponent looks like an Ant ("%"); otherwise pounces
Movement	a clockwise square: first goes north 3 times, then east 3 times, then south 3 times, then west 3 times, then repeats
toString	"^" (caret) if the bird's last move was north or it has not moved; ">" (greater-than) if the bird's last move was east; "V" (uppercase letter v) if the bird's last move was south; "<" (less-than) if the bird's last move was west

3. Hippo

constructor	<code>public Hippo(int hunger)</code>
Color	Gray if the hippo is hungry (would still eat food); otherwise white
Eating behavior	Returns <code>true</code> the first <code>hunger</code> times it is called, and <code>false</code> after that.
Fighting behavior	If this <code>Hippo</code> is hungry (would still eat food) then scratches; else pounces
Movement	Moves 5 steps in a random direction (north east south or west) then chooses a new random direction and repeats.
toString	The number of pieces of food this <code>Hippo</code> still wants to eat, as a <code>String</code>

The **Hippo constructor** accepts a parameter for the maximum number of food that Hippo will eat in its lifetime (the number of times it will return `true` from a call to `eat`). For example, a Hippo constructed with a parameter value of 8 will return `true` the first 8 times `eat` is called and `false` after that. Assume that the value passed is non-negative.

The **toString method** for a Hippo returns the number of times that a call to `eat` that would return `true` for that Hippo. For example, if a new `Hippo(4)` is constructed, initially its `toString` return "4". After `eat` has been called on it once, calls to `toString` return "3", and so on, until the Hippo is no longer hungry, after which all calls

to `toString` return "0". You can convert a number to a string by concatenating it with an empty string. For example, `"" + 7` makes "7".

4. Vulture

constructor	<code>public Vulture()</code>
Color	Black
Eating behavior	Returns <code>true</code> if vulture is hungry. A vulture is initially hungry, and he/she remains hungry until he/she eats once. After eating once h/she will become non-hungry until he/she gets into a fight. After one or more fights, he/she will be hungry again. (see below)
Fighting behavior	Roars if the opponent looks like an Ant ("%"); otherwise pounces
Movement	a clockwise square: first goes north 3 times, then east 3 times, then south 3 times, then west 3 times, then repeats
toString	"^" (caret) if the bird's last move was north or it has not moved; ">" (greater-than) if the bird's last move was east; "V" (uppercase letter v) if the bird's last move was south; "<" (less-than) if the bird's last move was west

A `Vulture` is a specific sub-category of bird with some changes. Think of the `Vulture` as having a "**hunger**" that is enabled when he is first born and also by fighting. Initially the `Vulture` is hungry (so `eat` would return `true` from a single call). Once the `Vulture` eats a single piece of food, he becomes non-hungry (so future calls to `eat` would return `false`). But if the `Vulture` gets into a fight or a series of fights (if `fight` is called on it one or more times), it becomes hungry again. When a `Vulture` is hungry, the next call to `eat` should return `true`. Eating once causes the `Vulture` to become "full" again so that future calls to `eat` will return `false`, until the `Vulture`'s next fight or series of fights.

5. Husky

constructor	<code>public Husky()</code> (must not accept any parameters)
All behavior	You decide (see below)

You will decide the behavior of your `Husky` class. Part of your grade will be based upon writing creative and non-trivial `Husky` behavior. The following are some guidelines and hints about how to write an interesting `Husky`.

Your `Husky`'s fighting behavior may want to utilize the opponent parameter to the `fight` method, which tells you what kind of critter you are fighting against (such as "%" if you are fighting against an `Ant`). Your `Husky` can return any text you like from `toString` (besides null) and any color from `getColor`. Each critter's `getColor` and `toString` are called on each simulation round, so you can have a `Husky` that displays differently over time. The `toString` text is also passed to other animals when they fight you; you may want to try to fool other animals.

Each critter class has some additional methods that it receives by inheritance from `Critter`. Your `Husky` may want to use these methods to guide its behavior. None of the methods below are needed for `Ant`, `Bird`, `Hippo`, or `Vulture`.

- `public int getX(), public int getY()`

Returns your critter's current x and y coordinates.

For example, to check whether your critter's x-coordinate is greater than 10, you would write code such as:

```
if (getX() > 10) {
```

- `public int getWidth(), public int getHeight()`

Returns the width and height of the simulation grid.

- `public String getNeighbor(Direction direction)`

Returns a `String` representing what is next to your critter in the given direction. " " means an empty square.

For example, to check if your neighbor to the west is a "Q", you could write this in your `getMove` method:

```
if (getNeighbor(Direction.WEST).equals("Q")) {
```

- `public void win(), public void sleep(), public void mate(), public void reset(), public void lose(), public void wakeup(), public void mateEnd()`

The simulator calls these methods on your critter to notify you when you have won/lost a fight, been put to sleep/ wake up, start/end mating, or when the game world has reset, respectively.

Development Strategy:

The simulator runs even if you haven't completed all the critters. The classes increase in difficulty from `Ant` to `Bird` to `Hippo` to `Vulture`. I suggest doing `Ant` first. Look at `Stone.java` and the lecture/section examples to see the general structure.

It will be impossible to implement each behavior if you don't have the right state in your object. As you start writing each class, spend some time thinking about what state will be needed to achieve the desired behavior.

One thing that students in the past have found particularly difficult to understand is the various constructors for each type of animal. Some of the constructors accept parameters that guide the behavior of later methods of the animal. **It is your job to store data from these parameters** into fields of the animal as appropriate, so that it will "remember" the proper information and will be able to use it later when the animal's other methods are called by the simulator.

Test your code **incrementally**. A critter class will compile even if you have not written all of the methods (the unwritten ones will use default behavior). So add one method, run the simulator to see that it works, then add another.

Style Guidelines:

Since this assignment is largely about classes and objects, much of the style grading will be about how well you follow proper **object-oriented** programming style. You should encapsulate the data inside your objects, and you should not declare unnecessary data fields to store information that isn't vital to the state of the object. Style points will also be awarded for expressing each critter's behavior elegantly.

Another aspect of the style of this program is **inheritance**. Your critter classes should properly extend the `Critter` superclass as described. Inheritance can also be used to remove redundancy between classes that are similar, and you should make use of this concept in your classes as appropriate. In other words, if two of your critter classes **A** and **B** are very much alike, you should have **B** extend **A** rather than having both simply extend `Critter`.

Some of the style points for this assignment will be awarded on the basis of how much **energy and creativity** you put into defining an interesting `Husky` class. These points allow us to reward the students who spend time writing an interesting critter definition. Your `Husky`'s behavior should not be trivial or closely match that of an existing animal shown in class.

Follow past style guidelines about indentation, spacing, identifiers, and localizing variables. Place comments at the beginning of each class documenting that critter's behavior, as well as on the top of each method and on any complex code. Your critters should not produce any console output. For reference, the UW CS department's `Ant`, `Bird`, `Hippo`, and `Vulture` together occupy just under 199 lines including blank lines and comments.