

2013 JUN 18 A 11: 23

June 13, 2013

Division of Dockets Management Food and Drug Administration Department of Health and Human Services 5630 Fishers Lane, rm 1061 Rockville, MD 20852

Citizen Petition

The undersigned submits this petition under 21 CFR 10.25(a) and 21 CFR 10.30 to request the Commissioner of the Food and Drug Administration to determine the suitability of Tacrolimus Oral Suspension as additional dosage form to the approved dosage forms (capsules and injection solution).

A. Action Requested

The petitioner (Ascend Laboratories, LLC) requests that the Commissioner of the Food and Drug Administration to determine suitability Tacrolimus Oral Suspension as an additional dosage form to NDA 050708 PROGRAF (tacrolimus) capsule, gelatin coated and PROGRAF (tacrolimus) injection, solution held by Astellas Pharma US, Inc (Attachment I).

B. Statement of Grounds

NDA 050708 PROGRAF (tacrolimus) capsule, gelatin coated and PROGRAF (tacrolimus) injection, solution is approved for the following indications (**Attachment II** – Pack Insert of PROGRAF):

1. Prophylaxis of Organ Rejection in Kidney Transplant

Prograf is indicated for the prophylaxis of organ rejection in patients receiving allogeneic kidney transplants. It is recommended that Prograf be used concomitantly with azathioprine or mycophenolate mofetil (MMF) and adrenal corticosteroids [see Clinical Studies (14.1)]. Therapeutic drug monitoring is recommended for all patients receiving Prograf [see Dosage and Administration (2.6)].

2. Prophylaxis of Organ Rejection in Liver Transplant

Prograf is indicated for the prophylaxis of organ rejection in patients receiving allogeneic liver transplants. It is recommended that Prograf be used concomitantly with adrenal corticosteroids [see Clinical Studies (14.2)]. Therapeutic drug monitoring is recommended for all patients receiving Prograf [see Dosage and Administration (2.6)].

3. Prophylaxis of Organ Rejection in Heart Transplant

FDA-2013-P-0767

2013-4695

Prograf is indicated for the prophylaxis of organ rejection in patients receiving allogeneic heart transplants. It is recommended that Prograf be used concomitantly with azathioprine or mycophenolate mofetil (MMF) and adrenal corticosteroids [see Clinical Studies (14.3)]. Therapeutic drug monitoring is recommended for all patients receiving Prograf [see Dosage and Administration (2.6)].

4. Limitations of Use

Prograf should not be used simultaneously with cyclosporine [see Dosage and Administration (2.5)].

Prograf injection should be reserved for patients unable to take Prograf capsules orally [see Dosage and Administration (2.1) and Warnings and Precautions (5.11)].

The recommended oral dosage for both adults and children are presented in the tables below.

Table 1. Summary of Initial Oral Dosage Recommendations and Observed Whole Blood Trough
Concentrations in Adults

Patient Population	Recommended Prograf Initial Oral Dosage Note: daily doses should be administered as two divided doses, every 12 hours	Observed Tacrolimus Whole Blood Trough Concentrations
Adult kidney transplant patients		
In combination with azathioprine	0.2 mg/kg/day	month 1-3: 7-20 ng/mL month 4-12: 5-15 ng/mL
In combination with MMF/IL-2 receptor antagonist*	0.1 mg/kg/day	month 1-12: 4-11 ng/mL
Adult liver transplant patients	0.10-0.15 mg/kg/day	month 1-12: 5-20 ng/mL
Adult heart transplant patients	0.075 mg/kg/day	month 1-3: 10-20 ng/mL month ≥4: 5-15 ng/mL

Table 2. Summary of Initial Oral Dosage Recommendations and Observed Whole Blood Trough
Concentrations in Children

Patient Population	Recommended Prograf Initial Oral Dosage Note: daily doses should be administered as two divided doses, every 12 hours	Observed Tacrolimus Whole Blood Trough Concentrations
Pediatric liver transplant patients	0.15-0.20 mg/kg/day	Month 1-12: 5-20 ng/mL

The capsules formulation is not suitable for Pediatric patients who are often unable to swallow the capsules, and/or adult patients with swallowing difficulties or patients who need other than 0.5 mg incremental dose adjusted to optimize therapeutic drug levels. To assure dosage compliance, the health professionals prepare extemporaneous oral suspensions for the above patient population (Attachment III). The extemporaneous oral suspensions are not prepared under Current Good Manufacturing Practice (CGMP).

Tacrolimus is a high potency immunosuppressive agent with narrow therapeutic index (NTI). It is recommended that this potent drug is to be handled in a "contained" area with limited exposure to the healthy human while compounding, and care should be taken not to compromise its safety and efficacy. Ascend Laboratories, LLC (ASC) believes, a FDA approved suspension dosage form would add value to the above mentioned patient population dosing regimen and safety of the compounding pharmacist.

There is evidence in the literature to support a long term stability of suspension tacrolimus for accurate maintenance of stable therapeutic levels (Attachment IV).

Ascend Laboratories; LLC petitions FDA to grant ASC permission to submit application for the suspension dosage form.

C. Environmental Impact

A claim for categorical exclusion of the requirement for submission of an environmental assessment or environmental impact statement is made pursuant to 21 CFR 25.31

D. Economic Impact

In accordance with 21 CFR 10.30(b), economic impact information is to be submitted only when requested by the Commissioner following review of the petition. ASC hereby commits to promptly provide this information, if so requested.

E. Certification

The undersigned certifies, that, to the best knowledge and belief: this petition includes all information and views upon which the petition relies; and this petition includes representative data and/or information known to the petitioner which are unfavorable to the petition.

Sincerely,

Augustine Frimpong, M.Sc.

Vice President, Regulatory Affairs / Compliance

Ascend Laboratories, LLC 180 Summit Avenue, Suite 200

Montvale, NJ 07645 Tel: 201-326-9004

Office: 201-476-1977, ext. 104

Fax: 201-476-1987

afrimpong@ascendlaboratories.com

From: (201) 326-9004 Augustine Frimpong **Ascend Laboratories** 180 Summit Avenue Suite 200 Montvale, NJ 07645

Origin ID: UMMA



Ship Date: 14JUN13 ActWgt: 2.0 LB CAD: 100461312/INET3370



Delivery Address Bar Code

ANDA 050708

SHIP TO: (201) 323-9004

BILL SENDER

Division of Dockets Management FDA

Department of Health and Human Svcs 5630 Fishers Lane, rm 1061 **ROCKVILLE, MD 20852**



Ref#

Invoice # PO# Dept#

TRK#

0201

TUE - 18 JUN AA ** 2DAY **

RES

20852 MD-US

IAD

SA NSFA

7960 0124 5080



After printing this label:

- 1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
- 2. Fold the printed page along the horizontal line.
- 3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com.FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jew elry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.