

**FOSHAN NAVONATO CO.,LTD.**  
佛山市纳福娜建材有限公司

地址：佛山市禅城区南庄华夏陶瓷城东区陶博大道耀丰楼 B103

ADD: B103, YAOFENG BLDG, A18#, TAOBO AVE., EAST OF HUAXIA  
CERAMIC CITY, NANZHUANG, FOSHAN, P.R.CHINA

TEL: +86 136 9016 2916 +86 186 8889 8781 (Wechat/What's App)

FAX: +86 757 82661397

E-MAIL: ALEXWANG@NAVONATO.COM

**WWW.NAVONATO.COM**

\* 由于印刷的关系，可能与实际产品的颜色有差异，请以实物为准。  
Because of printed relation, possibility and the color of the actual  
product contain difference, please regard real object as to allow.



**ELEGANT MODERN TILES**  
**素雅现代砖**

PRODUCT CATALOGUE

产品型录



**NAVONATO**  
富纳陶



**NAVONATO** CERAMICS  
富纳陶 Company Introduction

FOSHAN NAVONATO CO.,LTD. established in September, 2010, set up with a management idea of "Innovation, Progress Pragmatism, Credibility" as corporate image, committed in presenting high quality products and making research and development of the new material to meet the requirements of human life based on the direction of "humanity, green, science, Hi-Tech and environment protection".

NAVONATO keeps on devoting to create comfortable, healthy and high quality products for customers. We are professional in manufacturing ELEGANT MODERN TILES with different finished (Matt, Lapato, Rustic, Soft Polished and so on.) Products are selling well world widely especially in Asia, Europe and America countries, and well-known widely because of our products' stable quality, various designs and the advanced technology.

NAVONATO, with its competitive prices and good quality products to all the customers, initiates scientific and rational consumption concept, and brings health, splendor and fashions to your daily life.



## NAVONATO CERAMICS PRODUCT CONTENTS

SYDNEY 悉尼	03 / 04
PRAGUE 布拉格	05 / 06
JAKARTA 雅加达	07
DETROIT 底特律	08
SEOUL 首尔	09 / 10
ROME 罗马	11 / 12
HANOI 河内	13
OSLO 奥斯陆	14
KYOTO 京都	15
BERLIN 柏林	16
MANILA 马尼拉	17
BANGKOK 曼谷	18
MORITZ 美里茨	19
ATHENS 雅典	20
MIAMI 迈阿密	21 / 22
PERTH 珀斯	23
LONGDON 伦敦	24
LAS VEGAS 拉斯维加斯	25 / 26
BOGOTA 波哥大	27
LISBON 里斯本	28
AUCKLAND 奥克兰	29 / 30
CAPE TOWN 开普敦	31
MOSCOW 莫斯科	32

# SYDNEY 悉尼

Strong abrasion resistance   High rigidity   Anti-acid and alkali   No radiation

SIZE: 600×600mm 24" × 24"



FG664513



FG664511



FG664515



FG664524



FG664526



BY FG664511



BY FG664524

# SYDNEY 悉尼

Strong abrasion resistance   High rigidity   Anti-acid and alkali   No radiation

SIZE: 600×600mm 24" × 24"



FG664532



4 faces


# PRAGUE 布拉格

Strong abrasive resistance   High rigidity   Anti-acid and alkali   No radiation

SIZE: 600×600mm 24" × 24"




SN661213



4 faces



SN661211



SN661215



SN661217



SN661222



SN661232



NAVONATO 05

# JAKATAR 雅加达

Strong abrasive resistance   High rigidity   Anti-acid and alkali   No radiation

SIZE: 600×600mm 24" × 24"



SN661111



SN661113



SN661132



SN661115



SN661120



BY SN661113



BY FG664215



FG664217



FG664211



FG664213



FG664224




FG664226

# DETROIT 底特律

Strong abrasive resistance   High rigidity   Anti-acid and alkali   No radiation

SIZE: 600×600mm 24" × 24"



FG664215



BY SN661315

SEOUL 首尔



SN661313



4 faces



SN661315

Strong abrasive resistance   High rigidity   Anti-acid and alkali   No radiation

SIZE: 600×600mm 24" ×24"



SN661311



SN661320



SN661324



SN661326





**ROME** 罗马

SIZE: 600×600mm 24" × 24"



FG664413




4 faces



FG664411



FG664415



**ROME** 罗马

BY FG664424

 Strong abrasive resistance  High rigidity  Anti-acid and alkali  No radiation

SIZE: 600×600mm 24" × 24"



FG664422




FG664424



FG664428



FG664432



## HANOI 河內

Strong abrasive resistance  
 High rigidity  
 Anti-acid and alkali  
 No radiation

SIZE: 600×600mm 24" × 24"



FG664324



FG664317



FG664313



FG664315

## OSLO 奧斯陸

Strong abrasive resistance  
 High rigidity  
 Anti-acid and alkali  
 No radiation

SIZE: 600×600mm 24" × 24"



FG664111



FG664124




FG664126



FG664113

# KYOTO 京都

Strong abrasive resistance   High rigidity   Anti-acid and alkali   No radiation  
SIZE: 600×600mm 24" × 24"



BY WD665117



WD665117



WD665132



WD665142



WD665136



WD665146



BY FG664615




FG664611



FG664615




FG664622



FG664626

# BERLIN 柏林

Strong abrasive resistance   High rigidity   Anti-acid and alkali   No radiation  
SIZE: 600×600mm 24" × 24"



FG664613

# MANILA 马尼拉

Strong abrasive resistance    High rigidity    Anti-acid and alkali    No radiation

SIZE: 600×600mm 24" × 24"



MS662213



MS662211



MS662215



MS662224



MS662226



BY MS662224



BY MS662113

MS662126



MS662111



MS662113



MS662115



MS662120



MS662132

# BANGKOK 曼谷

Strong abrasive resistance    High rigidity    Anti-acid and alkali    No radiation

SIZE: 600×600mm 24" × 24"



## MORITZ 莫里茨

SIZE: 600×600mm 24" × 24"


Strong abrasive resistance High rigidity Anti-acid and alkali No radiation



AS660201



6 faces



## ATHENS 雅典

SIZE: 600×600mm 24" × 24"

Strong abrasive resistance High rigidity Anti-acid and alkali No radiation



AS660101



4 faces

# MIAMI 迈阿密




SIZE: 600×600mm 24" × 24"



SC663311



SC663313



SC663315



SC663317




BY SC663313



# MIAMI 迈阿密



SC663326



6 faces

# PERTH 珀斯

Strong abrasive resistance   High rigidity   Anti-acid and alkali   No radiation

SIZE: 600×600mm 24" × 24"



SC663113



SC663111



SC663134



SC663115



BY SC663138



BY SC663415



SC663420



SC663426



SC663411



SC663415

# LONGDON 伦敦

Strong abrasive resistance   High rigidity   Anti-acid and alkali   No radiation

SIZE: 600×600mm 24" × 24"



SC663413



BY SS660315

## LAS VEGAS 拉斯维加斯




SS660311



SS660313



SS660315



SS660317

SIZE: 600×600mm 24" × 24"

Strong abrasion resistance   High rigidity   Anti-acid and alkali   No radiation

SIZE: 600×600mm 24" × 24"



BY SS660326

## LAS VEGAS 拉斯维加斯



SS660326




4 faces

# BOGOTA 波哥大

Strong abrasive resistance   High rigidity   Anti-acid and alkali   No radiation


SIZE: 600×600mm 24" × 24"



FG664713




FG664711



FG664715



FG664720



FG664726



BY FG664715

# LISBON 里斯本

Strong abrasive resistance   High rigidity   Anti-acid and alkali   No radiation

SIZE: 600×600mm 24" × 24"



SS660213



BY SS660222



SS660211



SS660215



SS660222



SS660226

# AUCKLAND 奥克兰

Strong abrasive resistance    High rigidity    Anti-acid and alkali    No radiation


SIZE: 600×600mm 24" × 24"



SS660413



SS660411



SS660415



BY SS660413



BY SS660426

SIZE: 600×600mm 24" × 24"

# AUCKLAND 奥克兰



SS660420



SS660422



SS660432



SS660426

# CAPE TOWN 开普敦



SC663213



SC663211



SC663224



SC663215



SC663226

Strong abrasive resistance   High rigidity   Anti-acid and alkali   No radiation

SIZE: 600×600mm 24" × 24"



BY SC663213



BY SC663213

# MOSCOW 莫斯科

Strong abrasive resistance   High rigidity   Anti-acid and alkali   No radiation

SIZE: 600×600mm 24" × 24"



SS660113



SS660111



SS660115




SS660124




SS660126


## INSTALLATION ADVICE 铺贴建议




After opening up the box of tiles, please confirm the tile pattern, tile size and color type, pave the same ones on the same part, not mix to pave different ones on one part (except for obtaining special decoration effect on purpose).




To create the best decoration effect, we should notice to array the tiles according to its arraying style, pay attention to the direction of pattern tiles, and clean up the walls or floors before paving.




To pre-array the tiles, we should first make two vertical lines on the ground, and check the horizontal level with horizontal rule, check the vertical level with a weight.



Command to use 225# cement to pave piece tiles, use 425# cement or the mixture of cement and tile strengthening agent to firmly cement block tiles, and moist piece tiles before paving it (not including others).




To avoid surrounding because of the difference of ceramics heat swelling factors and concrete heat swelling factors, confirm the lines and keep ash slot according to the tile sizes: 3mm (for external wall tiles), 1.5mm (for interior wall tiles), 3-5mm (for floor tiles), 5-15mm (for imitating stone tiles).



In the process of tiles paving, apply sticky slurry to fill the tile slots and then slick its surface, especially for the external wall tiles, or apply color fillings to fill them according to customers need.




To pave main wall corners, use proper doses of sticky slurry and level it. Keeping it at a thickness of about 1cm, and then put one piece of tile on it, and gently hammer it with a wooden hammer to confirm the cohering and horizontal or vertical level of tile surfaces and edges.




In one hour, clean up in time the excessive cement and other wastes on the paved tiles.



In the process of tiles paving, often strike the tiles with the hammer handle to confirm its stickiness.



In twelve hours, check if there is surrounding parts under the paved tiles with a hammer, if there is, re-pave it.



In twenty-four hours, you can step and completely wash it with clean water and cleaning agent, and a beautiful tile decorated wall or floor will before you!




Not use the tiles if you question the tiles qualities or feel unsatisfactory, and immediately contacted with the loaded dealers or our factory.


## PACKAGING 包装

Size cm	Thickness mm	Pcs / box	Sqmt / box	Bxs / plt	Sqmt / plt	Kgs / sqmt	Kgs / box	Kg / plt
30x60	9.5	8	1.44	40	69.12	21.18	30.5	1220
60x60	9.5	4	1.44	40	57.6	21.18	30.5	1220
60x120	11.5	2	1.44	56	80.64	27.80	40	2240


## INSTALLATION PATTERNS 铺贴方式




60x60 | 24" x 24" 100%




30x60 | 12" x 24" 100%




60x120 | 24" x 48" 100%




60x60 | 24" x 24" 100%




30x60 | 12" x 24" 100%




60x120 | 24" x 48" 100%



30x60 | 12" x 24" 42.86%  
60x60 | 24" x 24" 57.14%



30x60 | 12" x 24" 33.33%  
60x60 | 24" x 24" 66.67%



30x60 | 12" x 24" 33.33%  
60x60 | 24" x 24" 66.67%