

Quality Assurance Report

CUSTOMER(고객명)	DESCRIPTION(품명)	PLATING DATE(도금일자)	ISSUED DATE(발행일자)
캠아이티	BP CONNECTOR CONTACT(4mm)	20261002-1~17	2026.10.02
MATERIAL(재질)	SPEC		수량
Bronze	Au : 0.1 μ m~ / Nip : 2.5 μ m~4.5 μ m		51,000 EA

I.VISUAL INSPECTION

NO	INSPECTION ITEMS	Ac/Re	RESULT	NO	INSPECTION ITEMS	Ac/Re	RESULT
1	DISCOLORATION(변색)	0/1	V	6	BENT(변형)	0/1	V
2	STAIN(얼룩)	0/1	V	7	NO PLATING(미도금)	0/1	V
3	RUST(부식)	0/1	V	8			
4	CONTAMINATION(오염)	0/1	V	9			
5	PEELING(도금 벗겨짐)	0/1	V	10			

II.DIMENSION INSPECTION

NO	INSPECTION ITEMS	SPECIFICATION	MIN	MAX	AVERAGE	RESULT
11	PLATING THICKNESS (Au)	0.1 μ m~				
12	PLATING THICKNESS (Nip)	2.5 μ m~4.5 μ m				
13						
14						

도금두께 성적서 참조

III.FUNCTIONAL TEST

NO	INSPECTION ITEMS	SPECIFICATION	TEST SAMPLE	RESULT
15	ADHESION TEST (밀착성 시험)	Not permit the peeling		OK

FINAL RESULT	REMARK	PREPARED BY	CHECKED BY	APPROVED BY
		고은채		

캠아이티

Au : 0.1 μ m~ / NiP : 2.5 μ m~4.5 μ m

품명: BP CONNECTOR CONTACT(4mm)

LOT NO: 20261002-1



일자: 2026.10.02

No	μ m Au	μ m NiP	Au tolerance
1	0.104	2.736	0.103 0.105 0.108
2	0.108	2.614	
3	0.106	2.827	
4	0.103	2.868	
5	0.106	2.771	
Mean	0.105	2.763	
S.Dev	0.002	0.087	

FUNC: MEASURE
DATE: 2026-10-02
COL : 0.200 mm

Au
NiP
CuBe


SEC : 15 Sec



도금원소 : Au/NiP//CuBe

측정값 개수 5 5
최대값 0.108 2.868
최소값 0.103 2.614
범위 0.005 0.254
평균값 0.105 2.763
표준편차 0.002 0.087
변동계수 1.654 3.160

우리하이피



캠아이티 Au : 0.1 μ m~ / NiP : 2.5 μ m~4.5 μ m

품명: BP CONNECTOR CONTACT(4mm)

LOT NO: 20261002-1



일자: 2026.10.02

No	μ m Au	μ m NiP	Au tolerance 0.102 0.107 0.111
1	0.103	3.249	
2	0.108	3.177	
3	0.110	3.273	
4	0.102	3.209	
5	0.110	3.073	
Mean	0.107	3.196	
S.Dev	0.003	0.070	

FUNC: MEASURE
DATE: 2026-10-02
COL : 0.200 mm

Au
NiP
CuBe

SEC : 15 Sec



도금원소 : Au/NiP//CuBe

측정값 개수	5	5
최대값	0.110	3.273
최소값	0.102	3.073
범위	0.008	0.200
평균값	0.107	3.196
표준편차	0.003	0.070
변동계수	3.228	2.185

우리하이피

