

Authorize

default

GET	/ Home	
GET	/categories Get Categories	
POST	/categories Create Category	
POST	/products Create Product	
GET	/products/{product_id} Get Product	
PUT	/products/{product_id} Update Product	
DELETE	/products/{product_id} Delete Product	
POST	/test-product Test Product	
POST	/register Register	
POST	/login Login	

Schemas

CategoryCreate \ Required id: integer

Request body required application/json

Edit Value | Schema

```
{
  "username": "user3",
  "email": "user3@gmail.com",
  "password": "123456"
}
```

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/register' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "username": "user3",
    "email": "user3@gmail.com",
    "password": "123456"
  }'
```

Request URL

http://127.0.0.1:8000/register

Server response

Code	Details
200	Response body <pre>{ "username": "user3", "email": "user3@gmail.com", "id": 9, "role": "CUSTOMER" }</pre> Response headers

Download

FastAPI

0.10.0

OAuth 2.1

OpenAPI 3.0.1

default

GET / Home

GET /categories Get Categories

POST /categories Create Category

POST /products Create Product

GET /products/{product_id} Get Product

PUT /products/{product_id} Update Product

DELETE /products/{product_id} Delete Product

POST /test-product Test Product

POST /register Register

POST /login Login

Authorize

Available authorizations

Scopes are used to grant an application different levels of access to data on behalf of the end user. Each API may declare one or more scopes. API requires the following scopes. Select which ones you want to grant to Swagger UI.

OAuth2PasswordBearer (OAuth2, password)

Token URL: login

Flow: password

username:

password:

Client credentials location: Authorization header

client_id:

client_secret:

Authorize

Close

application/json
▼

Example Value: Schema

```
{
  "detail": {
    "id": "1",
    "name": "Product 1",
    "type": "Product",
    "status": "Active",
    "created_at": "2023-01-01T00:00:00Z",
    "updated_at": "2023-01-01T00:00:00Z",
    "deleted_at": null
  }
}
```

PUT /products/{product_id} Update Product
▼

DELETE
/products/{product_id} Delete Product

Parameters

Name	Description
product_id	Product ID

Request body

Execute

Responses
▼

200

Content-Type: application/json

```
{
  "detail": {
    "id": "1",
    "name": "Product 1",
    "type": "Product",
    "status": "Active",
    "created_at": "2023-01-01T00:00:00Z",
    "updated_at": "2023-01-01T00:00:00Z",
    "deleted_at": null
  }
}
```

POST /products/{product_id} Update Product

DELETE /products/{product_id} Delete Product

Parameters

Name	Description
product_id *	
integer (path)	1

Execute Clear

Responses

Curl

```
curl -X DELETE "http://127.0.0.1:3000/products/1/"
{"message": "Product deleted successfully"}
{"headers":{"content-type":"application/json","date":"Tue, 14 Jul 2020 08:15:11 GMT"},"status":200}
```

Request URL
http://127.0.0.1:3000/products/1

Server response

Code	Details
200	Response body

```
{
  "message": "Product deleted successfully"
}
```

Response headers

```
Access-Control-Allow-Credentials: true
Content-Length: 42
Content-Type: application/json
Date: Tue, 14 Jul 2020 08:15:11 GMT
Server: Node.js
```

Responses

Code	Description	Links
200	Successful Response	No links

Media type: application/json

Content Accept Header:

Example Value Schema

```
"string"
```

Validation Error

Media type: application/json

Example Value Schema

```
{
  "actual": [
    ...
  ]
}
```

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer      Dependencies x Dependents x Processes x shophub/postgres@PostgreSQL 18* x

> Servers

shophub/postgres@PostgreSQL 18

     No limit     

Query Query History  Scratch Pad x 

1 `SELECT * FROM users;`

Data Output Messages Notifications 

       SQL

Showing rows: 1 to 5   Page No: 1 of 1    

	id [PK] integer	username character varying (255)	email character varying (255)	hashed_password character varying (255)
1	4	admin2	admin2@gmail.com	\$2b\$12\$ms7pGMyBnsb5a.55i1.pC.21a
2	1	admin	admin@gmail.com	\$2b\$12\$GWbiKlgyfDIzmy99u6lSOoPx
3	5	user1	user1@gmail.com	\$2b\$12\$A53OUr.IDBjtvoBEKAbl8eWmv0
4	7	user2	user2@gmail.com	\$2b\$12\$N98gSmuGTf52QR3gj1t1ruS7y
5	8	user3	user3@gmail.com	\$2b\$12\$ePTY5aT033KC1uXQoTsdOga

Total rows: 5 Query complete 00:00:00.123 CRLF Ln 1, Col 21