

Capture The Flag

Goal: Allow administrators to manage students and announcements.

School Request

"The list shouldn't just sit there."

Flag 1 — Prepare Your Mission

Objective: Create a new branch for today's challenge named `feature/event-binding`

Screenshot:

- The command used to create and switch to the new branch.

```
woj@192 my-app % git checkout -b feature/event-binding
Switched to a new branch 'feature/event-binding'
woj@192 my-app %
```

Flag 2 — Arm the Student Cards

Objective: Add action buttons to every Student Card.


Each student card should now contain three buttons:

- Favorite
- Edit
- Delete

Do not make them functional yet.

Screenshot:

- Student cards showing the three new buttons.



Flag 3 — Arm the Announcement Cards

Objective: Add action buttons to every Announcement Card.


Each announcement card should now contain:

- Pin
- Delete

Again, only add the buttons for now.

Screenshot:

- Announcement cards with both buttons visible.



Flag 4 — Wake Up the Buttons

Objective: Make your first button interactive using Angular event binding.

Choose one button (such as Favorite) and make it respond when clicked. (No logic yet)

Hint: Use Angular's (`click`) event binding.

Screenshot:

- The console or browser showing the button successfully triggered an action.
- Code for event binding

```
onFavoriteStudent(student: any): void {  
  console.log('Favorite clicked:', student.name);  
}
```

5 Favorite clicked: Juan Dela Cruz

Favorite clicked: Maria Santos

Flag 5 — Remove a Student

Objective: Make the Delete button remove a student from the list.

When Delete is clicked, that specific student should disappear immediately.

Screenshot:

- Before deleting a student.
- After deleting the student.
- Successful delete log/feedback
- Code for logic

```
onDeleteStudent(index: number): void {  
  this.students.splice(index, 1);  
}
```

Deleting student at index: 3

▶ {name: 'Ana Reyes', course: 'BSIS', year: '4th Year'}

#1 Juan Dela Cruz

BSIT • 2nd Year

Favorite

Edit

Delete

#2 Maria Santos

BSIT • 3rd Year

Favorite

Edit

Delete

#3 Pedro Garcia

BSCS • 1st Year

Favorite

Edit

Delete


#4 Ana Reyes

BSIS • 4th Year

Favorite

Edit

Delete



Flag 6 — Crown a Star Student

Objective: Toggle a student's Favorite status.

Clicking Favorite should switch between two states.

Ideas:

- Empty star → Filled star
- Gray button → Yellow button
- Normal card → Highlighted card

Screenshot:

- One student before favoriting.
- The same student after favoriting.
- Code for states

#3 Pedro Garcia

BSCS • 1st Year

★ Favorited

Edit

Delete

#3 Pedro Garcia

BSCS • 1st Year

☆ Favorite

Edit

Delete

```
<div class="card-actions">
  <button type="button" [class.favorited]="student.isFavorite" (click)="onFavoriteStudent(student)">
    {{ student.isFavorite ? '★ Favorited' : '☆ Favorite' }}
  </button>
</div>
```

```
onFavoriteStudent(student: any): void {
  student.isFavorite = !student.isFavorite;
  console.log(`${student.name} favorite status:`, student.isFavorite);
}
```

Flag 7 — Control the Announcements

Objective: Make Announcement buttons functional.

Complete both actions:

- Pin should toggle the announcement's important status.
- Delete should remove the announcement from the list.

Screenshot:

- One announcement pinned.
- One announcement deleted.
- Code for logic

Posted by: Registrar's Office

August 1, 2026

Enrollment is now open

Enroll now

Unpin

Delete

Posted by: Sports Development Office

August 2, 2026

Intramurals 2026

Join us

Pin

Delete

Posted by: Academic Affairs

August 6, 2026

School Orientation

8:00 AM

Pin

Delete

Posted by: Registrar's Office

August 1, 2026

Enrollment is now open

Enroll now

Unpin

Delete

Posted by: Academic Affairs

August 6, 2026

School Orientation

8:00 AM

Pin

Delete

```
<section class="announcements-section">
  @for (announcement of announcements; track announcement.title; let i = $index) {
    <div class="announcement-card" [class.pinned]="announcement.isPinned">
      <div class="card-header">
        <span class="card-author">Posted by: {{ announcement?.author }}</span>
        <span class="card-date">{{ announcement?.date | date: 'MMMM d, y' }}</span>
      </div>
      <div class="card-body">
        <h3 class="card-title">{{ announcement?.title }}</h3>
        <p class="card-description">{{ announcement?.body }}</p>
      </div>
      <div class="card-actions">
        <button type="button" [class.pinned-btn]="announcement.isPinned" (click)="onPinAnnouncement(announcement)">
          {{ announcement.isPinned ? 'Unpin' : 'Pin' }}
        </button>
        <button type="button" (click)="onDeleteAnnouncement(i)">Delete</button>
      </div>
    </div>
  }
</section>
```

```
announcements = [  
  {  
    title: "Enrollment is now open",  
    body: "Enroll now",  
    author: "Registrar's Office",  
    date: "2026-08-01",  
    isPinned: false  
  },  
  {  
    title: "Intramurals 2026",  
    body: "Join us",  
    author: "Sports Development Office",  
    date: "2026-08-02",  
    isPinned: false  
  },  
  {  
    title: "School Orientation",  
    body: "8:00 AM",  
    author: "Academic Affairs",  
    date: "2026-08-06",  
    isPinned: false  
  },  
];  
  
onPinAnnouncement(announcement: any): void {  
  announcement.isPinned = !announcement.isPinned;  
}  
  
onDeleteAnnouncement(index: number): void {  
  this.announcements.splice(index, 1);  
}
```

Flag 8 — Trigger Edit Mode

Objective: Prepare for future editing.

Clicking the Edit button should display which student is being edited.

Examples:

- Browser alert
- Console message
- On-screen text


Example output:

Editing Juan Dela Cruz

(No logic yet)

Screenshot:

- The edit action successfully displaying the selected student's name.
- Code for edit mode



```
Editing Juan Dela Cruz app.ts:61
Editing Maria Santos app.ts:61

onEditStudent(student: any): void {
  this.editingStudent = student.name;
  console.log(`Editing ${student.name}`);
}
```

Flag 9 — The Interactive UI

Objective: Your Student Portal should now respond to user actions without refreshing the page.


Checklist:

- Student cards have Favorite, Edit, and Delete buttons.
- Announcement cards have Pin and Delete buttons.

- Favorite toggles correctly.
- Students can be deleted.
- Announcements can be pinned.
- Announcements can be deleted.
- Edit identifies the selected student.

Screenshot:

- Your completed interactive Student Portal showing both Student Cards and Announcement Cards with working interactions.



Flag 10 — Commit Your Progress

Final Flag Screenshot

- The entire completed browser UI for this activity
- Successful push to `feature/event-binding`

```
woj@192 my-app % git add .
woj@192 my-app % git commit -m "Activity 5: Interactive UI"
[feature/event-binding 4e8aef6] Activity 5: Interactive UI
 6 files changed, 223 insertions(+), 28 deletions(-)
woj@192 my-app % git push origin feature/event-binding
Enumerating objects: 25, done.
Counting objects: 100% (25/25), done.
Delta compression using up to 8 threads
Compressing objects: 100% (13/13), done.
Writing objects: 100% (13/13), 3.06 KiB | 3.06 MiB/s, done.
Total 13 (delta 7), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (7/7), completed with 6 local objects.
remote: This repository moved. Please use the new location:
remote:   https://github.com/W0jkurt/ITE403A_RIZAL.git
remote:
remote: Create a pull request for 'feature/event-binding' on GitHub by visiting:
remote:   https://github.com/W0jkurt/ITE403A_RIZAL/pull/new/feature/event-binding
remote:
To https://github.com/W0jkurt/ITE403A_RIZAL.git
 * [new branch]      feature/event-binding -> feature/event-binding
woj@192 my-app %
```