



Thank you Sponsors

Gold









Silver



Technical Partners












About "Michael Niehaus"





Agenda

A tale of two versions

Side by side walkthrough

- **Key takeaways:**
- Two distinct "flavors" of Autopilot
- Differences in capabilities and state of completion

Peeking into the low-level traffic

Summary

Q&A




Autopilot (v1) in a nutshell

- Simplifies the Windows out-of-box experience (OOBE)
 - Hides the complexity (that Microsoft added)
 - Organizations can configure settings via MDM policies instead of making the user choose
- Adds scenarios
 - Admin vs. non-admin
 - User-driven vs. self-deploying vs. pre-provisioning
 - Entra ID Join vs. AD Join (Hybrid AADJ)
 - Blocking access until the device is ready for productive use
- Requires device registration using a hardware hash
 - Unless using Autopilot for existing devices*



Do you have to use Autopilot (v1)?

- Without Autopilot, you can:
 - User-driven Entra AD Join during OOBE
 - Enrolls as a personal device, unless you register the device with a corporate identifier
 - Control admin vs. non-admin via Entra ID tenant settings (but not granular)
 - Shows all OOBE pages; user needs to choose
 - You can still use the Enrollment Status Page



Local administrator settings

	s added as local administrator on the device during Microsoft Entra join (Preview)
Yes No Registering user is added a	as local administrator on the device during Microsoft Entra join (Preview) ①
All Selected	None
Selected No member selected	



Autopilot summarized

- 2017
 - Introduced with Windows 10 1703 (in response to IBM's Mac@IBM program)
 - User-driven Azure AD Join
- 2018
 - Features added: Enrollment status page, Hybrid Azure AD Join, Self-deploying Mode, Windows Autopilot for existing devices
- 2019
 - Features added: White glove/Pre-provisioning
- 2020-2023:
 - Not much...
- 2024:
 - Autopilot device preparation, a.k.a. Autopilot v2, introduced with Windows 11 24H2 (also supported with Windows 11 22H2/23H2 patched to April 2024 CU)



What's this new thing?

① Note


This article is for **Windows Autopilot device preparation**. For **Windows Autopilot**, see **Overview of Windows Autopilot**.

- Autopilot device preparation (v2), exists independently of the "original" Autopilot (v1)
 - References to Autopilot v1 vs. Autopilot v2 then are to preserve sanity
 - Co-existence for now
 - Possible "backporting" of v2 enhancements to v1
- Autopilot v2 is clearly still a work-in-progress (but considered "generally available," not "preview")
 - No device registration, but maybe still device registration?
 - Missing features to be delivered later:
 - Customize OOBE and rename devices during provisioning based on organizational structure.
 - Self-deploying and pre-provisioning mode.
 - Additional admin-specified configurations delivered before allowing desktop access.
 - The ability to associate a device with a tenant.
 - Corporate device identifier support to be added later (hence you must enable personal device enrollment to use v2)
- Autopilot v2 leaves some features behind
 - Hybrid Azure AD Join



Side by side: Initial startup

• APv1: • APv2:





Initial startup

• APv1:

- Autopilot profile is downloaded when network is connected
- Could skip language, keyboard layout if using a wired connection

```
"AutopilotServiceCorrelationId": "4b4e9357-4af0-4dfe-9e32-40465befa470",
"ZtdRegistrationId": "e24fc538-3d73-499c-a97f-de4031efbb5a",
"AadDeviceId": "859fe839-df2c-4650-864d-0c67b54a6f41",
"CloudAssignedOobeConfig": 1310,
"CloudAssignedDomainJoinMethod": 0,
"CloudAssignedForcedEnrollment": 1,
"CloudAssignedTenantDomain": "contosomn.onmicrosoft.com",
"CloudAssignedTenantId": "e65be8ec-9c6f-4a99-af78-6f170252d48c",
"CloudAssignedMdmId": "9cb77803-d937-493e-9a3b-4b49de3f5a74",
"CloudAssignedRegion": "US",
"CloudAssignedLanguage": "en-US",
"CloudAssignedDeviceName": "AAD-%RAND:8%",
"DeploymentProfileName": "User Driven AAD",
"IsExplicitProfileAssignment": true,
"CloudAssignedAutopilotUpdateDisabled": 1,
"CloudAssignedPrivacyDiagnostics": 0,
"HybridJoinSkipDCConnectivityCheck": 0,
"CloudAssignedAutopilotUpdateTimeout": 1800000,
"PolicyDownloadDate": "2024-06-24T19:38:29Z",
"PolicyDownloadCorrelationVector": "4b4e9357-4af0-4dfe-9e32-40465befa470"
```


- Tries to download an Autopilot profile, but the response will indicate "not an Autopilot device"
- No opportunity (yet?) to disable language, keyboard; no way (yet) to set computer name

```
{
    "ErrorCode": 807,
    "ErrorReason": "ZtdDeviceIsNotRegistered",
    "PolicyDownloadDate": "2024-06-24T21:20:22Z",
    "PolicyDownloadCorrelationVector": "b0cd0f68-164e-4db4-afed-e0f322abaac5"
}
```



Side by side: Pre-logon

• APv1:





Pre-logon


- APv1:
 - Critical update reboot (maybe)

- APv2:
 - Critical update reboot (maybe)
 - Accept EULA
 - Type in computer name
 - Choose personal vs. work/school
 - Prompts could (?) go away with a future APv2 update



Side by side: Logon

• APv1: • APv2:







- APv1:
 - Branded

```
<characteristic type="FirstSyncStatus">
                <parm name="ExpectedPolicies" value="./Vendor/MSFT/Policy/Config" datatype="string" />
                <parm name="TimeOutUntilSyncFailure" value="60" datatype="integer" />
               <parm name="BlockInStatusPage" value="7" datatype="integer" />
               <parm name="SkipDeviceStatusPage" value="false" datatype="boolean" />
                <parm name="SkipUserStatusPage" value="false" datatype="boolean" />
               <parm name="AllowCollectLogsButton" value="true" datatype="boolean" />
               <parm name="CustomErrorText" value="Uh oh!" datatype="string" />
           </characteristic>
       </characteristic>
   </characteristic>
</characteristic>
<characteristic type="EnrollmentStatusTracking">
   <characteristic type="DevicePreparation">
       <characteristic type="PolicyProviders">
           <characteristic type="Sidecar">
                <parm name="InstallationState" value="1" datatype="integer" />
```

```
"policyId": "05251a8e-7837-4516-81c6-64956986F266",
    "timeoutInWilliseconds": 3600000.
    "maxRetryAttempts": 10,
     completionDelayInMilliseconds*: 500
        "providerId": "97983a85-6d7a-4938-9135-c866779d3F58",
        "providerFriendlyName": "Standard User Provider
        "providerId": "1C31C6A6-1516-41DF-8657-5351889C23A7",
        "providerfriendlyName": "SLDN Provider"
        "providerId": "69840F3C-71A1-4968-8986-EF5CF2A8C881",
        "providerFriendlyName": "PowerShell Scripts Provider
        "providerId": "36263157-87e7-4273-9ebd-56fd7862ee8d",
        "providerFriendlyName": "Win32Apps Provider"
        "batchFriendlyName": "Batch 8",
        "batchNumber": 0,
       "actionsList": [
                "actionId": "f3a9c8e2-7d6b-4a5e-9c1d-8e2f1b8d3a4c",
                "actionFriendlyName": "Standard User Provisioning",
                "batchNumber": 8,
                "providerId": "97983a85-6d7a-4938-9135-c866779d3f58",
                "providerContextId": "d7b3f8a1-2x4c-4F9d-866a-1x8c5d9f7b2e",
"providerContext": "[\"user5id\":\"5-1-12-1-4279119295-1259845936-977468655-434848461\",\"providerId\":\"97983a85-6d7a-4938-9135-c866779d3f58\")"
        "batchFriendlyName": "Batch 1",
       "batchNumber": 1,
       "actionsList": [
                "actionId": "c54bea24-c189-42ce-9389-938320f868a2",
                "actionFriendlyName": "Device Prep Profile-Limited SLDM Provisioning",
                "batchNumber": 1,
                "providerId": "1C31C8A6-1516-41DF-8657-5351889C23A7", 
"providerContextId": "8508F687-9886-4F04-8476-C46E42823R87",
                "providerContext": "{\"syncSessionIntervalInMilliseconds\":38800,\"providerId\":\"1C31C5A6-1516-41DF-8657-5351809C23A7\"}"
       "batchFriendlyName": "Batch 2",
       "batchNumber": 2,
       "actionsList": |
                "actionId": "F8118E16-5582-41ED-8CA1-51EA813E6EC1",
                "actionFriendlyName": "Scripts Provisioning",
                "batchNumber": 2,
                "providerId": "69848F3C-71A1-4968-8986-EF5CF2A8C881",
                "providerContextId": "8508F687-9886-4F04-8476-C46E42023887",
                "providerContext": ""
        "batchFriendlyName": "Batch 3",
        "batchNumber": 3,
                "actionId": "Bc943abd-289b-4839-8eb8-e79be1d87df6",
                "actionFriendlyName": "Win32Apps Provisioning",
                "batchwarber": 3,
                "providerId": "36263157-87e7-4273-9ebd-56fd7862ee8d",
                "providerContextId": "85D8F587-9886-4F04-8475-C46E42023887",
                "providerContext": ""
```



BootstrapperAgent

- Provider model:
 - Standard User Provider
 - SLDM (stateless device management?) Provider
 - PowerShell Scripts Provider
 - Win32Apps Provider
- Not yet documented for other MDM providers to use (or for anyone to understand without reverse engineering)

- All providers implemented by Intune Management Extension
 - Can be changed at any time (updated at least monthly)
 - Not (necessarily) dependent on changes in Windows
- Progress information fed back to the OOBE UI
 - So that "brain dead" progress display could be fixed at any time (more on that later)



Logon

• APv1:

- Registered devices are always considered "corporate"
- Autopilot for existing devices: Not registered, so enabling personal enrollment is (now) necessary
- Admin rights configured via profile (later in the process) based on APv1 profile


- Devices will enroll as personal
 - Register devices using corporate device identifiers
 - Or, enable personal device enrollment
- Devices will switch to "corporate" once enrolled
- Works just fine with gov't clouds
- Admin rights configured via profile (later in the process) based on APv2 profile, but there is a conflict with Entra ID



Side by side: Progress, part 1

• APv1: (3 min)

APv2: (2 min 15 sec)





Progress, part 1

- APv1:
 - Waiting for Intune Management Extension MSI to install and calculate needed apps
 - MSIs and Office install during this time too


- Waiting for Intune Management Extension MSI to install and calculate needed apps, scripts
 - Faster due to "enrollment time grouping" that allows for pre-calculation of policies
- MSIs and Office install in this phase too



Side by side: Progress, part 2

APv1: (~20 min)

• APv2: (~25 min)





Progress, part 2


- APv1:
 - Tracking the installation of Win32 apps (mostly)
 - Up to 100 apps (not counting dependencies)

- Tracking the installation of PowerShell scripts and Win32 apps
 - Up to 10 of each (not counting dependencies?)
- Notice the "brain-dead simple" progress
 - Just indicates "time passed," not actual progress (at this point at least)
 - What is it with Microsoft and progress bars?
- Why does APv2 take longer?
 - Poor (re-)initialization time after an app-triggered reboot?



Side by side: Post-completion

• APv1:





Post-completion

- APv1:
 - N/A

- No way to suppress or time out "finished" screen (yet?)
- User is prompted (still in OOBE) to accept security/privacy defaults (for now?)
- Interaction with MDM-delivered policies is unknown
- Other Win32 apps, PowerShell scripts will start installing while this screen is displayed



Side by side: User progress

• APv1: (~2 min)



• APv2: (N/A)



User progress


- APv1:
 - User ESP happens after user sign-in


- APv2:
 - No user ESP available
 - Replaced with Company Portal?
 - Overall APv2 process (currently) completes while still in (machine) OOBE



Side by side: Monitoring

• APv1:







Monitoring and troubleshooting

• APv1:


- Still in (perpetual?) preview
- "Less real time" = can be 10-15 minutes behind(?)
- Local diagnostics page (Ctrl-Shift-D)
- Get-AutopilotDiagnostics and Get-AutopilotDiagnosticsCommunity scripts for troubleshooting

- Not in preview?
- More details about apps and scripts
- "Near real time" = can be 5-6 minutes behind
- No local diagnostics
- No troubleshooting scripts (yet)



Side by side: 5x Windows key

• APv1: • APv2:





5x Windows key

- APv1:
 - Start Autopilot pre-provisioning (white glove)

- APv2:
 - Associate device with a tenant
 - Tag device in UEFI with the tenant ID?
 - Create corporate device ID?
 - Branded sign-in? (tenant ID hint)
 - Skip personal vs. work/school?
 - Skip EULA?
 - What can OEMs do?
 - ✓ Tag the device in UEFI with the tenant ID
 - ☐ Create corporate device ID in Intune (?)
 - Convenience feature or security feature?



For more information

- Autopilot v2: My "second" thoughts
 - Includes links to other Autopilot v2 posts
 - Key points:
 - Biggest change to Autopilot since its introduction
 - Still a work-in-progress
 - Scenarios missing (self-deploying, pre-provisioning), capabilities missing (computer naming, user ESP), etc.
 - Compromises have been made
 - Some temporary, some permanent
 - Logic shifts from Windows into Intune Management Extension
 - Should enable a greater pace of change IME is updated at least monthly



Changes in Autopilot v2 since introduction

• Bug fixes



Thank You

