

Windows 11 Intune Playbook

by Florian Salzmann

About “Florian Salzmann”

Focus

Leading Expert at UMB AG

Endpoint Management / Intune

From

Switzerland CH

My Blog

scloud.work

msnugget.com



Hobbies

Travel ✈️
Tech 🚂
Wine 🍷

Contact

@FlorianSLZ



Time Zone & Regional Settings

Harder Than You Think

- Auto time zone detection depends on the Windows Location Service
 - Location Service is often disabled by policy, blocked by firewall
- Wrong time zone = confused users = Tickets

Your Options

- Settings Catalog = Fixed by Policy
- Enable Privacy Settings, so the User can active the Location service = Bad User Experience
- Enable Location Service by Policy
- Script it :)

Demo

Time Zone By Script

Administrator: C:\Program Files\PowerShell\7\pwsh.exe

```
PS C:\tmp> .\Set-TimeZoneByIPAddress.ps1
Transcript started, output file is C:\ProgramData\Microsoft\IntelliT.log
Fetching IANA time zone from ipinfo.io...
Detected IANA Time Zone: Europe/Zurich
Downloading custom XML mapping...
Searching for matching mapping...
Mapped to Windows Time Zone: W. Europe Standard Time
Setting Windows time zone using Set-TimeZone...
Successfully set Windows Time Zone: W. Europe Standard Time
```

Set-TimeZoneByIPAddress.ps1 X

C:\> tmp > Set-TimeZoneByIPAddress.ps1 > ...

```
32 if (-not $windowsZones) {  
33     throw "Failed to download or parse the XML mapping file."  
34 }  
35  
36 Write-Output "Searching for matching mapping..."  
37 $mapping = $windowsZones.supplementalData.windowsZones.mapTimezones.mapZone | Where-Object {  
38     $_.type -split ' ' -contains $ianaTz  
39 }  
40  
41 if (-not $mapping) {  
42     throw "No mapping found for IANA time zone: $ianaTz"  
43 }  
44  
45 $windowsTZ = $mapping.other | Select-Object -First 1  
46 Write-Output "Mapped to Windows Time Zone: $windowsTZ"  
47  
48 try {  
49     Write-Output "Setting Windows time zone using Set-TimeZone..."  
50     Set-TimeZone -Id $windowsTZ  
51     Write-Output "Successfully set Windows Time Zone: $windowsTZ"  
52 } catch {  
53     Write-Error "Set-TimeZone failed. "  
54 }  
55  
56 } catch {  
57     Write-Error "Failed to set Windows time zone: $_"  
58 }
```

Locale, Language, Input

- System locale vs. user locale vs. display language: three different things
- Settings Catalog covers display language and input language
- System locale and regional format (date/currency) often still need PowerShell or provisioning packages

Common Pitfalls



- For multi-language orgs: deploy language packs alongside regional config
- Watch out: some LOB apps read system locale, others read user locale
 - !! Test both

Great Script by Peter Klapwijk

[How to change the Windows 11 language with Intune](#)

Windows Start Menu

The Goal




What's New?

- Windows 10 used XML-based LayoutModification.xml — deprecated in Windows 11
- Windows 11 introduced JSON-based layout configuration
- New "Recommended" section, new pinning behaviour, new headaches
- Admins need a fresh approach for managed desktops

Heads Up

- New Options Design is coming in Q2
- You can control it
--> *"HideCategoryView"*




How Can We Manage This via Intune?

- Settings Catalog: ConfigureTaskbarPins (JSON-based)
- Settings Catalog: Start Menu layout (pinned apps, folder groups)
- Full lockdown vs. partial layout (forced vs. user-customisable)
- Key decision:
Do you want total control or a sensible default users can tweak?

JSON Setting

Export-StartLayout -Path "C:\YourStartMenuLayout.json"



```
{
  "applyOnce": true,
  "pinnedList": [
    { "desktopAppLink": "%ALLUSERSPROFILE%\\...\\Microsoft Edge.lnk" },
    { "desktopAppId": "Microsoft.Office.OUTLOOK.EXE.15" },
    { "desktopAppId": "Microsoft.Office.WINWORD.EXE.15" },
    { "packagedAppId": "Microsoft.WindowsNotepad_8wekyb3d8bbwe!App" }
  ]
}
```

The `applyOnce` property is supported starting with Windows 11, version 24H2 with [KB5062660](#), and it's ignored on earlier versions of Windows 11.

Start Menu "Set Once" Option

- PowerShell to the rescue :)
- Set the Default User Start Menu

Set Menu once with PowerShell



```
Copy-Item "Start2.bin"  
-Destination  
"C:\Users\Default\AppData\Local\Packages\Microsoft.Windows.StartMenuExperienceHos  
t_cw5n1h2txyewy\LocalSta  
te\Start2.bin"
```

Why?

Changes on this file will only affect new users

Taskbar Pinning

- JSON defines which apps appear pinned on the Taskbar
- Apps must be installed on the device, otherwise the pin silently fails
- Blue = Windows Default
- Red = User choice
- Green = Policy



Search



11:11 AM
11/11/2024

Who wants Taskbar Pins backed up in Windows Backup for Orgs?



Windows Backup for Organizations

Restore my stuff during OOBЕ.. YES please!

- Tenant-wide
- Supports CloudPCs (at first sign in after device enrollment)
- Windows Backup app is installed with the backup policy
- Combine with MS Edge Enterprise sync?

How it works

Backup

1. We must enable and configure a backup policy
2. A scheduled task will initiate the backup of a Windows device
Every 8 days
3. Optional: Use the Windows Backup app to manually initiate a backup

Restore

1. We must enable and configure a restore policy
2. User signs in during OOBE
3. Restore page is shown



Let's set things up for your work or school

You'll use this info to sign in to your devices.

[RockEnroll.tech](#)

← nicklas@nicklasahlberg.se

Enter password


.....



[Forgot my password](#)

[Sign in another way](#)

Sign in





Welcome back, Nicklas!

There's a backup of your previous PC which may have settings and Microsoft Store apps saved. We can bring over your info to this PC once you finish your setup. [Privacy Statement](#)

Restore from your PC backup



CPC-MALMO-WKK64

Last backup: January 19, 2026

[More options](#)

[Learn more](#)

[Continue](#)





Setting up for work or school

This will take a few minutes. Your device might need to restart as we complete the setup.



Device preparation

Working on it...



Device setup

Waiting



Account setup

Waiting



Enterprise State Roaming (ESR)

- Moving to Backup for organizations
- We have until June 2026 to move the policies
 - **June is now ;)**

💡 *If you take no action, Windows will honor both ESR and GPO/MDM roaming controls for one year (prioritizing GPO/MDM); after that, ESR will no longer work, and roaming must be managed through Windows Backup for Organizations policies.*

Windows First Sign-in Restore



At first sign in instead of during OOB

- Restore your stuff at first sign-in instead of during OOB
- If a user decides not to restore during OOB, this is honored
- during first sign-in as well
- Enabled per group instead of tenant-wide
- Requires Windows 11 24H2/25H2 and **2026-03** CU

💡 *Make sure backups have been taken.. no backup = nothing to restore*

Good to know

- Phishing resistant MFA is supported. Remember to exclude d32c68ad-72d2-4acb-a0c7-46bb2cf93873 from CA






Something went wrong

We encountered an error while checking for backups. [Privacy Statement](#)



Set up as a new PC

Try again



Assignments

User

Weak Weaksson

✓ Matched

▼

Resource

Microsoft Activity Feed Service

✓ Matched

▲

All resources included

Audience ⓘ

Application Id

Microsoft Activity Feed Service

d32c68ad-72d2-4acb-a0c7-46bb2cf93873

Conditions

Sign-in risk

None

● Not configured

Device platform

Windows10

● Not configured

Network (formerly location)

● Not configured

▼

Client app

Browser

● Not configured

Device

● Not configured

User risk

● Not configured

Insider risk ⓘ

● Not configured

Authentication flows

● Not configured

Access controls

Grant Controls

✗ Not satisfied

▲

Require Authentication strength - Phishing-resistant MFA: The user could satisfy this authentication strength by registering for one or more MFA methods.
Require compliant device

Session Controls

● Not configured

▼

Name *

CA004 - UAT - Enforce WHfB

Assignments

Users or agents (Preview) ⓘ

Specific users included and specific users excluded

Target resources ⓘ

All resources (formerly 'All cloud apps') included and 2 resources excluded

Network NEW ⓘ

Not configured

Conditions ⓘ

0 conditions selected

Access controls

Grant * ⓘ

2 controls selected

Session * ⓘ

0 controls selected

Select what this policy applies to

Resources (formerly cloud apps) ▼

Include

Exclude

Select the resources to exempt from the policy

☐ None

☐ All internet resources with Global Secure Access

☐ All agent resources (Preview)

☒ Select resources

Select resources based on attributes ⓘ

None

Select specific resources ⓘ

Microsoft App Access Panel and T...

MA

Microsoft Activity Feed Service

d32c68ad-72d2-4acb-a0c7-46bb2cf93873

...

MA


Microsoft App Access Panel

0000000c-0000-0000-c000-000000000000...

...

ⓘ

To create a Conditional Access policy targeting members in your tenant with Global Secure Access (GSA) as a resource, make sure GSA is deployed in your tenant. [Learn more](#) ↗



Welcome back, Weak!

There's a backup of your previous PC which may have settings and Microsoft Store apps saved. We can bring over your info to this PC once you finish your setup. [Privacy Statement](#)

Restore from your PC backup




RE-292857755588

Last backup: April 18, 2026

[More options](#)

[Learn more](#)

[Continue](#)



Remove Built in Apps

The modern way....

Requirements

- Windows Enterprise and Education, no Pro support
- Windows 25H2 or newer


Applied at:

- Out-of-box experience (OOBE)
- User sign-in after an OS upgrade
- User sign-in after an update to the policy

💡 The policy-based in-box app removal feature doesn't support multi-session environments.

💡 Policy is removed on device level. All users on same device will lose the app once removed.

Administrative templates -> Windows components -> App package deployment -> **Remove Default Microsoft Store packages from the system**



True = Remove
False = Keep

HKLM:\Software\Policies\Microsoft\Windows\Appx\RemoveDefaultMicrosoftStorePackage

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows\Appx\RemoveDefaultMicrosoftStorePackages

RemoveDefaultMicrosoftStorePackages			
Name	Type	Data	
Clipchamp.Clipchamp_yxz26nhyzhsrt			
Microsoft.BingNews_8wekyb3d8bbwe			
Microsoft.BingWeather_8wekyb3d8bbwe			
Microsoft.Copilot_8wekyb3d8bbwe			
Microsoft.GamingApp_8wekyb3d8bbwe			
Microsoft.MicrosoftOfficeHub_8wekyb3d8bbwe			
Microsoft.MicrosoftSolitaireCollection_8wekyb3d8bbwe			
Microsoft.MicrosoftStickyNotes_8wekyb3d8bbwe			
Microsoft.OutlookForWindows_8wekyb3d8bbwe			
Microsoft.Paint_8wekyb3d8bbwe			
Microsoft.ScreenSketch_8wekyb3d8bbwe			
Microsoft.Todos_8wekyb3d8bbwe			
Microsoft.Windows.Photos_8wekyb3d8bbwe			
Microsoft.WindowsCalculator_8wekyb3d8bbwe			
Microsoft.WindowsCamera_8wekyb3d8bbwe			
Microsoft.WindowsFeedbackHub_8wekyb3d8bbwe			
Microsoft.WindowsNotepad_8wekyb3d8bbwe			
Microsoft.WindowsSoundRecorder_8wekyb3d8bbwe			
Microsoft.WindowsTerminal_8wekyb3d8bbwe			
Microsoft.Xbox.TCUI_8wekyb3d8bbwe			
Microsoft.XboxIdentityProvider_8wekyb3d8bbwe			
Microsoft.XboxSpeechToTextOverlay_8wekyb3d8bbwe			
Microsoft.ZuneMusic_8wekyb3d8bbwe			
MicrosoftCorporationII.QuickAssist_8wekyb3d8bbwe			
MSTeams_8wekyb3d8bbwe			
(Default)	REG_SZ	(value not set)	
Enabled	REG_DWORD	0x00000001 (1)	



Windows 11:
Remove Built in Apps

```
Administrator: Windows Powe X + v
PS C:\Users\nicklas> winget search clipchamp
Name Id Version Source
-----
Microsoft Clipchamp 9P1J8S7CCWWT Unknown msstore
PS C:\Users\nicklas> winget install 9P1J8S7CCWWT
Found Microsoft Clipchamp [9P1J8S7CCWWT] Version Unknown
This package is provided through Microsoft Store. winget may need to acquire the package
of the current user.
Agreements for Microsoft Clipchamp [9P1J8S7CCWWT] Version Unknown
Version: Unknown
Publisher: Microsoft Corp.
Publisher Url: https://clipchamp.com
Publisher Support Url: https://go.microsoft.com/fwlink/?linkid=2229013
License: Consumer Health Data Privacy Policy - https://go.microsoft.com/fwlink/?linkid=2
Microsoft Services Agreement - https://go.microsoft.com/fwlink/?LinkId=822631
Privacy Url: https://go.microsoft.com/fwlink/?LinkId=521839
Agreements:
  Category: Photo & video
  Pricing: Freemium
  Free Trial: No
  Terms of Transaction: https://aka.ms/microsoft-store-terms-of-transaction
  Seizure Warning: https://aka.ms/microsoft-store-seizure-warning
  Store License Terms: https://aka.ms/microsoft-store-license

The publisher requires that you view the above information and accept the agreements bef
Do you agree to the terms?
[Y] Yes [N] No: y
Starting package install...
Failed to install or upgrade Microsoft Store package. Error code: 0x80073d3f
PS C:\Users\nicklas>
```



Protects against credential theft, such as pass-the-hash

- **New installations:** Enabled by default on W11 (without UEFI lock)
- **Existing installations:** No change when updating to W11
- **Controls:** Security baseline, CSP, Settings Catalog, Account protection
- **UEFI lock:** Block remote disablement (Intune/script/GPO)
- **Hardware requirements:** FW, TPM (1.2 & 2.0), VBS, Secure Boot

① Note

While Credential Guard is a powerful mitigation, persistent threat attacks will likely shift to new attack techniques, and you should also incorporate other security strategies and architectures.

credential

he

- We can →
- Intune re →
configur

Device status

❗ Can't access company resources

This device does not meet CCMEXEC compliance and security policies. You need to make some changes to this device so that you can access company resources.

Turn on device encryption

[More](#) ▾

Credential Guard is not enabled

[Less](#) ▴

Please make sure that Credential Guard is enabled on your device. For more information, contact servicedesk

Kernel DMA Protection

On

Virtualisation-based security

Running

Virtualisation-based security required security properties

Base Virtualisation Support, Secure Boot

Virtualisation-based security available security properties

Base Virtualisation Support, Secure Boot, DMA Protection, Secure Memory Overwrite, UEFI Code Readonly

Virtualisation-based security services configured

Credential Guard, Hypervisor enforced Code Integrity, Secure Launch

Virtualisation-based security services running

Hypervisor enforced Code Integrity, Secure Launch

Windows Defender Application Control policy

Enforced


```
# Custom Compliance Check for Credential Guard
1 reference
function Test-CredentialGuardCompliance { ...
}

# Run the compliance check
$complianceResult = Test-CredentialGuardCompliance

# Create hash table for Intune reporting
$hash = @{
    CredentialGuardCompliant = $complianceResult.IsCompliant
    ConfigurationStatus = $complianceResult.ConfigurationStatus
    RuntimeStatus = $complianceResult.RuntimeStatus
    Timestamp = $complianceResult.Timestamp
}

# Add error information if present
if ($complianceResult.Error) {
    $hash.Error = $complianceResult.Error
}

# Return JSON for Intune
return $hash | ConvertTo-Json -Compress
```


JSON

```
{
  "Rules": [
    {
      "SettingName": "CredentialGuardCompliant",
      "Operator": "IsEquals",
      "DataType": "Boolean",
      "Operand": true,
      "MoreInfoUrl": "https://docs.microsoft.com/en-us/windows/security/identity-protection/credential-guard/",
      "RemediationStrings": [
        {
          "Language": "en_US",
          "Title": "Credential Guard must be enabled and running. Current status: {ActualValue}.",
          "Description": "Credential Guard provides enhanced security for domain credentials. Please refer to the link above for configuration steps."
        }
      ]
    }
  ]
}
```


Windows 365 Data Protection

Device redirection for cloud PCs

Redirection	Policy
Audio input	Allow audio recording redirection
Audio output	Allow audio and video playback redirection
Cameras	Do not allow video capture redirection
Clipboard	Do not allow Clipboard redirection
COM ports	Do not allow COM port redirection
Drives	Do not allow drive redirection
Location	Do not allow location redirection
Printers	Do not allow client printer redirection
Smartcards	Do not allow smart card device redirection
USB drives	Do not allow supported Plug and Play device redirection


Data Protection

Watermarking




Add traceable watermarks

Screen capture protection




Block/hide remote content in screenshots and screen sharing

Screen capture protection (try to take a print screen)



Print screen = black screen

Screen capture protection (try to share in Teams)



Teams sharing = black screen

Watermarking: Good to know


Watermarking support in Windows 365

Watermarking support is configured on session hosts and enforced by the Remote Desktop client. The settings for Watermarking support can be configured via Group Policy (GPO) or the Intune Settings Catalog. The default for the QR code embedded content setting doesn't allow administrators to look up device information from leaked images for Cloud PCs.

Device redirection for Cloud PCs

Important

- Network drives that are disconnected aren't redirected. Once the network drives are reconnected, they're not automatically redirected during the remote session. You need to disconnect and reconnect to the remote session to redirect the network drives.
- If you disable drive redirection using Intune or Group Policy, it also prevents files being transferred between the local device and remote session using the clipboard. Other content, such as text or images, isn't affected.




CS = Client -> Server

SC = Server -> Client

Windows Hello for Business: Multifactor Unlock

Shoulder surfing is a thing!

- Require another factor to sign in
- Shoulder surfing 👁️
- **Passwords** and security key will not require MFU
- Supports: PIN, Facial, Fingerprint and passive (connected to a specific network or Bluetooth device)



Thanks!