

So


$$\begin{aligned} \mathbb{E}[T_{20 \rightarrow 0}] &= \mathbb{E}[T_{20}] + \mathbb{E}[T_{19}] + \dots + \mathbb{E}[T_1] \\ &= 1 + \frac{20}{19} + \dots + \frac{20}{1} = 1 + 20 \sum_{i=1}^{19} \frac{1}{i} \end{aligned}$$

Question: How many classes do you expect until all 20 students have been called on?

When there are i students left to call on,
the prob of rolling one of these remaining i

is $\frac{i}{20}$

$$\mathbb{E}[T_i] = \frac{1}{i/20} = \frac{20}{i}$$




Core-scent theory

Cole-escent theory

Question: How many classes do you expect until all 20 students have been called on?

When there are i students left to call on, the prob of rolling one of these remaining i is $\frac{i}{20}$

$$\mathbb{E}[T_i] = \frac{1}{i/20} = \frac{20}{i}$$



So

$$\begin{aligned}\mathbb{E}[T_{20 \rightarrow 0}] &= \mathbb{E}[T_{20}] + \mathbb{E}[T_{19}] + \dots + \mathbb{E}[T_1] \\ &= 1 + \frac{20}{19} + \dots + \frac{20}{1} = 1 + 20 \sum_{i=1}^{19} \frac{1}{i}\end{aligned}$$

Cole-escent theory

Generalize: Class size N (and N -sided die)
sample of $n \leq N$ students