

EQUIPMENT SPEC SHEET

REVISION:



| | | | | | | |
|---------------------------|---------------------|--------------------|------------------|-------------------|---------|----------|
| NAME & LOCATION | WAYNE FARMS | UNION SPRING, AL | CUSTOMER NUMBER | C121241 | | |
| ITEM NUMBER | C-17 | ITEM SERIAL NUMBER | C121241-C-17 | | | |
| ENGINEER | GARY CAMBRON | SALESMAN | HEATH MORROW | | | |
| EQUIPMENT TYPE | TENDER INCLINE CONV | | | CAD TECH DETAILER | | |
| 1 BELT MANUF. | INTRALOX | 2 | SERIES | 800S | | |
| 3 | BELT TYPE | | | NUB TOP | | |
| 4 BELT LENGTH | 40' | 5 | BELT COLOR | GREY | | |
| 6 | BELT MATERIAL | | | AC (Acetal) | | |
| 7 FRICTION SPACING | N/A | 8 | BELT INDENT | N/A | | |
| 9 | CENTER NOTCH | | | N/A | | |
| 10 BELT WIDTH | 12" | 11 | WEARSTRIP | 1"X1-1/2" UHMW | | |
| 12 | BELT PIN MAT. | | | BLUE AC (Acetal) | | |
| 13 BELT FLIGHTS | YES | 14 | FLIGHT HEIGHT | 3" | | |
| 15 | FLIGHT TYPE | | | DOUBLE NO-CLING | | |
| 16 FLIGHT CENTERS | 12" | 17 | FLIGHT INDENT | 1.3" | | |
| 18 | CENTER NOTCH | | | N/A | | |
| 19 T.O.B. INFEED | | 20 | T.O.B. DISCHARGE | | | |
| 21 IDLE SPROCKET | 8 TOOTH | 22 | PITCH DIAMETER | 5.2" PD | | |
| 23 | BORE SIZE/TYPE | | | 1-1/2" SQUARE | | |
| 24 DRIVE SPROCKET | 8 TOOTH | 25 | PITCH DIAMETER | 5.2" PD | | |
| 26 | BORE SIZE/TYPE | | | 1-1/2" SQUARE | | |
| 27 SPROCKETS @ DRV | 3 | 28 | SPROCKETS @ IDLE | 3 | | |
| 29 | BELT SCRAPE | | | NO | | |
| 30 BELT WASHER | YES | 31 | DRIP PAN | YES | | |
| 32 | DRIP PAN @ DRIVE | | | YES | | |
| 33 DRIVE SIDE | LEFT | 34 | DRIVE TYPE | EXTREME DUTY | | |
| 35 | MTR/GB FRAME | | | 143TC/145TC | | |
| 36 MOTOR | STERLING | 37 | HORSEPOWER | 1 HP | | |
| 38 | FPM | | | 60 FPM | | |
| 39 GEARBOX | K343 | 40 | RATIO | 40:1 | | |
| 41 | MULTIPLIER | | | NO | | |
| 42 EQUIP. MAT. | 1/4" SS | 43 | LEGS | 44 | TAKE UP | STANDARD |

PARTS and or MATERIAL UNIQUE TO THIS ITEM(S) / SPECIAL DESIGN SPECS (Please explain)

SAFETY LABELS AND E-STOPS TO BE LOCATED AS SHOWN.

THIS ITEM GETS A DRIVE RESTRAINT KIT

ETCHED METAL SAFETY LABELS.



ATTACHES TO C121241-DF208

DRAWING COMPLETION DATE

8/28/2025

DELIVERY DATE

11/21/2025



STD. 1 1/2" SQUARE SOLID SHAFT

FORM DRAWING ONLY, THIS IS NOT TO SCALE !


JOB NUMBER : C121241-C-17
 CUSTOMER : WAYNE FARMS
 LOCATION : UNION SPRINGS, AL

DATE : 8/28/2025

MATERIAL : T303 SS

DETAILER : KYLE WRIGHT

SHOP CHECKER :



DRIVE SHAFT DETAIL QTY. 1 REQ'D.

STD. 1 1/2" SQUARE SOLID SHAFT

FORM DRAWING ONLY, THIS IS NOT TO SCALE !


JOB NUMBER : C121241-C-17
 CUSTOMER : WAYNE FARMS
 LOCATION : UNION SPRINGS, AL

DATE : 8/28/2025

MATERIAL : T303 SS

DETAILER : KYLE WRIGHT

SHOP CHECKER :



IDLE SHAFT DETAIL QTY. 1 REQ'D.



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-17/S

8/29/2025 2:01 PM
Page 1

| Work Order ID | Part ID | Release | Want Date | Start Date | Finish Date | Qty | Drawing ID/Rev | Engineer |
|---------------|---------|---------|-----------|------------|-------------|-----|----------------|----------|
|---------------|---------|---------|-----------|------------|-------------|-----|----------------|----------|

121241-C-17/S DFM500I12 5/21/2025 11/14/2025 1.00



Drawing Rev:

D&F INCLINE CONVEYOR 12" WI

DENICE

Order ID:
Part ID:

Customer: Ship To:

| Shop Resources Type | Seq# | End Qty | Start Qty | Setup Hrs | Run Hrs | Start Date | Finish Date | Drawing ID/Rev |
|---------------------|------|---------|-----------|-----------|---------|------------|-------------|----------------|
| ENGINEERING | 10 | 1.00 | 1.00 | 0.00 | 0.00 | | | |
| ENGINEERING | | | | | | | | |



LASER SHOP 20 1.00 1.00 0.00 0.00



SHOP1 30 1.00 1.00 0.00 0.00



| Part ID/Sub ID | Piece# | Date Reqd | Unit Of Measur | Qty Reqd | Qty Due | Issue |
|----------------------------------|--------|-----------|----------------|----------|---------|-------|
| 01.S101 3/16" PLATE SS 48X120 | 10 | 5/21/2025 | 4X10 | 0.00 | 0.00 | _____ |
| 01.S104 | 20 | 5/21/2025 | 5X10 | 0.00 | 0.00 | _____ |



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-17/S

8/29/2025
Page

2:01 PM
2

| Work Order ID | Part ID | Release | Want Date | Start Date | Finish Date | Qty | Drawing ID/Rev Engineer |
|---------------|-----------------------------------|---------|---------------|------------|-------------|------|-------------------------|
| | 3/16" PLATE SS 60X120 | | | | | | |
| | 01.S108 1/4" PLATE SS 48X120 | | 30 5/21/2025 | 4X10 | | 0.00 | 0.00 _____ |
| | 01.S111 1/4" PLATE SS 60X120 | | 40 5/21/2025 | 5X10 | | 0.00 | 0.00 _____ |
| | 01.S127 12GA SHEET SS 48X120 | | 90 5/21/2025 | 4X10 | | 0.00 | 0.00 _____ |
| | 01.S129 12GA SHEET SS 60X120 | | 100 5/21/2025 | 5X10 | | 0.00 | 0.00 _____ |
| | 02.RR206 ROUND ROD 1/2" SS | | 130 5/21/2025 | FT | | 0.00 | 0.00 _____ |
| | 02.RR208 ROUND ROD 3/4" 304 SS | | 140 5/21/2025 | FT | | 0.00 | 0.00 _____ |
| SHOP2 | 40 | 1.00 | 1.00 | 0.00 | 0.00 | | |
| SHOP2 | | | | | | | |



| Part ID/Sub ID | Piece# | Date Reqd | Unit Of Measur | Qty Reqd | Qty Due | Issue |
|---|--------|--------------|----------------|----------|---------|-------|
| 06.S0421 SLIDE QUICK CONNECT TAKEUP 4 FT REQ'D (AMW) 7/16" SQUARE BAR QTY. OF (4) REQ'D PER ASSY | | 80 5/21/2025 | EA | 4.00 | 4.00 | _____ |
| SHOP3 | 50 | 1.00 | 1.00 | 0.00 | 0.00 | |
| SHOP3 | | | | | | |



| Part ID/Sub ID | Piece# | Date Reqd | Unit Of Measur | Qty Reqd | Qty Due | Issue |
|--|--------|--------------|----------------|----------|---------|-------|
| S00421A DRIVE DRIP PAN 30" X 11" (FOR NORDISTOBER GEARBOXES) | | 60 5/21/2025 | EA | 1.00 | 1.00 | _____ |



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-17/S

8/29/2025 2:01 PM
Page 3

| Work Order ID | Part ID | Release | Want Date | Start Date | Finish Date | Qty | Drawing ID/Rev Engineer |
|---------------|--|---------|-----------|------------|-------------|------|-------------------------|
| | 06.S00421HA | 80 | 5/21/2025 | EA | | 2.00 | 2.00 _____ |
| | SS DRIP PAN HANGER 1"W FLAT BAR W/ 7/16"H* | | | | | | |
| | 1"W FLAT BAR WITH 7/16" HOLE | | | | | | |
| | 6.75" OVERAL LENGTH | | | | | | |
| UHMW PARTS | 60 | 1.00 | 1.00 | 0.00 | 0.00 | | |
| UHMW PARTS | | | | | | | |



| Part ID/Sub ID | Piece# | Date Reqd | Unit Of Measur | Qty Reqd | Qty Due | Issue |
|---|--------|--------------|----------------|----------|---------|-------|
| 06.P850941225 | 10 | 5/21/2025 | FT | 40.00 | 40.00 | _____ |
| UHMW WEARSTRIP 1" X 1-1/2" | | | | | | |
| 06.P8509495901LHD | 20 | 5/21/2025 | FT | 30.00 | 30.00 | _____ |
| UHMW WEARSTRIP L-SHAPE 1"X2-1/4" W/ NOT* | | | | | | |
| 3/4" x 3/4" NOTCH | | | | | | |
| UHMW INDENT W. BEVEL SEE PRINT | | 30 5/21/2025 | | 20.00 | 20.00 | _____ |
| UHMW INDENT SEE PRINT | | 40 5/21/2025 | | 10.00 | 10.00 | _____ |
| UHMW INDENT LOWER RAD (1) LH & (1) RH SEE PRINT | | 50 5/21/2025 | | 2.00 | 2.00 | _____ |
| UHMW INDENT UPPER RAD SEE PRINT | | 60 5/21/2025 | | 2.00 | 2.00 | _____ |
| UHMW CTR CWAY LOWER RAD SEE PRINT | | 70 5/21/2025 | | 3.00 | 3.00 | _____ |



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-17/S

8/29/2025 2:01 PM
Page 4

| Work Order ID | Part ID | Release | Want Date | Start Date | Finish Date | Qty | Drawing ID/Rev Engineer |
|---------------|---------|---------|-----------|------------|-------------|-----|-------------------------|
|---------------|---------|---------|-----------|------------|-------------|-----|-------------------------|

80 5/21/2025
UHMW CTR CWAY UPPER RAD
SEE PRINT

90 5/21/2025
UHMW L-SHAPED RWAY LOWER RAD
(1) LH & (1) RH
SEE PRINT

100 5/21/2025
UHMW L-SHAPED RWAY UPPER RAD
(1) LH & (1) RH
SEE PRINT

SUB-ASSY 1 70 1.00 1.00 0.00 0.00
SUB-ASSY 1



SUB-ASSY 2 80 1.00 1.00 0.00 0.00
SUB-ASSY 2



FINAL ASSEM 90 1.00 1.00 0.00 0.00
FINALASSEMB



| Part ID/Sub ID | Piece# | Date Reqd | Unit Of Measur | Qty Reqd | Qty Due | Issue |
|----------------|--------|--------------|----------------|----------|---------|-------|
| | | 10 5/21/2025 | | 40.00 | 40.00 | |



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-17/S

8/29/2025 2:01 PM
Page 5

| Work Order ID | Part ID | Release | Want Date | Start Date | Finish Date | Qty | Drawing ID/Rev Engineer |
|---------------|---|---------|-----------|------------|-------------|------|-------------------------|
| | BELT - 800S 12"W NUBTOP AC BLUE W/ BLUE AC RODS 3" NUBTOP BASED DOUBLE NO-CLING FLIGHTS, 12"C, 1.30"l | | | | | | |
| | 37.1XI 1HP XTREME 143TC 1800RPM INV DUTY* STAINLESS STEEL XTREME RPM: 1800 FOOT OPTION: FOOTLESS FRAME: 143TC ENCLOSURE: TEFC RATING: INVERTER DUTY ELECTRICAL: 3 PHASE 460V ENCAPSULATED: ENCAPSULATED | 20 | 5/21/2025 | EA | | 1.00 | 1.00 _____ |
| | 37.4SK2 STERLING SS HEL BEVEL SYMMETRICAL 40:1* STERLING SYMMETRICAL STAINLESS STEEL SMOOTH BODY 403 HELICAL BEVEL 40:1 38.872:1 (EXACT) 140TC W/ TORQUE ARM | 30 | 5/21/2025 | EA | | 1.00 | 1.00 _____ |
| | 37.SSK04125U SYMMETRICAL BUSHING 1-1/4" FOR SSK04 HE* SSK04-1.250UTBK STAINLESS STEEL 1-1/4" SYMMETRICAL BUSHING KIT FOR SIZE SSK04 HELICAL BEVEL | 50 | 5/21/2025 | EA | | 1.00 | 1.00 _____ |
| | 31.2808 SPROCKET 800S 8T 1.5"SB 5.2"PD* PART #S3D8 G5CPE7 NG EZ CLEAN MOLDED SPROCKET | 80 | 5/21/2025 | EA | | 6.00 | 6.00 _____ |
| | SET COLLARS | 90 | 5/21/2025 | | | 0.00 | 0.00 _____ |
| | 15.142 SANITARY 2" SS ROLL TYPE FERRULE | 100 | 5/21/2025 | EA | | 1.00 | 1.00 _____ |
| | 31.91121 RETAINER SNAP RING 1.5" SS* | 110 | 5/21/2025 | EA | | 8.00 | 8.00 _____ |



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-17/S

8/29/2025 2:01 PM
Page 6

| Work Order ID | Part ID | Release | Want Date | Start Date | Finish Date | Qty | Drawing ID/Rev | Engineer |
|---------------|--|---------|-----------|------------|-------------|-------|----------------|----------|
| (SH-206SS) | | | | | | | | |
| | 06.P40810 | 120 | 5/21/2025 | EA | | 2.00 | 2.00 | _____ |
| | BRASS TAKE UP 5/8-11 W/SS NUT | | | | | | | |
| | | 140 | 5/21/2025 | | | 0.00 | 0.00 | _____ |
| | BEARING ASSEMBLY | | | | | | | |
| | 35.UCF207.20 | 160 | 5/21/2025 | EA | | 4.00 | 4.00 | _____ |
| | KML 1-1/4" SS BEARING 4-BOLT FLG | | | | | | | |
| | 10.1010724 | 200 | 5/21/2025 | EA | | 16.00 | 16.00 | _____ |
| | HHC/SCREW 7/16-14 X 1-1/2" SS | | | | | | | |
| | 10.10407 | 210 | 5/21/2025 | EA | | 16.00 | 16.00 | _____ |
| | FLAT WASHER 7/16" SS | | | | | | | |
| | NON-TAXABLE | | | | | | | |
| | 10.10507 | 220 | 5/21/2025 | EA | | 16.00 | 16.00 | _____ |
| | HEX LOCK NUT 7/16"-14 SS | | | | | | | |
| | 06.207.4-BOLT | 440 | 5/21/2025 | EA | | 3.00 | 3.00 | _____ |
| | SS BEARING COVER FITS 207 HOUSING 1-1/4* | | | | | | | |
| | STAINLESS STEEL BEARING COVER, 4-BOLT PATTERN FOR FLANGE STYLE BEARING | | | | | | | |
| | FITS 207 HOUSING FOR 1-1/4", 1-3/8", 1-7/16" AND 1-5/16" | | | | | | | |
| | (THIS IS A CLOSED COVER.) | | | | | | | |
| | 06.BG1.25-4HOLE | 510 | 5/21/2025 | EA | | 2.00 | 2.00 | _____ |
| | SS BEARING GUARD 1.25" 4-HOLE* | | | | | | | |
| | STAINLESS STEEL (12 GAUGE) | | | | | | | |
| | BEARING GUARD | | | | | | | |
| | FOR 1-1/4" 4-HOLE BRG | | | | | | | |
| | | 540 | 5/21/2025 | | | 0.00 | 0.00 | _____ |
| | STABILIZER / TORQUE ARM ASSEMBLY - | | | | | | | |
| | 37.207-UNI | 550 | 5/21/2025 | EA | | 1.00 | 1.00 | _____ |
| | STABILIZER BRACKET UNIVERSAL FITS 207* | | | | | | | |
| | K343 LEFT HAND HORIZONTAL COVER | | | | | | | |
| | 343-CVR-LHH | | | | | | | |
| | | 560 | 5/21/2025 | | | 1.00 | 1.00 | _____ |
| | K343 LEFT HAND HORIZONTAL COVER | | | | | | | |



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-17/S

8/29/2025 2:01 PM
Page 7

| Work Order ID | Part ID | Release | Want Date | Start Date | Finish Date | Qty | Drawing ID/Rev Engineer |
|---------------|--|---------|-----------|------------|-------------|------|----------------------------|
| | 343-CVR-LHH | | | | | | |
| | 10.10507 | 600 | 5/21/2025 | EA | | 1.00 | 1.00 _____ |
| | HEX LOCK NUT 7/16"-14 SS | | | | | | |
| | 10.1010750 | 610 | 5/21/2025 | EA | | 1.00 | 1.00 _____ |
| | HHC/SCREW 7/16 X 3" SS | | | | | | |
| | 10.10407 | 620 | 5/21/2025 | EA | | 3.00 | 3.00 _____ |
| | FLAT WASHER 7/16" SS NON-TAXABLE | | | | | | |
| | 10.10307 | 630 | 5/21/2025 | EA | | 2.00 | 2.00 _____ |
| | LOCK WASHER 7/16" SS NON-TAXABLE | | | | | | |
| | | 880 | 5/21/2025 | | | 0.00 | 0.00 _____ |
| | SAFETY LABELS - | | | | | | |
| | 06.WLOP-B | 890 | 5/21/2025 | EA | | 1.00 | 1.00 _____ |
| | WARNING LOCK OUT POWER STICKER BILINGUAL 8.75"W X 2.5" T 3 COLOR | | | | | | |
| | 06.WMP-B | 900 | 5/21/2025 | EA | | 2.00 | 2.00 _____ |
| | WARNING MOVING PARTS STICKER BILINGUAL 8.75"W X 2.5" T 2 COLOR | | | | | | |
| | 06.WKA-B | 910 | 5/21/2025 | EA | | 2.00 | 2.00 _____ |
| | WARNING KEEP AWAY STICKER BILINGUAL 8.75"W X 2.5" T 2 COLOR | | | | | | |
| | 06.CEB-B | 920 | 5/21/2025 | EA | | 2.00 | 2.00 _____ |
| | CAUTION ENSURE BELT STICKER BILINGUAL 8.75"W X 2.5" T 2 COLOR | | | | | | |
| | | 930 | 5/21/2025 | | | 0.00 | 0.00 _____ |
| | D & F STANDADRD ESTOP - | | | | | | |



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-17/S

8/29/2025 2:01 PM
Page 8

| Work Order ID | Part ID | Release | Want Date | Start Date | Finish Date | Qty | Drawing ID/Rev. Engineer |
|---------------|----------------------------------|---------|-----------|------------|-------------|-------|-----------------------------|
| | 45.800F1YP1 | 940 | 5/21/2025 | EA | | 1.00 | 1.00 _____ |
| | ALLEN BRADLEY E-STOP STATION | | | | | | |
| | 10.1080808 | 950 | 5/21/2025 | EA | | 4.00 | 4.00 _____ |
| | SOCKET CAP SCREW 8-32 X 1/2" SS* | | | | | | |
| | 8C50KCS3 | | | | | | |
| | 10.10808N | 960 | 5/21/2025 | EA | | 4.00 | 4.00 _____ |
| | NYLON LOCK NUT 8-32 SS* | | | | | | |
| | 8CNNE3 | | | | | | |
| | | 1400 | 5/21/2025 | | | 0.00 | 0.00 _____ |
| | MISCELLANEOUS - | | | | | | |
| | 10.1060432 | 1430 | 5/21/2025 | EA | | 46.00 | 46.00 _____ |
| | MACH SCREW 1/4"- 20 X 2" SS* | | | | | | |
| | PHILLIPS FLAT HEAD #72718 | | | | | | |
| | 10.10504 | 1510 | 5/21/2025 | EA | | 46.00 | 46.00 _____ |
| | HEX NYLON LOCK NUT 1/4"-20 SS | | | | | | |
| | NON-TAXABLE | | | | | | |
| | 10.1010616 | 1560 | 5/21/2025 | EA | | 6.00 | 6.00 _____ |
| | HHC/SCREW 3/8-16 X 1" SS | | | | | | |
| | FASTENAL P/N 1170105 | | | | | | |
| | (NON-TAXABLE) | | | | | | |
| | 10.10306 | 1630 | 5/21/2025 | EA | | 6.00 | 6.00 _____ |
| | LOCK WASHER 3/8" SS | | | | | | |
| | NON-TAXABLE | | | | | | |
| | 10.1010824 | 1710 | 5/21/2025 | EA | | 8.00 | 8.00 _____ |
| | HHC/SCREW 1/2-13 X 1-1/2"SS | | | | | | |
| | NON-TAXABLE | | | | | | |
| | 10.10508 | 1740 | 5/21/2025 | EA | | 8.00 | 8.00 _____ |
| | HEX LOCK NUT 1/2" -13 SS | | | | | | |
| | 10.10210 | 1760 | 5/21/2025 | EA | | 4.00 | 4.00 _____ |
| | HEX NUT 5/8 X 11 SS | | | | | | |
| | S00425 | 1790 | 5/21/2025 | EA | | 46.00 | 46.00 _____ |
| | SPACER 1/4" X 3/4" X 5/16"ID | | | | | | |



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-17/S

8/29/2025
Page

2:01 PM
9

| Work Order ID | Part ID | Release | Want Date | Start Date | Finish Date | Qty | Drawing ID/Rev Engineer |
|---------------|---------|---------|-----------|------------|-------------|-----|-------------------------|
|---------------|---------|---------|-----------|------------|-------------|-----|-------------------------|

SHIPPING 100 1.00 1.00 0.00 0.00



OS 110 1.00 1.00 0.00 0.00



| Part ID/Sub ID | Piece# | Date Reqd | Unit Of Measur | Qty Reqd | Qty Due | Issue |
|--|--------|--------------|----------------|----------|---------|-------|
| 06.DS1215-1.25 SHAFT 12" DRIVE WITH 1-1/4 JOURNAL | | 30 5/21/2025 | EA | 1.00 | 1.00 | |
| 06.IS1215-1.25 SHAFT 12" IDLE WITH 1-1/4 JOURNAL | | 70 5/21/2025 | EA | 1.00 | 1.00 | |

REWORK-S 120 1.00 1.00 0.00 0.00



REWORK-E 130 1.00 1.00 0.00 0.00



REWORK-P 140 1.00 1.00 0.00 0.00




D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-17/S



8/29/2025 2:01 PM
Page 10

| Work Order ID | Part ID | Release | Want Date | Start Date | Finish Date | Qty | Drawing ID/Rev Engineer |
|---------------|---------|---------|-----------|------------|-------------|-----|-------------------------|
|---------------|---------|---------|-----------|------------|-------------|-----|-------------------------|








UHMW INDENT W. BEVEL
C121241-C-17
WAYNE FARMS-UNION SPRINGS, AL
20 FT REQ'D




UHMW INDENT
C121241-C-17
WAYNE FARMS-UNION SPRINGS, AL
10 FT REQ'D



UHMW INDENT LOWER RAD
C121241-C-17
WAYNE FARMS-UNION SPRINGS, AL
(2) REQ'D - (1) LH & (1) RH








1.5000"



1.0000"

UHMW CTR CWAY LOWER RAD
C121241-C-17
WAYNE FARMS-UNION SPRINGS, AL
(3) REQ'D





UHMW L-SHAPED RWAY LOWER RAD
C121241-C-17
WAYNE FARMS-UNION SPRINGS, AL
(2) REQ'D - (1) LH & (1) RH



UHMW L-SHAPED RWY UPPER RAD
 C121241-C-17
 WAYNE FARMS-UNION SPRINGS, AL
 (2) REQ'D - (1) LH & (1) RH