

EQUIPMENT SPEC SHEET

Jan *BL*
D&F *OR*
EQUIPMENT
SALES, LLC. *RL*

NAME & LOCATION	WAYNE FARMS UNION SPRING, AL		CUSTOMER NUMBER	C121241			
ITEM NUMBER	C-38	ITEM SERIAL NUMBER	C121241-C-38	ITEMS REQ'D	1		
ENGINEER	GARY CAMBRON	SALESMAN	HEATH MORROW	CAD TECH DESIGNER	DUSTIN CAGLE		
EQUIPMENT TYPE	BONELESS BREAST INCLINE CONVEYOR		CAD TECH DETAILER	KYLE HANCOCK			
1 BELT MANUF.	INTRALOX	2	SERIES	800S	3	BELT TYPE	OH FT
4 BELT LENGTH	50'	5	BELT COLOR	WHITE	6	BELT MATERIAL	AC (Acetal)
7 FRICTION SPACING	N/A	8	BELT INDENT	N/A	9	CENTER NOTCH	N/A
10 BELT WIDTH	12"	11	WEARSTRIP	1"X1-1/2" UHMW	12	BELT PIN MAT.	WHITE AC (Acetal)
13 BELT FLIGHTS	YES	14	FLIGHT HEIGHT	3" 4"	15	FLIGHT TYPE	SCOOP
16 FLIGHT CENTERS	12"	17	FLIGHT INDENT	1.3"	18	CENTER NOTCH	N/A
19 T.O.B. INFEED	24"	20	T.O.B. DISCHARGE	102"			
21 IDLE SPROCKET	8 TOOTH	22	PITCH DIAMETER	5.2" PD	23	BORE SIZE/TYPE	1-1/2" SQUARE
24 DRIVE SPROCKET	8 TOOTH	25	PITCH DIAMETER	5.2" PD	26	BORE SIZE/TYPE	1-1/2" SQUARE
27 SPROCKETS @ DRV	3	28	SPROCKETS @ IDLE	3	29	BELT SCRAPE	NO
30 BELT WASHER	YES	31	DRIP PAN	YES	32	DRIP PAN @ DRIVE	YES
33 DRIVE SIDE	RIGHT	34	DRIVE TYPE	EXTREME DUTY	35	MTR/GB FRAME	143TC/145TC
36 MOTOR	STERLING	37	HORSEPOWER	1 HP	38	FPM	75.6 FPM
39 GEARBOX	K343	40	RATIO	32:1	41	MULTIPLIER	NO
42 EQUIP. MAT.	1/4" SS	43	LEGS	2" ANGLE	44	TAKE UP	CATENARY SAG

PARTS and or MATERIAL UNIQUE TO THIS ITEM(S) / SPECIAL DESIGN SPECS (Please explain)

SAFETY LABELS AND E-STOPS TO BE LOCATED AS SHOWN.

THIS ITEM GETS A DRIVE RESTRAINT KIT


ETCHED METAL SAFETY LABELS.

DRAWING COMPLETION DATE


10/20/2025

DELIVERY DATE



11/21/2025



06.P850941225
(60) FT REQ'D



06.P8509495901LHD
(20) FT REQ'D




06.P8508436
(2) REQ'D

STD. 1 1/2" SQUARE SOLID SHAFT

FORM DRAWING ONLY, THIS IS NOT TO SCALE !

JOB NUMBER :	C121241-C-38	DATE :	10/17/2025	DETAILER :	KYLE HANCOCK
CUSTOMER :	WAYNE FARMS	MAT'L :	T303 SS	SHOP CHECKER :	
LOCATION :	UNION SPRINGS, AL				



DRIVE SHAFT DETAIL QTY. 1 REQ'D.

THIS IS A PART NUMBERED ITEM

STD. 1 1/2" SQUARE SOLID SHAFT

FORM DRAWING ONLY, THIS IS NOT TO SCALE !

JOB NUMBER : C121241-C-38

DATE : 10/17/2025

DETAILER : KYLE HANCOCK


CUSTOMER : WAYNE FARMS

MAT'L : T303 SS

SHOP CHECKER :

LOCATION : UNION SPRINGS, AL

THIS IS A PART NUMBERED ITEM



IDLE SHAFT DETAIL QTY. 2 REQ'D.

STD. 1 1/2" SQUARE SOLID SHAFT



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-38/S

10/21/2025 6:53 AM
Page 1

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

121241-C-38/S	DFM500I12	5/21/2025	11/14/2025			1.00	
---------------	-----------	-----------	------------	--	--	------	--



Drawing Rev:

D&F INCLINE CONVEYOR 12" WI

DENICE

Order ID:	Customer:	Ship To:
Part ID:		

Shop Resources Type	Seq#	End Qty	Start Qty	Setup Hrs	Run Start Hrs Date	Finish Date	Drawing ID/Rev
ENGINEERING ENGINEERING	10	1.00	1.00	0.00	0.00		



LASER SHOP LASER SHOP	20	1.00	1.00	0.00	0.00		
--------------------------	----	------	------	------	------	--	--



SHOP1 SHOP1	30	1.00	1.00	0.00	0.00		
----------------	----	------	------	------	------	--	--



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
01.S101 3/16" PLATE SS 48X120	10	5/21/2025	4X10	0.00	0.00	_____
01.S104	20	5/21/2025	5X10	0.00	0.00	_____



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-38/S

10/21/2025 6:53 AM
Page 2

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	3/16" PLATE SS 60X120						
	01.S108 1/4" PLATE SS 48X120	30	5/21/2025	4X10		0.00	0.00 _____
	01.S111 1/4" PLATE SS 60X120	40	5/21/2025	5X10		0.00	0.00 _____
	01.S127 12GA SHEET SS 48X120	90	5/21/2025	4X10		0.00	0.00 _____
	01.S129 12GA SHEET SS 60X120	100	5/21/2025	5X10		0.00	0.00 _____
	02.RR206 ROUND ROD 1/2" SS	130	5/21/2025	FT		0.00	0.00 _____
	02.RR208 ROUND ROD 3/4" 304 SS	140	5/21/2025	FT		0.00	0.00 _____
	03.A612 ANGLE IRON 2" X 2" X 1/4" SS	200	5/21/2025	FT		0.00	0.00 _____
	03.FB500 FLAT BAR 1/2" X 3/16" SS	210	5/21/2025	FT		0.00	0.00 _____
	03.FB502 FLAT BAR 1" X 3/16" SS	220	5/21/2025	FT		0.00	0.00 _____
	03.FB504 FLAT BAR 1-1/2" X 3/16" SS	230	5/21/2025	FT		0.00	0.00 _____
	03.FB506 FLAT BAR 2" X 3/16" SS	240	5/21/2025	FT		0.00	0.00 _____
	03.FB518 FLAT BAR 1" X 1/4" SS	250	5/21/2025	FT		0.00	0.00 _____
	03.FB520 FLAT BAR 1-1/2" X 1/4" SS	260	5/21/2025	FT		0.00	0.00 _____
	03.FB522 FLAT BAR 2" X 1/4" SS	270	5/21/2025	FT		0.00	0.00 _____
	05.T802 TUBING SS 1"SQ X 16GA	280	5/21/2025	FT		0.00	0.00 _____



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-38/S

10/21/2025 6:53 AM
Page 3

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

	30.40706	330	5/21/2025	EA		1.00	1.00 _____
	COUPLING SS 3/8"						

	S00024	340	5/21/2025	EA		1.00	1.00 _____
	TUBING END CAP - 1" SQ X 12 GA						

SHOP2	40	1.00	1.00	0.00	0.00		
SHOP2							



Part ID/Sub ID	Piece#	Date Req'd	Unit Of Measur	Qty Req'd	Qty Due	Issue
06.S00070	10	5/21/2025	EA	4.00	4.00	_____
LEG INSERT 1-1/2"X 1-1/2" X 1/2"*						
3/4" THDS.						

SHOP3	50	1.00	1.00	0.00	0.00		
SHOP3							



Part ID/Sub ID	Piece#	Date Req'd	Unit Of Measur	Qty Req'd	Qty Due	Issue
02.SB402	10	5/21/2025	FT	0.00	0.00	_____
SQUARE BAR 1/4" SS						
FOR GEARBOXES						
06.S0415	20	5/21/2025	EA	2.00	2.00	_____
BELT WASH 12" SPLASH SHIELD STD 304						
S00371-S	30	5/21/2025	EA	4.00	4.00	_____
LEG ADJUSTER 9"X3/4" ATR W/SS PAD 10GA*						
SWIVEL TYPE						
S00421A	40	5/21/2025	EA	1.00	1.00	_____
DRIVE DRIP PAN 30" X 11"						
(FOR NORDSTOBER GEARBOXES)						
06.S00421HA	50	5/21/2025	EA	2.00	2.00	_____
SS DRIP PAN HANGER 1"W FLAT BAR W/ 7/16"H*						
1"W FLAT BAR WITH 7/16" HOLE						



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-38/S

10/21/2025
Page

6:53 AM
4

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

6.75" OVERAL LENGTH

06.DRK	60	5/21/2025	EA			1.00	1.00	
DRIVE RESTRAINT KIT								

UHMW PARTS	60	1.00	1.00	0.00	0.00			
UHMW PARTS								



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
06.P850941225	10	5/21/2025	FT	60.00	60.00	
UHMW WEARSTRIP 1" X 1-1/2"						
06.P8509495901LHD	20	5/21/2025	FT	20.00	20.00	
UHMW WEARSTRIP L-SHAPE 1"X2-1/4" W/ NOT*						
	30	5/21/2025		3.00	3.00	
UHMW CARRY LWR RAD, SEE PRINT						
	40	5/21/2025		3.00	3.00	
UHMW CARRY UPR RAD, SEE PRINT						
	50	5/21/2025		2.00	2.00	
UHMW RETURN LWR RAD, (2) REQ'D 1LH-1RH, SEE PRINT						
	60	5/21/2025		2.00	2.00	
UHMW RETURN UPR RAD (2) REQ'D 1LH-1RH, SEE PRINT						
	70	5/21/2025		10.00	10.00	
UHMW BEVELED INDENT, SEE PRINT						
	80	5/21/2025		2.00	2.00	
UHMW INDENT LWR RAD (2) REQ'D 1LH-1RH, SEE PRINT						
	90	5/21/2025		40.00	40.00	
UHMW INDENT, SEE PRINT						



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-38/S

10/21/2025
Page

6:53 AM
5

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

			100 5/21/2025			2.00	2.00 _____
	UHMW INDENT UPR RAD, SEE PRINT						

	06.P8508436		110 5/21/2025	EA		2.00	2.00 _____
	UHMW SHOE RETURN 6" X 1-1/2" X 1"						

SUB-ASSY 1	70	1.00	1.00	0.00	0.00		
SUB-ASSY 1							



SUB-ASSY 2	80	1.00	1.00	0.00	0.00		
SUB-ASSY 2							



FINAL ASSEM	90	1.00	1.00	0.00	0.00		
FINALASSEMB							



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
		10 5/21/2025		50.00	50.00	_____
BELTS - 800S 12"W OH FT WHITE AC W/ WHITE AC RODS						
4" SCOOP FLIGHTS, 12" CENTERS, 1.30" INDENT						
37.1XI		20 5/21/2025	EA	1.00	1.00	_____
1HP XTREME 143TC 1800RPM INV DUTY*						
STAINLESS STEEL						
XTREME						
RPM: 1800						
FOOT OPTION: FOOTLESS						

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev	Engineer
	FRAME: 143TC ENCLOSURE: TEFC RATING: INVERTER DUTY ELECTRICAL: 3 PHASE 460V ENCAPSULATED: ENCAPSULATED							
	37.4SJ2	30	5/21/2025	EA		1.00	1.00	
	STERLING SS HEL BEVEL SYMMETRICAL 32:1*							
	STERLING SYMMETRICAL							
	STAINLESS STEEL SMOOTH BODY							
	403 HELICAL BEVEL							
	32:1 31.539:1 (EXACT)							
	140TC							
	W/ TORQUE ARM							
	37.SSK04125U	40	5/21/2025	EA		1.00	1.00	
	SYMMETRICAL BUSHING 1-1/4" FOR SSK04 HE*							
	SSK04-1.250UTBK							
	STAINLESS STEEL							
	1-1/4" SYMMETRICAL BUSHING KIT FOR							
	SIZE SSK04 HELICAL BEVEL							
	31.2808	50	5/21/2025	EA		6.00	6.00	
	SPROCKET 800S 8T 1.5"SB 5.2"PD*							
	PART #S3D8 G5CPE7 NG							
	EZ CLEAN MOLDED SPROCKET							
	15.142	60	5/21/2025	EA		2.00	2.00	
	SANITARY 2" SS ROLL TYPE FERRULE							
	31.91121	70	5/21/2025	EA		8.00	8.00	
	RETAINER SNAP RING 1.5" SS*							
	(SH-206SS)							
	95.0141902P	90	5/21/2025	EA		4.00	4.00	
	SPRAY NOZZLE 1/4 F8004-LN PLASTIC*							
	ADDITIONAL PARTS REQ'D #S00202 & #06.S0415							
	NATURAL PVDF							
		100	5/21/2025			0.00	0.00	
	BEARING ASSEMBLY							
	35.UCF207.20	110	5/21/2025	EA		4.00	4.00	
	KML 1-1/4" SS BEARING 4-BOLT FLG							



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-38/S

10/21/2025 6:53 AM
Page 7

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	10.1010724	120	5/21/2025	EA		16.00	16.00 _____
	HHC/SCREW 7/16-14 X 1-1/2" SS						
	10.10407	130	5/21/2025	EA		16.00	16.00 _____
	FLAT WASHER 7/16" SS NON-TAXABLE						
	10.10507	140	5/21/2025	EA		16.00	16.00 _____
	HEX LOCK NUT 7/16"-14 SS						
	06.207.4-BOLT	200	5/21/2025	EA		3.00	3.00 _____
	SS BEARING COVER FITS 207 HOUSING 1-1/4* STAINLESS STEEL BEARING COVER, 4-BOLT PATTERN FOR FLANGE STYLE BEARING FITS 207 HOUSING FOR 1-1/4", 1-3/8", 1-7/16" AND 1-5/16" (THIS IS A CLOSED COVER.)						
	06.BG1.25-4HOLE	210	5/21/2025	EA		4.00	4.00 _____
	SS BEARING GUARD 1.25" 4-HOLE* STAINLESS STEEL (12 GAUGE) BEARING GUARD FOR 1-1/4" 4-HOLE BRG						
		220	5/21/2025			0.00	0.00 _____
	STABILIZER / TORQUE ARM ASSEMBLY -						
	37.207-UNI	230	5/21/2025	EA		1.00	1.00 _____
	STABILIZER BRACKET UNIVERSAL FITS 207* UNIVERSAL FITS 207 HOUSING FOR 1-1/4" OR 1-7/16" SHAFT						
	06.207-GBC343R	240	5/21/2025	EA		1.00	1.00 _____
	SS K343 SYMM/TLOCK GEARBOX COVER (RIGHT)* 06.207-GBC343R SS K343 SYMMETRICAL / TAPER LOCK GEARBOX COVER (RIGHT)* RIGHT HAND HORIZONTAL MOUNTING ORIENTATION						
	10.1010616	250	5/21/2025	EA		8.00	8.00 _____
	HHC/SCREW 3/8-16 X 1" SS FASTENAL P/N 1170105 (NON-TAXABLE)						
	10.10306	260	5/21/2025	EA		8.00	8.00 _____
	LOCK WASHER 3/8" SS						



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-38/S

10/21/2025
Page

6:53 AM
9

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev	Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------	----------

NON-TAXABLE

10.1010824	710	5/21/2025	EA			12.00	12.00	_____
HHC/SCREW 1/2-13 X 1-1/2"SS								
NON-TAXABLE								

10.10508	740	5/21/2025	EA			12.00	12.00	_____
HEX LOCK NUT 1/2" -13 SS								

S00425	790	5/21/2025	EA			52.00	52.00	_____
SPACER 1/4" X 3/4" X 5/16"ID								

SHIPPING	100	1.00	1.00	0.00	0.00			
SHIPPING								



OS	110	1.00	1.00	0.00	0.00			
MACHINE								



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
06.IS1215-1.25	10	5/21/2025	EA	1.00	1.00	_____
SHAFT 12" IDLE WITH 1-1/4 JOURNAL						
06.DS1215-1.25	20	5/21/2025	EA	1.00	1.00	_____
SHAFT 12" DRIVE WITH 1-1/4 JOURNAL						

REWORK-S	120	1.00	1.00	0.00	0.00			
REWORK-S								



REWORK-E	130	1.00	1.00	0.00	0.00			
----------	-----	------	------	------	------	--	--	--



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-38/S


10/21/2025 6:53 AM
Page 10

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------






REWORK-P	140	1.00	1.00	0.00	0.00		
----------	-----	------	------	------	------	--	--







UHMW CARRY LVR RAD
(3) REQ'D
WAYNE FARMS-UNION SPRINGS, AL
C121241-C-38







UHMW CARRY UPR RAD
(3) REQ'D
WAYNE FARMS-UNION
SPRINGS, AL
C121241-C-38




UHMW RETURN LWR RAD
(2) REQ'D 1LH-1RH
WAYNE FARMS-UNION SPRINGS, AL
C121241-C-38





UHMW RETURN UPR RAD
(2) REQ'D 1LH-1RH
WAYNE FARMS-UNION SPRINGS, AL
C121241-C-38






UHMW BEVELED INDENT
10 FEET REQUIRED
WAYNE FARMS-UNION SPRINGS, AL
C121241-C-38





UHMW INDENT LWR RAD
 (2) REQ'D 1LH-1RH
 WAYNE FARMS-UNION SPRINGS, AL
 C121241-C-38

1.0000



4.8750

UHMW INDENT
40 FEET REQUIRED
WAYNE FARMS-UNION SPRINGS, AL
C121241-C-38



UHMW INDENT UPR RAD
(2) REQ'D
WAYNE FARMS-UNION SPRINGS, AL
C121241-C-38

[illegible]