

# EQUIPMENT SPEC SHEET




NAME & LOCATION	WAYNE FARMS	UNION SPRING, AL	CUSTOMER NUMBER	C121241			
ITEM NUMBER	C-34	ITEM SERIAL NUMBER	C121241-C-34	ITEMS REQ'D	1		
ENGINEER	GARY CAMBRON	SALESMAN	HEATH MORROW	CAD TECH DESIGNER	CHANDLER PHILLIPS		
EQUIPMENT TYPE	BONE REVERSING CONV			CAD TECH DETAILER	BRAD DAWSON		
<b>1</b> BELT MANUF.	INTRALOX	<b>2</b>	SERIES	1600S	<b>3</b> BELT TYPE	OHFT	
<b>4</b> BELT LENGTH	17"	<b>5</b>	BELT COLOR	WHITE	<b>6</b> BELT MATERIAL	AC (Acetal)	
<b>7</b> FRICTION SPACING	N/A	<b>8</b>	BELT INDENT	N/A	<b>9</b> CENTER NOTCH	N/A	
<b>10</b> BELT WIDTH	12"	<b>11</b>	WEARSTRIP	1"X1-1/2" UHMW	<b>12</b> BELT PIN MAT.	AC (Acetal)	
<b>13</b> BELT FLIGHTS	NO	<b>14</b>	FLIGHT HEIGHT	N/A	<b>15</b> FLIGHT TYPE	N/A	
<b>16</b> FLIGHT CENTERS	N/A	<b>17</b>	FLIGHT INDENT	N/A	<b>18</b> CENTER NOTCH	N/A	
<b>19</b> T.O.B. INFEED	48"	<b>20</b>	T.O.B. DISCHARGE	48"			
<b>21</b> IDLE SPROCKET	20 TOOTH	<b>22</b>	PITCH DIAMETER	6.4" PD	<b>23</b> BORE SIZE/TYPE	1-1/2" SQUARE	
<b>24</b> DRIVE SPROCKET	20 TOOTH	<b>25</b>	PITCH DIAMETER	6.4" PD	<b>26</b> BORE SIZE/TYPE	1-1/2" SQUARE	
<b>27</b> SPROCKETS @ DRV	4	<b>28</b>	SPROCKETS @ IDLE	3	<b>29</b> BELT SCRAPE	NO	
<b>30</b> BELT WASHER	YES	<b>31</b>	DRIP PAN	YES	<b>32</b> DRIP PAN @ DRIVE	YES	
<b>33</b> DRIVE SIDE	LEFT	<b>34</b>	DRIVE TYPE	EXTREME DUTY	<b>35</b> MTR/GB FRAME	143TC/145TC	
<b>36</b> MOTOR	STERLING	<b>37</b>	HORSEPOWER	1 HP	<b>38</b>	FPM	60 FPM
<b>39</b> GEARBOX	K343 TAPER	<b>40</b>	RATIO	50:1	<b>41</b>	MULTIPLIER	NO
<b>42</b> EQUIP. MAT.	1/4" SS	<b>43</b>	LEGS	2" ANGLE	<b>44</b>	TAKE UP	STANDARD

PARTS and or MATERIAL UNIQUE TO THIS ITEM(S) / SPECIAL DESIGN SPECS (Please explain)

SAFETY LABELS AND E-STOPS TO BE LOCATED AS SHOWN.

THIS ITEM GETS A DRIVE RESTRAINT KIT

USES ETCHED SAFETY LABELS.



06.P850941225

06.P8509495901LHD

UHMW CTR CWAY  
20 FEET REQUIRED  
WAYNE FARMS-UNION SPRING, AL  
C121241-C-34

UHMW L-SHAPED RWAY  
10 FEET REQUIRED  
WAYNE FARMS-UNION SPRING, AL  
C121241-C-34

## STD. 1 1/2" SQUARE SOLID SHAFT

FORM DRAWING ONLY, THIS IS NOT TO SCALE !


JOB NUMBER : C121241-C-34  
 CUSTOMER : WAYNE FARMS  
 LOCATION : UNION SPRING, AL

DATE : 10/16/2025

MATERIAL : T303 SS

DETAILER : BRAD DAWSON

SHOP CHECKER :



DRIVE SHAFT DETAIL QTY. 1 REQ'D.

STD. 1 1/2" SQUARE SOLID SHAFT

JOB NUMBER : C12124.1-C-54  
CUSTOMER : WAYNE FARMS  
LOCATION : UNION SPRING, AL


FORM DRAWING ONLY, THIS IS NOT TO SCALE!

DATE : 10/16/2025

MATL : 1303 SS

DETAILER : BRAD DAWSON

SHOP CHECKER :






IDLE SHAFT DETAIL QTY. 1 REQ'D.

C-34-03  
1/4




C-34-04  
1/4

C-34-05  
1/4

C-34-01  
3/16"  
(5) REQ'D



C-34-02  
3/16"  
(4) REQ'D



C-34-06  
1/4

C-34-07  
1/4

C-34-08  
1/4

C-34-09  
12GA  
(2) REQ'D



C-34-10  
12GA



**D&F EQUIPMENT SALES, INC - ALABAMA**  
Work Order Traveller  
WORK ORDER ID: 121241-C-34/S

10/17/2025 6:41 AM  
Page 1

Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev
						Engineer	

121241-C-34/S DFM500S12 5/21/2025 11/14/2025 1.00



Drawing Rev:

D&F STRAIGHT CONVEYOR 12"

DENICE

Order ID: Customer: Ship To:  
Part ID:

Shop Resources Type	Seq#	End Qty	Start Qty	Setup Hrs	Run Start Hrs Date	Finish Date	Drawing ID/Rev
ENGINEERING	10	1.00	1.00	0.00	0.00		
ENGINEERING							



LASER SHOP 20 1.00 1.00 0.00 0.00  
LASER SHOP



SHOP1 30 1.00 1.00 0.00 0.00  
SHOP1



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
01.S101 3/16" PLATE SS 48X120	10	5/21/2025	4X10	0.00	0.00	_____
01.S104	20	5/21/2025	5X10	0.00	0.00	_____



**D&F EQUIPMENT SALES, INC - ALABAMA**  
Work Order Traveller  
WORK ORDER ID: 121241-C-34/S

10/17/2025 6:41 AM  
Page 2

Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev. Engineer
3/16" PLATE SS 60X120							
	01.S108 1/4" PLATE SS 48X120	30	5/21/2025	4X10		0.00	0.00 _____
	01.S111 1/4" PLATE SS 60X120	40	5/21/2025	5X10		0.00	0.00 _____
	01.S127 12GA SHEET SS 48X120	90	5/21/2025	4X10		0.00	0.00 _____
	01.S129 12GA SHEET SS 60X120	100	5/21/2025	5X10		0.00	0.00 _____
	01.S132 14GA SHEET SS 48X120	110	5/21/2025	4X10		0.00	0.00 _____
	01.S134 14GA SHEET SS 60X120	120	5/21/2025	5X10		0.00	0.00 _____
	03.A612 ANGLE IRON 2" X 2" X 1/4" SS	200	5/21/2025	FT		0.00	0.00 _____
	05.T804 TUBING SS 1"SQ X 11GA	290	5/21/2025	FT		0.00	0.00 _____
	30.40706 COUPLING SS 3/8"	330	5/21/2025	EA		0.00	0.00 _____
	S00024 TUBING END CAP - 1" SQ X 12 GA	340	5/21/2025	EA		1.00	1.00 _____
SHOP2	40	1.00	1.00	0.00	0.00		
SHOP2							



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
06.S00070 LEG INSERT 1-1/2"X 1-1/2" X 1/2"** 3/4" THDS.	10	5/21/2025	EA	4.00	4.00	_____
06.S0421 SLIDE QUICK CONNECT TAKEUP 4 FT REQ'D	80	5/21/2025	EA	4.00	4.00	_____



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-C-34/S

10/17/2025 6:41 AM  
Page 3

Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	-----------	------------	-------------	-----	-------------------------

(AMW) 7/16" SQUARE BAR QTY. OF  
(4) REQ'D PER ASSY

06.S0411 90 5/21/2025 EA 0.00 0.00 \_\_\_\_\_  
CONE LINE BRACKET PIN 3/8"  
FOR SINGLE & DOUBLE BRACKETS (LOW PROFILE, TO HOLD DOWN PLASTIC BUT BE  
REMOVABLE)  
PIN 3/8"DX3/4"L

SHOP3 50 1.00 1.00 0.00 0.00  
SHOP3



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
02.SB402	10	5/21/2025	FT	1.00	1.00	_____
SQUARE BAR 1/4" SS FOR GEARBOXES						
06.S0415	20	5/21/2025	EA	2.00	2.00	_____
BELT WASH 12" SPLASH SHIELD STD 304						
S00371-S	50	5/21/2025	EA	4.00	4.00	_____
LEG ADJUSTER 9"X3/4" ATR W/SS PAD 10GA*						
SWIVEL TYPE						
S00421A	60	5/21/2025	EA	1.00	1.00	_____
DRIVE DRIP PAN 30" X 11"						
(FOR NORD\STOBER GEARBOXES)						
06.S00421HA	70	5/21/2025	EA	2.00	2.00	_____
SS DRIP PAN HANGER 1"W FLAT BAR W/ 7/16"H*						
1"W FLAT BAR WITH 7/16" HOLE						
6.75" OVERAL LENGTH						

UHMW PARTS 60 1.00 1.00 0.00 0.00  
UHMW PARTS



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
----------------	--------	-----------	----------------	----------	---------	-------



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-C-34/S

10/17/2025 6:41 AM  
Page 4

Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	06.P850941225		40	5/21/2025	FT	20.00	20.00 _____
	UHMW WEARSTRIP 1" X 1-1/2"						
	06.P8509495901LHD		50	5/21/2025	FT	10.00	10.00 _____
	UHMW WEARSTRIP L-SHAPE 1"X2-1/4" W/ NOT*						
SUB-ASSY 1	70	1.00		1.00	0.00	0.00	
SUB-ASSY 1							



SUB-ASSY 2	80	1.00	1.00	0.00	0.00
SUB-ASSY 2					



FINAL ASSEM	90	1.00	1.00	0.00	0.00
FINALASSEMB					



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
		10	5/21/2025		17.00	17.00 _____
BELT - 12"W 1600S OHFT AC WHITE W/ WHITE AC RODS						
37.1XI	20	5/21/2025	EA	1.00	1.00 _____	
1HP XTREME 143TC 1800RPM INV DUTY*						
STAINLESS STEEL						
XTREME						
RPM: 1800						
FOOT OPTION: FOOTLESS						
FRAME: 143TC						
ENCLOSURE: TEFC						



Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev	Engineer
RATING: INVERTER DUTY ELECTRICAL: 3 PHASE 460V ENCAPSULATED: ENCAPSULATED								
	37.4SL2	30	5/21/2025	EA		1.00	1.00	
	STERLING SS HEL BEVEL SYMMETRICAL 50:1*							
	STERLING SYMMETRICAL							
	STAINLESS STEEL SMOOTH BODY							
	403 HELICAL BEVEL							
	50:1 49:347:1 (EXACT)							
	140TC							
	W/ TORQUE ARM							
	37.SSK04125U	50	5/21/2025	EA		1.00	1.00	
	SYMMETRICAL BUSHING 1-1/4" FOR SSK04 HE*							
	SSK04-1.250UTBK							
	STAINLESS STEEL							
	1-1/4" SYMMETRICAL BUSHING KIT FOR							
	SIZE SSK04 HELICAL BEVEL							
	31.21620	80	5/21/2025	EA		7.00	7.00	
	SPROCKET 1600S 20T 1.5"SB 6.4"PD							
	15.142	100	5/21/2025	EA		1.00	1.00	
	SANITARY 2" SS ROLL TYPE FERRULE							
	31.91121	110	5/21/2025	EA		9.00	9.00	
	RETAINER SNAP RING 1.5" SS*							
	(SH-206SS)							
	06.P40810	120	5/21/2025	EA		2.00	2.00	
	BRASS TAKE UP 5/8-11 W/SS NUT							
	95.0141902P	130	5/21/2025	EA		4.00	4.00	
	SPRAY NOZZLE 1/4 F8004-LN PLASTIC*							
	ADDITIONAL PARTS REQ'D #S00202 & #06.S0415							
	NATURAL PVDF							
		140	5/21/2025			0.00	0.00	
	BEARING ASSEMBLY							
	10.1011060	150	5/21/2025	EA		4.00	4.00	
	HHC/SCREW 5/8 - 11 X 4" SS							



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-C-34/S

10/17/2025 6:41 AM  
Page 6

Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev	Engineer
	35.UCF207.20	160	5/21/2025	EA		4.00	4.00	
	KML 1-1/4" SS BEARING 4-BOLT FLG							
	10.1010724	200	5/21/2025	EA		16.00	16.00	
	HHC/SCREW 7/16-14 X 1-1/2" SS							
	10.10407	210	5/21/2025	EA		16.00	16.00	
	FLAT WASHER 7/16" SS							
	NON-TAXABLE							
	10.10507	220	5/21/2025	EA		16.00	16.00	
	HEX LOCK NUT 7/16"-14 SS							
	06.207.4-BOLT	440	5/21/2025	EA		3.00	3.00	
	SS BEARING COVER FITS 207 HOUSING 1-1/4*							
	STAINLESS STEEL BEARING COVER, 4-BOLT PATTERN FOR FLANGE STYLE BEARING							
	FITS 207 HOUSING FOR 1-1/4", 1-3/8", 1-7/16" AND 1-5/16"							
	(THIS IS A CLOSED COVER.)							
	06.207.4-BOLT-OPEN	450	5/21/2025	EA		0.00	0.00	
	SS BEARING COVER FITS 207 HOUSING 1-1/4*							
	STAINLESS STEEL BEARING COVER, 4-BOLT PATTERN FOR FLANGE STYLE BEARING							
	FITS 207 HOUSING FOR 1-1/4", 1-3/8", 1-7/16" AND 1-5/16"							
	(THIS IS AN OPEN COVER.)							
	06.BG1.25-4HOLE	510	5/21/2025	EA		2.00	2.00	
	SS BEARING GUARD 1.25" 4-HOLE*							
	STAINLESS STEEL (12 GAUGE)							
	BEARING GUARD							
	FOR 1-1/4" 4-HOLE BRG							
		540	5/21/2025			0.00	0.00	
	STABILIZER / TORQUE ARM ASSEMBLY -							
	37.207-UNI	550	5/21/2025	EA		1.00	1.00	
	STABILIZER BRACKET UNIVERSAL FITS 207*							
	UNIVERSAL FITS 207 HOUSING							
	FOR 1-1/4" OR 1-7/16" SHAFT							
	10.10507	600	5/21/2025	EA		3.00	3.00	
	HEX LOCK NUT 7/16"-14 SS							
	10.1010750	610	5/21/2025	EA		1.00	1.00	



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-C-34/S

10/17/2025 6:41 AM  
Page 8

Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	-----------	------------	-------------	-----	-------------------------

SS K343 SYMM/TLOCK GEARBOX COVER (LEFT)\*  
06.207-GBC343L  
SS K343 SYMMETRICAL / TAPER LOCK GEARBOX COVER (LEFT)\*  
LEFT HAND HORIZONTAL MOUNTING ORIENTATION

SHIPPING 100 1.00 1.00 0.00 0.00  
SHIPPING



OS 110 1.00 1.00 0.00 0.00  
MACHINE



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
06.DS1215-1.25	40	5/21/2025	EA	1.00	1.00	_____
SHAFT 12" DRIVE WITH 1-1/4 JOURNAL						
06.IS1215-1.25	80	5/21/2025	EA	1.00	1.00	_____
SHAFT 12" IDLE WITH 1-1/4 JOURNAL						

REWORK-S 120 1.00 1.00 0.00 0.00  
REWORK-S



REWORK-E 130 1.00 1.00 0.00 0.00





D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-C-34/S

10/17/2025 6:41 AM  
Page 9

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev	Engineer
REWORK-P	140	1.00	1.00	0.00	0.00			



**JOB NAME**

Wayne Union Spring AZ -  
**MATERIAL SIZE**

**JOB NUMBER**

Sam

121241-C-34

## MATERIAL SIZE

~~2 x  $\frac{1}{4}$ " Angle~~