

# EQUIPMENT SPEC SHEET




|                           |                         |                            |                 |                            |                   |
|---------------------------|-------------------------|----------------------------|-----------------|----------------------------|-------------------|
| NAME & LOCATION           | WAYNE FARMS             | UNION SPRING, AL           | CUSTOMER NUMBER | C121241                    |                   |
| ITEM NUMBER               | C-19A                   | ITEM SERIAL NUMBER         | C121241-C-19A   |                            |                   |
| ENGINEER                  | GARY CAMBRON            | SALESMAN                   | HEATH MORROW    | ITEMS REQ'D                | 1                 |
| EQUIPMENT TYPE            | TENDER GRADING CONVEYOR |                            |                 | CAD TECH DESIGNER          | KYLE HANCOCK      |
| CAD TECH DETAILER         |                         |                            |                 | KYLE HANCOCK               |                   |
| <b>1</b> BELT MANUF.      | INTRALOX                | <b>2</b> SERIES            | 800S            | <b>3</b> BELT TYPE         | OH FT             |
| <b>4</b> BELT LENGTH      | 20'                     | <b>5</b> BELT COLOR        | WHITE           | <b>6</b> BELT MATERIAL     | AC (Acetal)       |
| <b>7</b> FRICTION SPACING | N/A                     | <b>8</b> BELT INDENT       | N/A             | <b>9</b> CENTER NOTCH      | N/A               |
| <b>10</b> BELT WIDTH      | 18"                     | <b>11</b> WEARSTRIP        | 1"X1-1/2" UHMW  | <b>12</b> BELT PIN MAT.    | WHITE AC (Acetal) |
| <b>13</b> BELT FLIGHTS    | NO                      | <b>14</b> FLIGHT HEIGHT    | N/A             | <b>15</b> FLIGHT TYPE      | N/A               |
| <b>16</b> FLIGHT CENTERS  | N/A                     | <b>17</b> FLIGHT INDENT    | N/A             | <b>18</b> CENTER NOTCH     | N/A               |
| <b>19</b> T.O.B. INFEED   | 42"                     | <b>20</b> T.O.B. DISCHARGE | 42"             |                            |                   |
| <b>21</b> IDLE SPROCKET   | 8 TOOTH                 | <b>22</b> PITCH DIAMETER   | 5.2" PD         | <b>23</b> BORE SIZE/TYPE   | 1-1/2" SQUARE     |
| <b>24</b> DRIVE SPROCKET  | 8 TOOTH                 | <b>25</b> PITCH DIAMETER   | 5.2" PD         | <b>26</b> BORE SIZE/TYPE   | 1-1/2" SQUARE     |
| <b>27</b> SPROCKETS @ DRV | 3                       | <b>28</b> SPROCKETS @ IDLE | 3               | <b>29</b> BELT SCRAPE      | NO                |
| <b>30</b> BELT WASHER     | YES                     | <b>31</b> DRIP PAN         | YES             | <b>32</b> DRIP PAN @ DRIVE | YES               |
| <b>33</b> DRIVE SIDE      | LEFT (VERTICAL)         | <b>34</b> DRIVE TYPE       | EXTREME DUTY    | <b>35</b> MTR/GB FRAME     | 143TC/145TC       |
| <b>36</b> MOTOR           | STERLING                | <b>37</b> HORSEPOWER       | 1 HP            | <b>38</b> FPM              | 60 FPM            |
| <b>39</b> GEARBOX         | K343                    | <b>40</b> RATIO            | 40:1            | <b>41</b> MULTIPLIER       | NO                |
| <b>42</b> EQUIP. MAT.     | 1/4" SS                 | <b>43</b> LEGS             | 2" ANGLE        | <b>44</b> TAKE UP          | CATENARY SAG      |

PARTS and or MATERIAL UNIQUE TO THIS ITEM(S) / SPECIAL DESIGN SPECS (Please explain)

SAFETY LABELS AND E-STOPS TO BE LOCATED AS SHOWN.

THIS ITEM GETS A DRIVE RESTRAINT KIT

ETCHED METAL SAFETY LABELS.



## STD. 1 1/2" SQUARE SOLID SHAFT

FORM DRAWING ONLY, THIS IS NOT TO SCALE !

JOB NUMBER : C121241-C-19A  
 CUSTOMER : WAYNE FARMS  
 LOCATION : UNION SPRINGS, AL


DATE : 10/16/2025

MATERIAL : T303 SS

DETAILER : KYLE HANCOCK

SHOP CHECKER :

\*\*THIS IS A PART NUMBERED SHAFT\*\*

DRIVE SHAFT DETAIL QTY. 1 REQ'D.

## STD. 1 1/2" SQUARE SOLID SHAFT

FORM DRAWING ONLY, THIS IS NOT TO SCALE !

JOB NUMBER : C121241-C-19A

DATE : 10/16/2025


CUSTOMER : WAYNE FARMS

DEALER : KYLE HANCOCK

LOCATION : UNION SPRINGS, AL

SHOP CHECKER :

\*\*THIS IS A PART NUMBERED SHAFT\*\*



DLE SHAFT DETAIL QTY. 1 REQ'D.



**D&F EQUIPMENT SALES, INC - ALABAMA**  
Work Order Traveller  
WORK ORDER ID: 121241-C-19A/S

10/17/2025 6:13 AM  
Page 1

| Work Order ID | Part ID | Release Date | Want Date | Start Date | Finish Date | Qty | Drawing ID/Rev | Engineer |
|---------------|---------|--------------|-----------|------------|-------------|-----|----------------|----------|
|---------------|---------|--------------|-----------|------------|-------------|-----|----------------|----------|

121241-C-19A/S DFM500S18 5/21/2025 11/14/2025

1.00



Drawing Rev:

D&F STRAIGHT CONVEYOR 18"

DENICE

Order ID: Customer: Ship To:  
Part ID:

| Shop Resources Type | Seq# | End Qty | Start Qty | Setup Hrs | Run Start Hrs Date | Finish Date | Drawing ID/Rev |
|---------------------|------|---------|-----------|-----------|--------------------|-------------|----------------|
| ENGINEERING         | 10   | 1.00    | 1.00      | 0.00      | 0.00               |             |                |
| ENGINEERING         |      |         |           |           |                    |             |                |



LASER SHOP 20 1.00 1.00 0.00 0.00  
LASER SHOP



SHOP1 30 1.00 1.00 0.00 0.00  
SHOP1



| Part ID/Sub ID                   | Piece# | Date Reqd | Unit Of Measure | Qty Reqd | Qty Due | Issue |
|----------------------------------|--------|-----------|-----------------|----------|---------|-------|
| 01.S101<br>3/16" PLATE SS 48X120 | 10     | 5/21/2025 | 4X10            | 0.00     | 0.00    |       |
| 01.S104                          | 20     | 5/21/2025 | 5X10            | 0.00     | 0.00    |       |



**D&F EQUIPMENT SALES, INC - ALABAMA**  
Work Order Traveller  
WORK ORDER ID: 121241-C-19A/S

10/17/2025 6:13 AM  
Page 2

| Work Order ID         | Part ID   | Release | Want Date     | Start Date | Finish Date | Qty   | Drawing ID/Rev<br>Engineer |
|-----------------------|---|---------|---------------|------------|-------------|-------|----------------------------|
| 3/16" PLATE SS 60X120 |   |         |               |            |             |       |                            |
|                       | 01.S108<br>1/4" PLATE SS 48X120                 |         | 30 5/21/2025  | 4X10       |             | 0.00  | 0.00 _____                 |
|                       | 01.S111<br>1/4" PLATE SS 60X120                 |         | 40 5/21/2025  | 5X10       |             | 0.00  | 0.00 _____                 |
|                       | 01.S127<br>12GA SHEET SS 48X120                 |         | 90 5/21/2025  | 4X10       |             | 0.00  | 0.00 _____                 |
|                       | 01.S129<br>12GA SHEET SS 60X120                 |         | 100 5/21/2025 | 5X10       |             | 0.00  | 0.00 _____                 |
|                       | 02.RR206<br>ROUND ROD 1/2" SS                   |         | 130 5/21/2025 | FT         |             | 0.00  | 0.00 _____                 |
|                       | 02.RR208<br>ROUND ROD 3/4" 304 SS               |         | 140 5/21/2025 | FT         |             | 0.00  | 0.00 _____                 |
|                       | 03.A606<br>ANGLE IRON 1-1/4" X 1-1/4" X 1/4" SS |         | 190 5/21/2025 | FT         |             | 20.00 | 20.00 _____                |
|                       | 03.A612<br>ANGLE IRON 2" X 2" X 1/4" SS         |         | 200 5/21/2025 | FT         |             | 0.00  | 0.00 _____                 |
|                       | 03.FB500<br>FLAT BAR 1/2" X 3/16" SS            |         | 210 5/21/2025 | FT         |             | 0.00  | 0.00 _____                 |
|                       | 03.FB502<br>FLAT BAR 1" X 3/16" SS              |         | 220 5/21/2025 | FT         |             | 0.00  | 0.00 _____                 |
|                       | 03.FB504<br>FLAT BAR 1-1/2" X 3/16" SS          |         | 230 5/21/2025 | FT         |             | 0.00  | 0.00 _____                 |
|                       | 03.FB506<br>FLAT BAR 2" X 3/16" SS              |         | 240 5/21/2025 | FT         |             | 0.00  | 0.00 _____                 |
|                       | 03.FB518<br>FLAT BAR 1" X 1/4" SS               |         | 250 5/21/2025 | FT         |             | 0.00  | 0.00 _____                 |
|                       | 03.FB520<br>FLAT BAR 1-1/2" X 1/4" SS           |         | 260 5/21/2025 | FT         |             | 0.00  | 0.00 _____                 |
|                       | 03.FB522<br>FLAT BAR 2" X 1/4" SS               |         | 270 5/21/2025 | FT         |             | 0.00  | 0.00 _____                 |



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-C-19A/S

10/17/2025 6:13 AM  
Page 3

| Work Order ID | Part ID                                  | Release | Want Date | Start Date | Finish Date | Qty  | Drawing ID/Rev | Engineer |
|---------------|--|---------|-----------|------------|-------------|------|----------------|----------|
|               | 05.T802<br>TUBING SS 1"SQ X 16GA         | 280     | 5/21/2025 | FT         |             | 0.00 | 0.00           |          |
|               | 05.T804<br>TUBING SS 1"SQ X 11GA         | 290     | 5/21/2025 | FT         |             | 0.00 | 0.00           |          |
|               | 30.40706<br>COUPLING SS 3/8"             | 330     | 5/21/2025 | EA         |             | 1.00 | 1.00           |          |
|               | S00024<br>TUBING END CAP - 1" SQ X 12 GA | 340     | 5/21/2025 | EA         |             | 1.00 | 1.00           |          |
| SHOP2         | 40                                       | 1.00    | 1.00      | 0.00       | 0.00        |      |                |          |
| SHOP2         |  |         |           |            |             |      |                |          |



| Part ID/Sub ID  | Piece# | Date Reqd | Unit Of Measur | Qty Reqd | Qty Due | Issue |
|---|--------|-----------|----------------|----------|---------|-------|
| 06.S00070<br>LEG INSERT 1-1/2"X 1-1/2" X 1/2"<br>3/4" THDS. | 10     | 5/21/2025 | EA             | 4.00     | 4.00    |       |
| SHOP3   | 50     | 1.00      | 1.00           | 0.00     | 0.00    |       |
| SHOP3   |        |           |                |          |         |       |



| Part ID/Sub ID   | Piece# | Date Reqd | Unit Of Measur | Qty Reqd | Qty Due | Issue |
|--|--------|-----------|----------------|----------|---------|-------|
| 02.SB402<br>SQUARE BAR 1/4" SS<br>FOR GEARBOXES                    | 10     | 5/21/2025 | FT             | 0.00     | 0.00    |       |
| S00371-S<br>LEG ADJUSTER 9"X3/4" ATR W/SS PAD 10GA*<br>SWIVEL TYPE | 30     | 5/21/2025 | EA             | 4.00     | 4.00    |       |
| S00421A<br>DRIVE DRIP PAN 30" X 11"<br>(FOR NORDISTOBER GEARBOXES) | 40     | 5/21/2025 | EA             | 1.00     | 1.00    |       |



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-C-19A/S

10/17/2025  
Page

6:13 AM  
4

| Work Order ID | Part ID                                    | Release | Want Date | Start Date | Finish Date | Qty  | Drawing ID/Rev<br>Engineer |
|---------------|--|---------|-----------|------------|-------------|------|----------------------------|
|               | 06.S00421HA                                | 50      | 5/21/2025 | EA         |             | 2.00 | 2.00 _____                 |
|               | SS DRIP PAN HANGER 1"W FLAT BAR W/ 7/16"H* |         |           |            |             |      |                            |
|               | 1"W FLAT BAR WITH 7/16" HOLE               |         |           |            |             |      |                            |
|               | 6.75" OVERAL LENGTH                        |         |           |            |             |      |                            |
|               | 06.DRK                                     | 60      | 5/21/2025 | EA         |             | 1.00 | 1.00 _____                 |
|               | DRIVE RESTRAINT KIT                        |         |           |            |             |      |                            |
| UHMW PARTS    | 60   | 1.00    | 1.00      | 0.00       | 0.00        |      |                            |
| UHMW PARTS    |  |         |           |            |             |      |                            |



| Part ID/Sub ID                           | Piece# | Date Reqd | Unit Of Measur | Qty Reqd | Qty Due | Issue |
|--|--------|-----------|----------------|----------|---------|-------|
| 06.P850941225                            | 10     | 5/21/2025 | FT             | 40.00    | 40.00   | _____ |
| UHMW WEARSTRIP 1" X 1-1/2"               |        |           |                |          |         |       |
| 06.P8509495901LHD                        | 20     | 5/21/2025 | FT             | 10.00    | 10.00   | _____ |
| UHMW WEARSTRIP L-SHAPE 1"X2-1/4" W/ NOT* |        |           |                |          |         |       |
| 06.P8508436                              | 30     | 5/21/2025 | EA             | 3.00     | 3.00    | _____ |
| UHMW SHOE RETURN 6" X 1-1/2" X 1"        |        |           |                |          |         |       |

|            |    |      |      |      |      |
|------------|----|------|------|------|------|
| SUB-ASSY 1 | 70 | 1.00 | 1.00 | 0.00 | 0.00 |
| SUB-ASSY 1 |    |      |      |      |      |



|            |    |      |      |      |      |
|------------|----|------|------|------|------|
| SUB-ASSY 2 | 80 | 1.00 | 1.00 | 0.00 | 0.00 |
| SUB-ASSY 2 |    |      |      |      |      |



|             |    |      |      |      |      |
|-------------|----|------|------|------|------|
| FINAL ASSEM | 90 | 1.00 | 1.00 | 0.00 | 0.00 |
| FINALASSEMB |    |      |      |      |      |



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-C-19A/S

10/17/2025 6:13 AM  
Page 5

| Work Order ID | Part ID | Release | Want Date | Start Date | Finish Date | Qty | Drawing ID/Rev | Engineer |
|---------------|---------|---------|-----------|------------|-------------|-----|----------------|----------|
|---------------|---------|---------|-----------|------------|-------------|-----|----------------|----------|



| Part ID/Sub ID   | Piece# | Date Reqd    | Unit Of Measur | Qty Reqd | Qty Due | Issue |
|--|--------|--------------|----------------|----------|---------|-------|
| BELT - 800S 18"W OPEN HINGE FLAT TOP WHITE AC W/ WHITE AC RODS |        | 10 5/21/2025 |                | 20.00    | 20.00   |       |
| 37.1XI   |        | 20 5/21/2025 | EA             | 1.00     | 1.00    |       |
| 1HP XTREME 143TC 1800RPM INV DUTY*                             |        |              |                |          |         |       |
| STAINLESS STEEL  |        |              |                |          |         |       |
| XTREME   |        |              |                |          |         |       |
| RPM: 1800  |        |              |                |          |         |       |
| FOOT OPTION: FOOTLESS  |        |              |                |          |         |       |
| FRAME: 143TC   |        |              |                |          |         |       |
| ENCLOSURE: TEFC  |        |              |                |          |         |       |
| RATING: INVERTER DUTY  |        |              |                |          |         |       |
| ELECTRICAL: 3 PHASE 460V                                       |        |              |                |          |         |       |
| ENCAPSULATED: ENCAPSULATED                                     |        |              |                |          |         |       |
| 37.4SK2  |        | 30 5/21/2025 | EA             | 1.00     | 1.00    |       |
| STERLING SS HEL BEVEL SYMMETRICAL 40:1*                        |        |              |                |          |         |       |
| STERLING SYMMETRICAL   |        |              |                |          |         |       |
| STAINLESS STEEL SMOOTH BODY                                    |        |              |                |          |         |       |
| 403 HELICAL BEVEL  |        |              |                |          |         |       |
| 40:1 38.872:1 (EXACT)  |        |              |                |          |         |       |
| 140TC  |        |              |                |          |         |       |
| W/ TORQUE ARM  |        |              |                |          |         |       |
| 37.SSK04125U   |        | 40 5/21/2025 | EA             | 1.00     | 1.00    |       |
| SYMMETRICAL BUSHING 1-1/4" FOR SSK04 HE*                       |        |              |                |          |         |       |
| SSK04-1.250UTBK  |        |              |                |          |         |       |
| STAINLESS STEEL  |        |              |                |          |         |       |
| 1-1/4" SYMMETRICAL BUSHING KIT FOR                             |        |              |                |          |         |       |
| SIZE SSK04 HELICAL BEVEL                                       |        |              |                |          |         |       |
| 31.2808  |        | 50 5/21/2025 | EA             | 6.00     | 6.00    |       |
| SPROCKET 800S 8T 1.5"SB 5.2"PD*                                |        |              |                |          |         |       |
| PART #S3D8 G5CPE7 NG   |        |              |                |          |         |       |
| EZ CLEAN MOLDED SPROCKET                                       |        |              |                |          |         |       |
| 15.142   |        | 60 5/21/2025 | EA             | 1.00     | 1.00    |       |



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-C-19A/S

10/17/2025 6:13 AM  
Page 6

| Work Order ID                    | Part ID  | Release   | Want Date | Start Date | Finish Date | Qty   | Drawing ID/Rev<br>Engineer |
|----------------------------------|--|-----------|-----------|------------|-------------|-------|----------------------------|
| SANITARY 2" SS ROLL TYPE FERRULE |  |           |           |            |             |       |                            |
|                                  | 31.91121   | 70        | 5/21/2025 | EA         |             | 8.00  | 8.00 _____                 |
|                                  | RETAINER SNAP RING 1.5" SS*  |           |           |            |             |       |                            |
|                                  | (SH-206SS)   |           |           |            |             |       |                            |
|                                  | 95.0141902P  | 80        | 5/21/2025 | EA         |             | 6.00  | 6.00 _____                 |
|                                  | SPRAY NOZZLE 1/4 F8004-LN PLASTIC*                                     |           |           |            |             |       |                            |
|                                  | ADDITIONAL PARTS REQ'D #S00202 & #06.S0415                             |           |           |            |             |       |                            |
|                                  | NATURAL PVDF   |           |           |            |             |       |                            |
|                                  | BEARING ASSEMBLY   | 90        | 5/21/2025 |            |             | 0.00  | 0.00 _____                 |
|                                  | 35.UCF207.20   | 100       | 5/21/2025 | EA         |             | 4.00  | 4.00 _____                 |
|                                  | KML 1-1/4" SS BEARING 4-BOLT FLG                                       |           |           |            |             |       |                            |
|                                  | 10.1010724   | 110       | 5/21/2025 | EA         |             | 16.00 | 16.00 _____                |
|                                  | HHC/SCREW 7/16-14 X 1-1/2" SS  |           |           |            |             |       |                            |
|                                  | 10.10407   | 120       | 5/21/2025 | EA         |             | 16.00 | 16.00 _____                |
|                                  | FLAT WASHER 7/16" SS   |           |           |            |             |       |                            |
|                                  | NON-TAXABLE  |           |           |            |             |       |                            |
|                                  | 10.10507   | 130       | 5/21/2025 | EA         |             | 16.00 | 16.00 _____                |
|                                  | HEX LOCK NUT 7/16"-14 SS   |           |           |            |             |       |                            |
|                                  | 06.207.4-BOLT  | 140       | 5/21/2025 | EA         |             | 3.00  | 3.00 _____                 |
|                                  | SS BEARING COVER FITS 207 HOUSING 1-1/4"                               |           |           |            |             |       |                            |
|                                  | STAINLESS STEEL BEARING COVER, 4-BOLT PATTERN FOR FLANGE STYLE BEARING |           |           |            |             |       |                            |
|                                  | FITS 207 HOUSING FOR 1-1/4", 1-3/8", 1-7/16" AND 1-5/16"               |           |           |            |             |       |                            |
|                                  | (THIS IS A CLOSED COVER.)  |           |           |            |             |       |                            |
|                                  | 06.BG1.25-4HOLE  | 150       | 5/21/2025 | EA         |             | 4.00  | 4.00 _____                 |
|                                  | SS BEARING GUARD 1.25" 4-HOLE*   |           |           |            |             |       |                            |
|                                  | STAINLESS STEEL (12 GAUGE)   |           |           |            |             |       |                            |
|                                  | BEARING GUARD  |           |           |            |             |       |                            |
|                                  | FOR 1-1/4" 4-HOLE BRG  |           |           |            |             |       |                            |
|                                  | 160  | 5/21/2025 |           |            |             | 0.00  | 0.00 _____                 |
|                                  | STABILIZER / TORQUE ARM ASSEMBLY -                                     |           |           |            |             |       |                            |
|                                  | 37.207-UNI   | 170       | 5/21/2025 | EA         |             | 1.00  | 1.00 _____                 |



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-C-19A/S

10/17/2025 6:13 AM  
Page 7

| Work Order ID   | Part ID  | Release | Want Date | Start Date | Finish Date | Qty  | Drawing ID/Rev<br>Engineer |
|---|--|---------|-----------|------------|-------------|------|----------------------------|
| STABILIZER BRACKET UNIVERSAL FITS 207*<br>UNIVERSAL FITS 207 HOUSING<br>FOR 1-1/4" OR 1-7/16" SHAFT |  |         |           |            |             |      |                            |
|   | 06.207-GBC343LV  | 180     | 5/21/2025 | EA         |             | 1.00 | 1.00 _____                 |
|   | SS K343 SYMM/TLOCK GEARBOX COVER (LEFT)*               |         |           |            |             |      |                            |
|   | 06.207-GBC343LV  |         |           |            |             |      |                            |
|   | SS K343 SYMMETRICAL / TAPER LOCK GEARBOX COVER (LEFT)* |         |           |            |             |      |                            |
|   | LEFT HAND VERTICAL MOUNTING ORIENTATION                |         |           |            |             |      |                            |
|   | 10.1010616   | 190     | 5/21/2025 | EA         |             | 8.00 | 8.00 _____                 |
|   | HHC/SCREW 3/8-16 X 1" SS                               |         |           |            |             |      |                            |
|   | FASTENAL P/N 1170105                                   |         |           |            |             |      |                            |
|   | (NON-TAXABLE)  |         |           |            |             |      |                            |
|   | 10.10306   | 200     | 5/21/2025 | EA         |             | 8.00 | 8.00 _____                 |
|   | LOCK WASHER 3/8" SS                                    |         |           |            |             |      |                            |
|   | NON-TAXABLE  |         |           |            |             |      |                            |
|   | 10.10507   | 210     | 5/21/2025 | EA         |             | 1.00 | 1.00 _____                 |
|   | HEX LOCK NUT 7/16"-14 SS                               |         |           |            |             |      |                            |
|   | 10.1010750   | 220     | 5/21/2025 | EA         |             | 1.00 | 1.00 _____                 |
|   | HHC/SCREW 7/16 X 3" SS                                 |         |           |            |             |      |                            |
|   | 10.10407   | 230     | 5/21/2025 | EA         |             | 3.00 | 3.00 _____                 |
|   | FLAT WASHER 7/16" SS                                   |         |           |            |             |      |                            |
|   | NON-TAXABLE  |         |           |            |             |      |                            |
|   | 10.10307   | 240     | 5/21/2025 | EA         |             | 2.00 | 2.00 _____                 |
|   | LOCK WASHER 7/16" SS                                   |         |           |            |             |      |                            |
|   | NON-TAXABLE  |         |           |            |             |      |                            |
|   | D & F STANDARD ESTOP -                                 | 250     | 5/21/2025 |            |             | 0.00 | 0.00 _____                 |
|   | 45.800F1YP1  | 260     | 5/21/2025 | EA         |             | 2.00 | 2.00 _____                 |
|   | ALLEN BRADLEY E-STOP STATION                           |         |           |            |             |      |                            |
|   | 10.1080808   | 270     | 5/21/2025 | EA         |             | 8.00 | 8.00 _____                 |
|   | SOCKET CAP SCREW 8-32 X 1/2" SS*                       |         |           |            |             |      |                            |
|   | 8C50KCS3   |         |           |            |             |      |                            |
|   | 10.10808N  | 280     | 5/21/2025 | EA         |             | 8.00 | 8.00 _____                 |



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-C-19A/S

10/17/2025 6:13 AM  
Page 8

| Work Order ID | Part ID                            | Release | Want Date | Start Date | Finish Date | Qty  | Drawing ID/Rev<br>Engineer |
|---------------|------------------------------------|---------|-----------|------------|-------------|------|----------------------------|
|               | NYLON LOCK NUT 8-32 SS*            |         |           |            |             |      |                            |
|               | 8CNNE3                             |         |           |            |             |      |                            |
|               | BELT SCRAPES -                     | 290     | 5/21/2025 |            |             | 0.00 | 0.00 _____                 |
|               | 40.SCRAPE                          | 300     | 5/21/2025 | FT         |             | 2.00 | 2.00 _____                 |
|               | BELT SCRAPE POLYFLEX 30S BLUE 4"W* |         |           |            |             |      |                            |
|               | #411060                            |         |           |            |             |      |                            |
|               | MISCELLANEOUS -                    | 340     | 5/21/2025 |            |             | 0.00 | 0.00 _____                 |
|               | 10.1011013                         | 350     | 5/21/2025 | EA         |             | 6.00 | 6.00 _____                 |
|               | HH LAG SCREW SS 1/4 X 1"           |         |           |            |             |      |                            |
|               | NON TAXABLE                        |         |           |            |             |      |                            |
|               | 10.1010416                         | 420     | 5/21/2025 | EA         |             | 2.00 | 2.00 _____                 |
|               | HHC/SCREW 1/4-20 X 1" SS           |         |           |            |             |      |                            |
|               | 10.1060416                         | 430     | 5/21/2025 | EA         |             | 4.00 | 4.00 _____                 |
|               | MACH SCREW 1/4"-20 X 1" SS*        |         |           |            |             |      |                            |
|               | PHILLIPS FLAT HEAD (NON-TAXABLE)   |         |           |            |             |      |                            |
|               | 10.1010616                         | 500     | 5/21/2025 | EA         |             | 8.00 | 8.00 _____                 |
|               | HHC/SCREW 3/8-16 X 1" SS           |         |           |            |             |      |                            |
|               | FASTENAL P/N 1170105               |         |           |            |             |      |                            |
|               | (NON-TAXABLE)                      |         |           |            |             |      |                            |
|               | 10.10306                           | 570     | 5/21/2025 | EA         |             | 8.00 | 8.00 _____                 |
|               | LOCK WASHER 3/8" SS                |         |           |            |             |      |                            |
|               | NON-TAXABLE                        |         |           |            |             |      |                            |
|               | 10.10508                           | 680     | 5/21/2025 | EA         |             | 2.00 | 2.00 _____                 |
|               | HEX LOCK NUT 1/2" -13 SS           |         |           |            |             |      |                            |
|               | 10.313                             | 820     | 5/21/2025 | EA         |             | 4.00 | 4.00 _____                 |
|               | PHILLIPS FLAT HD/SMS #10 X 1" SS   |         |           |            |             |      |                            |
|               | NON-TAXABLE                        |         |           |            |             |      |                            |
|               | 54.09212.5                         | 830     | 5/21/2025 | 4X12       |             | 1.00 | 1.00 _____                 |
|               | GRATING GREY SQ MOLD 1**           |         |           |            |             |      |                            |
|               | (4'X 12')                          |         |           |            |             |      |                            |



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-C-19A/S

10/17/2025 6:13 AM  
Page 9

| Work Order ID | Part ID | Release | Want Date | Start Date | Finish Date | Qty | Drawing ID/Rev | Engineer |
|---------------|---------|---------|-----------|------------|-------------|-----|----------------|----------|
|---------------|---------|---------|-----------|------------|-------------|-----|----------------|----------|

SHIPPING 100 1.00 1.00 0.00 0.00



OS 110 1.00 1.00 0.00 0.00



| Part ID/Sub ID                                       | Piece# | Date Reqd | Unit Of Measur | Qty Reqd | Qty Due | Issue |
|--|--------|-----------|----------------|----------|---------|-------|
| 06.DS1815-1.25<br>SHAFT 18" DRIVE WITH 1-1/4 JOURNAL | 10     | 5/21/2025 | EA             | 1.00     | 1.00    | _____ |
| 06.IS1815-1.25<br>SHAFT 18" IDLE WITH 1-1/4 JOURNAL  | 20     | 5/21/2025 | EA             | 1.00     | 1.00    | _____ |

REWORK-S 120 1.00 1.00 0.00 0.00



REWORK-E 130 1.00 1.00 0.00 0.00



REWORK-P 140 1.00 1.00 0.00 0.00





**D&F EQUIPMENT SALES, INC - ALABAMA**  
Work Order Traveller  
WORK ORDER ID: 121241-C-19A/S

10/17/2025 6:13 AM  
Page 10

| Work Order ID | Part ID | Release | Want Date | Start Date | Finish Date | Qty | Drawing ID/Rev | Engineer |
|---------------|---------|---------|-----------|------------|-------------|-----|----------------|----------|
|---------------|---------|---------|-----------|------------|-------------|-----|----------------|----------|

**JOB NAME**

# WAYNE FARMS

## **MATERIAL SIZE**

**JOB NUMBER**

121241-C-19-A

35