

# EQUIPMENT SPEC SHEET

10/22 JS BL  
D&F OR  
EQUIPMENT SALES, INC. RK

NAME & LOCATION		WAYNE FARMS UNION SPRING, AL		CUSTOMER NUMBER		C121241		
ITEM NUMBER		C-29		ITEM SERIAL NUMBER		C121241-C-29		
ENGINEER		GARY CAMBRON		SALESMAN		HEATH MORROW		
EQUIPMENT TYPE		BONELESS DARK MEAT INCLINE CONV		CAD TECH DESIGNER		KYLE HANCOCK		
				CAD TECH DETAILER		KYLE WRIGHT		
1	BELT MANUF.	INTRALOX	2	SERIES	800S	3	BELT TYPE	OH FT
4	BELT LENGTH	25'	5	BELT COLOR	WHITE	6	BELT MATERIAL	AC (Acetal)
7	FRICTION SPACING	N/A	8	BELT INDENT	N/A	9	CENTER NOTCH	N/A
10	BELT WIDTH	18"	11	WEARSTRIP	1"X1-1/2" UHMW	12	BELT PIN MAT.	AC (Acetal)
13	BELT FLIGHTS	YES	14	FLIGHT HEIGHT	4"	15	FLIGHT TYPE	SCOOP
16	FLIGHT CENTERS	12"	17	FLIGHT INDENT	1.3"	18	CENTER NOTCH	N/A
19	T.O.B. INFEED	24"	20	T.O.B. DISCHARGE	96"			
21	IDLE SPROCKET	8 TOOTH	22	PITCH DIAMETER	5.2" PD	23	BORE SIZE/TYPE	1-1/2" SQUARE
24	DRIVE SPROCKET	8 TOOTH	25	PITCH DIAMETER	5.2" PD	26	BORE SIZE/TYPE	1-1/2" SQUARE
27	SPROCKETS @ DRV	3	28	SPROCKETS @ IDLE	3	29	BELT SCRAPE	NO
30	BELT WASHER	YES	31	DRIP PAN	YES	32	DRIP PAN @ DRIVE	YES
33	DRIVE SIDE	LEFT	34	DRIVE TYPE	EXTREME DUTY	35	MTR/GB FRAME	143TC/145TC
36	MOTOR	STERLING	37	HORSEPOWER	1 HP	38	FPM	75.6 FPM
39	GEARBOX	K343 TAPER	40	RATIO	32:1	41	MULTIPLIER	NO
42	EQUIP. MAT.	1/4" SS	43	LEGS	2" ANGLE	44	TAKE UP	STANDARD

PARTS and or MATERIAL UNIQUE TO THIS ITEM(S) / SPECIAL DESIGN SPECS (Please explain)

SAFETY LABELS AND E-STOPS TO BE LOCATED AS SHOWN.

THIS ITEM GETS A DRIVE RESTRAINT KIT

USES ETCHED SAFETY LABELS.


OTHER THAN THE DRIVE SIDE, C121241-C-29 & X-09 ARE THE SAME.

DRAWING COMPLETION DATE

10/21/2025

DELIVERY DATE

11/21/2025




06.P850941225

06.P8509495901LHD

UHMW CTR CWAY  
20 FEET REQUIRED  
WAYNE FARMS-UNION SPRING, AL  
C121241-C-29

UHMW L-SHAPED RWAY  
10 FEET REQUIRED  
WAYNE FARMS-UNION SPRING, AL  
C121241-C-29



06.P8508436

06.P8508436

UHMW SHOE  
(2) REQ'D  
WAYNE FARMS-UNION SPRING, AL  
C121241-C-29

STD. 1 1/2" SQUARE SOLID SHAFT

FORM DRAWING ONLY, THIS IS NOT TO SCALE !

JOB NUMBER : C121241-C-29

DATE : 10/21/2025


DETAILER : KYLE WRIGHT

CUSTOMER : WAYNE FARMS

MAT'L : T303 SS

SHOP CHECKER :

LOCATION : UNION SPRING, AL



DRIVE SHAFT DETAIL QTY. 1 REQ'D.

JOB NUMBER : C121241-C-29

CUSTOMER : WAYNE FARMS


LOCATION : UNION SPRING, AL

DATE : 10/21/2025

MAT'L : T303 SS

DETAILER : KYLE WRIGHT

SHOP CHECKER :



IDLE SHAFT DETAIL QTY. 1 REQ'D.



**D&F EQUIPMENT SALES, INC - ALABAMA**  
Work Order Traveller  
WORK ORDER ID: 121241-C-29/S

10/22/2025 11:03 AM  
Page 1

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

121241-C-29/S	DFM500I12	5/21/2025	11/14/2025			1.00	
---------------	-----------	-----------	------------	--	--	------	--



Drawing Rev:

D&F INCLINE CONVEYOR 12" WI

DENICE

Order ID:	Customer:	Ship To:
Part ID:		

Shop Resources Type	Seq#	End Qty	Start Qty	Setup Hrs	Run Start Hrs Date	Finish Date	Drawing ID/Rev
ENGINEERING ENGINEERING	10	1.00	1.00	0.00	0.00		



LASER SHOP LASER SHOP	20	1.00	1.00	0.00	0.00		
--------------------------	----	------	------	------	------	--	--



SHOP1 SHOP1	30	1.00	1.00	0.00	0.00		
----------------	----	------	------	------	------	--	--



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
01.S101 3/16" PLATE SS 48X120	10	5/21/2025	4X10	0.00	0.00	_____
01.S104	20	5/21/2025	5X10	0.00	0.00	_____



**D&F EQUIPMENT SALES, INC - ALABAMA**  
Work Order Traveller  
WORK ORDER ID: 121241-C-29/S

10/22/2025 11:03 AM  
Page 2

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	3/16" PLATE SS 60X120						
	01.S108 1/4" PLATE SS 48X120	30	5/21/2025	4X10		0.00	0.00 _____
	01.S111 1/4" PLATE SS 60X120	40	5/21/2025	5X10		0.00	0.00 _____
	01.S127 12GA SHEET SS 48X120	90	5/21/2025	4X10		0.00	0.00 _____
	01.S129 12GA SHEET SS 60X120	100	5/21/2025	5X10		0.00	0.00 _____
	02.RR206 ROUND ROD 1/2" SS	130	5/21/2025	FT		0.00	0.00 _____
	02.RR208 ROUND ROD 3/4" 304 SS	140	5/21/2025	FT		0.00	0.00 _____
	03.A612 ANGLE IRON 2" X 2" X 1/4" SS	200	5/21/2025	FT		0.00	0.00 _____
	05.T802 TUBING SS 1"SQ X 16GA	280	5/21/2025	FT		0.00	0.00 _____
	05.T804 TUBING SS 1"SQ X 11GA	290	5/21/2025	FT		0.00	0.00 _____
	30.40706 COUPLING SS 3/8"	330	5/21/2025	EA		0.00	0.00 _____
	S00024 TUBING END CAP - 1" SQ X 12 GA	340	5/21/2025	EA		1.00	1.00 _____
SHOP2 SHOP2	40	1.00	1.00	0.00	0.00		



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
06.S00070 LEG INSERT 1-1/2"X 1-1/2" X 1/2"*** 3/4" THDS.	10	5/21/2025	EA	4.00	4.00	_____



**D&F EQUIPMENT SALES, INC - ALABAMA**  
Work Order Traveller  
WORK ORDER ID: 121241-C-29/S

10/22/2025 11:03 AM  
Page 3

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	06.S0421	80	5/21/2025	EA		4.00	4.00 _____
	SLIDE QUICK CONNECT TAKEUP 4 FT REQ'D (AMW) 7/16" SQUARE BAR QTY. OF (4) REQ'D PER ASSY						
	06.S0411	90	5/21/2025	EA		0.00	0.00 _____
	CONE LINE BRACKET PIN 3/8* FOR SINGLE & DOUBLE BRACKETS (LOW PROFILE, TO HOLD DOWN PLASTIC BUT BE REMOVABLE) PIN 3/8"DX3/4"L						
SHOP3	50	1.00	1.00	0.00	0.00		
SHOP3							



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
02.SB402	10	5/21/2025	FT	0.00	0.00	_____
SQUARE BAR 1/4" SS FOR GEARBOXES						
06.S0415	20	5/21/2025	EA	2.00	2.00	_____
BELT WASH 12" SPLASH SHIELD STD 304						
S00206	30	5/21/2025	EA	0.00	0.00	_____
GEAR BOX 262 MOUNTING BRACKET*						
S00231	40	5/21/2025	EA	0.00	0.00	_____
CONVEYOR INCLINE RETURN HOLD DOWN BRKT* HOLD DOWN SHOE FOR INCLINE CONVEYORS ONLY!!!!!! USE (1) HOLD DOWN ON BELTS 12"W OR LESS USE (2) HOLD DOWN ON BELTS 12"W TO 18"W USE (3) HOLD DOWN ON BELTS 18"W OR GREATER (ADD ONE FOR EVERY 6" OF BELT WIDTH)						
S00371-S	50	5/21/2025	EA	4.00	4.00	_____
LEG ADJUSTER 9"X3/4" ATR W/SS PAD 10GA* SWIVEL TYPE						
S00421A	60	5/21/2025	EA	1.00	1.00	_____
DRIVE DRIP PAN 30" X 11" (FOR NORD\STOBER GEARBOXES)						

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev	Engineer
	S00400	70	5/21/2025	EA		0.00	0.00	
	UHMW JOINT BRACKET 12GA (4) 5/16" HOLES							
	06.S00421HA	80	5/21/2025	EA		2.00	2.00	
	SS DRIP PAN HANGER 1"W FLAT BAR W/ 7/16"H*							
	1"W FLAT BAR WITH 7/16" HOLE							
	6.75" OVERAL LENGTH							
UHMW PARTS	60	1.00	1.00	0.00	0.00			
UHMW PARTS								



Part ID/Sub ID	Piece#	Date Req'd	Unit Of Measur	Qty Req'd	Qty Due	Issue
06.P850941225 UHMW WEARSTRIP 1" X 1-1/2"	10	5/21/2025	FT	20.00	20.00	_____
06.P8509495901LHD UHMW WEARSTRIP L-SHAPE 1"X2-1/4" W/ NOT* 3/4" x 3/4" NOTCH	20	5/21/2025	FT	10.00	10.00	_____
06.P8508436 UHMW SHOE RETURN 6" X 1-1/2" X 1"	30	5/21/2025	EA	2.00	2.00	_____
UHMW INDENT SEE PRINT	40	5/21/2025		10.00	10.00	_____
UHMW INDENT UPR RAD SEE PRINT	50	5/21/2025		2.00	2.00	_____
UHMW INDENT LWR RAD (1) LH & (1) RH SEE PRINT	60	5/21/2025		2.00	2.00	_____
UHMW CTR CWAY UPR RAD SEE PRINT	70	5/21/2025		4.00	4.00	_____





**D&F EQUIPMENT SALES, INC - ALABAMA**  
Work Order Traveller  
WORK ORDER ID: 121241-C-29/S

10/22/2025 11:03 AM  
Page 5

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

			80 5/21/2025			4.00	4.00 _____
	UHMW CTR LWR RAD SEE PRINT						

			90 5/21/2025			2.00	2.00 _____
	UHMW L-SHAPED RWAY LWR RAD (1) LH & (1) RH SEE PRINT						

SUB-ASSY 1	70	1.00	1.00	0.00	0.00		
SUB-ASSY 1							



SUB-ASSY 2	80	1.00	1.00	0.00	0.00		
SUB-ASSY 2							



FINAL ASSEM	90	1.00	1.00	0.00	0.00		
FINALASSEMB							



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
		10 5/21/2025		25.00	25.00	_____
BELT - 800S 18"W OPEN HINGE FLAT TOP WHITE AC W/ WHITE AC RODS FLIGHTS - 4" SCOOP, 1.3" INDENT, 12" CENTERS						
37.1XI		20 5/21/2025	EA	1.00	1.00	_____



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-C-29/S

10/22/2025 11:03 AM  
Page 6

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	1HP XTREME 143TC 1800RPM INV DUTY* STAINLESS STEEL XTREME RPM: 1800 FOOT OPTION: FOOTLESS FRAME: 143TC ENCLOSURE: TEFC RATING: INVERTER DUTY ELECTRICAL: 3 PHASE 460V ENCAPSULATED: ENCAPSULATED						
	37.4SJ2 STERLING SS HEL BEVEL SYMMETRICAL 32:1* STERLING SYMMETRICAL STAINLESS STEEL SMOOTH BODY 403 HELICAL BEVEL 32:1 31.539:1 (EXACT) 140TC W/ TORQUE ARM	30	5/21/2025	EA		1.00	1.00 _____
	37.SSK04125U SYMMETRICAL BUSHING 1-1/4" FOR SSK04 HE* SSK04-1.250UTBK STAINLESS STEEL 1-1/4" SYMMETRICAL BUSHING KIT FOR SIZE SSK04 HELICAL BEVEL	50	5/21/2025	EA		1.00	1.00 _____
	31.2808 SPROCKET 800S 8T 1.5"SB 5.2"PD* PART #S3D8 G5CPE7 NG EZ CLEAN MOLDED SPROCKET	80	5/21/2025	EA		6.00	6.00 _____
	SET COLLARS	90	5/21/2025			0.00	0.00 _____
	15.142 SANITARY 2" SS ROLL TYPE FERRULE	100	5/21/2025	EA		1.00	1.00 _____
	31.91121 RETAINER SNAP RING 1.5" SS* (SH-206SS)	110	5/21/2025	EA		8.00	8.00 _____
	06.P40810 BRASS TAKE UP 5/8-11 W/SS NUT	120	5/21/2025	EA		2.00	2.00 _____



**D&F EQUIPMENT SALES, INC - ALABAMA**  
Work Order Traveller  
WORK ORDER ID: 121241-C-29/S

10/22/2025  
Page

11:03 AM  
7

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	95.0141902P	130	5/21/2025	EA		6.00	6.00 _____
	SPRAY NOZZLE 1/4 F8004-LN PLASTIC* ADDITIONAL PARTS REQ'D #S00202 & #06.S0415 NATURAL PVDF						
		140	5/21/2025			0.00	0.00 _____
	BEARING ASSEMBLY						
	35.UCF207.20	160	5/21/2025	EA		4.00	4.00 _____
	KML 1-1/4" SS BEARING 4-BOLT FLG						
	10.1010724	200	5/21/2025	EA		16.00	16.00 _____
	HHK/SCREW 7/16-14 X 1-1/2" SS						
	10.10407	210	5/21/2025	EA		16.00	16.00 _____
	FLAT WASHER 7/16" SS NON-TAXABLE						
	10.10507	220	5/21/2025	EA		16.00	16.00 _____
	HEX LOCK NUT 7/16"-14 SS						
	06.207.4-BOLT	440	5/21/2025	EA		3.00	3.00 _____
	SS BEARING COVER FITS 207 HOUSING 1-1/4* STAINLESS STEEL BEARING COVER, 4-BOLT PATTERN FOR FLANGE STYLE BEARING FITS 207 HOUSING FOR 1-1/4", 1-3/8", 1-7/16" AND 1-5/16" (THIS IS A CLOSED COVER.)						
	06.BG1.25-4HOLE	510	5/21/2025	EA		2.00	2.00 _____
	SS BEARING GUARD 1.25" 4-HOLE* STAINLESS STEEL (12 GAUGE) BEARING GUARD FOR 1-1/4" 4-HOLE BRG						
		540	5/21/2025			0.00	0.00 _____
	STABILIZER / TORQUE ARM ASSEMBLY -						
	37.207-UNI	550	5/21/2025	EA		1.00	1.00 _____
	STABILIZER BRACKET UNIVERSAL FITS 207* UNIVERSAL FITS 207 HOUSING FOR 1-1/4" OR 1-7/16" SHAFT						
	06.207-GBC343L	560	5/21/2025	EA		1.00	1.00 _____
	SS K343 SYMM/TLOCK GEARBOX COVER (LEFT)*						



**D&F EQUIPMENT SALES, INC - ALABAMA**  
Work Order Traveller  
WORK ORDER ID: 121241-C-29/S

10/22/2025 11:03 AM  
Page 8

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	06.207-GBC343L						
	SS K343 SYMMETRICAL / TAPER LOCK GEARBOX COVER (LEFT)*						
	LEFT HAND HORIZONTAL MOUNTING ORIENTATION						
	10.10507	600	5/21/2025	EA		1.00	1.00 _____
	HEX LOCK NUT 7/16"-14 SS						
	10.1010750	610	5/21/2025	EA		1.00	1.00 _____
	HHC/SCREW 7/16 X 3" SS						
	10.10407	620	5/21/2025	EA		3.00	3.00 _____
	FLAT WASHER 7/16" SS						
	NON-TAXABLE						
	10.10307	630	5/21/2025	EA		2.00	2.00 _____
	LOCK WASHER 7/16" SS						
	NON-TAXABLE						
		930	5/21/2025			0.00	0.00 _____
	D & F STANDADRD ESTOP -						
	45.800F1YP1	940	5/21/2025	EA		2.00	2.00 _____
	ALLEN BRADLEY E-STOP STATION						
	10.1080808	950	5/21/2025	EA		8.00	8.00 _____
	SOCKET CAP SCREW 8-32 X 1/2" SS*						
	8C50KCS3						
	10.10808N	960	5/21/2025	EA		8.00	8.00 _____
	NYLON LOCK NUT 8-32 SS*						
	8CNNE3						
		1400	5/21/2025			0.00	0.00 _____
	MISCELLANEOUS -						
	10.1011013	1410	5/21/2025	EA		4.00	4.00 _____
	HH LAG SCREW SS 1/4 X 1"						
	NON TAXABLE						
	10.1060432	1430	5/21/2025	EA		30.00	30.00 _____
	MACH SCREW 1/4"- 20 X 2" SS*						
	PHILLIPS FLAT HEAD #72718						



**D&F EQUIPMENT SALES, INC - ALABAMA**  
Work Order Traveller  
WORK ORDER ID: 121241-C-29/S

10/22/2025 11:03 AM  
Page 9

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	10.10504	1510	5/21/2025	EA		30.00	30.00 _____
	HEX NYLON LOCK NUT 1/4"-20 SS						
	NON-TAXABLE						
	10.1010616	1560	5/21/2025	EA		8.00	8.00 _____
	HHC/SCREW 3/8-16 X 1" SS						
	FASTENAL P/N 1170105						
	(NON-TAXABLE)						
	10.10306	1630	5/21/2025	EA		8.00	8.00 _____
	LOCK WASHER 3/8" SS						
	NON-TAXABLE						
	10.10210	1760	5/21/2025	EA		4.00	4.00 _____
	HEX NUT 5/8 X 11 SS						
	S00425	1790	5/21/2025	EA		30.00	30.00 _____
	SPACER 1/4" X 3/4" X 5/16" ID						
	06.DRK	1880	5/21/2025	EA		1.00	1.00 _____
	DRIVE RESTRAINT KIT						
SHIPPING	100	1.00	1.00	0.00	0.00		
SHIPPING							



OS 110 1.00 1.00 0.00 0.00  
MACHINE



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
06.IS1815-1.25	20	5/21/2025	EA	1.00	1.00	_____
SHAFT 18" IDLE WITH 1-1/4 JOURNAL						
06.DS1815-1.25	60	5/21/2025	EA	1.00	1.00	_____
SHAFT 18" DRIVE WITH 1-1/4 JOURNAL						



**D&F EQUIPMENT SALES, INC - ALABAMA**  
Work Order Traveller  
WORK ORDER ID: 121241-C-29/S

10/22/2025 11:03 AM  
Page 10

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

REWORK-S	120	1.00	1.00	0.00	0.00		
REWORK-S							




REWORK-E	130	1.00	1.00	0.00	0.00		
----------	-----	------	------	------	------	--	--




REWORK-P	140	1.00	1.00	0.00	0.00		
----------	-----	------	------	------	------	--	--







UHMW INDENT  
C121241-C-29  
WAYNE FARMS-UNION SPRING, AL  
10 FEET REQ'D



UHMW INDENT UPR RAD  
C121241-C-29  
WAYNE FARMS-UNION SPRING, AL  
(2) REQ'D










1.0000



UHMW INDENT LWR RAD  
C121241-C-29  
WAYNE FARMS-UNION SPRING, AL  
(2) REQ'D - (1) LH & (1) RH



UHMW CTR CWAY UPR RAD  
C121241-C-29  
WAYNE FARMS-UNION SPRING, AL  
(4) REQ'D



UHMW CTR CWAY LWR RAD  
C121241-C-29  
WAYNE FARMS-UNION SPRING, AL  
(4) REQ'D



UHMW L-SHAPED RWAY LWR RAD  
 C121241-C-29  
 WAYNE FARMS-UNION SPRING, AL  
 (2) REQ'D - (1) LH & (1) RH

JOB NAME

Wayne Farms

JOB NUMBER

121241-C-29

D

MATERIAL SIZE

2x1/4 Angle

PIECES

LENGTH

COPE/ANGLE

LH + RH

2 5'-9 1/4"

BW 56° DE

1L-1R

2 6 1/2"

45-1/4 BW 56

1L-1R

2 7 1/2"

45° DE

1L-1R

4 4 5/8"

SC

2 3 1/16"

SC

3 2'-2 3/8"

SC

1 3'-6"

SC

1x1/2 Ga Tubing

1 1'-8 3/4"

SC

MG