

EQUIPMENT SPEC SHEET

REVISION:



NAME & LOCATION	WAYNE FARMS	UNION SPRING, AL	CUSTOMER NUMBER	C121241			
ITEM NUMBER	C-26	ITEM SERIAL NUMBER	C121241-C-26				
ENGINEER	GARY CAMBRON	SALESMAN	HEATH MORROW	CAD TECH DESIGNER	DUSTIN CAGLE		
EQUIPMENT TYPE	BONELESS DARK MEAT INCLINE CONV				CAD TECH DETAILER	GABRIEL PEREZ	
1 BELT MANUF.	INTRALOX	2	SERIES	800S	3	BELT TYPE	OH FT
4 BELT LENGTH	53'	5	BELT COLOR	BLUE	6	BELT MATERIAL	AC (Acetal)
7 FRICTION SPACING	N/A	8	BELT INDENT	N/A	9	CENTER NOTCH	N/A
10 BELT WIDTH	12"	11	WEARSTRIP	1"X1-1/2" UHMW	12	BELT PIN MAT.	BLUE AC (Acetal)
13 BELT FLIGHTS	YES	14	FLIGHT HEIGHT	4"	15	FLIGHT TYPE	STREAMLINE
16 FLIGHT CENTERS	12"	17	FLIGHT INDENT	1.3"	18	CENTER NOTCH	
19 T.O.B. INFEEED		20	T.O.B. DISCHARGE				
21 IDLE SPROCKET	8 TOOTH	22	PITCH DIAMETER	5.2" PD	23	BORE SIZE/TYPE	1-1/2" SQUARE
24 DRIVE SPROCKET	8 TOOTH	25	PITCH DIAMETER	5.2" PD	26	BORE SIZE/TYPE	1-1/2" SQUARE
27 SPROCKETS @ DRV	3	28	SPROCKETS @ IDLE	3	29	BELT SCRAPE	NO
30 BELT WASHER	YES	31	DRIP PAN	YES	32	DRIP PAN @ DRIVE	YES
33 DRIVE SIDE	RIGHT	34	DRIVE TYPE	EXTREME DUTY	35	MTR/GB FRAME	143TC/145TC
36 MOTOR	STERLING	37	HORSEPOWER	1 HP	38	FPM	60 FPM
39 GEARBOX	K343	40	RATIO	40:1	41	MULTIPLIER	NO
42 EQUIP. MAT.	1/4" SS	43	LEGS	N/A	44	TAKE UP	STANDARD


PARTS and or MATERIAL UNIQUE TO THIS ITEM(S) / SPECIAL DESIGN SPECS (Please explain)

SAFETY LABELS AND E-STOPS TO BE LOCATED AS SHOWN.

THIS ITEM GETS A DRIVE RESTRAINT KIT

ETCHED METAL SAFETY LABELS.

THIS ITEM WILL ATTACH TO C121241-DF208A CONELINE



06.P850941225
(60) FT REQ'D
WAYNE FARMS -
UNION SPRINGS, AL
C121241-C-26

06.P8509495901LHD
(30) FT REQ'D
WAYNE FARMS -
UNION SPRINGS, AL
C121241-C-26

STD. 1 1/2" SQUARE SOLID SHAFT FORM DRAWING ONLY, THIS IS NOT TO SCALE !

JOB NUMBER : C121241-C-256
CUSTOMER : WAYNE FARMS
LOCATION : UNION SPRINGS, AL

DATE : 8/28/2025 MATL. : T303 SS

DETAILER : _____ GABRIEL PEREZ
SHOP CHECKER : _____

SHOP CHECKER : GABRIEL PEREZ

FORM DRAWING ONLY, THIS IS NOT TO SCALE!

Technical drawing of a shaft assembly with the following dimensions:

- BELT WIDTH:** 12"
- SHAFT MAT'L. = 1 1/2" SQUARE SOLID**
- KEYWAY LOCATIONS:**
 - Top: STD. 1/4" KEYWAY
 - Bottom: 11" KEYWAY
- SHAFT OVERALL LENGTH:** 30"
- Shaft Diameter:** 1 1/4" DIA.
- Shaft Top Diameter:** 1 1/4" DIA.

DRIVE SHAFT DETAIL QTY: 1 REQ'D.


STD. 1 1/2" SQUARE SODIUM SHAFT

STD. 1 1/2" SQUARE SOLID SHAFT

FORM DRAWING ONLY, THIS IS NOT TO SCALE !

JOB NUMBER : C121241-C-26
 CUSTOMER : WAYNE FARMS
 LOCATION : UNION SPRINGS, AL

DATE : 8/28/2025
 MAT'L : T303 SS
 DETAILER : GABRIEL PEREZ
 SHOP CHECKER :



IDLE SHAFT DETAIL QTY. 1 REQ'D.



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-26/S

9/18/2025 10:00 AM
Page 1

Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	-----------	------------	-------------	-----	-------------------------

121241-C-26/S DFM500I12 5/21/2025 11/14/2025 1.00



Drawing Rev:

D&F INCLINE CONVEYOR 12" WI

DENICE

Order ID:
Part ID:

Customer:

Ship To:

Shop Resources Type	Seq#	End Qty	Start Qty	Setup Hrs	Run Hrs	Start Date	Finish Date	Drawing ID/Rev
ENGINEERING	10	1.00	1.00	0.00	0.00			
ENGINEERING								



LASER SHOP 20 1.00 1.00 0.00 0.00



SHOP1 30 1.00 1.00 0.00 0.00



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
01.S101 3/16" PLATE SS 48X120	10	5/21/2025	4X10	0.00	0.00	
01.S104	20	5/21/2025	5X10	0.00	0.00	



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-26/S

9/18/2025 10:00 AM
Page 2

Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	3/16" PLATE SS 60X120						
	01.S108 1/4" PLATE SS 48X120	30	5/21/2025	4X10		0.00	0.00 _____
	01.S111 1/4" PLATE SS 60X120	40	5/21/2025	5X10		0.00	0.00 _____
	01.S127 12GA SHEET SS 48X120	50	5/21/2025	4X10		0.00	0.00 _____
	01.S129 12GA SHEET SS 60X120	60	5/21/2025	5X10		0.00	0.00 _____
	05.T804 TUBING SS 1"SQ X 11GA	70	5/21/2025	FT		0.00	0.00 _____
	30.40706 COUPLING SS 3/8"	80	5/21/2025	EA		1.00	1.00 _____
	S00024 TUBING END CAP - 1" SQ X 12 GA	90	5/21/2025	EA		1.00	1.00 _____
SHOP2	40	1.00	1.00	0.00	0.00		
SHOP2							



Part ID/Sub ID	Piece#	Date Req'd	Unit Of Measure	Qty Req'd	Qty Due	Issue
06.S0421 SLIDE QUICK CONNECT TAKEUP 4 FT REQ'D (AMW) 7/16" SQUARE BAR QTY. OF (4) REQ'D PER ASSY		10 5/21/2025	EA	4.00	4.00	
SHOP3	50	1.00	1.00	0.00	0.00	
SHOP3						



Part ID/Sub ID	Piece#	Date Rqrd	Unit Of Measure	Qty Rqrd	Qty Due	Issue
----------------	--------	-----------	-----------------	----------	---------	-------



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-26/S

9/18/2025 9:55 AM
Page 3

Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	02.SB402 SQUARE BAR 1/4" SS FOR GEARBOXES		10 5/21/2025	FT		0.00	0.00 _____
	06.S0415 BELT WASH 12" SPLASH SHIELD STD 304		20 5/21/2025	EA		2.00	2.00 _____
	S00421A DRIVE DRIP PAN 30" X 11" (FOR NORDISTOBER GEARBOXES)		30 5/21/2025	EA		1.00	1.00 _____
	06.S00421HA SS DRIP PAN HANGER 1"W FLAT BAR W/ 7/16"H* 1"W FLAT BAR WITH 7/16" HOLE 6.75" OVERAL LENGTH		40 5/21/2025	EA		2.00	2.00 _____
UHMW PARTS	60	1.00	1.00	0.00	0.00		
UHMW PARTS							



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
06.P850941225 UHMW WEARSTRIP 1" X 1-1/2"		10 5/21/2025	FT	60.00	60.00	_____
06.P8509495901LHD UHMW WEARSTRIP L-SHAPE 1"X2-1/4" W/ NOT*		20 5/21/2025	FT	30.00	30.00	_____
		30 5/21/2025		20.00	20.00	_____
UHMW BEVELED INDENT, SEE DRAWING						
		40 5/21/2025		40.00	40.00	_____
UHMW REC INDENT, SEE DRAWING						
		50 5/21/2025		2.00	2.00	_____
UHMW INDENT UPR RAD, SEE DRAWING						
		60 5/21/2025		2.00	2.00	_____
UHMW INDENT LWR RAD (2) REQ'D 1LH-1RH, SEE DRAWING						



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-26/S

9/18/2025 9:55 AM
Page 4

Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
		70	5/21/2025			3.00	3.00 _____
	UHMW CWAY UPR RAD, SEE DRAWING						
		80	5/21/2025			3.00	3.00 _____
	UHMW CWAY LWR RAD, SEE DRAWING						
		90	5/21/2025			2.00	2.00 _____
	UHMW L-SHAPED RWAY UPR RAD (2) REQ'D 1LH-1RH, SEE DRAWING						
		100	5/21/2025			2.00	2.00 _____
	UHMW L-SHAPED RWAY LWR RAD (2) REQ'D 1LH-1RH, SEE DRAWING						
SUB-ASSY 1	70	1.00	1.00	0.00	0.00		
SUB-ASSY 1							



SUB-ASSY 2	80	1.00	1.00	0.00	0.00
SUB-ASSY 2					



FINAL ASSEM	90	1.00	1.00	0.00	0.00
FINALASSEMB					



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
		10	5/21/2025		53.00	53.00 _____
BELT - 800S 12"W OH FT BLUE AC W/ BLUE AC RODS 4" STREAMLINE FLIGHTS, 12"C, 1.30" I						



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-26/S

9/18/2025 9:55 AM
Page 5

Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev	Engineer
	37.1XI	20	5/21/2025	EA		1.00	1.00	_____
	1HP XTREME 143TC 1800RPM INV DUTY*							
	STAINLESS STEEL							
	XTREME							
	RPM: 1800							
	FOOT OPTION: FOOTLESS							
	FRAME: 143TC							
	ENCLOSURE: TEFC							
	RATING: INVERTER DUTY							
	ELECTRICAL: 3 PHASE 460V							
	ENCAPSULATED: ENCAPSULATED							
	37.4SK2	30	5/21/2025	EA		1.00	1.00	_____
	STERLING SS HEL BEVEL SYMMETRICAL 40:1*							
	STERLING SYMMETRICAL							
	STAINLESS STEEL SMOOTH BODY							
	403 HELICAL BEVEL							
	40:1 38.872:1 (EXACT)							
	140TC							
	W/ TORQUE ARM							
	37.SSK04125U	40	5/21/2025	EA		1.00	1.00	_____
	SYMMETRICAL BUSHING 1-1/4" FOR SSK04 HE*							
	SSK04-1.250UTBK							
	STAINLESS STEEL							
	1-1/4" SYMMETRICAL BUSHING KIT FOR							
	SIZE SSK04 HELICAL BEVEL							
	06.DRK	50	5/21/2025	EA		1.00	1.00	_____
	DRIVE RESTRAINT KIT							
	31.2808	60	5/21/2025	EA		6.00	6.00	_____
	SPROCKET 800S 8T 1.5"SB 5.2"PD*							
	PART #S3D8 G5CPE7 NG							
	EZ CLEAN MOLDED SPROCKET							
		70	5/21/2025			0.00	0.00	_____
	SET COLLARS							
	15.142	80	5/21/2025	EA		1.00	1.00	_____
	SANITARY 2" SS ROLL TYPE FERRULE							



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-26/S

9/18/2025 9:55 AM
Page 6

Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
31.91121	90	5/21/2025	EA			8.00	8.00 _____
	RETAINER SNAP RING 1.5" SS*						
	(SH-206SS)						
06.P40810	100	5/21/2025	EA			2.00	2.00 _____
	BRASS TAKE UP 5/8-11 W/SS NUT						
95.0141902P	110	5/21/2025	EA			4.00	4.00 _____
	SPRAY NOZZLE 1/4 F8004-LN PLASTIC*						
	ADDITIONAL PARTS REQ'D #S00202 & #06.S0415						
	NATURAL PVDF						
	BEARING ASSEMBLY	120	5/21/2025			0.00	0.00 _____
35.UCF207.20	130	5/21/2025	EA			4.00	4.00 _____
	KML 1-1/4" SS BEARING 4-BOLT FLG						
10.1010724	140	5/21/2025	EA			16.00	16.00 _____
	HHC/SCREW 7/16-14 X 1-1/2" SS						
10.10407	150	5/21/2025	EA			16.00	16.00 _____
	FLAT WASHER 7/16" SS						
	NON-TAXABLE						
10.10507	160	5/21/2025	EA			16.00	16.00 _____
	HEX LOCK NUT 7/16"-14 SS						
06.207.4-BOLT	170	5/21/2025	EA			3.00	3.00 _____
	SS BEARING COVER FITS 207 HOUSING 1-1/4"						
	STAINLESS STEEL BEARING COVER, 4-BOLT PATTERN FOR FLANGE STYLE BEARING						
	FITS 207 HOUSING FOR 1-1/4", 1-3/8", 1-7/16" AND 1-5/16"						
	(THIS IS A CLOSED COVER.)						
06.BG1.25-4HOLE	180	5/21/2025	EA			4.00	4.00 _____
	SS BEARING GUARD 1.25" 4-HOLE*						
	STAINLESS STEEL (12 GAUGE)						
	BEARING GUARD						
	FOR 1-1/4" 4-HOLE BRG						
	190	5/21/2025				0.00	0.00 _____
	STABILIZER / TORQUE ARM ASSEMBLY -						



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-26/S

9/18/2025
Page

9:55 AM
7

Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	06.207-GBC343R	200	5/21/2025	EA		1.00	1.00 _____
	SS K343 SYMM/TLOCK GEARBOX COVER (RIGHT)*						
	06.207-GBC343R	210	5/21/2025	EA		0.00	0.00 _____
	SS K343 SYMMETRICAL / TAPER LOCK GEARBOX COVER (RIGHT)*						
	RIGHT HAND HORIZONTAL MOUNTING ORIENTATION						
	D & F STANDADRD ESTOP -						
	45.800F1YP1	220	5/21/2025	EA		1.00	1.00 _____
	ALLEN BRADLEY E-STOP STATION						
	10.1080808	230	5/21/2025	EA		4.00	4.00 _____
	SOCKET CAP SCREW 8-32 X 1/2" SS*						
	8C50KCS3						
	10.10808N	240	5/21/2025	EA		4.00	4.00 _____
	NYLON LOCK NUT 8-32 SS*						
	8CNNE3						
	MISCELLANEOUS -	250	5/21/2025	EA		0.00	0.00 _____
	10.1060430	260	5/21/2025	EA		80.00	80.00 _____
	MACH SCREW 1/4"-20 X 1-3/4" SS*						
	PHILLIPS FLAT HEAD (NON-TAXABLE)						
	10.10504	270	5/21/2025	EA		80.00	80.00 _____
	HEX NYLON LOCK NUT 1/4"-20 SS						
	NON-TAXABLE						
	10.1010616	280	5/21/2025	EA		6.00	6.00 _____
	HHC/SCREW 3/8-16 X 1" SS						
	FASTENAL P/N 1170105						
	(NON-TAXABLE)						
	10.10306	290	5/21/2025	EA		4.00	4.00 _____
	LOCK WASHER 3/8" SS						
	NON-TAXABLE						
	10.1010820	300	5/21/2025	EA		4.00	4.00 _____
	HHC/SCREW 1/2-13 X 1-1/4" SS						
	NON-TAXABLE						



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-26/S

9/18/2025 9:55 AM
Page 8

Work Order ID	Part ID	Release	Want Date	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	-----------	------------	-------------	-----	-------------------------

10.10508 310 5/21/2025 EA 4.00 4.00 _____
HEX LOCK NUT 1/2" -13 SS

SHIPPING 100 1.00 1.00 0.00 0.00
SHIPPING



OS 110 1.00 1.00 0.00 0.00
MACHINE



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
06.DS1215-1.25 SHAFT 12" DRIVE WITH 1-1/4 JOURNAL	10	5/21/2025	EA	1.00	1.00	_____
06.IS1215-1.25 SHAFT 12" IDLE WITH 1-1/4 JOURNAL	20	5/21/2025	EA	1.00	1.00	_____
REWORK-S REWORK-S	120	1.00	1.00	0.00	0.00	



REWORK-E 130 1.00 1.00 0.00 0.00






D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-C-26/S


9/18/2025 9:55 AM
Page 9

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev	Engineer
REWORK-P	140	1.00	1.00	0.00	0.00			







WAYNE FARMS - UNION SPRINGS, AL
C121241-C-26
UHMW BEVELED INDENT
(20) FT REQ'D



WAYNE FARMS - UNION SPRINGS, AL
C121241-C-26
UHMW REC INDENT
(40) FT REQ'D




WAYNE FARMS - UNION SPRINGS, AL
C121241-C-26
UHMW INDENT UPR RAD
(2) REQ'D




WAYNE FARMS - UNION SPRINGS, AL
C121241-C-26
UHMW INDENT LWR RAD
(2) REQ'D 1LH-1RH

27.3223




1.0000
1.5000

WAYNE FARMS - UNION SPRINGS, AL
C121241-C-26
UHMW CWAY UPR RAD
(3) REQ'D



WAYNE FARMS - UNION SPRINGS, AL
C121241-C-26
UHMW CWAY LWR RAD
(3) REQ'D



0.7500
0.2500
2.2500
1.0000

1.5000

WAYNE FARMS - UNION SPRINGS, AL
C121241-C-26
UHMW L-SHAPED RWAY UPR RAD
(2) REQ'D 1LH-1RH

