

# EQUIPMENT SPEC SHEET

REVISION:



|                 |                  |                               |    |                    |                |               |                  |                  |
|-----------------|------------------|-------------------------------|----|--------------------|----------------|---------------|------------------|------------------|
| NAME & LOCATION |                  | WAYNE FARMS UNION SPRING, AL  |    | CUSTOMER NUMBER    |                | C121241       |                  |                  |
| ITEM NUMBER     |                  | DF-X3                         |    | ITEM SERIAL NUMBER |                | C121241-DF-X3 |                  |                  |
|                 |                  |                               |    | ITEMS REQ'D        |                | 1             |                  |                  |
| ENGINEER        |                  | GARY CAMBRON                  |    | SALESMAN           |                | HEATH MORROW  |                  |                  |
|                 |                  |                               |    | CAD TECH DESIGNER  |                | DUSTIN CAGLE  |                  |                  |
| EQUIPMENT TYPE  |                  | BONELESS BREAST TRANSFER CONV |    | CAD TECH DETAILER  |                | ETHAN JONES   |                  |                  |
| 1               | BELT MANUF.      | INTRALOX                      | 2  | SERIES             | 1600S          | 3             | BELT TYPE        | OH FT            |
| 4               | BELT LENGTH      | 155'                          | 5  | BELT COLOR         | BLUE           | 6             | BELT MATERIAL    | AC (Acetal)      |
| 7               | FRICTION SPACING | N/A                           | 8  | BELT INDENT        | N/A            | 9             | CENTER NOTCH     | N/A              |
| 10              | BELT WIDTH       | 18"                           | 11 | WEARSTRIP          | 1"X1-1/2" UHMW | 12            | BELT PIN MAT.    | BLUE AC (Acetal) |
| 13              | BELT FLIGHTS     | NO                            | 14 | FLIGHT HEIGHT      |                | 15            | FLIGHT TYPE      |                  |
| 16              | FLIGHT CENTERS   |                               | 17 | FLIGHT INDENT      |                | 18            | CENTER NOTCH     |                  |
| 19              | T.O.B. INFEED    |                               | 20 | T.O.B. DISCHARGE   |                |               |                  |                  |
| 21              | IDLE SPROCKET    | 12 TOOTH                      | 22 | PITCH DIAMETER     | 3.9" PD        | 23            | BORE SIZE/TYPE   | 1-1/2" SQUARE    |
| 24              | DRIVE SPROCKET   | 16 TOOTH                      | 25 | PITCH DIAMETER     | 5.1" PD        | 26            | BORE SIZE/TYPE   | 1-1/2" SQUARE    |
| 27              | SPROCKETS @ DRV  | 4                             | 28 | SPROCKETS @ IDLE   | 4              | 29            | BELT SCRAPE      | NO               |
| 30              | BELT WASHER      | YES                           | 31 | DRIP PAN           | YES            | 32            | DRIP PAN @ DRIVE | YES              |
| 33              | DRIVE SIDE       | RIGHT (VERTICAL)              | 34 | DRIVE TYPE         | EXTREME DUTY   | 35            | MTR/GB FRAME     | 143TC/145TC      |
| 36              | MOTOR            | STERLING                      | 37 | HORSEPOWER         | 1 HP           | 38            | FPM              | 60 FPM           |
| 39              | GEARBOX          | K343                          | 40 | RATIO              | 40:1           | 41            | MULTIPLIER       | NO               |
| 42              | EQUIP. MAT.      | 1/4" SS                       | 43 | LEGS               | 2" ANGLE       | 44            | TAKE UP          | STANDARD         |

PARTS and or MATERIAL UNIQUE TO THIS ITEM(S) / SPECIAL DESIGN SPECS (Please explain)

SAFETY LABELS AND E-STOPS TO BE LOCATED AS SHOWN.

THIS ITEM GETS A DRIVE RESTRAINT KIT

ETCHED METAL SAFETY LABELS.

DRAWING COMPLETION DATE

9/18/2025


DELIVERY DATE

11/21/2025

STD. 1 1/2" SQUARE SOLID SHAFT

FORM DRAWING ONLY, THIS IS NOT TO SCALE !

|              |                   |         |           |                |             |
|--------------|-------------------|---------|-----------|----------------|-------------|
| JOB NUMBER : | C121241-DF-X3     | DATE :  | 5/30/2024 | DETAILER :     | ETHAN JONES |
| CUSTOMER :   | WAYNE FARMS       | MAT'L : | T303 SS   | SHOP CHECKER : |             |
| LOCATION :   | UNION SPRINGS, AL |         |           |                |             |



DRIVE SHAFT DETAIL QTY. 1 REQ'D.


STD. 1 1/2" SQUARE SOLID SHAFT

FORM DRAWING ONLY, THIS IS NOT TO SCALE !

JOB NUMBER : C121241-DF-X3  
CUSTOMER : WAYNE FARMS  
LOCATION : UNION SPRINGS, AL

DATE : 5/30/2024  
MATERIAL : T503 SS

DETAILER : ETHAN JONES  
SHOP CHECKER :



IDLE SHAFT DETAIL QTY. 1 REQ'D.



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-DF-X3/S

9/18/2025 10:06 AM  
Page 1

| Work Order ID | Part ID | Release | WantDate | Start Date | Finish Date | Qty | Drawing ID/Rev<br>Engineer |
|---------------|---------|---------|----------|------------|-------------|-----|----------------------------|
|---------------|---------|---------|----------|------------|-------------|-----|----------------------------|

|                |           |           |            |  |  |      |  |
|----------------|-----------|-----------|------------|--|--|------|--|
| 121241-DF-X3/S | DFM500I18 | 5/21/2025 | 11/14/2025 |  |  | 1.00 |  |
|----------------|-----------|-----------|------------|--|--|------|--|



Drawing Rev:

D&F INCLINE CONVEYOR 18" WI

DENICE

Order ID:  
Part ID:

Customer:

Ship To:

| Shop Resources<br>Type     | Seq# | End Qty | Start Qty | Setup<br>Hrs | Run Start<br>Hrs Date | Finish<br>Date | Drawing ID/Rev |
|----------------------------|------|---------|-----------|--------------|-----------------------|----------------|----------------|
| ENGINEERING<br>ENGINEERING | 10   | 1.00    | 1.00      | 0.00         | 0.00                  |                |                |



|                          |    |      |      |      |      |  |  |
|--------------------------|----|------|------|------|------|--|--|
| LASER SHOP<br>LASER SHOP | 20 | 1.00 | 1.00 | 0.00 | 0.00 |  |  |
|--------------------------|----|------|------|------|------|--|--|



|                |    |      |      |      |      |  |  |
|----------------|----|------|------|------|------|--|--|
| SHOP1<br>SHOP1 | 30 | 1.00 | 1.00 | 0.00 | 0.00 |  |  |
|----------------|----|------|------|------|------|--|--|



| Part ID/Sub ID                   | Piece# | Date Reqd | Unit Of Measur | Qty Reqd | Qty Due | Issue |
|----------------------------------|--------|-----------|----------------|----------|---------|-------|
| 01.S101<br>3/16" PLATE SS 48X120 | 10     | 5/21/2025 | 4X10           | 0.00     | 0.00    | _____ |
| 01.S104                          | 20     | 5/21/2025 | 5X10           | 0.00     | 0.00    | _____ |



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-DF-X3/S

9/18/2025  
Page

10:06 AM  
2

| Work Order ID  | Part ID                                  | Release | WantDate  | Start Date | Finish Date | Qty  | Drawing ID/Rev<br>Engineer |
|----------------|--|---------|-----------|------------|-------------|------|----------------------------|
|                | 3/16" PLATE SS 60X120                    |         |           |            |             |      |                            |
|                | 01.S108<br>1/4" PLATE SS 48X120          | 30      | 5/21/2025 | 4X10       |             | 0.00 | 0.00 _____                 |
|                | 01.S111<br>1/4" PLATE SS 60X120          | 40      | 5/21/2025 | 5X10       |             | 0.00 | 0.00 _____                 |
|                | 01.S127<br>12GA SHEET SS 48X120          | 50      | 5/21/2025 | 4X10       |             | 0.00 | 0.00 _____                 |
|                | 01.S129<br>12GA SHEET SS 60X120          | 60      | 5/21/2025 | 5X10       |             | 0.00 | 0.00 _____                 |
|                | 03.A611<br>ANGLE IRON 2" X 2" X 3/16" SS | 70      | 5/21/2025 | FT         |             | 0.00 | 0.00 _____                 |
|                | 03.A612<br>ANGLE IRON 2" X 2" X 1/4" SS  | 80      | 5/21/2025 | FT         |             | 0.00 | 0.00 _____                 |
|                | 05.T802<br>TUBING SS 1"SQ X 16GA         | 90      | 5/21/2025 | FT         |             | 0.00 | 0.00 _____                 |
|                | 05.T804<br>TUBING SS 1"SQ X 11GA         | 100     | 5/21/2025 | FT         |             | 0.00 | 0.00 _____                 |
|                | 30.40706<br>COUPLING SS 3/8"             | 110     | 5/21/2025 | EA         |             | 1.00 | 1.00 _____                 |
|                | S00024<br>TUBING END CAP - 1" SQ X 12 GA | 120     | 5/21/2025 | EA         |             | 1.00 | 1.00 _____                 |
| SHOP2<br>SHOP2 | 40                                       | 1.00    | 1.00      | 0.00       | 0.00        |      |                            |



| Part ID/Sub ID   | Piece# | Date Req'd | Unit Of Measur | Qty Req'd | Qty Due | Issue |
|--|--------|------------|----------------|-----------|---------|-------|
| 06.S00070<br>LEG INSERT 1-1/2"X 1-1/2" X 1/2"*<br>3/4" THDS. | 10     | 5/21/2025  | EA             | 2.00      | 2.00    | _____ |
| 06.S0421<br>SLIDE QUICK CONNECT TAKEUP 4 FT REQ'D            | 20     | 5/21/2025  | EA             | 4.00      | 4.00    | _____ |



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveler  
WORK ORDER ID: 121241-DF-X3/S

9/18/2025  
Page

10:06 AM  
3

| Work Order ID | Part ID | Release | WantDate | Start Date | Finish Date | Qty | Drawing ID/Rev<br>Engineer |
|---------------|---------|---------|----------|------------|-------------|-----|----------------------------|
|---------------|---------|---------|----------|------------|-------------|-----|----------------------------|

(AMW) 7/16" SQUARE BAR QTY. OF  
(4) REQ'D PER ASSY

|       |    |      |      |      |      |
|-------|----|------|------|------|------|
| SHOP3 | 50 | 1.00 | 1.00 | 0.00 | 0.00 |
| SHOP3 |    |      |      |      |      |



| Part ID/Sub ID   | Piece# | Date Req'd | Unit Of Measur | Qty Req'd | Qty Due | Issue |
|--|--------|------------|----------------|-----------|---------|-------|
| 02.SB402<br>SQUARE BAR 1/4" SS<br>FOR GEARBOXES  | 10     | 5/21/2025  | FT             | 1.00      | 1.00    | _____ |
| 06.S0415<br>BELT WASH 12" SPLASH SHIELD STD 304  | 20     | 5/21/2025  | EA             | 2.00      | 2.00    | _____ |
| S00371-S<br>LEG ADJUSTER 9"X3/4" ATR W/SS PAD 10GA*<br>SWIVEL TYPE   | 30     | 5/21/2025  | EA             | 2.00      | 2.00    | _____ |
| S00421H<br>DRIVE DRIP PAN (HYDRAULIC)<br>16" X 8" INSIDE DIM   | 40     | 5/21/2025  | EA             | 1.00      | 1.00    | _____ |
| 06.S00421HA<br>SS DRIP PAN HANGER 1"W FLAT BAR W/ 7/16"H*<br>1"W FLAT BAR WITH 7/16" HOLE<br>6.75" OVERAL LENGTH | 50     | 5/21/2025  | EA             | 2.00      | 2.00    | _____ |
| 02.BSR212<br>BEARING SIZE ROD 1" SS  | 60     | 5/21/2025  | FT             | 0.00      | 0.00    | _____ |

|            |    |      |      |      |      |
|------------|----|------|------|------|------|
| UHMW PARTS | 60 | 1.00 | 1.00 | 0.00 | 0.00 |
| UHMW PARTS |    |      |      |      |      |



| Part ID/Sub ID                              | Piece# | Date Req'd | Unit Of Measur | Qty Req'd | Qty Due | Issue |
|---|--------|------------|----------------|-----------|---------|-------|
| 06.P850941225<br>UHMW WEARSTRIP 1" X 1-1/2" | 10     | 5/21/2025  | FT             | 400.00    | 400.00  | _____ |



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-DF-X3/S

9/18/2025  
Page

10:06 AM  
4

| Work Order ID | Part ID                                     | Release | WantDate  | Start Date | Finish Date | Qty    | Drawing ID/Rev<br>Engineer |
|---------------|---|---------|-----------|------------|-------------|--------|----------------------------|
|               | 06.P8509495901LHD                           | 20      | 5/21/2025 | FT         |             | 160.00 | 160.00 _____               |
|               | UHMW WEARSTRIP L-SHAPE 1"X2-1/4" W/ NOT*    |         |           |            |             |        |                            |
|               | 06.040W                                     | 30      | 5/21/2025 | EA         |             | 6.00   | 6.00 _____                 |
|               | UHMW WHEEL 4"DIA X 1"W 1.03"B               |         |           |            |             |        |                            |
|               |   | 40      | 5/21/2025 |            |             | 2.00   | 2.00 _____                 |
|               | UHMW, HOLD DOWN<br>SEE DRAWING              |         |           |            |             |        |                            |
|               |   | 50      | 5/21/2025 |            |             | 4.00   | 4.00 _____                 |
|               | UHMW, BOTTOM REC CARRYWAY<br>SEE DRAWING    |         |           |            |             |        |                            |
|               |   | 60      | 5/21/2025 |            |             | 2.00   | 2.00 _____                 |
|               | UHMW, BOTTOM L-SHAPED RETURN<br>SEE DRAWING |         |           |            |             |        |                            |
|               |   | 70      | 5/21/2025 |            |             | 1.00   | 1.00 _____                 |
|               | UHMW, BOTTOM REC RETURN<br>SEE DRAWING      |         |           |            |             |        |                            |
|               |   | 80      | 5/21/2025 |            |             | 4.00   | 4.00 _____                 |
|               | UHMW, TOP REC CARRYWAY<br>SEE DRAWING       |         |           |            |             |        |                            |
|               |   | 90      | 5/21/2025 |            |             | 2.00   | 2.00 _____                 |
|               | UHMW, TOP L-SHAPED RETURN<br>SEE DRAWING    |         |           |            |             |        |                            |
|               |   | 100     | 5/21/2025 |            |             | 1.00   | 1.00 _____                 |
|               | UHMW, TOP REC RETURN<br>SEE DRAWING         |         |           |            |             |        |                            |
|               |   | 110     | 5/21/2025 |            |             | 1.00   | 1.00 _____                 |
|               | UHMW, NOSEBAR<br>SEE DRAWING                |         |           |            |             |        |                            |



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-DF-X3/S

9/18/2025  
Page

10:06 AM  
5

| Work Order ID | Part ID | Release | WantDate | Start Date | Finish Date | Qty | Drawing ID/Rev<br>Engineer |
|---------------|---------|---------|----------|------------|-------------|-----|----------------------------|
|---------------|---------|---------|----------|------------|-------------|-----|----------------------------|

|            |    |      |      |      |      |  |  |
|------------|----|------|------|------|------|--|--|
| SUB-ASSY 1 | 70 | 1.00 | 1.00 | 0.00 | 0.00 |  |  |
| SUB-ASSY 1 |    |      |      |      |      |  |  |



|            |    |      |      |      |      |  |  |
|------------|----|------|------|------|------|--|--|
| SUB-ASSY 2 | 80 | 1.00 | 1.00 | 0.00 | 0.00 |  |  |
| SUB-ASSY 2 |    |      |      |      |      |  |  |



|             |    |      |      |      |      |  |  |
|-------------|----|------|------|------|------|--|--|
| FINAL ASSEM | 90 | 1.00 | 1.00 | 0.00 | 0.00 |  |  |
| FINALASSEMB |    |      |      |      |      |  |  |



| Part ID/Sub ID                                | Piece# | Date Req'd   | Unit Of Measur | Qty Req'd | Qty Due | Issue |
|---|--------|--------------|----------------|-----------|---------|-------|
|   |        | 10 5/21/2025 |                | 155.00    | 155.00  | _____ |
| BELT 1600S 18"W OH FT AC BLUE W/ BLUE AC RODS |        |              |                |           |         |       |
| 37.1XI  | 20     | 5/21/2025    | EA             | 1.00      | 1.00    | _____ |
| 1HP XTREME 143TC 1800RPM INV DUTY*            |        |              |                |           |         |       |
| STAINLESS STEEL                               |        |              |                |           |         |       |
| XTREME  |        |              |                |           |         |       |
| RPM: 1800                                     |        |              |                |           |         |       |
| FOOT OPTION: FOOTLESS                         |        |              |                |           |         |       |
| FRAME: 143TC                                  |        |              |                |           |         |       |
| ENCLOSURE: TEFC                               |        |              |                |           |         |       |
| RATING: INVERTER DUTY                         |        |              |                |           |         |       |
| ELECTRICAL: 3 PHASE 460V                      |        |              |                |           |         |       |
| ENCAPSULATED: ENCAPSULATED                    |        |              |                |           |         |       |
| 37.4SK2                                       | 30     | 5/21/2025    | EA             | 1.00      | 1.00    | _____ |





D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-DF-X3/S

9/18/2025  
Page

10:06 AM  
6

| Work Order ID | Part ID  | Release | WantDate  | Start Date | Finish Date | Qty   | Drawing ID/Rev | Engineer |
|---------------|--|---------|-----------|------------|-------------|-------|----------------|----------|
|               | STERLING SS HEL BEVEL SYMMETRICAL 40:1*<br>STERLING SYMMETRICAL<br>STAINLESS STEEL SMOOTH BODY<br>403 HELICAL BEVEL<br>40:1 38.872:1 (EXACT)<br>140TC<br>W/ TORQUE ARM |         |           |            |             |       |                |          |
|               | 37.SSK04125U   | 40      | 5/21/2025 | EA         |             | 1.00  | 1.00           |          |
|               | SYMMETRICAL BUSHING 1-1/4" FOR SSK04 HE*<br>SSK04-1.250UTBK<br>STAINLESS STEEL<br>1-1/4" SYMMETRICAL BUSHING KIT FOR<br>SIZE SSK04 HELICAL BEVEL                       |         |           |            |             |       |                |          |
|               | 06.DRK   | 50      | 5/21/2025 | EA         |             | 1.00  | 1.00           |          |
|               | DRIVE RESTRAINT KIT  |         |           |            |             |       |                |          |
|               | 31.21612   | 60      | 5/21/2025 | EA         |             | 4.00  | 4.00           |          |
|               | SPROCKET 1600S 12T 1.5"SB 3.9"PD*<br>EZ CLEAN<br>PART #S3F8 G5CHE7 NG  |         |           |            |             |       |                |          |
|               | 31.21616   | 70      | 5/21/2025 | EA         |             | 4.00  | 4.00           |          |
|               | SPROCKET 1600S 16T 1.5"SB 5.2"PD ANGLED*<br>ANGLED EZ CLEAN SPROCKETS  |         |           |            |             |       |                |          |
|               | 47.02116   | 80      | 5/21/2025 | EA         |             | 12.00 | 12.00          |          |
|               | SET COLLAR 1" SS   |         |           |            |             |       |                |          |
|               | 15.142   | 90      | 5/21/2025 | EA         |             | 2.00  | 2.00           |          |
|               | SANITARY 2" SS ROLL TYPE FERRULE   |         |           |            |             |       |                |          |
|               | 31.91121   | 100     | 5/21/2025 | EA         |             | 10.00 | 10.00          |          |
|               | RETAINER SNAP RING 1.5" SS*<br>(SH-206SS)  |         |           |            |             |       |                |          |
|               | 06.P40810  | 110     | 5/21/2025 | EA         |             | 2.00  | 2.00           |          |
|               | BRASS TAKE UP 5/8-11 W/SS NUT  |         |           |            |             |       |                |          |
|               | 95.0141902P  | 120     | 5/21/2025 | EA         |             | 5.00  | 5.00           |          |
|               | SPRAY NOZZLE 1/4 F8004-LN PLASTIC*<br>ADDITIONAL PARTS REQ'D #S00202 & #06.S0415<br>NATURAL PVDF   |         |           |            |             |       |                |          |
|               |  | 130     | 5/21/2025 |            |             | 0.00  | 0.00           |          |



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-DF-X3/S

9/18/2025  
Page

10:06 AM  
7

| Work Order ID    | Part ID   | Release | WantDate  | Start Date | Finish Date | Qty   | Drawing ID/Rev<br>Engineer |
|------------------|---|---------|-----------|------------|-------------|-------|----------------------------|
| BEARING ASSEMBLY |   |         |           |            |             |       |                            |
|                  | 35.UCF207.20  | 140     | 5/21/2025 | EA         |             | 4.00  | 4.00 _____                 |
|                  | KML 1-1/4" SS BEARING 4-BOLT FLG  |         |           |            |             |       |                            |
|                  | 10.1010724  | 150     | 5/21/2025 | EA         |             | 16.00 | 16.00 _____                |
|                  | HHC/SCREW 7/16-14 X 1-1/2" SS   |         |           |            |             |       |                            |
|                  | 10.10407  | 160     | 5/21/2025 | EA         |             | 16.00 | 16.00 _____                |
|                  | FLAT WASHER 7/16" SS<br>NON-TAXABLE   |         |           |            |             |       |                            |
|                  | 10.10507  | 170     | 5/21/2025 | EA         |             | 16.00 | 16.00 _____                |
|                  | HEX LOCK NUT 7/16"-14 SS  |         |           |            |             |       |                            |
|                  | 35.UCFL205.16   | 180     | 5/21/2025 | EA         |             | 4.00  | 4.00 _____                 |
|                  | KML 1" SS BEARING 2-BOLT FLG  |         |           |            |             |       |                            |
|                  | 10.1010624  | 190     | 5/21/2025 | EA         |             | 8.00  | 8.00 _____                 |
|                  | HHC/SCREW 3/8-16 X 1-1/2" SS  |         |           |            |             |       |                            |
|                  | 10.10406  | 200     | 5/21/2025 | EA         |             | 8.00  | 8.00 _____                 |
|                  | FLAT WASHER 3/8" SS<br>FASTENAL P/N 1171017<br>(NON-TAXABLE)  |         |           |            |             |       |                            |
|                  | 10.10506  | 210     | 5/21/2025 | EA         |             | 8.00  | 8.00 _____                 |
|                  | HEX NYLON LOCK NUT 3/8"-16 SS   |         |           |            |             |       |                            |
|                  | 06.207.4-BOLT   | 220     | 5/21/2025 | EA         |             | 3.00  | 3.00 _____                 |
|                  | SS BEARING COVER FITS 207 HOUSING 1-1/4"<br>STAINLESS STEEL BEARING COVER, 4-BOLT PATTERN FOR FLANGE STYLE BEARING<br>FITS 207 HOUSING FOR 1-1/4", 1-3/8", 1-7/16" AND 1-5/16"<br>(THIS IS A CLOSED COVER.) |         |           |            |             |       |                            |
|                  | 06.205.2-BOLT   | 230     | 5/21/2025 | EA         |             | 4.00  | 4.00 _____                 |
|                  | SS BEARING COVER FITS 205 HOUSING 1" 2B*<br>STAINLESS STEEL BEARING COVER, 2-BOLT PATTERN<br>FITS 205 HOUSING FOR 1" BEARING<br>(THIS IS A CLOSED COVER.)   |         |           |            |             |       |                            |
|                  | 06.BG1.25-4HOLE   | 240     | 5/21/2025 | EA         |             | 4.00  | 4.00 _____                 |
|                  | SS BEARING GUARD 1.25" 4-HOLE*<br>STAINLESS STEEL (12 GAUGE)  |         |           |            |             |       |                            |



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-DF-X3/S

9/18/2025  
Page

10:06 AM  
8

| Work Order ID | Part ID                                | Release | WantDate  | Start Date | Finish Date | Qty  | Drawing ID/Rev<br>Engineer |
|---------------|--|---------|-----------|------------|-------------|------|----------------------------|
|               | BEARING GUARD<br>FOR 1-1/4" 4-HOLE BRG |         |           |            |             |      |                            |
|               |  | 250     | 5/21/2025 |            |             | 0.00 | 0.00 _____                 |
|               | STABILIZER / TORQUE ARM ASSEMBLY -     |         |           |            |             |      |                            |
|               | 37.207-UNI                             | 260     | 5/21/2025 | EA         |             | 1.00 | 1.00 _____                 |
|               | STABILIZER BRACKET UNIVERSAL FITS 207* |         |           |            |             |      |                            |
|               | UNIVERSAL FITS 207 HOUSING             |         |           |            |             |      |                            |
|               | FOR 1-1/4" OR 1-7/16" SHAFT            |         |           |            |             |      |                            |
|               | 10.10507                               | 270     | 5/21/2025 | EA         |             | 1.00 | 1.00 _____                 |
|               | HEX LOCK NUT 7/16"-14 SS               |         |           |            |             |      |                            |
|               | 10.1010750                             | 280     | 5/21/2025 | EA         |             | 1.00 | 1.00 _____                 |
|               | HHC/SCREW 7/16 X 3" SS                 |         |           |            |             |      |                            |
|               | 10.10407                               | 290     | 5/21/2025 | EA         |             | 3.00 | 3.00 _____                 |
|               | FLAT WASHER 7/16" SS                   |         |           |            |             |      |                            |
|               | NON-TAXABLE                            |         |           |            |             |      |                            |
|               | 10.10307                               | 300     | 5/21/2025 | EA         |             | 2.00 | 2.00 _____                 |
|               | LOCK WASHER 7/16" SS                   |         |           |            |             |      |                            |
|               | NON-TAXABLE                            |         |           |            |             |      |                            |
|               |  | 310     | 5/21/2025 |            |             | 0.00 | 0.00 _____                 |
|               | D & F STANDADRD ESTOP -                |         |           |            |             |      |                            |
|               | 45.800F1YP1                            | 320     | 5/21/2025 | EA         |             | 1.00 | 1.00 _____                 |
|               | ALLEN BRADLEY E-STOP STATION           |         |           |            |             |      |                            |
|               | 10.1080808                             | 330     | 5/21/2025 | EA         |             | 4.00 | 4.00 _____                 |
|               | SOCKET CAP SCREW 8-32 X 1/2" SS*       |         |           |            |             |      |                            |
|               | 8C50KCS3                               |         |           |            |             |      |                            |
|               | 10.10808N                              | 340     | 5/21/2025 | EA         |             | 4.00 | 4.00 _____                 |
|               | NYLON LOCK NUT 8-32 SS*                |         |           |            |             |      |                            |
|               | 8CNNE3                                 |         |           |            |             |      |                            |
|               |  | 350     | 5/21/2025 |            |             | 0.00 | 0.00 _____                 |
|               | MISCELLANEOUS -                        |         |           |            |             |      |                            |



D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-DF-X3/S

9/18/2025  
Page

10:06 AM  
9

| Work Order ID | Part ID   | Release | WantDate  | Start Date | Finish Date | Qty   | Drawing ID/Rev<br>Engineer |
|---------------|---|---------|-----------|------------|-------------|-------|----------------------------|
|               | 10.1060432  | 360     | 5/21/2025 | EA         |             | 8.00  | 8.00 _____                 |
|               | MACH SCREW 1/4"- 20 X 2" SS*<br>PHILLIPS FLAT HEAD #72718         |         |           |            |             |       |                            |
|               | 10.10504  | 370     | 5/21/2025 | EA         |             | 8.00  | 8.00 _____                 |
|               | HEX NYLON LOCK NUT 1/4"-20 SS<br>NON-TAXABLE                      |         |           |            |             |       |                            |
|               | 10.1010616  | 380     | 5/21/2025 | EA         |             | 6.00  | 6.00 _____                 |
|               | HHC/SCREW 3/8-16 X 1" SS<br>FASTENAL P/N 1170105<br>(NON-TAXABLE) |         |           |            |             |       |                            |
|               | 10.10306  | 390     | 5/21/2025 | EA         |             | 6.00  | 6.00 _____                 |
|               | LOCK WASHER 3/8" SS<br>NON-TAXABLE                                |         |           |            |             |       |                            |
|               | 10.1010824  | 400     | 5/21/2025 | EA         |             | 28.00 | 28.00 _____                |
|               | HHC/SCREW 1/2-13 X 1-1/2"SS<br>NON-TAXABLE                        |         |           |            |             |       |                            |
|               | 10.10508  | 410     | 5/21/2025 | EA         |             | 28.00 | 28.00 _____                |
|               | HEX LOCK NUT 1/2" -13 SS  |         |           |            |             |       |                            |
|               | 10.10210  | 420     | 5/21/2025 | EA         |             | 4.00  | 4.00 _____                 |
|               | HEX NUT 5/8 X 11 SS   |         |           |            |             |       |                            |
|               | S00425  | 430     | 5/21/2025 | EA         |             | 8.00  | 8.00 _____                 |
|               | SPACER 1/4" X 3/4" X 5/16"ID                                      |         |           |            |             |       |                            |
| SHIPPING      | 100   | 1.00    | 1.00      | 0.00       | 0.00        |       |                            |
| SHIPPING      |   |         |           |            |             |       |                            |



OS  
MACHINE

110 1.00 1.00 0.00 0.00





D&F EQUIPMENT SALES, INC - ALABAMA  
Work Order Traveller  
WORK ORDER ID: 121241-DF-X3/S

9/18/2025  
Page

10:06 AM  
10

| Work Order ID | Part ID | Release | WantDate | Start Date | Finish Date | Qty | Drawing ID/Rev<br>Engineer |
|---------------|---------|---------|----------|------------|-------------|-----|----------------------------|
|---------------|---------|---------|----------|------------|-------------|-----|----------------------------|

| Part ID/Sub ID                                       | Piece# | Date Reqd | Unit Of Measur | Qty Reqd | Qty Due | Issue |
|--|--------|-----------|----------------|----------|---------|-------|
| 06.DS1815-1.25<br>SHAFT 18" DRIVE WITH 1-1/4 JOURNAL | 10     | 5/21/2025 | EA             | 1.00     | 1.00    | _____ |
| 06.IS1815-1.25<br>SHAFT 18" IDLE WITH 1-1/4 JOURNAL  | 20     | 5/21/2025 | EA             | 1.00     | 1.00    | _____ |

REWORK-S      120      1.00      1.00      0.00      0.00  
REWORK-S





REWORK-E      130      1.00      1.00      0.00      0.00




REWORK-P      140      1.00      1.00      0.00      0.00






WAYNE UNION SPRING, AL  
 C121241-DF-X3  
 UHMW, HOLD DOWN  
 (2)REQ'D (1)RH (1)LH




WAYNE UNION SPRING, AL  
C121241-DF-X3  
UHMW, NOSEBAR  
(1)REQ'D 18 1/4" LONG




WAYNE UNION SPRING, AL  
C121241-DF-X3  
UHMW, BOTTOM REC CARRYWAY  
(4)REQ'D







WAYNE UNION SPRING, AL  
C121241-DF-X3  
UHMW, TOP REC CARRYWAY  
(4)REQ'D




WAYNE UNION SPRING, AL  
 C121241-DF-X3  
 UHMW, BOTTOM L-SHAPED RETURN  
 (2)REQ'D (1)RH (1)LH



WAYNE UNION SPRING, AL  
 C121241-DF-X3  
 UHMW, TOP L-SHAPED RETURN  
 (2)REQ'D (1)RH (1)LH



WAYNE UNION SPRING, AL  
 C121241-DF-X3  
 UHMW, BOTTOM REC RETURN  
 (1)REQ'D



WAYNE UNION SPRING, AL  
 C121241-DF-X3  
 UHMW, TOP REC RETURN  
 (1)REQ'D