

EQUIPMENT SPEC SHEET

REVISION:



NAME & LOCATION		WAYNE FARMS UNION SPRINGS, AL		CUSTOMER NUMBER		C121241		
ITEM NUMBER		X91		ITEM SERIAL NUMBER		C121241-X91		
ENGINEER		GARY CAMBRON		SALESMAN		HEATH MORROW		
EQUIPMENT TYPE		RAD DUAL CHAIN FULL BOX CONVEYOR		CAD TECH DESIGNER		DUSTIN CAGLE		
CAD TECH DETAILER		DUSTIN CAGLE		ITEMS REQ'D		1		
1	BELT MANUF.	INTRALOX	2	SERIES	3000S	3	BELT TYPE	MESH TOP
4	BELT LENGTH	55'	5	BELT COLOR	GREY	6	BELT MATERIAL	AC (Acetal)
7	FRICTION SPACING	N/A	8	BELT INDENT	N/A	9	CENTER NOTCH	N/A
10	BELT WIDTH	2 3/4"	11	WEARSTRIP	UHMW CHANNEL	12	BELT PIN MAT.	AC (Acetal)
13	BELT FLIGHTS	NO	14	FLIGHT HEIGHT	N/A	15	FLIGHT TYPE	N/A
16	FLIGHT CENTERS	N/A	17	FLIGHT INDENT	N/A	18	CENTER NOTCH	N/A
19	T.O.B. INFEED	32"	20	T.O.B. DISCHARGE	32"			
21	IDLE SPROCKET	8 TOOTH	22	PITCH DIAMETER	5.2" PD	23	BORE SIZE/TYPE	1-1/4" ROUND
24	DRIVE SPROCKET	8 TOOTH	25	PITCH DIAMETER	5.2" PD	26	BORE SIZE/TYPE	1-1/4" ROUND
27	SPROCKETS @ DRV	2	28	SPROCKETS @ IDLE	2	29	BELT SCRAPE	NO
30	BELT WASHER	NO	31	DRIP PAN	NO	32	DRIP PAN @ DRIVE	YES
33	DRIVE SIDE	RIGHT	34	DRIVE TYPE	EXTREME DUTY	35	MTR/GB FRAME	143TC/145TC
36	MOTOR	STERLING	37	HORSEPOWER	1 HP	38	FPM	61.3 FPM
39	GEARBOX	K343 TAPER	40	RATIO	40:1	41	MULTIPLIER	NO
42	EQUIP. MAT.	12GA SS	43	LEGS	2" ANGLE	44	TAKE UP	STANDARD

PARTS and or MATERIAL UNIQUE TO THIS ITEM(S) / SPECIAL DESIGN SPECS (Please explain)

SAFETY LABELS AND E-STOPS TO BE LOCATED AS SHOWN.

SAFETY LABELS ARE TO BE ETCHED ON 12GA PLATES.

DRIVE RESTRAINT KIT.

DRAWING COMPLETION DATE

1/6/2026

DELIVERY DATE


11/21/2025

1/4/26

SAFETY SIGN OFF SHEET



ITEM SERIAL NUMBER: C121241-X91 CAD TECH DUSTIN CAGLE DATE 1/6/2026
 CUSTOMER: WAYNE FARMS SHOP CHECKER _____ DATE _____
 LOCATION: UNION SPRINGS, AL



	C	S			C	S	
SAFETY ETCH - IDLE L.S.	☒	☐	<u>BD</u>	SHAFT GUARD - IDLE L.S.	☐	☐	<u>N/A</u>
SAFETY ETCH - IDLE R.S.	☒	☐	<u>BD</u>	SHAFT GUARD - IDLE R.S.	☐	☐	<u>N/A</u>
SAFETY ETCH - DRIVE L.S.	☒	☐	<u>BD</u>	SHAFT GUARD - DRIVE L.S.	☐	☐	<u>N/A</u>
SAFETY ETCH - DRIVE R.S.	☒	☐	<u>BD</u>	SHAFT GUARD - DRIVE R.S.	☐	☐	<u>N/A</u>
SAFETY ETCH - OTHER L.S.	☐	☐	<u>N/A</u>	BEARING COVER - IDLE L.S.	☐	☐	<u>N/A</u>
SAFETY ETCH - OTHER R.S.	☐	☐	<u>N/A</u>	BEARING COVER - IDLE R.S.	☐	☐	<u>N/A</u>
STICKER 1 - DRIVE L.S.	☐	☐	<u>N/A</u>	BEARING COVER - DRIVE L.S.	☒	☐	<u>BD</u>
STICKER 1 - DRIVE R.S.	☒	☐	<u>BD</u>	BEARING COVER - DRIVE R.S.	☒	☐	<u>BD</u>
STICKER 3 - DRIVE L.S.	☒	☐	<u>BD</u>	BEARING COVER - OTHER L.S.	☐	☐	<u>N/A</u>
STICKER 3 - DRIVE R.S.	☒	☐	<u>BD</u>	BEARING COVER - OTHER R.S.	☐	☐	<u>N/A</u>
STICKER 2 - IDLE L.S.	☒	☐	<u>BD</u>	ESTOP - IDLE L.S.	☒	☐	<u>BD</u>
STICKER 2 - IDLE R.S.	☒	☐	<u>BD</u>	ESTOP - IDLE R.S.	☐	☐	<u>N/A</u>
STICKER 4 - IDLE L.S.	☒	☐	<u>BD</u>	ESTOP - DRIVE L.S.	☐	☐	<u>N/A</u>
STICKER 4 - IDLE R.S.	☒	☐	<u>BD</u>	ESTOP - DRIVE R.S.	☒	☐	<u>BD</u>
MISC. GUARDING	☐	☐	<u>N/A</u>	ESTOP - OTHER L.S.	☐	☐	<u>N/A</u>
MISC. GUARDING	☐	☐	<u>N/A</u>	ESTOP - OTHER R.S.	☐	☐	<u>N/A</u>

SHOP PACKAGE CHECK-OFF

ITEM SERIAL NUMBER: C121241-X91

CHECKER #1 DUSTIN CAGLE

DATE 1/6/2026

CUSTOMER: WAYNE FARMS

CHECKER #2 _____

DATE 1-6-26

LOCATION: UNION SPRINGS, AL

CHECKER #3 _____

DATE _____

MATRIX						COMMENTS
	C1	C2		C3		
BELT INFO	☐	☐		☐		
MOTOR INFO	☐	☐		☐		
GEARBOX INFO	☐	☐		☐		
SPROCKET INFO	☐	☐		☐		

DRAWING						COMMENTS
	C1	C2	TO FIX DATE	C3	FIXED DATE	
BELT INFO	☐	☐		☐		
MOTOR INFO	☐	☐		☐		
GEARBOX INFO	☐	☐		☐		
SPROCKET INFO	☐	☐		☐		
SHAFT INFO	☐	☐		☐		
ETCHING	☐	☐		☐		

COVERSHEET						COMMENTS
	C1	C2	TO FIX DATE	C3	FIXED DATE	
BELT INFO	☐	☐		☐		
MOTOR INFO	☐	☐		☐		
GEARBOX INFO	☐	☐		☐		
SPROCKET INFO	☐	☐		☐		
SHAFT INFO	☐	☐		☐		
SAFETY SHEET	☐	☒		☐		

WORK ORDER						COMMENTS
	C1	C2	TO FIX DATE	C3	FIXED DATE	
BELT INFO	☐	☐		☐		
MOTOR INFO	☐	☐		☐		
GEARBOX INFO	☐	☐		☐		
SPROCKET INFO	☐	☐		☐		
SHAFT INFO	☐	☐		☐		
PLASTICS	☐	☐		☐		

JOB NAME

WAYS

JOB NUMBER

121241 - X 91

MATERIAL SIZE

2x 1/4 Anale

[illegible]

CONVEYOR SPECS


3000MT AC GREY W/ 1" SIDE HT.

W/ SIDES 1" ABOVE BELT


5.2 PD SPROCKETS ON 1 1/4" SHAFT

STERLING SS 1HP EXTREME DTY MTR


K343 HELICAL BEVEL GB 40:1 RATIO 61.3FPM




C121241-X91
 PLAN VIEW




C121241-X91
INFED SIDE VIEW




C121241-X91
DISCHARGE SIDE VIEW




C121241-X91
END VIEW




C121241-X91
RADIUS END VIEW



C121241-X91
LEG ASSEMBLY DETAIL
2" X 2" X 1/4" ANGLE





C121241-X91
LEG ASSEMBLY DETAIL
2" X 2" X 1/4" ANGLE



C121241-X91
LEG ASSEMBLY DETAIL
2" X 2" X 1/4" ANGLE

KVP DUAL CHAIN FULL BOX DETAILS ON TAKE UP END



8 TOOTH 5.23"Ø SPROCKET W/ 1 1/4"Ø BORE
1 1/4" TAP BOTTOM BEARING



C121241-X91
TAKE-UP DETAIL

KVP DUAL CHAIN FULL BOX
DETAILS ON DRIVE END

8 TOOTH 5.23"Ø SPROCKET W/ 1 1/4"Ø BORE
1 1/4" TAP BOTTOM BEARING




C121241-X91
DRIVE DETAIL


BRACKET FOR CHAIN HAS
PLAY AS FAR AS
LOCATION IS CONCERNED,
LOCATION IT
REPRESENTATION ONLY.

ANGLE BRACKET LOCATES
IN THIS AREA TO
PREVENT MOTOR FROM
ROTATING



CHAIN HELPS KEEP
MOTOR FROM FALLING




DRIVE RESTRAINT KIT
REPRESENTATION ONLY
(BRACKET LOCATIONS ARE NOT
EXACT, THEY HAVE SOME PLAY IN
WHERE THEY CAN BE LOCATED)
PART NUMBER 06.DRK



C121241-X91
RADIUS ROLL DETAIL




C121241-X91 SAFETY LABEL LOCATION




X91-5
12GA



X91-3
12GA




X91-1
12GA




X91-6
12GA




X91-4
12GA



X91-2
12GA




X91-11
12GA




X91-12
12GA




X91-10
12GA
(4) REQ'D




X91-8
12GA
(2) REQ'D




X91-9
12GA
(2) REQ'D




X91-7
12GA
(4) REQ'D




50 FEET REQUIRED




85.8219024.1
KVP RAD 90D INSIDE TOP SHORT 19024.1




85.8219024.2
KVP RAD 90D INSIDE TOP SHORT 19024.2




END VIEW




85.8219024.5
KVP RAD 90D OUTSIDE TOP LONG 19024.5




85.8219024.6
KVP RAD 90D OUTSIDE TOP LONG 19024.6




85.8219024.3
KVP RAD 90D INSIDE BOTTOM SHORT 19024.3





85.8219024.4
KVP RAD 90D INSIDE BOTTOM SHORT 19024.4





85.8219024.7
KVP RAD 90D OUTSIDE BOTTOM LONG 19024.7



85.8219024.8
KVP RAD 90D OUTSIDE BOTTOM LONG 19024.8



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X91/S

1/6/2026
Page

8:45 AM
1

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

121241-X91/S DFKPC900 5/21/2025 11/14/2025

1.00



Drawing Rev:

BOX CONVEYOR (KVP)
*

ENG

Order ID:
Part ID:

Customer:

Ship To:

Shop Resources Type	Seq#	End Qty	Start Qty	Setup Hrs	Run Start Hrs Date	Finish Date	Drawing ID/Rev
ENGINEERING ENGINEERING	10	1.00	1.00	0.00	0.00		



LASER SHOP LASER SHOP	20	1.00	1.00	0.00	0.00		
--------------------------	----	------	------	------	------	--	--



SHOP1 SHOP1	30	1.00	1.00	0.00	0.00		
----------------	----	------	------	------	------	--	--



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
01.S101 3/16" PLATE SS 48X120	10	5/21/2025	4X10	0.00	0.00	_____
01.S104	20	5/21/2025	5X10	0.00	0.00	_____



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X91/S

1/6/2026
Page

8:45 AM
2

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	3/16" PLATE SS 60X120						
	01.S127 12GA SHEET SS 48X120	30	5/21/2025	4X10		0.00	0.00 _____
	01.S126 12GA SHEET SS 48X96	35	5/21/2025	4X8		0.00	0.00 _____
	01.S129 12GA SHEET SS 60X120	40	5/21/2025	5X10		0.00	0.00 _____
	02.RR206 ROUND ROD 1/2" SS	50	5/21/2025	FT		0.00	0.00 _____
	03.A602 ANGLE IRON 1" X 1" X 3/16" SS	70	5/21/2025	FT		0.00	0.00 _____
	03.A608 ANGLE IRON 1-1/2" X 1-1/2" X 3/16" SS	90	5/21/2025	FT		0.00	0.00 _____
	03.A609 ANGLE IRON 1-1/2" X 1-1/2" X 1/4" SS	100	5/21/2025	FT		0.00	0.00 _____
	03.A611 ANGLE IRON 2" X 2" X 3/16" SS	110	5/21/2025	FT		0.00	0.00 _____
	03.A612 ANGLE IRON 2" X 2" X 1/4" SS	120	5/21/2025	FT		0.00	0.00 _____
	03.FB502 FLAT BAR 1" X 3/16" SS	130	5/21/2025	FT		0.00	0.00 _____
	03.FB504 FLAT BAR 1-1/2" X 3/16" SS	140	5/21/2025	FT		0.00	0.00 _____
SHOP2 SHOP2	40	1.00	1.00	0.00	0.00		



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
06.S00070 LEG INSERT 1-1/2"X 1-1/2" X 1/2"* 3/4" THDS.	10	5/21/2025	EA	8.00	8.00	_____



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X91/S

1/6/2026
Page

8:45 AM
3

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

S00043	20	5/21/2025	EA			2.00	2.00	_____
TAKE UP BEARING MOUNT PLATE 1-1/4"DIA TB								

S00044	30	5/21/2025	EA			2.00	2.00	_____
TAKE UP TUBING 1-1/4" X 7"								

S00045	40	5/21/2025	EA			2.00	2.00	_____
TAKE UP SOLID STOCK 6-1/2" X 1"								

UHMW PARTS	50	1.00	1.00	0.00	0.00			
UHMW PARTS								



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
85.82042	10	5/21/2025	EA	1.00	1.00	_____
KVP RADIUS 90D 2.0 TURN (8PCS)*						
85.892RS	20	5/21/2025	FT	50.00	50.00	_____
KVP BOTTOM TRACK 2.0 STRAIGHT*						
STANDARD PLASTIC #P-KVP RETURN						

FINAL ASSEM	60	1.00	1.00	0.00	0.00			
FINALASSEMB								



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
31.13000SLT	10	5/21/2025	FT	55.00	55.00	_____
KNUCKLE CHAIN 3000S SAFETY AC GREY SLT*						
MESH TOP STYLE SAFETY CHAIN WITH TABS						
2.0" P RADIUS						
(SEE NOTES)						
37.1XI	20	5/21/2025	EA	1.00	1.00	_____
1HP XTREME 143TC 1800RPM INV DUTY*						
STAINLESS STEEL						
XTREME						
RPM: 1800						



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X91/S

1/6/2026
Page

8:45 AM
4

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

FOOT OPTION: FOOTLESS
FRAME: 143TC
ENCLOSURE: TEFC
RATING: INVERTER DUTY
ELECTRICAL: 3 PHASE 460V
ENCAPSULATED: ENCAPSULATED

37.4SK2	30	5/21/2025	EA			1.00	1.00	
STERLING SS HEL BEVEL SYMMETRICAL 40:1*								
STERLING SYMMETRICAL								
STAINLESS STEEL SMOOTH BODY								
403 HELICAL BEVEL								
40:1 38.872:1 (EXACT)								
140TC								
W/ TORQUE ARM								
37.SSK04125U	40	5/21/2025	EA			1.00	1.00	
SYMMETRICAL BUSHING 1-1/4" FOR SSK04 HE*								
SSK04-1.250UTBK								
STAINLESS STEEL								
1-1/4" SYMMETRICAL BUSHING KIT FOR								
SIZE SSK04 HELICAL BEVEL								
06.DRK	50	5/21/2025	EA			1.00	1.00	
DRIVE RESTRAINT KIT								
80.075082	60	5/21/2025	EA			2.00	2.00	
KVP SPROCKET KNUCKLE DRIVE 8T 1.25"RB*								
SPROCKETS								
80.075082I	70	5/21/2025	EA			2.00	2.00	
KVP SPROCKET KNUCKLE IDLER 8T 1.25"B*								
SET COLLARS								
06.P40810	80	5/21/2025	EA			2.00	2.00	
BRASS TAKE UP 5/8-11 W/SS NUT								
	90	5/21/2025				0.00	0.00	
BEARING ASSEMBLY								
35.UCF207.20	100	5/21/2025	EA			2.00	2.00	
KML 1-1/4" SS BEARING 4-BOLT FLG								
10.1010724	110	5/21/2025	EA			8.00	8.00	



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X91/S

1/6/2026
Page

8:45 AM
6

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	SAFETY LABELS -	230	5/21/2025			0.00	0.00 _____
	06.CEB-B CAUTION ENSURE BELT STICKER BILINGUAL 8.75"W X 2.5"T 2 COLOR	240	5/21/2025	EA		4.00	4.00 _____
	D & F STANDADR D ESTOP -	250	5/21/2025			0.00	0.00 _____
	45.800F1YP1 ALLEN BRADLEY E-STOP STATION	260	5/21/2025	EA		2.00	2.00 _____
	10.1080808 SOCKET CAP SCREW 8-32 X 1/2" SS* 8C50KCS3	270	5/21/2025	EA		8.00	8.00 _____
	10.10808N NYLON LOCK NUT 8-32 SS* 8CNNE3	280	5/21/2025	EA		8.00	8.00 _____
	MISCELLANEOUS -	290	5/21/2025			0.00	0.00 _____
	10.1060416 MACH SCREW 1/4"-20 X 1" SS* PHILLIPS FLAT HEAD (NON-TAXABLE)	300	5/21/2025	EA		0.00	0.00 _____
	10.10504 HEX NYLON LOCK NUT 1/4"-20 SS NON-TAXABLE	310	5/21/2025	EA		0.00	0.00 _____
	10.1010616 HHC/SCREW 3/8-16 X 1" SS FASTENAL P/N 1170105 (NON-TAXABLE)	320	5/21/2025	EA		0.00	0.00 _____
	10.10306 LOCK WASHER 3/8" SS NON-TAXABLE	330	5/21/2025	EA		0.00	0.00 _____



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X91/S

1/6/2026
Page

8:45 AM
7

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

10.1010816		340	5/21/2025	EA		0.00	0.00	_____
HHC/SCREW 1/2-13 X 1" SS								
NON-TAXABLE								
10.10210		350	5/21/2025	EA		0.00	0.00	_____
HEX NUT 5/8 X 11 SS								
10.10308		360	5/21/2025	EA		0.00	0.00	_____
LOCK WASHER 1/2" SS								
NON-TAXABLE								
10.1010448		370	5/21/2025	EA		0.00	0.00	_____
HHC/SCREW 1/4-20 X 3" SS								
47.020120		380	5/21/2025	EA		0.00	0.00	_____
SET COLLAR 1-1/4" SS								
47.020120P		390	5/21/2025	EA		0.00	0.00	_____
DRIVE SIDE PLATE SS 1-1/4" BORE								
10.1010824		400	5/21/2025	EA		0.00	0.00	_____
HHC/SCREW 1/2-13 X 1-1/2"SS								
NON-TAXABLE								
10.10508		410	5/21/2025	EA		0.00	0.00	_____
HEX LOCK NUT 1/2" -13 SS								

SHIPPING	70	1.00	1.00	0.00	0.00
SHIPPING					



OS	80	1.00	1.00	0.00	0.00
MACHINE					



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
----------------	--------	-----------	----------------	----------	---------	-------



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X91/S

1/6/2026
Page

8:45 AM
8

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

	16" DRIVE SHAFT		10 5/21/2025			1.00	1.00 _____
--	-----------------	--	--------------	--	--	------	------------

REWORK-S	90	1.00	1.00	0.00	0.00		
REWORK-S							



REWORK-E	100	1.00	1.00	0.00	0.00		
----------	-----	------	------	------	------	--	--



REWORK-P	110	1.00	1.00	0.00	0.00		
----------	-----	------	------	------	------	--	--



STD. 1 1/4" ROUND SOLID SHAFT

JOB NUMBER : C121241-X91

CUSTOMER : WAYNE FARMS


LOCATION : UNION SPRINGS, AL

DATE : 1/6/2026

MAT'L : T303 SS

DETAILER : DUSTIN CAGLE

SHOP CHECKER :



SHAFT MAT'L. = 1 1/4" ROUND SOLID

DRIVE SHAFT DETAIL QTY. 1 REQ'D.