

EQUIPMENT SPEC SHEET

REVISION:



NAME & LOCATION		WAYNE FARMS UNION SPRINGS, AL		CUSTOMER NUMBER		C121241		
ITEM NUMBER		X92		ITEM SERIAL NUMBER		C121241-X92		
				ITEMS REQ'D		1		
ENGINEER		GARY CAMBRON		SALESMAN		HEATH MORROW		
				CAD TECH DESIGNER		DUSTIN CAGLE		
EQUIPMENT TYPE		RAD DUAL CHAIN FULL BOX CONVEYOR		CAD TECH DETAILER		DUSTIN CAGLE		
1	BELT MANUF.	INTRALOX	2	SERIES	3000S	3	BELT TYPE	MESH TOP
4	BELT LENGTH	50'	5	BELT COLOR	GREY	6	BELT MATERIAL	AC (Acetal)
7	FRICTION SPACING	N/A	8	BELT INDENT	N/A	9	CENTER NOTCH	N/A
10	BELT WIDTH	2 3/4"	11	WEARSTRIP	UHMW CHANNEL	12	BELT PIN MAT.	AC (Acetal)
13	BELT FLIGHTS	NO	14	FLIGHT HEIGHT	N/A	15	FLIGHT TYPE	N/A
16	FLIGHT CENTERS	N/A	17	FLIGHT INDENT	N/A	18	CENTER NOTCH	N/A
19	T.O.B. INFEED	32"	20	T.O.B. DISCHARGE	32"			
21	IDLE SPROCKET	8 TOOTH	22	PITCH DIAMETER	5.2" PD	23	BORE SIZE/TYPE	1-1/4" ROUND
24	DRIVE SPROCKET	8 TOOTH	25	PITCH DIAMETER	5.2" PD	26	BORE SIZE/TYPE	1-1/4" ROUND
27	SPROCKETS @ DRV	2	28	SPROCKETS @ IDLE	2	29	BELT SCRAPE	NO
30	BELT WASHER	NO	31	DRIP PAN	NO	32	DRIP PAN @ DRIVE	YES
33	DRIVE SIDE	RIGHT	34	DRIVE TYPE	EXTREME DUTY	35	MTR/GB FRAME	143TC/145TC
36	MOTOR	STERLING	37	HORSEPOWER	1 HP	38	FPM	61.3 FPM
39	GEARBOX	K343 TAPER	40	RATIO	40:1	41	MULTIPLIER	NO
42	EQUIP. MAT.	12GA SS	43	LEGS	2" ANGLE	44	TAKE UP	STANDARD

PARTS and or MATERIAL UNIQUE TO THIS ITEM(S) / SPECIAL DESIGN SPECS (Please explain)

SAFETY LABELS AND E-STOPS TO BE LOCATED AS SHOWN.

SAFETY LABELS ARE TO BE ETCHED ON 12GA PLATES.

DRIVE RESTRAINT KIT.

DRAWING COMPLETION DATE

1/6/2026

DELIVERY DATE



~~11/21/2025~~

1/4/26

SAFETY SIGN OFF SHEET



ITEM SERIAL NUMBER: C121241-X92 CAD TECH DUSTIN CAGLE DATE 1/6/2026
 CUSTOMER: WAYNE FARMS SHOP CHECKER _____ DATE _____
 LOCATION: UNION SPRINGS, AL



	C	S		C	S		
SAFETY ETCH - IDLE L.S.	☒	☐	<u>BD</u>	SHAFT GUARD - IDLE L.S.	☐	☐	<u>N/A</u>
SAFETY ETCH - IDLE R.S.	☒	☐	<u>BD</u>	SHAFT GUARD - IDLE R.S.	☐	☐	<u>N/A</u>
SAFETY ETCH - DRIVE L.S.	☒	☐	<u>BD</u>	SHAFT GUARD - DRIVE L.S.	☐	☐	<u>N/A</u>
SAFETY ETCH - DRIVE R.S.	☒	☐	<u>BD</u>	SHAFT GUARD - DRIVE R.S.	☐	☐	<u>N/A</u>
SAFETY ETCH - OTHER L.S.	☐	☐	<u>N/A</u>	BEARING COVER - IDLE L.S.	☐	☐	<u>N/A</u>
SAFETY ETCH - OTHER R.S.	☐	☐	<u>N/A</u>	BEARING COVER - IDLE R.S.	☐	☐	<u>N/A</u>
STICKER 1 - DRIVE L.S.	☐	☐	<u>N/A</u>	BEARING COVER - DRIVE L.S.	☒	☐	<u>BD</u>
STICKER 1 - DRIVE R.S.	☒	☐	<u>BD</u>	BEARING COVER - DRIVE R.S.	☒	☐	<u>BD</u>
STICKER 3 - DRIVE L.S.	☒	☐	<u>BD</u>	BEARING COVER - OTHER L.S.	☐	☐	<u>N/A</u>
STICKER 3 - DRIVE R.S.	☒	☐	<u>BD</u>	BEARING COVER - OTHER R.S.	☐	☐	<u>N/A</u>
STICKER 2 - IDLE L.S.	☒	☐	<u>BD</u>	ESTOP - IDLE L.S.	☒	☐	<u>BD</u>
STICKER 2 - IDLE R.S.	☒	☐	<u>BD</u>	ESTOP - IDLE R.S.	☐	☐	<u>N/A</u>
STICKER 4 - IDLE L.S.	☒	☐	<u>BD</u>	ESTOP - DRIVE L.S.	☐	☐	<u>N/A</u>
STICKER 4 - IDLE R.S.	☒	☐	<u>BD</u>	ESTOP - DRIVE R.S.	☒	☐	<u>BD</u>
MISC. GUARDING	☐	☐	<u>N/A</u>	ESTOP - OTHER L.S.	☐	☐	<u>N/A</u>
MISC. GUARDING	☐	☐	<u>N/A</u>	ESTOP - OTHER R.S.	☐	☐	<u>N/A</u>

SHOP PACKAGE CHECK-OFF

ITEM SERIAL NUMBER: C121241-X92

CHECKER #1 DUSTIN CAGLE

DATE 1/6/2026

CUSTOMER: WAYNE FARMS

CHECKER #2

DATE 1-6-26

LOCATION: UNION SPRINGS, AL

CHECKER #3

DATE

MATRIX

COMMENTS

	C1	C2	C3
BELT INFO	☒	☐	☐
MOTOR INFO	☒	☐	☐
GEARBOX INFO	☒	☐	☐
SPROCKET INFO	☒	☐	☐

DRAWING

	C1	C2	TO FIX DATE	C3	FIXED DATE
BELT INFO	☒	☐		☐	
MOTOR INFO	☒	☐		☐	
GEARBOX INFO	☒	☐		☐	
SPROCKET INFO	☒	☐		☐	
SHAFT INFO	☒	☐		☐	
ETCHING	☒	☐		☐	

COVERSHEET

	C1	C2	TO FIX DATE	C3	FIXED DATE
BELT INFO	☒	☐		☐	
MOTOR INFO	☒	☐		☐	
GEARBOX INFO	☒	☐		☐	
SPROCKET INFO	☒	☐		☐	
SHAFT INFO	☒	☐		☐	
SAFETY SHEET	☒	☒		☐	

WORK ORDER

	C1	C2	TO FIX DATE	C3	FIXED DATE
BELT INFO	☒	☐		☐	
MOTOR INFO	☒	☐		☐	
GEARBOX INFO	☒	☐		☐	
SPROCKET INFO	☒	☐		☐	
SHAFT INFO	☒	☐		☐	
PLASTICS	☒	☐		☐	

JOB NAME

JOB NUMBER

Wayne Farms

121241-X92

MATERIAL SIZE

2" x 1/4" Angle

[illegible]

CONVEYOR SPECS


3000MT AC GREY W/ 1" SIDE HT.

W/ SIDES 1" ABOVE BELT


5.2 PD SPROCKETS ON 1 1/4" SHAFT

STERLING SS 1HP EXTREME DTY MTR


K343 HELICAL BEVEL GB 40:1 RATIO 61.3FPM




C121241-X92
 PLAN VIEW




C121241-X92
INFED SIDE VIEW




C121241-X92
DISCHARGE SIDE VIEW




C121241-X92
END VIEW






C121241-X92
LEG ASSEMBLY DETAIL
2" X 2" X $1\frac{1}{4}"$ ANGLE





C121241-X92
LEG ASSEMBLY DETAIL
2" X 2" X 1/4" ANGLE



C121241-X92
LEG ASSEMBLY DETAIL
2" X 2" X 1/4" ANGLE

KVP DUAL CHAIN FULL BOX DETAILS ON TAKE UP END



8 TOOTH 5.23"Ø SPROCKET W/ 1 1/4"Ø BORE
1 1/4" TAP BOTTOM BEARING



C121241-X92
TAKE-UP DETAIL

KVP DUAL CHAIN FULL BOX
DETAILS ON DRIVE END

8 TOOTH 5.23"Ø SPROCKET W/ 1 1/4"Ø BORE
1 1/4" TAP BOTTOM BEARING




C121241-X92
DRIVE DETAIL


BRACKET FOR CHAIN HAS
PLAY AS FAR AS
LOCATION IS CONCERNED,
LOCATION IT
REPRESENTATION ONLY.

CHAIN HELPS KEEP
MOTOR FROM FALLING



ANGLE BRACKET LOCATES
IN THIS AREA TO
PREVENT MOTOR FROM
ROTATING




DRIVE RESTRAINT KIT
REPRESENTATION ONLY
(BRACKET LOCATIONS ARE NOT
EXACT, THEY HAVE SOME PLAY IN
WHERE THEY CAN BE LOCATED)
PART NUMBER 06.DRK



C121241-X92
RADIUS ROLL DETAIL




C121241-X92
SAFETY LABEL LOCATION




X92-1
12GA




X92-3
12GA




X92-2
12GA



X92-4
12GA




X92-5
12GA




X92-6
12GA




X92-7
12GA
(4) REQ'D



X92-8
12GA
(2) REQ'D




X92-9
12GA
(2) REQ'D




X92-10
12GA
(4) REQ'D




X92-11
12GA




X92-12
12GA




30 FEET REQUIRED




85.8219024.1
KVP RAD 90D INSIDE TOP SHORT 19024.1





85.8219024.2
KVP RAD 90D INSIDE TOP SHORT 19024.2




END VIEW




85.8219024.5
KVP RAD 90D OUTSIDE TOP LONG 19024.5




85.8219024.6
KVP RAD 90D OUTSIDE TOP LONG 19024.6




85.8219024.3
KVP RAD 90D INSIDE BOTTOM SHORT 19024.3




85.8219024.4
KVP RAD 90D INSIDE BOTTOM SHORT 19024.4






85.8219024.7
KVP RAD 90D OUTSIDE BOTTOM LONG 19024.7



85.8219024.8
KVP RAD 90D OUTSIDE BOTTOM LONG 19024.8





D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X92/S

1/6/2026
Page

9:07 AM
1

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

121241-X92/S DFKPC900 5/21/2025 11/14/2025

1.00



Drawing Rev:

BOX CONVEYOR (KVP)

ENG

*

Order ID:
Part ID:

Customer:

Ship To:

Shop Resources Type	Seq#	End Qty	Start Qty	Setup Hrs	Run Start Hrs Date	Finish Date	Drawing ID/Rev
ENGINEERING ENGINEERING	10	1.00	1.00	0.00	0.00		



LASER SHOP LASER SHOP	20	1.00	1.00	0.00	0.00		
--------------------------	----	------	------	------	------	--	--



SHOP1 SHOP1	30	1.00	1.00	0.00	0.00		
----------------	----	------	------	------	------	--	--



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
01.S101 3/16" PLATE SS 48X120	10	5/21/2025	4X10	0.00	0.00	_____
01.S104	20	5/21/2025	5X10	0.00	0.00	_____



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X92/S

1/6/2026
Page

9:07 AM
2

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	3/16" PLATE SS 60X120						
	01.S127 12GA SHEET SS 48X120	30	5/21/2025	4X10		0.00	0.00 _____
	01.S126 12GA SHEET SS 48X96	35	5/21/2025	4X8		0.00	0.00 _____
	01.S129 12GA SHEET SS 60X120	40	5/21/2025	5X10		0.00	0.00 _____
	02.RR206 ROUND ROD 1/2" SS	50	5/21/2025	FT		0.00	0.00 _____
	03.A602 ANGLE IRON 1" X 1" X 3/16" SS	70	5/21/2025	FT		0.00	0.00 _____
	03.A608 ANGLE IRON 1-1/2" X 1-1/2" X 3/16" SS	90	5/21/2025	FT		0.00	0.00 _____
	03.A609 ANGLE IRON 1-1/2" X 1-1/2" X 1/4" SS	100	5/21/2025	FT		0.00	0.00 _____
	03.A611 ANGLE IRON 2" X 2" X 3/16" SS	110	5/21/2025	FT		0.00	0.00 _____
	03.A612 ANGLE IRON 2" X 2" X 1/4" SS	120	5/21/2025	FT		0.00	0.00 _____
	03.FB502 FLAT BAR 1" X 3/16" SS	130	5/21/2025	FT		0.00	0.00 _____
	03.FB504 FLAT BAR 1-1/2" X 3/16" SS	140	5/21/2025	FT		0.00	0.00 _____
SHOP2 SHOP2	40	1.00	1.00	0.00	0.00		



Part ID/Sub ID	Piece#	Date Req'd	Unit Of Measur	Qty Req'd	Qty Due	Issue
06.S00070 LEG INSERT 1-1/2"X 1-1/2" X 1/2"* 3/4" THDS.	10	5/21/2025	EA	8.00	8.00	_____



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X92/S

1/6/2026
Page

9:07 AM
4

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

FOOT OPTION: FOOTLESS
FRAME: 143TC
ENCLOSURE: TEFC
RATING: INVERTER DUTY
ELECTRICAL: 3 PHASE 460V
ENCAPSULATED: ENCAPSULATED

37.4SK2	30 5/21/2025	EA	1.00	1.00	_____
STERLING SS HEL BEVEL SYMMETRICAL 40:1*					
STERLING SYMMETRICAL					
STAINLESS STEEL SMOOTH BODY					
403 HELICAL BEVEL					
40:1 38.872:1 (EXACT)					
140TC					
W/ TORQUE ARM					

37.SSK04125U	40 5/21/2025	EA	1.00	1.00	_____
SYMMETRICAL BUSHING 1-1/4" FOR SSK04 HE*					
SSK04-1.250UTBK					
STAINLESS STEEL					
1-1/4" SYMMETRICAL BUSHING KIT FOR					
SIZE SSK04 HELICAL BEVEL					

06.DRK	50 5/21/2025	EA	1.00	1.00	_____
DRIVE RESTRAINT KIT					

80.075082	60 5/21/2025	EA	2.00	2.00	_____
KVP SPROCKET KNUCKLE DRIVE 8T 1.25"RB*					
SPROCKETS					

80.075082I	70 5/21/2025	EA	2.00	2.00	_____
KVP SPROCKET KNUCKLE IDLER 8T 1.25"B*					
SET COLLARS					

06.P40810	80 5/21/2025	EA	2.00	2.00	_____
BRASS TAKE UP 5/8-11 W/SS NUT					

	90 5/21/2025		0.00	0.00	_____
BEARING ASSEMBLY					

35.UCF207.20	100 5/21/2025	EA	2.00	2.00	_____
KML 1-1/4" SS BEARING 4-BOLT FLG					

10.1010724	110 5/21/2025	EA	8.00	8.00	_____
------------	---------------	----	------	------	-------



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X92/S

1/6/2026
Page

9:07 AM
6

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
			230 5/21/2025			0.00	0.00 _____
	SAFETY LABELS -						
	06.CEB-B		240 5/21/2025	EA		4.00	4.00 _____
	CAUTION ENSURE BELT STICKER BILINGUAL						
	8.75"W X 2.5"T						
	2 COLOR						
			250 5/21/2025			0.00	0.00 _____
	D & F STANDADRD ESTOP -						
	45.800F1YP1		260 5/21/2025	EA		2.00	2.00 _____
	ALLEN BRADLEY E-STOP STATION						
	10.1080808		270 5/21/2025	EA		8.00	8.00 _____
	SOCKET CAP SCREW 8-32 X 1/2" SS*						
	8C50KCS3						
	10.10808N		280 5/21/2025	EA		8.00	8.00 _____
	NYLON LOCK NUT 8-32 SS*						
	8CNNE3						
			290 5/21/2025			0.00	0.00 _____
	MISCELLANEOUS -						
	10.1060416		300 5/21/2025	EA		0.00	0.00 _____
	MACH SCREW 1/4"-20 X 1" SS*						
	PHILLIPS FLAT HEAD (NON-TAXABLE)						
	10.10504		310 5/21/2025	EA		0.00	0.00 _____
	HEX NYLON LOCK NUT 1/4"-20 SS						
	NON-TAXABLE						
	10.1010616		320 5/21/2025	EA		0.00	0.00 _____
	HHC/SCREW 3/8-16 X 1" SS						
	FASTENAL P/N 1170105						
	(NON-TAXABLE)						
	10.10306		330 5/21/2025	EA		0.00	0.00 _____
	LOCK WASHER 3/8" SS						
	NON-TAXABLE						



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X92/S

1/6/2026
Page

9:08 AM
7

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

10.1010816 340 5/21/2025 EA
HHC/SCREW 1/2-13 X 1" SS
NON-TAXABLE

0.00 0.00 _____

10.10210 350 5/21/2025 EA
HEX NUT 5/8 X 11 SS

0.00 0.00 _____

10.10308 360 5/21/2025 EA
LOCK WASHER 1/2" SS
NON-TAXABLE

0.00 0.00 _____

10.1010448 370 5/21/2025 EA
HHC/SCREW 1/4-20 X 3" SS

0.00 0.00 _____

47.020120 380 5/21/2025 EA
SET COLLAR 1-1/4" SS

0.00 0.00 _____

47.020120P 390 5/21/2025 EA
DRIVE SIDE PLATE SS 1-1/4" BORE

0.00 0.00 _____

10.1010824 400 5/21/2025 EA
HHC/SCREW 1/2-13 X 1-1/2"SS
NON-TAXABLE

0.00 0.00 _____

10.10508 410 5/21/2025 EA
HEX LOCK NUT 1/2" -13 SS

0.00 0.00 _____

SHIPPING 70 1.00 1.00 0.00 0.00
SHIPPING



OS 80 1.00 1.00 0.00 0.00
MACHINE



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
----------------	--------	-----------	----------------	----------	---------	-------



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X92/S

1/6/2026
Page

9:08 AM
8

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

	16" DRIVE SHAFT		10 5/21/2025			1.00	1.00 _____
--	-----------------	--	--------------	--	--	------	------------

REWORK-S	90	1.00	1.00	0.00	0.00		
REWORK-S							



REWORK-E	100	1.00	1.00	0.00	0.00		
----------	-----	------	------	------	------	--	--



REWORK-P	110	1.00	1.00	0.00	0.00		
----------	-----	------	------	------	------	--	--




STD. 1 1/4" ROUND SOLID SHAFT

JOB NUMBER : C121241-X92
 CUSTOMER : WAYNE FARMS
 LOCATION : UNION SPRINGS, AL

DATE : 1/6/2026
 MAT'L : T303 SS

DETAILER : DUSTIN CAGLE
 SHOP CHECKER :



SHAFT MAT'L. = 1 1/4" ROUND SOLID

DRIVE SHAFT DETAIL QTY. 1 REQ'D.