

NO GRAPHIC AVAILABLE

75013702

REV
A


**NO
GRAPHIC
AVAILABLE**

Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000

Part No.	Reference No.	Quantity	Description
CLK8~S	*		AIR HANDLING
CLK6~S	*		CABINET
CLK9~S	*		COILS
0000160469~S	*		CONDENSER COIL GUARDS
CLK1A~S	*		CONTROL BOX
CLK01~S	*		CONTROLS
0000156621~S	*		DISCONNECT SWITCH
0000156645~S	*		DRAIN PAN
CLK7~S	*		FANS
0000156300~S	*		FILTERS
CLK10~S	*		GENERAL ASSEMBLY
CLK5~S	*		HEAT
CLK11~S	*		MODEL NUMBER DESCRIPTION VOY 3
CLK2~S	*		REFRIGERATION
CLK1C~S	*		SENSORS
CLK1B~S	*		VFD

Part No.	Reference No.	Quantity	Description
VOY3AIRFC023~P	*		AIRFLOW PARTS - SUPPLY HZ - CABINET "B"
VOY3ECOND178~P	*		ECON-REF ENTH CAB-AB HORZ



Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000


Part No.	Reference No.	Quantity	Description
BRK03527	*	1	BRACKET; SUPPLY AIR SENSOR TUBE
BUS00450	*	2	BUSHING; SNAP, 1.09 INCH OD X 0.88 ID, MAX PANEL THICKNESS 0.125, BLACK NYLON
CMP00161	*	1	CLAMP; LOOP
GKT01722	*	14.933350	GASKET; .12 X .75 X 50FT ROLL
GKT03437	*	5.583340	GASKET, .125 THICK X 3.70 WIDE, PVC FOAM/CLOSED CELL - ALUM FOIL FACE PRESS SENSITIVE BACK, GRAY
SCR01557	*	43	SCREW; SHEET METAL 0.25-14 X 0.62, HEX HEAD, SLATE GRAY COLOR
SCR01623	*	1	SCREW; SHEET METAL, 10-16 UNC X 1/2, HIGH TORQUE, INDENT HEX-WASHER HEAD

ECONOMIZER ULTRA LOW LEAK DAMPERS

75010633


REV.
A

DOWNFLOW SHOWN WITH TRAQ
TYPICAL ILLUSTRATION



Part No.	Reference No.	Quantity	Description
ANG00840	*	1	ANGLE; CHANNEL SUPPORT
ARM00224	*	12	ARM; DAMPER 20-130 TON
BOF00984	*	5	BLOCKOFF; WATER DAM
BRG00125	*	4	BEARING; LINKAGE, .25/.31 BALL JOINT, .25-.28 X .562
BRG00271	*	22	BEARING; DAMPER, MOLDED, .45 ID X .31 LG
BRG00523	*	11	BEARING; NYLON
BUS00095	*	22	BUSHING; DAMPER (IS A PIN WITH A SLOT)
BUS00178	*	1	BUSHING; SNAP, .88 MTG. W/.69 HOLE
BUS00269	*	1	BUSHING; 1.31 ID X .45 LG
BUS00816	*	22	BUSHING; DAMPER, IS A PIN WITH A SLOT IN IT (1 CTN = 50 PCS)
BUS00821	*	1	BUSHING; SNAP, .88 MTG W/.69 HOLE (1 CTN = 50 PCS)
BUS00860	*	22	BUSHING; DAMPER (IS A PIN WITH A SLOT)
BUS00863	*	1	BUSHING; SNAP, .88 MTG W/.69 HOLE (1 CTN = 10 PCS)
FLR08063	*	3	FILTER; MIST ELIMINATOR, 1.00 X 23.75 X 38.00
GKT01722	*	73.900060	GASKET;.12 X .75 X 50FT ROLL
GKT03437	*	21.933350	GASKET, .125 THICK X 3.70 WIDE, PVC FOAM/CLOSED CELL - ALUM FOIL FACE PRESS SENSITIVE BACK, GRAY
GKT04612	*	21.2166799999 999970	GASKET; .500T X 1.75W X 8 INCHES
GRM00039	*	1	GROMMET; RUBBER .25 ID X .05 GRV MLD
GRM00818	*	1	GROMMET; RUBBER .25 ID X .05 GRV MLD (1 CTN = 50 PCS)
GRM00844	*	1	GROMMET; RUBBER 0.25 ID X 0.4375 SLOT DIA X 0.063 SLOT X 0.625 OD, MOLDED RUBBER (PACK OF 50)
IRT00017	*	7	INSERT; BUMPER-STOP, 0.468 OD X 0.81 LG, BLACK RUBBER
MOD01301	*	1	MODULE; ACTUATOR, FOOT MOUNTED, W/ CAPTIVE SCREWS, 2-10 VDC INPUT, SPRING RETURN ON POWER FAILURE (MOTOR ONLY)
NUT00338	*	22	NUT; .25- , PUSH ON SPRING STEEL, IF PIN REQUIRED, ORDER PIN00092
NUT00920	*	22	NUT; 0.25- PUSH ON SPRING STEEL
ROD00947	*	2	ROD, .31 DIA X 11.50 AL
SCR00709	*	22	SCREW, 10-24 X .50
SCR00721	*	4	SCREW; PHILLIPS HEAD, 6-32 X 1/2
SCR00909	*	2	SCREW, 6-32 X .75
SCR01557	*	270	SCREW; SHEET METAL 0.25-14 X 0.62, HEX HEAD, SLATE GRAY COLOR
SEL00383	*	26.758350	SEAL;FOAM TAPE, NEOPRENE CLOSED CELL, 1/4 X 3/4 X 50 FEET
SUP03255	*	1	SUPPORT, FRESH AIR ECONOMIZER HORIZONTAL
SUP03256	*	1	SUPPORT, ECONOMIZER POST
SUP06221	*	3	SUPPORT; FILTER ECONO
TAP00024	*	0.0010	TAPE; ALUMINUM FOIL, 2IN.WIDE SPECIFY NUMBER OF FEET WHEN ORDERING
WAS00685	*	2	WASHER; .281 ID X .625 OD
FLR01368	1	3	FILTER; MIST ELIM, 1.00 X 23.75 X 38.00
SEN01036	5	1	SENSOR; HUMIDITY, 10-90 PRECENT RELATIVE HUMIDITY, 32-125F AMBIENT
MOD02954	7	1	MODULE; RELIATEL ECONOMIZER LOGIC MODULE (RTEM)
SEN01036	11	1	SENSOR; HUMIDITY, 10-90 PRECENT RELATIVE HUMIDITY, 32-125F AMBIENT

Part No.	Reference No.	Quantity	Description
0000014718~P	*		ASSEMBLY; COMMON PARTS, CABINET "B"
VOY3DOORN003~P	*		LOW OR HIGH GAS HEAT - CABINET "A" OR "B"



Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000


Part No.	Reference No.	Quantity	Description
COV02296	1	1	COVER; R/A SECTION
COV02298	2	1	COVER; EVAP SECTION, 44" X 91"
COV02299	3	1	COVER; HEAT SECTION
COV04395	4	1	COVER; TOP, OD FAN SECTION, CABS A-B
COV04396	5	1	COVER; TOP OD FAN SECTION, CABS A-B-C
GRD01669	6	3	GUARD; FAN, 28 IN DIA
ORF01037	7	3	ORIFICE; FAN, 28IN. OD
FAN02215	8	3	FAN; 4 BLADE, ALUMINUM, 28 IN DIA, 29 DEG PITCH, CW, 5/8 IN BORE
PNL31673	9	1	PANEL; ACCESS RIGHT, 36 X 32
PNL35537	10	1	PANEL; LEFT ACCESS, DOOR
KNB00059	11	8	KNOB, DOOR
PNL31666	12	1	PANEL; ACCESS CONDENSER SECTION
CNT04320	13	1	CONTROL; DIFFERENTIAL PRESSURE, .15 IN WC OPEN, 3 IN WC CLOSED, SPST, SNAP ACTING CONTACTS, 3FLA, 18 LRA @ 24 VAC
SEN00339	14	1	SENSOR; THERMISTOR, PROBE, -40C TO 65C TEMP RANGE
SRA00198	15	1	STRAINER;
PNE00649	16	1	PANEL; ACCESS EVAPORATOR SECTION
WHL00747	17	1	WHEEL; FAN, 22 INCH FC, 1.44 INCH BORE
BRG00957	18	1	BEARING; 1.00 BORE, PILLOW BLK
SHF03829	19	1	SHAFT; 1.438 DIA X 40.10 FAN
BRG00958	20	1	BEARING; 1.44 BORE, PILLOW BLK
KEY00295	21	1	KEY; 3/8IN. X 3/8IN. X 4IN.
HUS03111	22	1	HOUSING; FAN, 22"

HEAT EXCHANGER

75010746

REV.
A

HIGH HEAT
TYPICAL ILLUSTRATION




Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000

Part No.	Reference No.	Quantity	Description
ANG01749	*	1	ANGLE; STIFFENER
ANG02034	*	1	ANGLE;HINGED DOOR LOCK
BOF01203	*	2	BLOCKOFF, TOP HINGE DOOR
BRK04273	*	4	BRACKET; DOOR HOLD BACK
CHN00008	*	6	CHAIN; TWIN LOOP-#4 SIZE
GKT01722	*	18.716680	GASKET;.12 X .75 X 50FT ROLL
GKT03437	*	27.416690	GASKET, .125 THICK X 3.70 WIDE, PVC FOAM/CLOSED CELL - ALUM FOIL FACE PRESS SENSITIVE BACK, GRAY
HNG00832	*	4	HINGE; DOOR, .08 ALUMINUM 2.26 W X 12 LG, PIN DIA .187 SST
INS02931	*	1	INSULATION; FABRICATED, .50T X 31.50W X 64.00, DUAL DENSITY FIBERGLASS-FOIL FACE
INS03231	*	1	INSULATION; FABRICATED, .50T X 28 W X 64.00, DUAL DENSITY FIBERGLASS-FOIL FACE
INS03232	*	1	INSULATION; FABRICATED, .50T X 6.71 W X 65.81, DUAL DENSITY FIBERGLASS-FOIL FACE
KNB00059	*	4	KNOB, DOOR
KNB00127	*	4	KNOB; DOOR (1 CTN = 10 PCS)
LAT00069	*	4	LATCH; HANDLE ASSEMBLY, LIFT AND TURN SIDE PAWL
PNL31674	*	1	PANEL; ACCESS EVAP SECTION, 65 X 32
PNL32087	*	1	PANEL; ACCESS EVAP SECTION
SCR01557	*	92	SCREW; SHEET METAL 0.25-14 X 0.62, HEX HEAD, SLATE GRAY COLOR
SEL00383	*	26.450020	SEAL;FOAM TAPE, NEOPRENE CLOSED CELL, 1/4 X 3/4 X 50 FEET
TAP00024	*	0.0010	TAPE; ALUMINUM FOIL, 2IN.WIDE SPECIFY NUMBER OF FEET WHEN ORDERING

Part No.	Reference No.	Quantity	Description
VOY3EVAPR001~P	*		30 TON EVAPORATOR COIL PARTS
VOY3CONDR052~P	*		CONDENSER COILS




Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000

Part No.	Reference No.	Quantity	Description
GKT04943	*	1	GASKET; DRAIN PAN; .25 T X 2.50 X 2.60
SHD00385	*	1	SHIELD; DRIP PAN, EVAPORATOR COIL
COL16453	1	1	COIL; EVAP, 30 TON, STD DRAIN PAN.
COL16461	1A	1	COIL; EVAP, 30 TON, STAINLESS DRAIN PAN
VAL09584	2	1	VALVE; EXPANSION 35 TON, R410A
DST00830	3	1	DISTRIBUTOR; 30 OUTLETS, 0.25 ODS, 1.62 ODM INLET, LESS NOZZLE AND RING BRASS
VAL10180	4	1	VALVE; AND PIPING ASSEMBLY, TXV, 30 TON
CON00466	5	1	CONNECTOR; DRAIN PAN, BLACK PLASTIC


CONDENSER COIL
30-50 TON

75009696

REV
B

Part No.	Reference No.	Quantity	Description
BRK04257	*	6	BRACKET; MICROCHANNEL SIDES
PNL28841	*	1	PANEL; ACCESS PANEL, CONDENSER
SCR01557	*	141	SCREW; SHEET METAL 0.25-14 X 0.62, HEX HEAD, SLATE GRAY COLOR
SEL00383	*	5.50	SEAL;FOAM TAPE, NEOPRENE CLOSED CELL, 1/4 X 3/4 X 50 FEET
SUP05613	*	1	SUPPORT; TOP MICROCHANNEL COIL
SUP05614	*	1	SUPPORT; TOP MICROCHANNEL COIL
COL18254	1	1	COIL; MICRO CHANNEL, 30 AND 35 TON
COL18250	2	1	COIL; MICRO CHANNEL, 30 AND 35 TON
COL18252	3	1	COIL; MICRO CHANNEL, 30 AND 35 TON
COL18248	4	1	COIL; MICRO CHANNEL, 30 AND 35 TON

Part No.	Reference No.	Quantity	Description
VOY3COILL019~P	*		30 - 35 TON - WITH CONDENSER COIL GUARD




Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000

Part No.	Reference No.	Quantity	Description
GRD01846	*	2	GUARD; COIL MICRO
GRD01847	*	2	GUARD; COIL MICRO
SCR01557	*	32	SCREW; SHEET METAL 0.25-14 X 0.62, HEX HEAD, SLATE GRAY COLOR
SCR01557	6	0	SCREW; SHEET METAL 0.25-14 X 0.62, HEX HEAD, SLATE GRAY COLOR
WAS00718	12	0	WASHER; .312 ID X 1.75 OD

Part No.	Reference No.	Quantity	Description
VOY3BORDW003~P	*		BOARDS RTRM, RTOM
VOY3TRANJ008~P	*		TRANSFORMER CONTROL - 460/575V - YC HIGH




Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000

Part No.	Reference No.	Quantity	Description
MOD03196	1	1	MODULE; RELIATEL REFRIGERATION DUAL CIRCUIT COOL/HP
MOD02554	2	1	MODULE; RELIATEL OPTIONS, RTOM

Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000



Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000

Part No.	Reference No.	Quantity	Description
SCR01765	*	6	SCREW; 8-32 X .50 (1 CTN = 50 PCS)
TRR00664	*	2	TRANSFORMER; 350 VA, 460-575V PRI., 115-230V SEC.
WAS00456	*	8	WASHER;LOCK,.25 ID X .49 OD
SCR00906	7	0	SCREW; 8-32 X .50
SCR00906	10	6	SCREW; 8-32 X .50
SCR00906	13	0	SCREW; 8-32 X .50
SCR00907	22	0	SCREW; .25-20 X .50
SCR00906	30	0	SCREW; 8-32 X .50
SCR01871	41	0	SCREW; 8-32 X 0.50 (PACK OF 10)
TRR00826	42	3	TRANSFORMER; 75 VA, 460-575V PRI, 24V SEC
SCR00906	43	0	SCREW; 8-32 X .50
WAS00611	44	0	WASHER;LOCK, .19 ID X .39 OD
SCR00906	46	0	SCREW; 8-32 X .50

Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000


Part No.	Reference No.	Quantity	Description
VOY3SYSAJ953~P	*		AY; SYSTEM CONT W/ MOD GAS HEAT & STATIT
VOY3HTD5G001~P	*		TD5 TOUCHSCREEN DISPLAY

Part No.	Reference No.	Quantity	Description
SCR00889	*	2	SCREW, 10-32 X .50

HUMAN INTERFACE
VOYAGER 2
TYPICAL ILLUSTRATION

75010341

REV
B




Part No.	Reference No.	Quantity	Description
BRK04416	*	1	BRACKET; HUMAN INTERFACE MOUNTING
BRK04504	*	1	BRACKET;TD5 MOUNTING
SCR00906	*	4	SCREW; 8-32 X .50
SCR00909	*	4	SCREW, 6-32 X .75
WIR08893	*	1	WIRE; HARNESS; EXTENSION 1000 MM +/-20MM 600V 18AWG
CNT07131	1	1	CONTROL; TD5 DISPLAY, WITH MODBUS, USB HOST SUPPORT CONTROL; TD5 DISPLAY, WITH MODBUS, USB HOST SUPPORT

Part No.	Reference No.	Quantity	Description
VOY3DISCX028~P	*		DISCONNECT SWITCH PARTS - 0.0 THRU 100.0

UNIT DISCONNECT
CONTROL PANEL
TYPICAL ILLUSTRATION

75010624

REV.
A



Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000


Part No.	Reference No.	Quantity	Description
NUT00004	*	2	NUT; 10-32, HEX LOCK
NUT00896	*	2	NUT; 10-32, HEX LOCK (1 CTN = 50 PCS)
NUT00963	*	2	NUT; 10-32, HEX LOCK - PACK OF 10 PCS
SCR00907	*	4	SCREW; .25-20 X .50
SCR01439	*	2	SCREW; RHD #10-32 X 3.00, STL-ZINC PLTD
TIE00032	*	1	TIE; CABLE
HDL00888	1	1	HANDLE; KIT,CIRCUIT BREAKER
SHF03513	2	1	SHAFT; USED WITH 250A 600V DISC SWITCH - 4.819 LG
PLT04369	3	1	PLATE; MECHANISM USED WITH 250A 600V DISCONNECT SWITCH
SWT04287	4	1	SWITCH; DISCONNECT SWITCH 150A 600V
BRK04402	5	1	BRACKET; DISCONNECT SWITCH

Part No.	Reference No.	Quantity	Description
VOY3DPANR001~P	*		STANDARD PRE-PAINTED STEEL DRAIN PAN PAR

Evaporator Coil and Filters
Typical Illustration
35 Ton shown

75009066

REV
B



Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000


Part No.	Reference No.	Quantity	Description
GKT01722	*	14.166680	GASKET; .12 X .75 X 50FT ROLL
PAN02059	5	1	PAN; LOWER DRAIN PAN, 87.5 X 6.3

Part No.	Reference No.	Quantity	Description
VOY3DRIVS001~P	*		7.5HP STANDARD OR HIGH EFFICIENCY MOTOR

Supply Blower Assembly

75009064

REV
A




Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000

Part No.	Reference No.	Quantity	Description
BX108	*	1	BELT;
SHE00279	1	1	SHEAVE; BK 190, 1 7/16 BORE
SHE00235	2	1	SHEAVE; BK62H
BLL00019	3	1	V-BELT; BX108 NOTCHED 109.8 PL
BUS00127	4	1	BUSHING - SPLIT TAPER SHEAVE; 1 3/8 BORE TYPE H
KEY00043	7	1	KEY;3/8IN.X 3/8IN.X 3IN.

Part No.	Reference No.	Quantity	Description
VOY3FILTF022~P	*		CABINET "A" OR "B" - 2 INCH HIGH EFFICIE




Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000


Part No.	Reference No.	Quantity	Description
BOF02133	*	1	BLOCKOFF; TOP FILTER
BOF02292	*	1	BLOCKOFF; REAR FILTER
CNL01606	*	1	CHANNEL; FILTER TOP
CNL01676	*	1	CHANNEL; DOWN SPOUT
CNL01677	*	1	CHANNEL; DOWN SPOUT
CNL01697	*	1	CHANNEL; BOTTOM FILTER
GKT04176	*	7.266670	GASKET; .75T X .75W X 25FT ROLL
GRM00142	*	4	GROMMET; .38 ID X .05 GRV MLD
RCK00262	*	3	RACK; ALUMINUM EXTRUSION FILTER RACK, 2 X 78.5
TAP00024	*	0.0010	TAPE; ALUMINUM FOIL, 2IN.WIDE SPECIFY NUMBER OF FEET WHEN ORDERING
GKT01722	6	1	GASKET; .12 X .75 X 50FT ROLL
HDL00078	9	2	HANDLE; FILTER PULLER
FLR00497	10	17	FILTER; 2 X 16 X 20, THROWAWAY
SCR01557	12	0	SCREW; SHEET METAL 0.25-14 X 0.62, HEX HEAD, SLATE GRAY COLOR

Part No.	Reference No.	Quantity	Description
VOY3VOLTW441~P	*		VOLTAGE PARTS 460V 30T




Part No.	Reference No.	Quantity	Description
GKT04218	*	2	GASKET; TEFLON, 38.1 MM OD
COM09151	1	1	COMPRESSOR; CSHD161K0A0M, 380-400/3/50-460/3/60, INTERNAL OVERLOAD, BRAZED CONNECTIONS, SCROLL, 13.4 TON, OIL00080, SHIPS WITH GKT04218 AND RSR00240
COM09151	2	1	COMPRESSOR; CSHD161K0A0M, 380-400/3/50-460/3/60, INTERNAL OVERLOAD, BRAZED CONNECTIONS, SCROLL, 13.4 TON, OIL00080, SHIPS WITH GKT04218 AND RSR00240
HTR15172	3	2	HEATER; CRANKCASE, 90 WATTS, 460 VOLTS
MNT02332	4	8	MOUNT; ISOLATOR MOUNTING
CON00077	5	1	CONNECTOR, ELECTRIC GROUND, 14-2 AWG SOLDERLESS
SWT00286	6	1	SWITCH; TOGGLE, SPST, 15/10A - 125/250VAC
CTR02654	7	3	CONTACTOR; MAGNETIC 6.3 NOMINAL VA, 600V, 24 VAC, 2P, 25FLA
CNT05176	8	2	CONTROL; MONITOR, 3-PHASE LINE, UNIVERSAL 180-632 VAC, PHASE AND LOSS REVERSAL
CTR02765	9	1	CONTACTOR; 3 POLE, NO 40FLA AT 600V, 50/60 HZ W/NORN OPEN AUX SWITCH 50 RES AMPS 24V COIL
CTR02765	10	1	CONTACTOR; 3 POLE, NO 40FLA AT 600V, 50/60 HZ W/NORN OPEN AUX SWITCH 50 RES AMPS 24V COIL
FUS02174	11	2	FUSE; 30 A CLASS JTD FUSES
FUS02178	12	2	FUSE; 50 A CLASS JTD FUSES
FUS02177	13	3	FUSE; 45 A CLASS JTD FUSES
FUS02177	14	3	FUSE; 45 A CLASS JTD FUSES
BLK01427	15	1	BLOCK; FUSE, 30 AMP, 600 VOLT, 2 POLE, CLASS J
BLK01429	16	1	BLOCK; FUSE, 60 AMP, 600 VOLT, 2 POLE, CLASS J
BLK01420	17	2	BLOCK; FUSE, CLASS J FUSE HOLDER - 60 AMP, 600 VOLT, 3 POLE
CPT00553	18	3	CAPACITOR, 25 MFD, 440 VOLT, ROUND
MOT06765	19	3	MOTOR; 1.1 HP, 460V, 1140 RPM, 48 FRAME, BALL BEARING, CCW, 25 MFD CPT AT 370V, SLINGER SHIPS WITH MOTOR.

Part No.	Reference No.	Quantity	Description
0000032546~P	*		HI-HEAT PARTS, MOD GAS
VOY3TLIMB010~P	*		HORIZONTAL - 27.5/30/35 TON - 60/50 HERT



Part No.	Reference No.	Quantity	Description
MOD01393	1	2	MODULE; GAS IGNITION
MOD03197	2	1	MODULE; VOYII & III GAS HEATER CONTROL BOARD
CTR00836	3	1	CONTACTOR; 208/230V, 2 POLE, 30 AMP
BLK01023	4	2	BLOCK; BC6032P FUSEBLOCK FOR USE WITH LP-CC, KTK-R AND FNQ-R FUSES
FUS02275	5	4	FUSE; 5A, 200/230/60, 600V, CLASS CC
GKT04206	6	2	GASKET; SPECIALTY; .125 THK X 4.16 DIA, SILICONE SPONGE (RED), MAX TEMP 450 DEG F W/HOLES PRESSURE SENSITIVE BACKING
GLS00144	7	2	GLASS; SIGHT, .75 OD X .12 THK
GKT03053	8	2	GASKET; EDGE TRIM, .062 X 9.0 DIAMETER
FAN02160	9	1	FAN; BLOWER, COMBUSTION, W/MOTOR, 1/10 HP, 208-230/60/1
ORF01029	10	1	ORIFICE; #P-.323 DIAMETER
CNT01221	11	1	CONTROL; VALVE, GAS, .75 NPTI, 24 VAC, NEGATIVE PRESSURE OPERATION
FAN03975	12	1	FAN; BLOWER ASSEMBLY, W/MODULATING MOTOR CENTRIFUGAL, 350/390 MBH
ORF01454	13	1	ORIFICE; ASSEMBLY MOD GAS 350MBH
VAL08953	14	1	VALVE; GAS, .75 NPTI, 24 VAC, POSITIVE PRESSURE OPERATION
SWT03150	15	1	SWITCH; PRESSURE CONTROL, 0.10 IN +/-0.05 W.C. PF.
KIT03033	16	2	KIT; IGNITOR
EXC02987	18	1	EXCHANGER; STAINLESS STEEL GAS HEAT EXCHANGER AND PANEL ASSEMBLY, 350 MBH MODULATING
EXC02609	20	1	EXCHANGER; STAINLESS STEEL GAS HEAT EXCHANGER AND PANEL ASSEMBLY, 250 MBH
GKT02141	21	2	GASKET; .06 THK X 18.85 DIAMETER, HI-TEMP
PNE03654	22	2	PANEL; HEAT ACCESS
PNL30150	23	1	PANEL; ACCESS EXHAUST
SUP05532	24	1	SUPPORT; GAS HEAT
PNE03655	25	1	PANEL; EXHAUST ACCESS
SUP03125	26	1	SUPPORT,POST FRONT RIGHT
GRD01226	27	8	GUARD; WIRE CLOTH, 2.92 X 5.00
BAF00304	29	2	BAFFLE;COMBUSTION BLOWER



Part No.	Reference No.	Quantity	Description
BAF01007	*	1	BAFFLE; TOP
BAF01008	*	1	BAFFLE; SIDE
CNT01031	*	1	CONTROL; TEMP LIMIT, SPDT, OPEN 150F, CLOSE 110F
SCR01608	*	4	SCREW; 10-16 UNC X .75, SH MET, HX WASHER HD IDENT - TYPE AB, STL - MAGNIGARD SILVER 17
SCR01623	*	38	SCREW; SHEET METAL, 10-16 UNC X 1/2, HIGH TORQUE, INDENT HEX-WASHER HEAD
SPC00323	*	4	SPACER; .194 ID X .312 LG, .375 OD
SUP03699	*	1	SUPPORT; LH SIDE
SUP03700	*	1	SUPPORT; RH SIDE
SUP03718	*	1	SUPPORT; CORNER POST
CNT01047	3	1	CONTROL; TEMP, OPEN 190F, SPST
CNT01831	4	1	CONTROL; HI TEMPERATURE

Part No.	Reference No.	Quantity	Description
0000028888~P	*		MODEL NUMBER DESCRIPTION PG.2

REL
A

75010642

MODEL NUMBER DESCRIPTION

VOYAGER 3

Example Model Number:

YCD330B4PM2B1CE5AB0D00G00B0000000

1 - - - 5 - - - 10 - - - 15 - - - 20 - - - 25 - - - 30 - - -

Digits 16 – System Control

1 = Constant Volume
2 = Constant Volume w/Discharge Air Control
4 = VAV Supply Air Temp Cntl W/VFD,W/O Bypass
5 = VAV Supply Air Temp Cntl W/VFD,W/Bypass
6 = Single Zone VAV - W/VFD, W/O Bypass
7 = Single Zone VAV - W/VFD, W/ Bypass
A = VAV Sply Air Temp Cntl W/VFD,W/O BP,W/ Motor SG
B = VAV Sply Air Temp Cntl W/VFD,W/ BP, W/ Motor SG
C = Single Zone VAV - W/VFD, W/O Bypass, W/ Motor SG
D = Single Zone VAV - W/VFD, W/ Bypass, W/ Motor SG

Digits 17 – Service Valves

0 = W/O Service Valves
A = Service Valves

Digits 18 – Thru The Base Electrical Provisions

0 = Standard Elect Connections
B = Thru The Base Elect Provisions

Digit 19 – Disconnect Switch Option

C = Unit Mounted Non-Fused Disconnect Switch

Digit 20 – GFCI Convenience Outlet Option

D = Factory Powered GFCI Conv. Outlet With Disconnect Switch

Digit 21 – Field Powered GFCI

E = Field Powered GFCI Conv. Outlet

Digit 22 – Communications Option

F = Trane Communications Interface - ICS Controls

Digit 23 – Ventilation Override Module

G = Ventilation Override Module

Digit 24 – Hinged Service Access

0 = Standard Panels
H = Hinged Service Access

Digit 25 – Condenser Coil Guards

0 = W/O Condenser Coil Guards
J = Condenser Coil Guards
H = Condenser Coil Hall Guards

Digit 26 – Communications Option

K = Lontalk Communications Interface
B = BACnet Communications Interface

Digit 27 – High Tier Short Circuit Current Rating

D = High Tier Current Rating
E = High Tier Current Rating w/ Powered Conv. Outlet

Digit 28 – SST Evaporator Drain Pan

0 = Standard Drain Pan
M = SST Evap Drain Pan
1 = Pre-Painted Steel Drain Pan w/ Condensate Overflow Switch
2 = Stainless Steel Drain Pan w/ Condensate Overflow Switch

Digit 29 – Condenser Coils

0 = Standard Condenser Coils
J = Corrosion Protected Condenser Coil
K = High Efficiency Unit w/Valves Standard
L = High Eff Unit w/ Corrosion Protected Cond. Coil w/Valves Standard

Digit 30 – Discharge Temperature Sensor

0 = Without Disch Temp Sensor
P = Discharge Temperature Sensor

Digit 31 – Clogged Filter Switch Option

R = Clogged Filter Switch

Digit 32 –Modulating Hot Gas Reheat

0 = None
T = Modulating Hot Gas Reheat

Digit 33 – Human Touch Screen

5 = Touch Screen Display 5 Inch
0 = Standard Unit No Touch Screen

2 of 2

Part No.	Reference No.	Quantity	Description
CLK2C~S	*		TUBING

Parts List Number :CLARKSVILLE


Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000

Part No.	Reference No.	Quantity	Description
VOY3TUBET167~P	*		AY; INTER-CONNECTING TUBING CAB-B W/ SER
VOY3VLVEV010~P	*		SERVICE VALVE - CABS A & B

COMPRESSOR AND PIPING SECTION

75000178

REV
A



Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000

Part No.	Reference No.	Quantity	Description
CMP00372	*	1	CLAMP; BULB KIT, .62 X 9.56
CMP00929	*	3	CLAMP; TUBE, .62 ID
CNT04319	*	1	CONTROL; BI-METAL DISC LIMIT, OPEN 40, CLOSE 30, SPST, 120/240V, AUTO RESET
CNT04958	*	1	CONTROL; HIGH PRESSURE CUTOUT, ACTUATION PRESSURE 650 PSIG, DEACTUATION PRESSURE 550 PSIG, 6.0 FLA, 36 LRA AT 120/240 VAC, 72 IN LEADS WITH FEMALE 1/4 QC
CNT04959	*	1	CONTROL; LOW PRESSURE, CLOSE ON RISE 41 PSIG, OPEN ON FALL 25 PSIG, 6.0 FLA, 36 LRA AT 120/240 VAC, BLUE LEADS
CNT04960	*	1	CONTROL; HIGH PRESSURE, 650 OPEN, 550 CLOSE, .25 FFL W/DEFLATOR, 72.00 RED LEADS WITH 1/4 FEMALE AND MALE QC-BLACK.
CON00070	*	2	CONNECTOR; WIRE JOINT,4-#18/2-#12 WIRES,INSULATED,CLOSED END
COR00070	*	11	CORE; VALVE PORT (1 CTN = 50 PCS)
DHY01484	*	1	DRIER; LIQUID LINE, 305-7S, 5/8 ODF X 7/8 ODF
FTG00166	*	1	FITTING, REDUCER, 2.13 X 1.63
LUB00065	*	0.0010	LUBRICANT; HT CONDUCTIVE COMPOUND
SRP00832	*	1	STRAP; .625 OD TUBE SIZE (1 CTN = 20 PCS)
TEE00051	*	1	TEE; TUBE, SOLDER, WROT COPPER, .62C X .62C X .62C
TEE00235	*	1	TEE, 1.38 C X 0.88 C X 0.88 C
THT02803	*	2	THERMOSTAT; WITH CLAMP
TIE00032	*	1	TIE; CABLE
TUB10389	*	1	TUBE; SUPPLY AIR SENSING
DHY00296	1	1	DRIER; DEHYDRATOR, FILTER
SCR01557	3	0	SCREW; SHEET METAL 0.25-14 X 0.62, HEX HEAD, SLATE GRAY COLOR
SRP00071	5	2	STRAP, DRIER MOUNTING
CLP00008	6	1	CLIP; CLAMP
VAL01483	11	8	VALVE; BODY, .44-20 THD X .25 ODS, STRAIGHT, BRASS, LESS CORE
COR00006	12	4	CORE; VALVE PORT, .79 LENGTH, .206-36 UNS 2A THD
CAP00072	13	4	CAP; VALVE, SEAL, .25 FFL
SRP00138	16	1	STRAP, TUBE 2.125 OD
SRP00042	21	1	STRAP;TUBE
SRP00213	22	2	STRAP; .625 OD TUBE SIZE


Compressor Assy and Piping

75009061

REV
A

Shown with service valves

Typical Illustration 27.5 – 35 Ton




Part No.	Reference No.	Quantity	Description
VAL02868	11	1	VALVE; 2.12ODM X 2.12ODS BALL
VAL03518	13	1	VALVE;ANGLE (DISCHARGE SERVICE VALVE)

Part No.	Reference No.	Quantity	Description
439530800100-P	*		HARNESS; DISCHARGE TEMP. SENSOR

Part No.	Reference No.	Quantity	Description
SEN00339	*	1	SENSOR; THERMISTOR, PROBE, -40C TO 65C TEMP RANGE
WIR08193	*	1	WIRE; HARNESS, DISCHARGE TEMPERATURE SENSOR

Part No.	Reference No.	Quantity	Description
VOY3VFIDK459~P	*		VFD ASSEMBLY & INDOOR FAN MOTOR



Parts List Number :CLARKSVILLE

Model Number :YCH360B4P10B1AD6A0C0000HJ000000050000000

Part No.	Reference No.	Quantity	Description
CON02032	*	1	CONNECTOR; HOUSING PLUG, 0.250 CTR, 2POS
CON02033	*	6	CONNECTOR; CONTACT PIN, 20 -14 AWG
DRV02068	1	1	DRIVE; VFD, TR150, H3 460V 7.5HP
BLK01337	2a	1	BLOCK; FUSEBLK 3P 30A 600V CLASS CC W/ SP & QC 2F1,2F2,2F3 1 PC
FUS01755	2b	3	FUSE; TD, 25A, 600V, CC
COV05878	3	1	COVER, FUSE BLK
TRR01121	4a	1	TRANSFORMER;240/480V PRI 120V SEC 50/60 HZ, 150VA W/ FUSE BLOCK
FUS00987	4b	2	FUSE; .8A 600V
FUS01274	4c	3	FUSE; CLASS J QUICK ACTING, 35 AMP 600V
BLK01140	5	2	BLOCK; TERMINAL, 600V, 175A
COV03141	6	2	COVER; CLEAR PLASTIC
BLK01161	7	2	BLOCK; TERMINAL BLK, END STOP DIN 3 RAIL
BLK01061	8	1	BLOCK; END SECTION
BLK01051	9	1	BLOCK; TERMINAL
BLK01066	10	1	BLOCK; BLUE
RLY03902	11a	1	RELAY; CONT 4PDT 250V/6A 120VAC LED GOLD
HLD00786	11b	1	HOLDER; REL SKT 2-4 C/O STANDARD CR-M DIN/PNL
CLP01475	11c	1	COUPLING; REL SKT CLIP METAL CR-M
BLK01420	12	1	BLOCK; FUSE, CLASS J FUSE HOLDER - 60 AMP, 600 VOLT, 3 POLE
FUS01339	13	1	FUSE; 2 AMP, 600V, TD
RLY01414	14	1	RELAY; CONT DPDT
PAD01360	15	1	PAD; KEYPAD FOR TR150, LOCAL CONTROL PANEL DISPLAY
PAD01361	16	1	PAD;KEY PAD CRADLE
MOT09352	17	1	MOTOR; 7.5 HP, 230/460/60/3, 1725-1760 RPM, RIGID, BB, REVERSIBLE, EISA
GRP00027	18a	1	GRIP; CABLE
CON00070	18b	6	CONNECTOR; WIRE JOINT,4-#18/2-#12 WIRES,INSULATED,CLOSED END