

FILE COPY

EQUIPMENT SPEC SHEET

REVISION:



NAME & LOCATION		WAYNE FARMS UNION SPRINGS, AL		CUSTOMER NUMBER		C121241		
ITEM NUMBER		X95		ITEM SERIAL NUMBER		C121241-X95		
ENGINEER		GARY CAMBRON		SALESMAN		HEATH MORROW		
EQUIPMENT TYPE		FULL BOX ACCUMULATING CONVEYOR		ITEMS REQ'D		1		
				CAD TECH DESIGNER		ETHAN JONES		
				CAD TECH DETAILER		ETHAN JONES		
1	BELT MANUF.	INTRALOX	2	SERIES	800S	3	BELT TYPE	ROLLER TOP
4	BELT LENGTH	43'	5	BELT COLOR	GREY	6	BELT MATERIAL	AC (Acetal)
7	FRICTION SPACING	N/A	8	BELT INDENT	N/A	9	CENTER NOTCH	N/A
10	BELT WIDTH	18"	11	WEARSTRIP	1"X1-1/2" UHMW	12	BELT PIN MAT.	WHITE AC
13	BELT FLIGHTS	NO	14	FLIGHT HEIGHT	N/A	15	FLIGHT TYPE	N/A
16	FLIGHT CENTERS	N/A	17	FLIGHT INDENT	N/A	18	CENTER NOTCH	N/A
19	T.O.B. INFEEED	32"	20	T.O.B. DISCHARGE	32"			
21	IDLE SPROCKET	10 TOOTH	22	PITCH DIAMETER	6.5" PD	23	BORE SIZE/TYPE	1-1/2" SQUARE
24	DRIVE SPROCKET	10 TOOTH	25	PITCH DIAMETER	6.5" PD	26	BORE SIZE/TYPE	1-1/2" SQUARE
27	SPROCKETS @ DRV	4	28	SPROCKETS @ IDLE	3	29	BELT SCRAPE	NO
30	BELT WASHER	NO	31	DRIP PAN	NO	32	DRIP PAN @ DRIVE	YES
33	DRIVE SIDE	LEFT	34	DRIVE TYPE	EXTREME DUTY	35	MTR/GB FRAME	143TC/145TC
36	MOTOR	STERLING	37	HORSEPOWER	1 HP	38	FPM	60 FPM
39	GEARBOX	K343 TAPER	40	RATIO	50:1	41	MULTIPLIER	NO
42	EQUIP. MAT.	1/4" SS	43	LEGS	2" ANGLE	44	TAKE UP	CATENARY SAG

PARTS and or MATERIAL UNIQUE TO THIS ITEM(S) / SPECIAL DESIGN SPECS (Please explain)

SAFETY LABELS AND E-STOPS TO BE LOCATED AS SHOWN.

SAFETY LABELS ARE TO BE ETCHED ON 12GA PLATES.

DRIVE RESTRAINT KIT.

ITEM X99 ATTACHES ABOVE THIS ITEM

DRAWING COMPLETION DATE

1/6/2026

DELIVERY DATE

1/9/2026

EQUIPMENT SPEC SHEET

REVISION:



NAME & LOCATION		WAYNE FARMS UNION SPRINGS, AL		CUSTOMER NUMBER		C121241	
ITEM NUMBER		X99		ITEM SERIAL NUMBER		C121241-X99	
ENGINEER		GARY CAMBRON		SALESMAN		HEATH MORROW	
EQUIPMENT TYPE		GRAVITY LID CONVEYOR		CAD TECH DESIGNER		ETHAN JONES	
				CAD TECH DETAILER			
1	BELT MANUF.	2	SERIES	3	BELT TYPE		
4	BELT LENGTH	5	BELT COLOR	6	BELT MATERIAL		
7	FRICTION SPACING	8	BELT INDENT	9	CENTER NOTCH		
10	BELT WIDTH	11	WEARSTRIP	12	BELT PIN MAT.		
13	BELT FLIGHTS	14	FLIGHT HEIGHT	15	FLIGHT TYPE		
16	FLIGHT CENTERS	17	FLIGHT INDENT	18	CENTER NOTCH		
19	T.O.B. INFEED	20	T.O.B. DISCHARGE				
21	IDLE SPROCKET	22	PITCH DIAMETER	23	BORE SIZE/TYPE		
24	DRIVE SPROCKET	25	PITCH DIAMETER	26	BORE SIZE/TYPE		
27	SPROCKETS @ DRV	28	SPROCKETS @ IDLE	29	BELT SCRAPE		
30	BELT WASHER	31	DRIP PAN	32	DRIP PAN @ DRIVE		
33	DRIVE SIDE	34	DRIVE TYPE	35	MTR/GB FRAME		
36	MOTOR	37	HORSEPOWER	38	FPM		
39	GEARBOX	40	RATIO	41	MULTIPLIER		
42	EQUIP. MAT.	43	LEGS	44	TAKE UP		
	14GA SS		1-1/2" ANGLE				

PARTS and or MATERIAL UNIQUE TO THIS ITEM(S) / SPECIAL DESIGN SPECS (Please explain)

THIS ATTACHES TO X95

DRAWING COMPLETION DATE

1/6/2026

DELIVERY DATE

1/9/2026

SAFETY SIGN OFF SHEET



ITEM SERIAL NUMBER: C121241-X95

CAD TECH ETHAN JONES



DATE 1/6/2026

CUSTOMER: WAYNE FARMS

SHOP CHECKER Oscar Zucarran

DATE 1-6-2026

LOCATION: UNION SPRINGS, AL



	C	S		
SAFETY ETCH - IDLE L.S.	☒	☐	BD	OF
SAFETY ETCH - IDLE R.S.	☒	☐	BD	OF
SAFETY ETCH - DRIVE L.S.	☒	☐	BD	OF
SAFETY ETCH - DRIVE R.S.	☒	☐	BD	OF
SAFETY ETCH - OTHER L.S.	☐	☐	N/A	
SAFETY ETCH - OTHER R.S.	☐	☐	N/A	
STICKER 1 - DRIVE L.S.	☒	☐	BD	OF
STICKER 1 - DRIVE R.S.	☐	☐	N/A	
STICKER 3 - DRIVE L.S.	☒	☐	BD	OF
STICKER 3 - DRIVE R.S.	☒	☐	BD	OF
STICKER 2 - IDLE L.S.	☒	☐	BD	OF
STICKER 2 - IDLE R.S.	☒	☐	BD	OF
STICKER 4 - IDLE L.S.	☒	☐	BD	OF
STICKER 4 - IDLE R.S.	☒	☐	BD	OF
MISC. GUARDING	☐	☐	N/A	
MISC. GUARDING	☐	☐	N/A	

	C	S		
SHAFT GUARD - IDLE L.S.	☐	☐	N/A	
SHAFT GUARD - IDLE R.S.	☐	☐	N/A	
SHAFT GUARD - DRIVE L.S.	☐	☐	N/A	
SHAFT GUARD - DRIVE R.S.	☐	☐	N/A	
BEARING COVER - IDLE L.S.	☒	☐	BD	OF
BEARING COVER - IDLE R.S.	☒	☐	BD	OF
BEARING COVER - DRIVE L.S.	☒	☐	BD	OF
BEARING COVER - DRIVE R.S.	☒	☐	BD	OF
BEARING COVER - OTHER L.S.	☐	☐	N/A	
BEARING COVER - OTHER R.S.	☐	☐	N/A	
ESTOP - IDLE L.S.	☐	☐	N/A	
ESTOP - IDLE R.S.	☒	☐	BD	OF
ESTOP - DRIVE L.S.	☒	☐	BD	OF
ESTOP - DRIVE R.S.	☐	☐	N/A	
ESTOP - OTHER L.S.	☐	☐	N/A	
ESTOP - OTHER R.S.	☐	☐	N/A	

JOB NAME

Waynes Jones

JOB NUMBER

C121241-V95-X99

MATERIAL SIZE

2" x 1/4"

PIECES

LENGTH

COPE/ANGLE

LH + RH

8 1' 11 9/16"

45° OE

4R-4L

1 5'

SC

1 4'

SC

8 2' 2 3/8"

SC

2 3' 7 7/16"

45° OE

1R-1L

1 1' 4 1/8"

SC

3 1' 2 7/16"

SC

1/2 RR

2 12'

SC

Bent 25° OE

2 2'

SC

Bent 25° OE

1 16' 4"


SC Roll outside

1 5' 8"


SC Roll inside

CONVEYOR SPECS


BELT - 800S 18"W ROLLER TOP GREY AC W/ WHITE AC RODS
SIDES: 1" ABOVE THE BELT
SPROCKETS - 10 TOOTH 6.5"PD 1-1/2" SQ. BORE (EZ CLEAN)
MOTOR - STERLING SS 1HP EXTREME DUTY
GEARBOX - K343 HELICAL BEVEL 50:1 RATIO 145TC 60FPM





C121241-X95 AND X99
PLAN VIEW




C121241-X95 AND X99
SIDE VIEW




C121241-X95 AND X99
END VIEW







C121241-X95
END VIEW




USE
STANDARD
SHOE




C121241-X95
IDLE END PLATE DETAIL




C121241-X95
DRIVE END PLATE DETAIL




C121241-X99
PLAN VIEW




C121241-X99
DISCHARGE SIDE VIEW



C121241-X99
INFEED SIDE VIEW






C121241-X99
END VIEW



6'-2 3/4"
1/2" RR
ROLL TO 47 5/8" RAD


5'-6 1/2"
1/2" RR
ROLL TO 42 3/8" RAD






REQUIRED BOTH SIDES


X95-01
1/4



X95-03
1/4



X95-05
1/4




X95-07
1/4




X95-02
1/4



X95-04
1/4




X95-06
1/4



X95-09
3/16
(18)REQ'D



X95-10
3/16
(8)REQ'D



X95-11
3/16
(2)REQ'D




X95-12
3/16
(2)REQ'D




X95-13
3/16







X99-01
12 GA




X99-01A
12 GA



X99-02
12 GA



X99-03
12 GA



X99-04
12 GA



X99-05
12 GA




X99-06
12 GA




X99-07
12 GA



X99-08
12 GA




X99-09
12 GA



X99-10
3/16



X99-10A
3/16



X99-11
3/16



X99-12
3/16



X99-13
3/16
(7)REQ'D



X99-14
3/16
(7)REQ'D



X99-15
3/16
(7)REQ'D



X99-16
3/16
(14)REQ'D



X99-17
3/16
(4)REQ'D




X99-18
3/16
(2)REQ'D




X99-19
3/16
(6)REQ'D



X99-20
3/16
(3)REQ'D



06.P8508436
(3)REQ'D



06.P850941225
(80')REQ'D


STD. 1 1/2" SQUARE SOLID SHAFT

FORM DRAWING ONLY, THIS IS NOT TO SCALE !

JOB NUMBER : C121241-X95
CUSTOMER : WAYNE FARMS
LOCATION : UNION SPRINGS, AL

DATE : 1/8/2025
MATERIAL : T303 SS

DETAILER : ETHAN JONES
SHOP CHECKER :



DRIVE SHAFT DETAIL QTY. 1 REQ'D.


STD. 1 1/2" SQUARE SOLID SHAFT

JOB NUMBER : C121241-X95
CUSTOMER : WAYNE FARMS
LOCATION : UNION SPRINGS, AL

FORM DRAWING ONLY, THIS IS NOT TO SCALE !

DATE : 1/6/2025
MATERIAL : T303 SS

DETAILER : ETHAN JONES
SHOP CHECKER :



IDLE SHAFT DETAIL QTY. 1 REQ'D.



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X95/S

1/6/2026
Page

10:41 AM
1

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
121241-X95/S	DFM500S18	5/21/2025	11/14/2025			1.00	

Drawing Rev:

D&F STRAIGHT CONVEYOR 18"

DENICE

Order ID:
Part ID:

Customer:

Ship To:

Shop Resources Type	Seq#	End Qty	Start Qty	Setup Hrs	Run Hrs	Start Date	Finish Date	Drawing ID/Rev
ENGINEERING ENGINEERING	10	1.00	1.00	0.00	0.00			



LASER SHOP LASER SHOP	20	1.00	1.00	0.00	0.00			
--------------------------	----	------	------	------	------	--	--	--



SHOP1 SHOP1	30	1.00	1.00	0.00	0.00			
----------------	----	------	------	------	------	--	--	--



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
01.S101 3/16" PLATE SS 48X120	10	5/21/2025	4X10	0.00	0.00	
01.S104	20	5/21/2025	5X10	0.00	0.00	



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X95/S

1/6/2026
Page

10:41 AM
2

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	3/16" PLATE SS 60X120						
	01.S108 1/4" PLATE SS 48X120	30	5/21/2025	4X10	0.00	0.00	
	01.S111 1/4" PLATE SS 60X120	40	5/21/2025	5X10	0.00	0.00	
	01.S127 12GA SHEET SS 48X120	90	5/21/2025	4X10	0.00	0.00	
	01.S129 12GA SHEET SS 60X120	100	5/21/2025	5X10	0.00	0.00	
	03.A611 ANGLE IRON 2" X 2" X 3/16" SS	190	5/21/2025	FT	0.00	0.00	
	03.A612 ANGLE IRON 2" X 2" X 1/4" SS	200	5/21/2025	FT	0.00	0.00	
SHOP2 SHOP2	40	1.00	1.00	0.00	0.00		



Part ID/Sub ID	Piece#	Date Req'd	Unit Of Measur	Qty Req'd	Qty Due	Issue
06.S00070 LEG INSERT 1-1/2"X 1-1/2" X 1/2"* 3/4" THDS.	10	5/21/2025	EA	8.00	8.00	
SHOP3 SHOP3	50	1.00	1.00	0.00	0.00	



Part ID/Sub ID	Piece#	Date Req'd	Unit Of Measur	Qty Req'd	Qty Due	Issue
02.SB402 SQUARE BAR 1/4" SS FOR GEARBOXES	10	5/21/2025	FT	1.00	1.00	
S00371-S	50	5/21/2025	EA	8.00	8.00	



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X95/S

1/6/2026
Page

10:41 AM
3

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	LEG ADJUSTER 9"X3/4" ATR W/SS PAD 10GA* SWIVEL TYPE						
	S00421A	60	5/21/2025	EA		1.00	1.00 _____
	DRIVE DRIP PAN 30" X 11" (FOR NORD\STOBER GEARBOXES)						
	06.S00421HA	80	5/21/2025	EA		2.00	2.00 _____
	SS DRIP PAN HANGER 1"W FLAT BAR W/ 7/16"H* 1"W FLAT BAR WITH 7/16" HOLE 6.75" OVERAL LENGTH						
	UHMW PARTS	60	1.00	1.00	0.00	0.00	
	UHMW PARTS						



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
06.P850941225	10	5/21/2025	FT	80.00	80.00	_____
UHMW WEARSTRIP 1" X 1-1/2"						
06.P8508436	20	5/21/2025	EA	3.00	3.00	_____
UHMW SHOE RETURN 6" X 1-1/2" X 1"						
UHMW CTR RWAY	30	5/21/2025		20.00	20.00	_____
SEE DRAWING						
UHMW L-SHAPED RWAY	40	5/21/2025		30.00	30.00	_____

SUB-ASSY 1
SUB-ASSY 1





D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X95/S

1/6/2026
Page

10:41 AM
4


Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
SUB-ASSY 2	80	1.00	1.00	0.00	0.00		
SUB-ASSY 2							



FINAL ASSEM	90	1.00	1.00	0.00	0.00		
FINALASSEMB							



Part ID/Sub ID	Piece#	Date Req'd	Unit Of Measur	Qty Req'd	Qty Due	Issue
BELT 800S 18"W ROLLER TOP GREY AC W/ WHITE AC RODS	10	5/21/2025		43.00	43.00	_____
37.1XI 1HP XTREME 143TC 1800RPM INV DUTY* STAINLESS STEEL XTREME RPM: 1800 FOOT OPTION: FOOTLESS FRAME: 143TC ENCLOSURE: TEFC RATING: INVERTER DUTY ELECTRICAL: 3 PHASE 460V ENCAPSULATED: ENCAPSULATED	20	5/21/2025	EA	1.00	1.00	_____
37.4SL2 STERLING SS HEL BEVEL SYMMETRICAL 50:1* STERLING SYMMETRICAL STAINLESS STEEL SMOOTH BODY 403 HELICAL BEVEL 50:1 49:347:1 (EXACT) 140TC W/ TORQUE ARM	30	5/21/2025	EA	1.00	1.00	_____
37.SSK04125U SYMMETRICAL BUSHING 1-1/4" FOR SSK04 HE*	50	5/21/2025	EA	1.00	1.00	_____



10:41 AM
5

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	SSK04-1.250UTBK STAINLESS STEEL 1-1/4" SYMMETRICAL BUSHING KIT FOR SIZE SSK04 HELICAL BEVEL						
	31.2810 SPROCKET 800S 10T 1.5"SB 6.5"PD* #S3D8 G5CZE7 NG EZ CLEAN SPROCKET	80	5/21/2025	EA		7.00	7.00
	06.DRK DRIVE RESTRAINT KIT	90	5/21/2025	EA		1.00	1.00
	31.91121 RETAINER SNAP RING 1.5" SS* (SH-206SS)	110	5/21/2025	EA		9.00	9.00
	BEARING ASSEMBLY	140	5/21/2025			0.00	0.00
	35.UCF207.20 KML 1-1/4" SS BEARING 4-BOLT FLG	160	5/21/2025	EA		4.00	4.00
	10.1010724 HHC/SCREW 7/16-14 X 1-1/2" SS	200	5/21/2025	EA		16.00	16.00
	10.10407 FLAT WASHER 7/16" SS NON-TAXABLE	210	5/21/2025	EA		16.00	16.00
	10.10507 HEX LOCK NUT 7/16"-14 SS	220	5/21/2025	EA		16.00	16.00
	06.207.4-BOLT SS BEARING COVER FITS 207 HOUSING 1-1/4* STAINLESS STEEL BEARING COVER, 4-BOLT PATTERN FOR FLANGE STYLE BEARING FITS 207 HOUSING FOR 1-1/4", 1-3/8", 1-7/16" AND 1-5/16" (THIS IS A CLOSED COVER.)	440	5/21/2025	EA		3.00	3.00
	06.BG1.25-4HOLE SS BEARING GUARD 1.25" 4-HOLE* STAINLESS STEEL (12 GAUGE) BEARING GUARD FOR 1-1/4" 4-HOLE BRG	510	5/21/2025	EA		4.00	4.00



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X95/S

1/6/2026
Page

10:41 AM
6

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
		540	5/21/2025			0.00	0.00
	STABILIZER / TORQUE ARM ASSEMBLY -						
	37.207-UNI	550	5/21/2025	EA		1.00	1.00
	STABILIZER BRACKET UNIVERSAL FITS 207* UNIVERSAL FITS 207 HOUSING FOR 1-1/4" OR 1-7/16" SHAFT						
	10.10507	600	5/21/2025	EA		1.00	1.00
	HEX LOCK NUT 7/16"-14 SS						
	10.1010750	610	5/21/2025	EA		1.00	1.00
	HHC/SCREW 7/16 X 3" SS						
	10.10407	620	5/21/2025	EA		3.00	3.00
	FLAT WASHER 7/16" SS NON-TAXABLE						
	10.10307	630	5/21/2025	EA		2.00	2.00
	LOCK WASHER 7/16" SS NON-TAXABLE						
	SAFETY LABELS -	880	5/21/2025			0.00	0.00
	06.WLOP-B	890	5/21/2025	EA		1.00	1.00
	WARNING LOCK OUT POWER STICKER BILINGUAL 8.75"W X 2.5"T 3 COLOR						
	06.WMP-B	900	5/21/2025	EA		2.00	2.00
	WARNING MOVING PARTS STICKER BILINGUAL 8.75"W X 2.5"T 2 COLOR						
	06.WKA-B	910	5/21/2025	EA		2.00	2.00
	WARNING KEEP AWAY STICKER BILINGUAL 8.75"W X 2.5"T 2 COLOR						
	06.CEB-B	920	5/21/2025	EA		2.00	2.00
	CAUTION ENSURE BELT STICKER BILINGUAL 8.75"W X 2.5"T						



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X95/S

1/6/2026
Page

10:41 AM
7

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	2 COLOR						
	D & F STANDADRD ESTOP -	930	5/21/2025			0.00	0.00 _____
	45.800F1YP1 ALLEN BRADLEY E-STOP STATION	940	5/21/2025	EA		2.00	2.00 _____
	10.1080808 SOCKET CAP SCREW 8-32 X 1/2" SS* 8C50KCS3	950	5/21/2025	EA		8.00	8.00 _____
	10.10808N NYLON LOCK NUT 8-32 SS* 8CNNE3	960	5/21/2025	EA		8.00	8.00 _____
	MISCELLANEOUS -	1400	5/21/2025			0.00	0.00 _____
	10.1011013 HH LAG SCREW SS 1/4 X 1" NON TAXABLE	1410	5/21/2025	EA		6.00	6.00 _____
	10.1010616 HHC/SCREW 3/8-16 X 1" SS FASTENAL P/N 1170105 (NON-TAXABLE)	1560	5/21/2025	EA		8.00	8.00 _____
	10.10306 LOCK WASHER 3/8" SS NON-TAXABLE	1630	5/21/2025	EA		8.00	8.00 _____
	10.1010824 HHC/SCREW 1/2-13 X 1-1/2"SS NON-TAXABLE	1710	5/21/2025	EA		4.00	4.00 _____
	10.10508 HEX LOCK NUT 1/2" -13 SS	1740	5/21/2025	EA		4.00	4.00 _____
	06.207-GBC343L SS K343 SYMM/TLOCK GEARBOX COVER (LEFT)* 06.207-GBC343L SS K343 SYMMETRICAL / TAPER LOCK GEARBOX COVER (LEFT)*	1950	5/21/2025	EA		1.00	1.00 _____



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X95/S

1/6/2026
Page

10:41 AM
8

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

LEFT HAND HORIZONTAL MOUNTING ORIENTATION

FINAL ASSEM	100	1.00	1.00	0.00	0.00		
FINALASSEMB							



OS	110	1.00	1.00	0.00	0.00		
MACHINE							



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
06.DS1815-1.25	30	5/21/2025	EA	1.00	1.00	
SHAFT 18" DRIVE WITH 1-1/4 JOURNAL						
06.IS1815-1.25	70	5/21/2025	EA	1.00	1.00	
SHAFT 18" IDLE WITH 1-1/4 JOURNAL						

REWORK-S	120	1.00	1.00	0.00	0.00		
REWORK-S							



REWORK-E	130	1.00	1.00	0.00	0.00		
----------	-----	------	------	------	------	--	--



REWORK-P	140	1.00	1.00	0.00	0.00		
----------	-----	------	------	------	------	--	--



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X95/S

1/6/2026
Page

10:41 AM
9

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------





D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X99/S

1/6/2026
Page

9:36 AM
1

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

121241-X99/S DFPCG401 5/21/2025 11/14/2025

1.00

Drawing Rev:

GRAVITY EMPTY BOX CONV. (ST
*

BEVERLY

Order ID:
Part ID:

Customer:

Ship To:

Shop Resources Type	Seq#	End Qty	Start Qty	Setup Hrs	Run Start Hrs Date	Finish Date	Drawing ID/Rev
ENGINEERING ENGINEERING	10	1.00	1.00	0.00	0.00		



LASER SHOP LASER SHOP	20	1.00	1.00	0.00	0.00		
--------------------------	----	------	------	------	------	--	--



SHOP1 SHOP1	30	1.00	1.00	0.00	0.00		
----------------	----	------	------	------	------	--	--



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
01.S101 3/16" PLATE SS 48X120	10	5/21/2025	4X10	0.00	0.00	_____
01.S104	20	5/21/2025	5X10	0.00	0.00	_____



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X99/S

1/6/2026
Page

9:36 AM
2

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

3/16" PLATE SS 60X120

01.S132 30 5/21/2025 4X10 0.00 0.00 _____
14GA SHEET SS 48X120

SHOP2 40 1.00 1.00 0.00 0.00
SHOP2



FINAL ASSEM 60 1.00 1.00 0.00 0.00
FINALASSEMB



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
10.10506 HEX NYLON LOCK NUT 3/8"-16 SS	10	5/21/2025	EA	7.00	7.00	_____
10.1010620 HHC/SCREW 3/8-16 X 1-1/4" SS	20	5/21/2025	EA	7.00	7.00	_____
10.10504 HEX NYLON LOCK NUT 1/4"-20 SS NON-TAXABLE	30	5/21/2025	EA	150.00	150.00	_____
10.1010424 HHC/SCREW 1/4-20 X 1-1/2" SS NON-TAXABLE	40	5/21/2025	EA	150.00	150.00	_____
10.10508 HEX LOCK NUT 1/2" -13 SS	50	5/21/2025	EA	12.00	12.00	_____
10.1010824 HHC/SCREW 1/2-13 X 1-1/2"SS NON-TAXABLE	60	5/21/2025	EA	12.00	12.00	_____
40.09535 WHEEL INTERROLL 5/8"X 1-7/8"	70	5/21/2025	EA	150.00	150.00	_____



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X99/S

1/6/2026
Page

9:36 AM
3

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

SARNATECH PART# DA652YD

SHIPPING	70	1.00	1.00	0.00	0.00		
SHIPPING							



REWORK-S	90	1.00	1.00	0.00	0.00		
REWORK-S							




REWORK-E	100	1.00	1.00	0.00	0.00		
----------	-----	------	------	------	------	--	--




REWORK-P	110	1.00	1.00	0.00	0.00		
----------	-----	------	------	------	------	--	--





UHMW CTR RWAY
20 FEET REQUIRED
WAYNE FARMS-UNION SPRINGS, AL
C121241-X95



UHMW L-SHAPED RWAY
30 FEET REQUIRED
WAYNE FARMS-UNION SPRINGS, AL
C121241-X95