

EQUIPMENT SPEC SHEET

REVISION:

183
1-6
B6
D&F
EQUIPMENT
SALES, INC.
02
RL

NAME & LOCATION		WAYNE FARMS UNION SPRINGS, AL		CUSTOMER NUMBER		C121241		
ITEM NUMBER		X96		ITEM SERIAL NUMBER		C121241-X96		
ENGINEER		GARY CAMBRON		SALESMAN		HEATH MORROW		
EQUIPMENT TYPE		FULL BOX INCLINE CONVEYOR		CAD TECH DESIGNER		KYLE HANCOCK		
ITEMS REQ'D		1		CAD TECH DETAILER		KYLE HANCOCK		
1	BELT MANUF.	INTRALOX	2	SERIES	1400S	3	BELT TYPE	SQ FRICTION TOP
4	BELT LENGTH	15'	5	BELT COLOR	GREY	6	BELT MATERIAL	PP (Polypropylene)
7	FRICTION SPACING	EVERY ROW	8	BELT INDENT	2"	9	CENTER NOTCH	2"
10	BELT WIDTH	18"	11	WEARSTRIP	1"X1-1/2" UHMW	12	BELT PIN MAT.	WHITE AC
13	BELT FLIGHTS	NO	14	FLIGHT HEIGHT	N/A	15	FLIGHT TYPE	N/A
16	FLIGHT CENTERS	N/A	17	FLIGHT INDENT	N/A	18	CENTER NOTCH	N/A
19	T.O.B. INFEED	31"	20	T.O.B. DISCHARGE	45"			
21	IDLE SPROCKET	16 TOOTH	22	PITCH DIAMETER	5.1" PD	23	BORE SIZE/TYPE	1-1/2" SQUARE
24	DRIVE SPROCKET	16 TOOTH	25	PITCH DIAMETER	5.1" PD	26	BORE SIZE/TYPE	1-1/2" SQUARE
27	SPROCKETS @ DRV	3	28	SPROCKETS @ IDLE	3	29	BELT SCRAPE	NO
30	BELT WASHER	NO	31	DRIP PAN	NO	32	DRIP PAN @ DRIVE	YES
33	DRIVE SIDE	LEFT	34	DRIVE TYPE	EXTREME DUTY	35	MTR/GB FRAME	143TC/145TC
36	MOTOR	STERLING	37	HORSEPOWER	1 HP	38	FPM	60 FPM
39	GEARBOX	K343 TAPER	40	RATIO	40:1	41	MULTIPLIER	NO
42	EQUIP. MAT.	1/4" SS	43	LEGS	2" ANGLE	44	TAKE UP	CATENARY SAG

PARTS and or MATERIAL UNIQUE TO THIS ITEM(S) / SPECIAL DESIGN SPECS (Please explain)

SAFETY LABELS AND E-STOPS TO BE LOCATED AS SHOWN.

SAFETY LABELS ARE TO BE ETCHED ON 12GA PLATES.

DRIVE RESTRAINT KIT.


DRAWING COMPLETION DATE

1/6/2026

DELIVERY DATE

1/16/2026

SAFETY SIGN OFF SHEET

ITEM SERIAL NUMBER: CI21241-X96CAD TECH KYLE HANCOCKDATE 1/6/2026CUSTOMER: WAYNE FARMSSHOP CHECKER Ron HilgoDATE 1/6/2024LOCATION: UNION SPRINGS, AL

	C	S		
SAFETY ETCH - IDLE L.S.	☒	☒	<u>BD</u>	<u>RL</u>
SAFETY ETCH - IDLE R.S.	☒	☒	<u>BD</u>	<u>RL</u>
SAFETY ETCH - DRIVE L.S.	☒	☒	<u>BD</u>	<u>RL</u>
SAFETY ETCH - DRIVE R.S.	☒	☒	<u>BD</u>	<u>RL</u>
SAFETY ETCH - OTHER L.S.	☐	☐	<u>N/A</u>	
SAFETY ETCH - OTHER R.S.	☐	☐	<u>N/A</u>	
STICKER 1 - DRIVE L.S.	☒	☒	<u>BD</u>	<u>RL</u>
STICKER 1 - DRIVE R.S.	☐	☐	<u>N/A</u>	
STICKER 3 - DRIVE L.S.	☒	☒	<u>BD</u>	<u>RL</u>
STICKER 3 - DRIVE R.S.	☒	☒	<u>BD</u>	<u>RL</u>
STICKER 2 - IDLE L.S.	☒	☒	<u>BD</u>	<u>RL</u>
STICKER 2 - IDLE R.S.	☒	☒	<u>BD</u>	<u>RL</u>
STICKER 4 - IDLE L.S.	☒	☒	<u>BD</u>	<u>RL</u>
STICKER 4 - IDLE R.S.	☒	☒	<u>BD</u>	<u>RL</u>
MISC. GUARDING	☐	☐	<u>N/A</u>	
MISC. GUARDING	☐	☐	<u>N/A</u>	

	C	S		
SHAFT GUARD - IDLE L.S.	☐	☐	<u>N/A</u>	
SHAFT GUARD - IDLE R.S.	☐	☐	<u>N/A</u>	
SHAFT GUARD - DRIVE L.S.	☐	☐	<u>N/A</u>	
SHAFT GUARD - DRIVE R.S.	☐	☐	<u>N/A</u>	
BEARING COVER - IDLE L.S.	☒	☒	<u>BD</u>	<u>RL</u>
BEARING COVER - IDLE R.S.	☒	☒	<u>BD</u>	<u>RL</u>
BEARING COVER - DRIVE L.S.	☒	☒	<u>BD</u>	<u>RL</u>
BEARING COVER - DRIVE R.S.	☒	☒	<u>BD</u>	<u>RL</u>
BEARING COVER - OTHER L.S.	☐	☐	<u>N/A</u>	
BEARING COVER - OTHER R.S.	☐	☐	<u>N/A</u>	
ESTOP - IDLE L.S.	☐	☐	<u>N/A</u>	
ESTOP - IDLE R.S.	☒	☒	<u>BD</u>	<u>RL</u>
ESTOP - DRIVE L.S.	☒	☒	<u>BD</u>	<u>RL</u>
ESTOP - DRIVE R.S.	☐	☐	<u>N/A</u>	
ESTOP - OTHER L.S.	☐	☐	<u>N/A</u>	
ESTOP - OTHER R.S.	☐	☐	<u>N/A</u>	

SHOP PACKAGE CHECK-OFF

ITEM SERIAL NUMBER: C121241-X96

CHECKER #1 KYLE HANCOCK

DATE 1/6/2026

CUSTOMER: WAYNE FARMS

CHECKER #2 Bred Deussen

DATE 1-6-26

LOCATION: UNION SPRINGS, AL

CHECKER #3 _____

DATE _____

MATRIX					COMMENTS
	C1	C2	C3		
BELT INFO	☐	☒	☐		
MOTOR INFO	☐	☒	☐		
GEARBOX INFO	☐	☒	☐		
SPROCKET INFO	☐	☒	☐		

DRAWING					COMMENTS
	C1	C2	TO FIX DATE	C3	
BELT INFO	☐	☒		☐	
MOTOR INFO	☐	☒		☐	
GEARBOX INFO	☐	☒		☐	
SPROCKET INFO	☐	☒		☐	
SHAFT INFO	☐	☒		☐	
ETCHING	☐	☒		☐	

COVERSHEET					COMMENTS
	C1	C2	TO FIX DATE	C3	
BELT INFO	☐	☒		☐	
MOTOR INFO	☐	☒		☐	
GEARBOX INFO	☐	☒		☐	
SPROCKET INFO	☐	☒		☐	
SHAFT INFO	☐	☒		☐	
SAFETY SHEET	☐	☒		☐	

WORK ORDER					COMMENTS
	C1	C2	TO FIX DATE	C3	
BELT INFO	☐	☒		☐	
MOTOR INFO	☐	☒		☐	
GEARBOX INFO	☐	☒		☐	
SPROCKET INFO	☐	☒		☐	
SHAFT INFO	☐	☒		☐	
PLASTICS	☐	☒		☐	

CONVEYOR SPECS


BELT - 1400S 18"W SQ FRICTION TOP GREY PP W/ WHITE AC RODS
BLACK FRICTION TOP, 2" INDENT, 2" CENTER NOTCH

SIDES: 2" ABOVE THE BELT


SPROCKETS - 16 TOOTH 5.1"PD 1-1/2" SQ. BORE (GLASS FILLED NYLON)

MOTOR - STERLING SS 1HP EXTREME DUTY


GEARBOX - STERLING K343 40:1 RATIO 145TC 60FPM




C121241-X96
PLAN VIEW



C121241-X96
SIDE VIEW



C121241-X96
SECTION VIEW




C121241-X96
 LEG ASSEMBLY DETAIL
 $2" \times 2" \times 1 \frac{1}{4}"$ ANGLE


BRACKET FOR CHAIN HAS
PLAY AS FAR AS
LOCATION IS CONCERNED,
LOCATION IT
REPRESENTATION ONLY.

ANGLE BRACKET LOCATES
IN THIS AREA TO
PREVENT MOTOR FROM
ROTATING


CHAIN HELPS KEEP
MOTOR FROM FALLING



DRIVE RESTRAINT KIT
REPRESENTATION ONLY
(BRACKET LOCATIONS ARE NOT
EXACT, THEY HAVE SOME PLAY IN
WHERE THEY CAN BE LOCATED)
PART NUMBER 06.DRK




DRIVE SIDE




OPPOSITE DRIVE SIDE

C121241-X96
SAFETY LABEL DETAIL


X96-1
1/4"




X96-3
1/4"




X96-5
1/4"




X96-2
1/4"




X96-4
1/4"




X96-6
1/4"




X96-9
3/16"
(6) REQ'D




X96-8
3/16"
(2) REQ'D





06.P8508436

UHMW SHOE
 (6) REQ'D
 WAYNE FARMS-UNION SPRINGS, AL
 C121241-X96




06.P850941225

UHMW CTR CWAY
 20 FEET REQUIRED
 WAYNE FARMS-
 UNION SPRINGS, AL
 C121241-X96

STD. 1 1/2" SQUARE SOLID SHAFT

FORM DRAWING ONLY, THIS IS NOT TO SCALE !

JOB NUMBER :	C121241-X96	DATE :	1/6/2026	DETAILER :	KYLE HANCOCK
CUSTOMER :	WAYNE FARMS	MAT'L :	T303 SS	SHOP CHECKER :	
LOCATION :	UNION SPRINGS, AL				



DRIVE SHAFT DETAIL QTY. 1 REQ'D.

THIS IS A PART NUMBERED ITEM

STD. 1 1/2" SQUARE SOLID SHAFT


FORM DRAWING ONLY, THIS IS NOT TO SCALE !

JOB NUMBER : C121241-X96
CUSTOMER : WAYNE FARMS
LOCATION : UNION SPRINGS, AL

DATE : 1/5/2025
MATERIAL : T303 SS

DETAILER : KYLE HANCOCK
SHOP CHECKER :

THIS IS A PART NUMBERED ITEM



IDLE SHAFT DETAIL QTY. 1 REQ'D.

STD. 1 1/2" SQUARE SOLID SHAFT



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X96/S

1/6/2026
Page

10:35 AM
1

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

121241-X96/S	DFM500I18	5/21/2025	11/14/2025			1.00	
--------------	-----------	-----------	------------	--	--	------	--



Drawing Rev:

D&F INCLINE CONVEYOR 18" WI

DENICE

Order ID:
Part ID:

Customer:

Ship To:

Shop Resources Type	Seq#	End Qty	Start Qty	Setup Hrs	Run Start Hrs Date	Finish Date	Drawing ID/Rev
ENGINEERING ENGINEERING	10	1.00	1.00	0.00	0.00		



LASER SHOP LASER SHOP	20	1.00	1.00	0.00	0.00		
--------------------------	----	------	------	------	------	--	--



SHOP1 SHOP1	30	1.00	1.00	0.00	0.00		
----------------	----	------	------	------	------	--	--



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
01.S101 3/16" PLATE SS 48X120	10	5/21/2025	4X10	0.00	0.00	_____
01.S104	20	5/21/2025	5X10	0.00	0.00	_____



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X96/S

1/6/2026
Page

10:35 AM
2

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	3/16" PLATE SS 60X120						
	01.S108 1/4" PLATE SS 48X120	30	5/21/2025	4X10		0.00	0.00 _____
	01.S111 1/4" PLATE SS 60X120	40	5/21/2025	5X10		0.00	0.00 _____
	01.S127 12GA SHEET SS 48X120	90	5/21/2025	4X10		0.00	0.00 _____
	01.S129 12GA SHEET SS 60X120	100	5/21/2025	5X10		0.00	0.00 _____
	02.RR206 ROUND ROD 1/2" SS	130	5/21/2025	FT		0.00	0.00 _____
	02.RR208 ROUND ROD 3/4" 304 SS	140	5/21/2025	FT		0.00	0.00 _____
	03.A612 ANGLE IRON 2" X 2" X 1/4" SS	200	5/21/2025	FT		0.00	0.00 _____
SHOP2 SHOP2	40	1.00	1.00	0.00	0.00		



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
06.S00070 LEG INSERT 1-1/2"X 1-1/2" X 1/2" 3/4" THDS.	10	5/21/2025	EA	4.00	4.00	_____

SHOP3
SHOP3

50 1.00 1.00 0.00 0.00



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
02.SB402 SQUARE BAR 1/4" SS	10	5/21/2025	FT	0.00	0.00	_____




D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X96/S

1/6/2026
Page

10:35 AM
3

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
FOR GEARBOXES							
	S00371-S	50	5/21/2025	EA		4.00	4.00 _____
	LEG ADJUSTER 9"X3/4" ATR W/SS PAD 10GA* SWIVEL TYPE						
	S00421A	60	5/21/2025	EA		1.00	1.00 _____
	DRIVE DRIP PAN 30" X 11" (FOR NORDSTOBER GEARBOXES)						
	S00400	70	5/21/2025	EA		0.00	0.00 _____
	UHMW JOINT BRACKET 12GA (4) 5/16" HOLES						
	06.S00421HA	80	5/21/2025	EA		2.00	2.00 _____
	SS DRIP PAN HANGER 1"W FLAT BAR W/ 7/16"H* 1"W FLAT BAR WITH 7/16" HOLE 6.75" OVERAL LENGTH						
UHMW PARTS	60	1.00	1.00	0.00	0.00		
UHMW PARTS							



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
06.P850941225	40	5/21/2025	FT	20.00	20.00	_____
UHMW WEARSTRIP 1" X 1-1/2"						
06.P8508436	50	5/21/2025	EA	6.00	6.00	_____
UHMW SHOE RETURN 6" X 1-1/2" X 1"						
SUB-ASSY 1	70	1.00	1.00	0.00	0.00	
SUB-ASSY 1						



SUB-ASSY 2	80	1.00	1.00	0.00	0.00	
SUB-ASSY 2						



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X96/S

1/6/2026
Page

10:35 AM
4

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------



FINAL ASSEM	90	1.00	1.00	0.00	0.00	
FINALASSEMB						



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
	10	5/21/2025		15.00	15.00	_____
BELT 1400S 18"W SQ FRICTION TOP GREY PP W/ WHITE AC RODS BLACK FRICTION TOP, 2" INDENT, 2" CENTER NOTCH						
37.1XI	20	5/21/2025	EA	1.00	1.00	_____
1HP XTREME 143TC 1800RPM INV DUTY* STAINLESS STEEL XTREME RPM: 1800 FOOT OPTION: FOOTLESS FRAME: 143TC ENCLOSURE: TEFC RATING: INVERTER DUTY ELECTRICAL: 3 PHASE 460V ENCAPSULATED: ENCAPSULATED						
37.4SK2	30	5/21/2025	EA	1.00	1.00	_____
STERLING SS HEL BEVEL SYMMETRICAL 40:1* STERLING SYMMETRICAL STAINLESS STEEL SMOOTH BODY 403 HELICAL BEVEL 40:1 38.872:1 (EXACT) 140TC W/ TORQUE ARM						
37.SSK04125U	50	5/21/2025	EA	1.00	1.00	_____
SYMMETRICAL BUSHING 1-1/4" FOR SSK04 HE* SSK04-1.250UTBK STAINLESS STEEL 1-1/4" SYMMETRICAL BUSHING KIT FOR						

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev	Engineer
	SIZE SSK04 HELICAL BEVEL							
	31.21416S	80	5/21/2025	EA		6.00	6.00	
	SPROCKET 1400S 16T 1.5"SB SPLIT 5.1"PD*							
	GREY GLASS FILLED NYLON							
	31.91121	110	5/21/2025	EA		8.00	8.00	
	RETAINER SNAP RING 1.5" SS*							
	(SH-206SS)							
		140	5/21/2025			0.00	0.00	
	BEARING ASSEMBLY							
	35.UCF207.20	160	5/21/2025	EA		4.00	4.00	
	KML 1-1/4" SS BEARING 4-BOLT FLG							
	10.1010724	200	5/21/2025	EA		16.00	16.00	
	HHC/SCREW 7/16-14 X 1-1/2" SS							
	10.10407	210	5/21/2025	EA		16.00	16.00	
	FLAT WASHER 7/16" SS							
	NON-TAXABLE							
	10.10507	220	5/21/2025	EA		16.00	16.00	
	HEX LOCK NUT 7/16"-14 SS							
	06.207.4-BOLT	440	5/21/2025	EA		3.00	3.00	
	SS BEARING COVER FITS 207 HOUSING 1-1/4*							
	STAINLESS STEEL BEARING COVER, 4-BOLT PATTERN FOR FLANGE STYLE BEARING							
	FITS 207 HOUSING FOR 1-1/4", 1-3/8", 1-7/16" AND 1-5/16"							
	(THIS IS A CLOSED COVER.)							
	06.BG1.25-4HOLE	510	5/21/2025	EA		4.00	4.00	
	SS BEARING GUARD 1.25" 4-HOLE*							
	STAINLESS STEEL (12 GAUGE)							
	BEARING GUARD							
	FOR 1-1/4" 4-HOLE BRG							
		540	5/21/2025			0.00	0.00	
	STABILIZER / TORQUE ARM ASSEMBLY -							
	37.207-UNI	550	5/21/2025	EA		1.00	1.00	
	STABILIZER BRACKET UNIVERSAL FITS 207*							



D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X96/S

1/6/2026
Page

10:35 AM
7

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
	10.10808N	960	5/21/2025	EA		8.00	8.00 _____
	NYLON LOCK NUT 8-32 SS* 8CNNE3						
	MISCELLANEOUS -	1400	5/21/2025			0.00	0.00 _____
	10.1011013	1410	5/21/2025	EA		12.00	12.00 _____
	HH LAG SCREW SS 1/4 X 1" NON TAXABLE						
SHIPPING SHIPPING	100	1.00	1.00	0.00	0.00		



OS MACHINE	110	1.00	1.00	0.00	0.00
---------------	-----	------	------	------	------



Part ID/Sub ID	Piece#	Date Reqd	Unit Of Measur	Qty Reqd	Qty Due	Issue
06.DS1815-1.25	30	5/21/2025	EA	1.00	1.00	_____
SHAFT 18" DRIVE WITH 1-1/4 JOURNAL						
06.IS1815-1.25	70	5/21/2025	EA	1.00	1.00	_____
SHAFT 18" IDLE WITH 1-1/4 JOURNAL						
REWORK-S REWORK-S	120	1.00	1.00	0.00	0.00	





D&F EQUIPMENT SALES, INC - ALABAMA
Work Order Traveller
WORK ORDER ID: 121241-X96/S

1/6/2026
Page

10:35 AM
8

Work Order ID	Part ID	Release	WantDate	Start Date	Finish Date	Qty	Drawing ID/Rev Engineer
---------------	---------	---------	----------	------------	-------------	-----	----------------------------

REWORK-E	130	1.00	1.00	0.00	0.00		
----------	-----	------	------	------	------	--	--



REWORK-P	140	1.00	1.00	0.00	0.00		
----------	-----	------	------	------	------	--	--



□

JOB NUMBER

121241-X96

MATERIAL SIZE

2x 1/4 male

[illegible]