



PRIME
EQUIPMENT GROUP

Quick Reference / Spare Parts List

Model No. CSK-24-H2L

Serial No. CSK24-WU-1587.10

CSK24-WU-1588.10

614-253-8590 FAX 614-253-6966 www.primeequipmentgroup.com

Paddle Wheel Variations		
Part #	Description	Qty. per Unit
TS02-0-A/TP02-8-B	STARWHEEL(20 PT)/SHAFT ASSY	CHOOSE ONE THAT FITS YOUR APPLICATION
TS02-0-C/TP02-8-B	STARWHEEL(18 PT)/SHAFT ASSY	
TS02-0-D/TP02-8-B	STARWHEEL(16 PT)/SHAFT ASSY	
TS02-0-E/TP02-8-B	STARWHEEL(24 PT)/SHAFT ASSY	
TS02-0-F/TP02-8-B	STARWHEEL(28 PT)/SHAFT ASSY	
TS02-0-G/TP02-8-B	STARWHEEL(26 PT)/SHAFT ASSY	
TS02-0-H/TP02-8-B	STARWHEEL(22 PT)/SHAFT ASSY	
TS02-0-J/TP02-8-B	STARWHEEL(14 PT)/SHAFT ASSY	
TS02-0-K/TP02-8-B	STARWHEEL(12 PT)/SHAFT ASSY	

Head Assembly		
Part #	Description	Qty. per Unit
TS03-1-A	BLOCK,PINCH,CSK24	1
TP03-2-A	PULL BAR, PINCH BLOCK,CSK24	1
560E	0.62-11,S.S.PULL,PIN,L-HANDLE (UPPER WEARSTRIP ASSEMBLY CATCH PIN)	2
575	BEARING,FLANGE,4BOLT,Ø1"BORE (UPPER WEARSTRIP ASSEMBLY, EXIT CONVEYOR DRIVE SHAFT)	4
13517	BEARING,FLG,2 BOLT 1"BORE (FEED CONVEYOR DRIVE SHAFT, COUNTER ROLLER DRIVE SHAFT)	4
550C	BEARING,MOUNT,2-BOLT,1.25"ID (PADDLE WHEEL BEARING)	2
14629	INSERT,SIDE PLT,P/W,LH,CSK-MSE (PADDLE SIDE PANEL INSERT LEFT HAND SIDE)	1
14630	INSERT,SIDE PLT,P/W,RH,CSK-MSE(PADDLE SIDE PANEL INSERT RIGHT HAND SIDE)	1
14631	INSERT,SIDE PLT,C/R,LH,CSK-MSE(COUNTER ROLLER SIDE PANEL INSERT LEFT HAND SIDE)	1
14632	INSERT,SIDE PLT,C/R,RH,CSK-MSE (COUNTER ROLLER SIDE PANEL INSERT RIGHT HAND SIDE)	1



Drive Assembly		
Part #	Description	Qty. per Unit
16642	2,HP,MOTOR,W/OUT,BASE	1
16555	GEARBOX,732,15:1,BOSTON (MAIN DRIVE GEARBOX)	1
745	SPROCKET,60B14SS,1.25"BORE0.25"KW (GEARBOX DRIVE SHAFT)	1
668	SPROCKET,60B12SS,1.25"BORE (PADDLE WHEEL SHAFT TO GEARBOX DRIVE SHAFT)	1
555	CHAIN,TENSIONER	2
SP40-0-A	SPROCKET ASY,IDLE,40B14,0.62BORE (MAIN CHAIN DRIVE IDLE SPROCKETS)	2
661	SPROCKET,SS,40B16SS,1.25"B (PADDLE WHEEL SHAFT, TO EXIT CONVEYOR, UPPER WEARSTRIP AS)	1
577A	SPROCKET,40B14SS,1.25"B,0.25KW (PADDLE WHEEL TO FEED CONVEYOR DRIVE SHAFT)	1
577B	SPROCKET,40B14SS,1"BR,1/4"KW (UPPER WEARSTRIP ASSEMBLY DRIVE SHAFT)	1
690	SPROCKET,40B16SS,1"BR,1/4"KW (FEED CONVEYOR DRIVE SHAFT)	1
782	SPROCKET,40B20SS,1"B,0.25"KW (EXIT CONVEYOR DRIVE SHAFT)	1
14590	SPROCKET,40B35SS,1.25"B,0.25"KW (GEAR BOX DRV SHAFT TO COUNTER ROLLER SHAFT)	1
14651	SPROCKET,40B12SS,0.87BR,3/16KW (COUNTER ROLLER SHAFT)	1
533	CHAIN,ROLLER,40-1,SS,ASA	8.5'
525B	CONNECTING,LINK#40,S.S.	3
714	OFFSET,LINK,#40,CHAIN	1
548	CHAIN,ROLLER,60-1,SS,ASA	3.5'
525F	CONNECTING,LINK,#60,ROLLER	1

Upper Wearstrip Assembly		
Part #	Description	Qty. per Unit
TT13-0-A	UPPER WEARSTRIP	2
TT26-0-C	UPPER WEARSTRIP TAKEUP (FLIGHTED BELT TENSIONER)	2
816	BELT,10.50,M1220(FLIGHTED UPPER BELT WITH 1/2" SPACING BETWEEN FLIGHTS)	6'
780	SPROCKET,M1220,2.50,DP (DRIVE SPROCKET FOR 816A BELTING)	44
SNAPRING-SH100S	SNAP RING, 1" EXTERNAL	30
11503	KEY,0.25X0.25X0.875,SS (KEY FOR FEED, EXIT CONVEYOR, UPPER WEARSTRIP ASSEMBLY DRIVE)	12
SK08-0-C	SHAFT,IDLE,UPR WEARSTRIP ASY	2
12706	STOP ASY,UP WEARSTRP,ADJ,CSK24 (UPPER WEARSTRIP ASSEMBLY DOWNSTOPS)	2

Plumbing Assembly		
Part #	Description	Qty. per Unit
544	SWITCH,PRESSURE	1
623	TUBE,NYLON,0.38 OD,0.25 ID (SPRAY BAR SUPPLY LINE)	6 FT
11378	TUBING,1/4 OD,NYLON,WHT (PADDLE WHEEL NOZZLE SUPPLY LINE)	6 FT
619B	BIDIRECTIONAL FLOW CONTROL	1
619	VALVE,BALL,BRASS,1/4"NPT	1
863A	Y-STRAINER	1
14664	PADDLEWHEEL NOZZLE ASSEMBLY	1
14948	INSERT,ADJMT,NOZZLE,CSK-MSE (PADDLE WHEEL NOZZLE HOLDER INSERT)	2
14663	NOZZLE SUPPORT TAB	2

Feed Conveyor		
Part #	Description	Qty. per Unit
786	BELT,24",M1220,FLAT TOP (HABISÉ FEED CONVEYOR BELTING 1/2" PITCH)	5 FT
780	SPROCKET,M1220,2.50,ØP (HABISÉ 1/2" PITCH CONVEYOR DRIVE SPROCKET)	37
SP914-0-E	WRSTP,BELT,CNVYR,CSK (FEED CONVEYOR BELTING WEARSTRIP)	3
TP926-1-A	FEED CONVEYOR WIPER	1
550B	BEARING,TAKE-UP,1" BORE (CONVEYOR FLIP UP END IDLE SHAFT BEARING)	4
560C	1/2-13,SS,PULL,PIN,W/L,HANDLE (CONVEYOR FLIP END PULL PIN)	2
SNAPRING-SH100S	SNAP RING,1" EXTERNAL	38



Electrical Parts List		
Part #	Description	Qty. per Unit
13098	PLC,HMI,COMPLETE, (TOUCH SCREEN INTERFACE)	1
13931	MODULE,OUTPUT,RELAY,8PT,PROFAC	1
800T-FXT6A5	E-STOP, PUSH BUTTON, 30MM	1
15415	SWITCH,SAFETY,MAGNETIC,24VDC	4
11815	HANDLE,DISCONNECT SWITCH,30A, (REPLACEMENT HANDLE FOR DISCONNECT SWITCHES)	1
11825	POWERSUPPLY,170-550VAC,24VDC	1
13732	SWITCH,D-CONNECT,FUSIBLE,30A,	1
13797	FUSE,15A,TIME DELAY	3
11822	CONTACTOR,5HP,24VDC	2
12141	CIRCUIT BREAKER,2.5-4A,2HP	2
11829	CIRCUIT BREAKER,2POLE,2AMP	1
11828	CIRCUIT BREAKER,1POLE,2AMP	1
12074	CIRCUIT BREAKER,1-1.6A,.75HP	1



SKIN OUTLET

TOLERANCES: XX = ±0.01 Angular = ±0.05° XXX = ±0.005 Fractional = ±1/16 This document may contain trade secrets and confidential information that is the sole property of Prime Equipment Group, Inc. (Prime). Prime reserves all patent, copyright, trademark and other intellectual property rights in information contained in this document. Recipients of this document are NOT authorized to use, reproduce, copy, disclose or transmit, in whole or in part, the information contained herein without the prior written consent of Prime. All rights reserved. Copyright 2007 Prime Equipment Group, Inc.	DRAWN BY Djones	CREATED 3/12/2010	PRIME Equipment Group, Inc. Columbus, Ohio USA	
	MACHINE NAME			
	MODEL #		TITLE CSK24,WAY006,16135,H2LOW	
	MATERIAL			
	BLANK FILE NAME		DWG NO CSK24-WU-1588.10	
	QUANTITY PER MACHINE 0			
	CLIENT/APPLICATION		PART NO SERIAL#	
			SIZE D	SHEET 1 OF 2

N CITY,
1588.10
INNER
IT



Qty.
2
2
1
1
1
1
1
1
4

TOLERANCES:

XX = ±0.01 Angular = ±0.05°
XXX = ±0.005 Fractional = ±1/16

This document may contain trade secrets and confidential information that is the sole property of Prime Equipment Group, Inc. (Prime). Prime reserves all patent, copyright, trademark and other intellectual property rights in information contained in this document. Recipients of this document are NOT authorized to use, reproduce, copy, disclose or transmit, in whole or in part, the information contained herein without the prior written consent of Prime. All rights reserved. Copyright 2007 Prime Equipment Group, Inc.

DRAWN BY
bjones

CREATED
3/12/2010

MACHINE NAME

MODEL #

MATERIAL

BLANK FILE NAME

QUANTITY PER MACHINE

0

CLIENT/APPLICATION

PRIME
Equipment Group, Inc.
Columbus, Ohio, USA

TITLE

CSK24,WAY006,16135,H2LOW

DWG NO

CSK24-WU-1588.10


PART NO

SERIAL#

SIZE D

SHEET 2

OF 2



		Parts List		
Item	Drawing No.	Part No.	Description	Qty.
1	11629	11629	KEY, 0.25X0.25X22.5	2
2	XX-SP01-11966	11966	PLATE, SIDE PANEL SLOT COVER, CSK	1
3	13516	13516	SPACER, 0.25X1.00X0.38ID, SS	16
4		13517	BEARING, FLG, 2 BOLT 1" BORE	4
5	13533	13533	SPACER, 0.12X1.00X0.38ID, SS	14
6	13535	13535	SPACER, 0.50X1.00X0.38ID, SS	4
7	SP-14629	14629	INSERT, SIDE PLT, P/W, LH, CSK-MSE	1
8	SP-14630	14630	INSERT, SIDE PLT, P/W, RH, CSK-MSE	1
9	SP-14631	14631	INSERT, SIDE PLT, C/R, LH, CSK-MSE	1
10	SP-14632	14632	INSERT, SIDE PLT, C/R, RH, CSK-MSE	1
11	SP-14637	14637	PLT WLD, MTG, BRG, C/R, LH, CSK-MSE	1
12	SP-14638	14638	PLT WLD, MTG, BRG, C/R, RH, CSK-MSE	1
13	SP-14639	14639	CAM, ADJ, MNT, C/R, LH, CSK-MSE	1
14	SP-14640	14640	CAM, ADJ, MNT, C/R, RH, CSK-MSE	1
15		14906	BRG, SLV, 0.5ID, 0.62OD, 0.37L, 0.06FLG, LHMW	2
16	SP-14948	14948	INSERT, ADJ, MNT, NOZZLE, CSK-MSE	2
17	15087	15087	ROD, 0.50X7.06L, 3/8-16X1 HOLE	1
18	ST-15543	15543	ROLLER ASY, COUNTER, CSK24H2	1
19	ST-15546	15546	ROD WLD, TENSION, CR, CSK24-H2L	1
20	15550	15550	ROD, SS, 0.50X26.56"L, W/FLATS	1
21		550C	BEARING, MOUNT, 2-BOLT, 1.25" ID	2
22		555	CHAIN TENSIONER	2
23		560E	5/8-11 S.S. PULL PIN W/L HANDLE	2
24		575	4-BOLT FLANGE, BEARING	4
25		780	M1220 BELTING SPROCKET	14
26		ESNS025C	1/4-20 SS NYLON INSERT LOCKNUT	11
27		ESNS037C	3/8-16 SS NYLON INSERT LOCKNUT	44
28		ESNS062C	5/8-11, SS, NYLON, INSERT, LOCKNUT	2
29		FHNS037C	0.38-16, SS, FIN, HEX, NUT	3
30		FHNS062C	0.62-11, S.S. FIN, HEX, NUT	2
31		FWFS037	3/8 SS FENDER WASHER	3
32		FWUS025	1/4 SS FLAT WASHER, 5/8 OD	11
33		FWUS037	3/8 SS FLAT WASHER, 7/8 OD	48
34		FWUS050	1/2 SS FLAT WASHER	1
35		HCSS.100037	#10-24X3/8 SS TRIM HEX CAP SCREW	2
36		HCSS037C0075	3/8-16X3/4 SS HEX CAP SCREW	3
37		HCSS037C0125	3/8-16X1-1/4 SS HEX CAP SCREW	6
38		HCSS037C0175	3/8-16X1-3/4 SS HEX CAP SCREW	6
39		HCSS037C0200	3/8-16 X 2" SS HEX CAP SCREW	2
40		HCSS050C0100	1/2-13X1 SS HEX CAP SCREW	1
41		HTBS037C0300	3/8-16X3 SS TAP BOLT FULL THRD	1
42		HTBS037C0500	3/8-16X5 HEX TAP BOLT, FULL THRD	1
43		LWSS01	# 10 LOCK WASHER	2
44		LWSS037	3/8 SS LOCK WASHER	15
45		LWSS050	1/2 SS LOCK WASHER	1
46		SNAPRING-SH100SS	SNAP RING, 1"	4
47	SP03-6-A	SP03-6-A	PINCH BLOCK INNER BAR STOP	1
48	SP03-9-A	SP03-9-A	TAB, IDLE SIDE, PINCH BLOCK	1
49	SP04-1-A	SP04-1-A	INSERT, PULL BAR WINDOW	2
50	SP04-4-A	SP04-4-A	PLATE, ADJ, LPR, WRSTP ASY, CSK	1
51	XX-SP06-10-B	SP06-10-B	SHIFT, MTG, IDLE SPRKT, 4.56"L, 2"Ø	1
52	XX-SP40-0-A	SP40-0-A	SPRKT ASY, IDLE, 40814, 0.62BORE	2
53	SP40-2-A	SP40-2-A	EXT. BEARING SPACER, IDLE SPKT	2
54	SP51-0-B	SP51-0-B	MOUNT, PROX SWITCH	1
55		SPACER.16FW250125	SPACER, .50D, .25ID, .125 THICK	2
56	TP01-3-A	TP01-3-A	CORNER SUPPORT SHAFT	4
57	TP03-2-A	TP03-2-A	PULL BAR, PINCH BLOCK	1
58	TP14-0-B	TP14-0-B	DRIVE SHAFT, FEED CONVEYOR	2
59	XX-TP903-0-A	TP903-0-A	LID WLD, MNT, SKINNER, CSK24, TSK242	1
60	TP918-0-A	TP918-0-A	FRONT COVER	1

TOLERANCES:
 XX = ±0.01 Angular = ±0.05°
 XXX = ±0.005 Fractional = ±1/16

This document may contain trade secrets and confidential information that is the sole property of Prime Equipment Group, Inc. (Prime). Prime reserves all patent, copyright, trademark and other intellectual property rights in information contained in this document. Recipients of this document are NOT authorized to use, reproduce, copy, disclose or transmit, in whole or in part, the information contained herein without the prior written consent of Prime. All rights reserved. Copyright 2007 Prime Equipment Group, Inc.

DRAWN BY
bjones
8/24/2009

MACHINE NAME

MODEL #

MATERIAL

BLANK FILE NAME

QUANTITY PER MACHINE
0

CLIENT/APPLICATION


PRIME
Equipment Group, Inc.
Columbus, Ohio USA

TITLE
HEAD ASY, BASE, CSK24-H2L

DWG NO
ST-15537

PART NO
15537

SIZE D SHEET 1 OF 2



TOLERANCES:

XX = ± 0.01 Angular = $\pm 0.05^\circ$
 XXX = ± 0.005 Fractional = $\pm 1/16$

This document may contain trade secrets and confidential information that is the sole property of Prime Equipment Group, Inc. (Prime). Prime reserves all patent, copyright, trademark and other intellectual property rights in information contained in this document. Recipients of this document are NOT authorized to use, reproduce, copy, disclose or transmit, in whole or in part, the information contained herein without the prior written consent of Prime. All rights reserved. Copyright 2007 Prime Equipment Group, Inc.

DRAWN BY

Machine Name

Model #

Material

Blank File Name

Quantity per Machine

Client/Application

CREATED

8/24/2009

PRIME
 Equipment Group, Inc.
 Columbus, Ohio USA

Machine Name

Model #

Material

Quantity per Machine


Client/Application

TITLE
 HEAD ASY,BASE,CSK24-H2L

DWG NO
 ST-15537

SIZE D SHEET 2 OF 2







PART NO
 15537



TOLERANCES: XX = ± 0.01 Angular = ± 0.05° XXX = ± 0.005 Fractional = ± 1/16		DRAWN BY D Jones	CREATED 3/4/2010	PRIME Equipment Group, Inc. Columbus, Ohio, USA	
This document may contain trade secrets and confidential information that is the sole property of Prime Equipment Group, Inc. (Prime). Prime reserves all patent, copyright, trademark and other intellectual property rights in information contained in this document. Recipients of this document are NOT authorized to use, reproduce, copy, disclose or transmit, in whole or in part, the information contained herein without the prior written consent of Prime. All rights reserved. Copyright 2007 Prime Equipment Group, Inc.		MACHINE NAME			
		MODEL #		TITLE	
		MATERIAL		HEAD ASY, RH PARTS, CSK24-H2L	
		BLANK FILE NAME			
		QUANTITY PER MACHINE	0	DWG NO ST-15538	PART NO 15538
		CLIENT/APPLICATION		SIZE D	SHEET 1 OF 1

24

11






HAF
NING

RIGHT MACHINE


TOLERANCES: XX = ±0.01 Angular = ±0.05° XXX = ±0.005 Fractional = ±1/16		DRAWN BY BJones		CREATED 2/20/2008	
This document may contain trade secrets and confidential information that is the sole property of Prime Equipment Group, Inc. (Prime). Prime reserves all patent, copyright, trademark and other intellectual property rights in information contained in this document. Recipients of this document are NOT authorized to use, reproduce, copy, disclose or transmit in whole or in part, the information contained herein without the prior written consent of Prime. All rights reserved. Copyright 2007 Prime Equipment Group, Inc.		MACHINE NAME SKINNER			
		MODEL # CSK-24			
		MATERIAL			
		BLANK FILE NAME			
QUANTITY PER MACHINE 0		TITLE WEARSTRP ASY,UPR,DBL BELT,WEIGHTED HANDLE,CSK24			
CLIENT/APPLICATION		DWG NO XX-SP000-11597		PART NO 11597	
SIZE D		SHEET 1		OF 1	

PRIME Equipment Group, Inc. Equipment Group, Inc.		TITLE DRIVE ASY, CSK24-H2L		DWG NO ST-16556		SIZE D SHEET 1 OF 1	
MODEL # XXX ± 0.005 Fractional = 1/16		MACHINE NAME DIONES		CHECKED 1/10/2010		CLIENT/APPLICATION QUANTITY PER MACHINE 0	
MATERIAL (From) Prime reserve all parts. property of Prime Equipment Group, Inc. and confidential information that is the sole		BLANK FILE NAME		QUANTITY PER MACHINE 0		EQUIPMENT GROUP, INC. All rights reserved. Copyright 2007 Prime	
PART NO 16556		EQUIPMENT GROUP, INC. All rights reserved. Copyright 2007 Prime					






EW B-B






Parts List				
Item	Drawing No.	Part No.	Description	Qty.
1		10186	FITTING, AIR, 1/8" NPT, 1/4" TUBE	2
2		11378	TUBING, 1/4 OD, NYLON, WHT X 43" L	1
3		11378	TUBING, 1/4 OD, NYLON, WHT X 32" L	1
4	SP-14663	14663	PLT, FRMD, SPRT, NOZZLE, CSK-MSE	2
5	SP-14664	14664	NOZZLE ASY, 0° 0.120 OD X 0.031 ID, 90° BEND, CSK	2
6		14740	TEE, RUN, M, 1/4" TUBE, 1/4" NPT	1
7		513C	ELBOW, MALE, 1/8" NPT, 3/8" OD TUBE	2
8		544	PRESSURE SWITCH	1
9		565A	TEE, SS, 1/4" NPT	1
10		619	VALVE, BALL, BRASS, 1/4" NPT	1
11		619B	BI-DIRECTIONAL FLOW CONTROL	1
12		621	1/4" CLOSE NIPPLE	5
13		623	TUBE, NYLON, 0.38 OD, 0.25 ID X 18" L	1
14		623	TUBE, NYLON, 0.38 OD, 0.25 ID X 13.5" L	1
15		623	TUBE, NYLON, 0.38 OD, 0.25 ID X 33" L	1
16		641	CROSS, 1/4" NPT, 150 PSI, 304 SS	1
17		680	COUPLER, SS, 1/4" NPT	1
18		806	TEE, UNION, 3/8 OD TUBE	1
19		863A	1/4" NPT WYE STRAINER	1
20		ESNS025C	1/4-20 SS NYLON INSERT LOCK NUT	2
21		ESNS037C	3/8-16 SS NYLON INSERT LOCK NUT	2
22		FWLS025	1/4 SS FLAT WASHER, 5/8 OD	2
23		FWLS037	3/8 SS FLAT WASHER, 7/8 OD	4
24		SPACER, 13SR5100555	SPACER, 3/8 ID X 1 OD X 1/4"	2
25	TP931-1-A	TP931-1-A	WELDMENT, SPRAY MANIFOLD PIPE	2

TOLERANCES: XX = ± 0.01 Angular = ± 0.05° XXX = ± 0.005 Fractional = ± 1/16		DRAWN BY bjonas MACHINE NAME		CREATED 12/21/2009		PRIME Equipment Group, Inc. Columbus, Ohio, USA	
This document may contain trade secrets and confidential information that is the sole property of Prime Equipment Group, Inc. (Prime). Prime reserves all patent, copyright, trademark and other intellectual property rights in information contained in this document. Recipients of this document are NOT authorized to use, reproduce, copy, disclose or transmit, in whole or in part, the information contained herein without the prior written consent of Prime. All rights reserved. Copyright 2007 Prime Equipment Group, Inc.				MODEL #		TITLE	
MATERIAL				BLANK FILE NAME		PLUMB ASY, CSK24-H2L	
QUANTITY PER MACHINE 0				DWG NO ST-16380		PART NO 16380	
CLIENT/APPLICATION				SIZE D		SHEET 1 OF 1	




Parts List				
Item	Drawing No.	Part No.	Description	Qty.
1	11507	11507	KEY,0.25X0.25X2.00,SS	1
2	SP-14702	14702	GRD WLDMT,CHAIN,GB,CSK-MSE,RH	1
3	ST-16550	16550	PLT,ADPTR,MTG,GB,CSK24	2
4	ST-16551	16551	PLT,GRD,FRNT,CHAIN,GB,CSK24	1
5	16552	16552	SPACER,0.12X1.25ODX0.53ID,SS	8
6	ST-16553	16553	SHFT,DRV,932GB,CSK24	1
7		16555	GEARBOX,732,15:1,BOSTON	1
8		16642	MTR,2-P,1740,145TC,3PH,460V*	1
9		ESN6025C	1/4-20 SS NYLON INSERT LOCKNUT	2
10		FHN6075C	S.S. HEX NUT, 3/4-10	1
11		FSCS043C0125	CAP SCRW,SOC,FLT,7/16-14X1-1/4	4
12		FWF5037	3/8 SS FENDER WASHER	1
13		FWU5025	1/4 SS FLAT WASHER, 5/8 OD	6
14		FWU6050	1/2 SS FLAT WASHER	4
15		HCSS025C0050	1/4-20X1/2 SS HEX CAP SCREW	4
16		HCSS037C0075	3/8-16X3/4 SS HEX CAP SCREW	1
17		HCSS050C0125	1/2-13X1-1/4 SS HEX CAP SCREW	4
18		HTB9075C0350	BOLT,TAP,HEX,3/4-10X3-1/2",SS	1
19		LWSS025	1/4 SS LOCK WASHER	4
20		LWSS037	3/8 SS LOCK WASHER	1
21		LWSS050	1/2 SS LOCK WASHER	4
22		SPACER17W08812	SPACER 1/8" T X1" OD X 3/8" ID	2

TOLERANCES: XX = ±0.01 Angular = ±0.05° XXX = ±0.005 Fractional = ±1/16		DRAWN BY bjones	CREATED 3/8/2010	PRIME Equipment Group, Inc. Columbus, Ohio, USA	
		MACHINE NAME			
This document may contain trade secrets and confidential information that is the sole property of Prime Equipment Group, Inc. (Prime). Prime reserves all patent, copyright, trademark and other intellectual property rights in information contained in this document. Receipts of this document are NOT authorized to use, reproduce, copy, disclose or transmit in whole or in part, the information contained herein, without the prior written consent of Prime. All rights reserved. Copyright 2007 Prime Equipment Group, Inc.		MODEL #	TITLE		
		MATERIAL	GEARMTR ASY,460*V,CSK24-H2L,RH		
		BLANK FILE NAME			
QUANTITY PER MACHINE 0		DWG NO ST-16352		PART NO 16352	
CLIENT/APPLICATION		SIZE C		SHEET 1 OF 1	



Parts List				
Item	Drawing No.	Part No.	Description	Qty.
1	TP926-10261	10261	WIPER ASSY, CSK/TSK 24	1
2		786	24,WIDE,M1220,BELTING	5'-0"
3		ESN5037C	3/8-16 SS NYLON INSERT LOCKNUT	8
4		FWUS037	3/8 SS FLAT WASHER, 7/8 OD	12
5		HCSS037C0125	3/8-16 X 1 1/4" SS HEX CAP SCREW	4
6	SP914-0-E	SP914-0-E	WEARSTRIP, CONVEYOR, 12.25"	3
7	SP923-1-DD	SP923-1-DD	WELDMENT, DRIP PAN, FEED CONVEYOR, 24"	1
8		SPACER17W08812	SPACER 1/8" T X 1" OD X 3/8" ID	8
9	TP909-0-A	TP909-0-A	FEED CONVEYOR GUARD	1
10	TP910-0-G	TP910-0-G	ASSEMBLY, FEED, EXIT CONVEYOR, 24"	1
11	XX-TP916-0-A-ASY	TP916-0-A-ASY	SHAFT ASY, IDLE, CNVYR, TSK24	1




TOLERANCES: XX = ±0.01 Angular = ±0.05° XXX = ±0.005 Fractional = ±1/16		DRAWN BY BJones	CREATED 10/31/2007	PRIME Equipment Group, Inc. Columbus, Ohio USA	
This document may contain trade secrets and confidential information that is the sole property of Prime Equipment Group, Inc. (Prime). Prime reserves all patent, copyright, trademark and other intellectual property rights in information contained in this document. Recipients of this document are NOT authorized to use, reproduce, copy, disclose or transmit, in whole or in part, the information contained herein without the prior written consent of Prime. All rights reserved. Copyright 2007 Prime Equipment Group, Inc.		MACHINE NAME SKINNER		TITLE CNVYR ASY,FEED,TSK/CSK24,24"L	
		MODEL # CSK-24, TSK24-2		DWG NO XX-TP910-10282	
		MATERIAL		PART NO 10282	
		BLANK FILE NAME		SHEET 1 OF 1	
QUANTITY PER MACHINE		CLIENT/APPLICATION			



TOLERANCES: XX = ±0.01 Angular = ±0.05° XXX = ±0.005 Fractional = ±1/16		DRAWN BY SCzarnacki	CREATED 10/26/2007	PRIME Equipment Group, Inc. Columbus, Ohio USA	
This document may contain trade secrets and confidential information that is the sole property of Prime Equipment Group, Inc. (Prime). Prime reserves all patent, copyright, trademark and other intellectual property rights in information contained in this document. Recipients of this document are NOT authorized to use, reproduce, copy, disclose or transmit, in whole or in part, the information contained herein without the prior written consent of Prime. All rights reserved. Copyright 2007 Prime Equipment Group, Inc.		MACHINE NAME SKINNER, 24"			
		MODEL # TSK24		TITLE WIPER ASSY, CSK/TSK 24	
		MATERIAL			
		BLANK FILE NAME			
QUANTITY PER MACHINE		DWG NO XX-TP926-10261		PART NO 10261	
CLIENT/APPLICATION		SIZE C		SHEET 1 OF 1	

Parts List				
Item	Drawing No.	Part No.	Description	Qty.
1		ESNS025C	1/4-20 SS NYLON INSERT LOCKNUT	12
2		FWUS025	1/4 SS FLAT WASHER, 5/8 OD	12
3	SP925-0-A	SP925-0-A	CHAIN GUARD, RIGHT	1
4	SP925-1-A	SP925-1-A	CHAIN GUARD, LEFT	1
5		SPACER16FW250125	SPACER, .500, 25IDX.125 THICK	7
6	TP926-0-A	TP926-0-A	WELDMENT, FEED CONVEYOR WIPER SUPPORT	1
7	TP926-1-A	TP926-1-A	FEED CONVEYOR WIPER	1
8	TP926-2-A	TP926-2-A	BRACE, FEED CONVEYOR WIPER	1

Parts List				
Item	Drawing No.	Part No.	Description	Qty.
1		560C	1/2-13 SS PULL PIN	2
2		ESNS050C	1/2-13, SS, NYLON, INSERT, LOCKNUT	2
3		FWLS037	3/8 SS FLAT WASHER, 7/8 OD	4
4		FWLS050	1/2 SS FLAT WASHER	4
5		HCSS037CD100	3/8-16X1" SS HEX CAP SCREW	4
6		HCSS050CD175	1/2-13 X 1-3/4 SS HEX CAP SCREW	2
7		LWSS037	3/8 SS LOCK WASHER	4
8	SP999-OL-Z	SP999-OL-Z	WELDMENT, CONVEYOR SIDE, 24", LEFT	1
9	SP999-OR-Z	SP999-OR-Z	WELDMENT, CONVEYOR SIDE, 24", RIGHT	1
10		SPACER-17W15013	SPACER, 0.5, IDX 1.500DX0.25	2
11		SPACER13RS112030	SPACER, 1/2TX1-1/4WX1/2T	2
12		SPACER16FW250125	SPACER, .500, 25IDX.125 THICK	8
13	TP912-0-A	TP912-0-A	WLDMT, FLIPEND, CNVYR, TSK/CSK-24	1
14	TP913-0-A	TP913-0-A	ROD, SUPPORT, CNVYR, 24"	2
15	TS915-0-A	TS915-0-A	HOUSING, BRG, TAKEUP, IDLE, CNVYR	2



TOLERANCES:

XX = ±0.01 Angular = ±0.05°
XXX = ±0.005 Fractional = ±1/16

THIS DRAWING AND THE CONTENTS THEREOF ARE THE PROPRIETARY PROPERTY OF PRIME EQUIPMENT GROUP. REPRODUCTION OR USE OF THIS INFORMATION WITHOUT PRIOR WRITTEN AUTHORIZATION FROM PRIME EQUIPMENT GROUP IS PROHIBITED.

DRAWN BY

B.Jones
MACHINE NAME
SKINNER

MATERIAL

SEE BOM
DXF/DWG FILE NAME
BLANK FILE NAME

QUANTITY PER MACHINE VARIES
CLIENT/APPLICATION

CREATED

9/18/2007
MODEL #
TSK,CSK-24

PRIME

Equipment Group, Inc.
Columbus, Ohio USA

TITLE

ASSEMBLY, FEED, EXIT CONVEYOR, 24"


SIZE DWG NO

C XX-TP910-0-G





SCALE

NONE

SHEET 1 OF 1



DETAIL B



Parts List				
Item	Drawing No.	Part No.	Description	Qty.
1	11539	11539	KEY, 0.25X0.25X2.5, SS	1
2	507C	507C	TENSION ADJUSTMENT THREAD 1/2-13X4.5IN	2
3		550B	BRG, TAKE-UP, 1" BORE	2
4		780	M1220 BELTING SPROCKET	7
5		FHNS050C	0.50-13, S.S. FIN. HEX. NUT	6
6		FWUS050	1/2 SS FLAT WASHER	4
7		SNAPRING-SH100SS	SNAP RING, 1"	2
8	TP916-0-A	TP916-0-A	IDLE SHAFT, FEED, EXIT CONVEYOR	1

TOLERANCES:

XX = ± 0.01 Angular = $\pm 0.05^\circ$
 XXX = ± 0.005 Fractional = $\pm 1/16$





THIS DRAWING AND THE CONTENTS THEREOF ARE THE PROPRIETARY PROPERTY OF PRIME EQUIPMENT GROUP. REPRODUCTION OR USE OF THIS INFORMATION WITHOUT PRIOR WRITTEN AUTHORIZATION FROM PRIME EQUIPMENT GROUP IS PROHIBITED.

DRAWN BY
B. Jones
MACHINE NAME
SKINNER
MATERIAL
SEE BOM
DXF/DWG FILE NAME
BLANK FILE NAME
QUANTITY PER MACHINE
VARIES
CLIENT/APPLICATION

CREATED
9/18/2007
MODEL #
TSK, CSK-24



PRIME
Equipment Group, Inc.
Columbus, Ohio USA

TITLE
ASSEMBLY, IDLE SHAFT, CONVEYOR, 24"
 SIZE DWG NO
C XX-TP916-0-A-ASY
 SCALE NONE SHEET 1 OF 1





Parts List				
Item	Drawing No.	Part No.	Description	Qty.
1	XX-TP938-11545	11545	CHUTE WLDT,EXIT,PRDCT,EX,CSK24	1
2	XX-SP904-11546	11546	SUPPORT,PRODUCT,EXIT SLIDE,EXT	2
3	XX-TP909-11547	11547	GUARD, EXIT CHUTE,EXTD,CSK24	1
4	XX-TP938-12727	12727	SUPPORT,EXTND PRDCT EXIT CHUTE,CSK24	1
5		ESNS037C	3/8-16 SS NYLON INSERT LOCK NUT	6
6		FWUS037	3/8 SS FLAT WASHER, 7/8 OD	7
7		HCS03700125	3/8-16 X 1 1/4" SS HEX CAP SCREW	1
8		SPACER17W08812	SPACER, 1/8" T X 1" OD X 3/8" ID	6
9	16996	16996	PLT,FRMD,TAB,SWTCH,PROX	1
10		ESNS10C	LOCK NUT,NYL, INSERT,SS,#10	2
11		FWCS10	WASHER,FLAT,SS,#10	4
12		MSRS10C075	MACHINE SCREW,SLOTTED,ROUND HEAD,10-24X.75	2
13		SPACER16FW250125	SPACER, .5CD,.25IDX,125 THICK	2

REVISION HISTORY				
REV	DATE	BY	DESCRIPTION	FROM
2	12/20/2007	BJones	ADDED 16996, HARDWARE	BKJ
1	07/25/2008	BJones	SWITCHED SLIDE SUPPORT TO NEW STYLE (PART # 11618 TO 12727)	BKJ
TOLERANCES:		DRAWN BY	CREATED	
XX = ± 0.01		BJones	12/20/2007	
Angular = ± 0.05°		MACHINE NAME		
XXX = ± 0.005		SKINNER		
Fractional = ± 1/16		MODEL #		
This document may contain trade secrets and confidential information that is the sole property of Prime Equipment Group, Inc. (Prime). Prime reserves all patent, copyright, trademark and other intellectual property rights in information contained in this document. Recipients of this document are NOT authorized to use, reproduce, copy, disclose or transmit, in whole or in part, the information contained herein without the prior written consent of Prime. All rights reserved. Copyright 2007 Prime Equipment Group, Inc.		TSK,CSK-24		
		MATERIAL		
		BLANK FILE NAME		
		QUANTITY PER MACHINE		
		CLIENT/APPLICATION		
			TITLE	
			CHUTE ASY,EXIT,PRDCT,EXT,CSK24	
			DWG NO	PART NO
			XX-TP938-11543	11543
			SIZE C	SHEET 1 OF 1




Parts List				
Item	Drawing No.	Part No.	Description	Qty.
1		11589	PROX SWITCH,24-220VDC/AC,*	4
2	11609	11609	TAB,SS,12GA,1.25"X1.75"	1
3		13934	ELECTRICAL,CNTRL,PROFACE,SM	1
4		570B	PUSH BUTTON ENCLOSURE, SS	1
5		800T-FXT6A5	E-STOP, PUSH BUTTON, 30MM	1
6		LEGEND-800T-X648	E-STOP LEGEND PLATE	1
7	SP58-1-A	SP58-1-A	PROXIMITY SWITCH SUPPORT, CONVEYOR	2
8		SPACER.16FW250125	SPACER, .50D,.25IDX.125 THICK	4

TOLERANCES: XX = ±0.01 Angular = ±0.05° XXX = ±0.005 Fractional = ±1/16		DRAWN BY D Jones MACHINE NAME MODEL # MATERIAL BLANK FILE NAME QUANTITY PER MACHINE 0 CLIENT/APPLICATION	CREATED 6/9/2009 TITLE ELECTRICAL,COMPONENTS,CSK DWG NO XX-SP000-14741 PART NO 14741	PRIME Equipment Group, Inc. Columbus, Ohio USA
This document may contain trade secrets and confidential information that is the sole property of Prime Equipment Group, Inc. (Prime). Prime reserves all patent, copyright, trademark and other intellectual property rights in information contained in this document. Recipients of this document are NOT authorized to use, reproduce, copy, disclose or transmit, in whole or in part, the information contained herein without the prior written consent of Prime. All rights reserved. Copyright 2007 Prime Equipment Group, Inc.		SIZE C SHEET 1 OF 1		



Parts List			
Item	Part No.	Description	Qty.
1	800T-FXT6A5	E-STOP, PUSH BUTTON, 30MM	1
2	LEGEND-800T-X648	E-STOP LEGEND PLATE	1
3	LWSS025	1/4 SS LOCK WASHER	2
4	13068	ASSY, COVER, PROTECT, PROFACE	1
5	13095	BOLT, HINGE, 1/4-20X1/2, MACHINED	2
6	13935	ENCLOSURE, 10X8, PROFACE CUT,	1
7	13098	PLC, HMI, COMPLETE,	1
8	11820	END CLAMP, TERMINAL, 4MM	2
9	11817	TERMINAL, 4MM, GRAY	25
10	11819	TERMINAL, 4MM, GROUNDING	1
11	11818	END PLATE, TERMINAL, 4MM	1
12	11828	CIRCUIT BREAKER, 1 POLE, 2AMP	1
13	13931	MODULE, OUTPUT, RELAY, 8PT, PROFAC	1

TOLERANCES: XX = ±0.01 Angular = ±0.05° XXX = ±0.005 Fractional = ±1/16		DRAWN BY TChristian MACHINE NAME	CREATED 1/8/2009	PRIME Equipment Group, Inc. Columbus, Ohio, USA		
This document may contain trade secrets and confidential information that is the sole property of Prime Equipment Group, Inc. (Prime). Prime reserves all patent, copyright, trademark and other intellectual property rights in information contained in this document. Recipients of this document are NOT authorized to use, reproduce, copy, disclose or transmit, in whole or in part, the information contained herein without the prior written consent of Prime. All rights reserved. Copyright 2007 Prime Equipment Group, Inc.		MODEL #	TITLE			
		MATERIAL	CONTROL, HMI, ASSY, COMPLETE, SM			
		BLANK FILE NAME				
		QUANTITY PER MACHINE 0	DWG NO 13934	PART NO 13934		
		CLIENT/APPLICATION	SIZE C	SHEET 1 OF 1		



Parts List			
Item	Part No.	Description	Qty.
1	13183	ENCLOSURE, 20X16X, SLPTP, RITTAL*	1
2	A20P16	PANEL, BACK, 20X16*	1
3	11825	POWER SUPPLY, 170-550VAC, 24VDC*	1
4	11817	TERMINAL, 4MM, GRAY	27
5	11818	END PLATE, TERMINAL, 4MM	2
6	11819	TERMINAL, 4MM, GROUNDING	4
7	11820	END CLAMP, TERMINAL, 4MM	2
8	11822	CONTACTOR, 5HP, 24VDC	2
9	12141	CIRCUIT BREAKER, 1.6-2.5A	2
10	11824	ALX. CONTACT, F/CIRC BREAKER	2
11	13732	SWITCH, D-CONNECT, FUSIBLE, 30A, *	1
12	13797	FUSE, 15A, TIME DELAY	3
13	11829	CIRCUIT BREAKER, 2POLE, 2AMP	1
14	11816	BRKT, MTG, F/HOUR METER	1
15	11812	METER, HOUR, 24VDC	1
16	11815	HANDLE, DISCONNECT SWITCH, 30A	1
17	13733	ROD, D-CONNECT/13732,	1
18	11826	WIRE DUCT, NARROW SLOT, 1X2, WHT	

TOLERANCES:
 XX = ± 0.01 Angular = $\pm 0.05^\circ$
 XXX = ± 0.005 Fractional = $\pm 1/16$

This document may contain trade secrets and confidential information that is the sole property of Prime Equipment Group, Inc. (Prime). Prime reserves all patent, copyright, trademark and other intellectual property rights in information contained in this document. Recipients of this document are NOT authorized to use, reproduce, copy, disclose or transmit, in whole or in part, the information contained herein without the prior written consent of Prime. All rights reserved. Copyright 2007 Prime Equipment Group, Inc.

DRAWN BY
TChristian
MACHINE NAME

CREATED
1/27/2009

MODEL #

MATERIAL

BLANK FILE NAME

QUANTITY PER MACHINE
0

CLIENT/APPLICATION

PRIME
 Equipment Group, Inc.
 Columbus, Ohio USA

TITLE
ELECTRICAL, PROFAC, CSK12, 18/24*

DWG NO
14240

PART NO
14240

SIZE C SHEET 2 OF 2


OPTIONS — OPTIONS ARE POSSIBLE ADDITIONS THAT NEED TO BE ENABLED/DISABLED THROUGH THE TOUCHSCREEN. THEY ARE ACCESSED IN THE MAINTENANCE MENU (8590).

4M1 — COMPONENT DESIGNATION
 "4" REFERENCES PAGE NUMBER WHERE COIL IS LOCATED
 "M" REFERENCES IT IS A MOTOR CONTACTOR COIL
 "1" REFERENCES THE NUMBER OF THE CONTACTOR
 "4M1" IS THE MOTOR 1 CONTACTOR, AND THE COIL IS ON PAGE 4

$\frac{2CB8}{10 \mid 8}$ — AUXILIARY CONTACT REFERENCES
 "2CB8" REFERENCES THE COMPONENT CONTAINING CONTACTS USED IN OTHER PLACES
 "LEFT COLUMN (10,8)" REFERENCES THE PAGES THE CONTACTS CAN BE FOUND ON
 "RIGHT COLUMN" REFERENCES THE TYPE OF CONTACT ON THE CORRESPONDING PAGE
 "2CB8" CONTAINS ONE NORMALLY OPEN CONTACT ON PAGE 10, AND N.C. ON PAGE 8


ENCLOSURE DESIGNATION — X0 - MOTOR STARTER ENCLOSURE
 X1 - OPERATOR CONTROL ENCLOSURE
 X2 - E-STOP ENCLOSURE

					Material:	PRIME EQUIPMENT GROUP Columbus, Ohio 43008 USA		
					Quantity:			
					LEGEND	WIRING SCHEMATIC CHICKEN SKINNER		
					Minimum values noted:			
					X = .5 XXX = .010 1/X = 1/16 1X = .50 XXXX = .0008 Angles = °			
					THIS DRAWING AND THE CONTENTS HEREOF ARE THE PROPRIETARY PROPERTY OF PRIME EQUIPMENT GROUP. REPRODUCTION OR USE OF THIS INFORMATION WITHOUT PRIOR WRITTEN AUTHORIZATION FROM PRIME EQUIPMENT GROUP IS PROHIBITED.	Drawing No. TC	Title NONE	Revision CSK/TSK
REV.	DRAWN	DATE	DESCRIPTION			Approved By 02/2009	Date 14240	Drawing Number 14240



PAGE 1 > 3


> PAGE 3




PAGE 1 > 1

> PAGE 3


				Model:	PRIME EQUIPMENT GROUP Columbus, Ohio 43006 USA WIRING SCHEMATIC CHICKEN SKINNER, 12(230VAC),18/24(480VAC)				
				Serial:					
				PAGE 2 OF 5					
				Information Address: model:					
				X = .5 X/2 = .500 X/X = 1/1" X = .05 X/20 = .005 X/40 = 1/8"					
				THIS DRAWING AND THE CONTENTS THEREOF ARE THE PROPRIETARY PROPERTY OF PRIME EQUIPMENT GROUP. REPRODUCTION OR USE OF THIS INFORMATION WITHOUT PRIME EQUIPMENT GROUP IS PROHIBITED.					
REV.	DRAWN	DATE	DESCRIPTION	Revision No. TC	Revision NONE	Revision CSK-12, 18/24			
				Approved By 02/2009		Revision Number 14240			



				PRIME EQUIPMENT GROUP Columbus, Ohio 43006 USA	
				WIRING SCHEMATIC CHICKEN SKINNER, 12(230VAC), 18/24(480VAC)	
				TC	NONE
				02/2009	14240
REV.	DRAWN	DATE	DESCRIPTION	THIS WIRING AND THE CURRENTS THEREOFF ARE THE PROPRIETARY PROPERTY OF PRIME EQUIPMENT GROUP. REPRODUCTION OR USE OF THIS INFORMATION WITHOUT PRIOR WRITTEN AUTHORIZATION FROM PRIME EQUIPMENT GROUP IS PROHIBITED.	



				Material:	PRIME EQUIPMENT GROUP Columbus, Ohio 43260 USA	WIRING SCHEMATIC CHICKEN SKINNER, 12(230VAC),18/24(480VAC)	
				Quantity: PAGE 4 OF 5			
				Subcontract: X = .5 100K = .010 1/4" = 1/16 32 = .03 1000K = .0005 Angular = T	Drawing No. TC	Revs. NONE	Revision CSK-12, 18/24
				THIS DRAWING AND THE CONTENTS HEREOF ARE THE PROPRIETARY PROPERTY OF PRIME EQUIPMENT GROUP. REPRODUCTION OR USE OF THIS INFORMATION WITHOUT PRIOR WRITTEN AUTHORIZATION FROM PRIME EQUIPMENT GROUP IS PROHIBITED.	Approved By: 02/2009	By: 14240	
REV.	DRAWN	DATE	DESCRIPTION				



				Material:	PRIME EQUIPMENT GROUP Columbus, Ohio 43006 USA WIRING SCHEMATIC CHICKEN SKINNER, 12(230VAC), 18/24(480VAC)					
				Quantity:				PAGE 5 OF 5		
				Reference: <i>Reference material:</i>						
				X = .8 100X = .090 X/X = 1/16 XX = .03 1000X = .0005 Angles = 7						
				THIS DRAWING AND THE CONTENTS HEREOF ARE THE PROPRIETARY PROPERTY OF PRIME EQUIPMENT GROUP. REPRODUCTION OR USE OF THIS INFORMATION WITHOUT PRIOR WRITTEN AUTHORIZATION FROM PRIME EQUIPMENT GROUP IS PROHIBITED.	Revision No.	Index	Installation			
					TC	NONE	CSK-12, 18/24			
					Approved By: Date:	02/2009	14240			
REV.	DRAWN	DATE	DESCRIPTION							