

The $(1 + \sqrt{37})/6$ lower bound for semi-online
scheduling with decreasing processing times:
a first proof for all $m \geq 4$

Chaojin Wu*
Independent Researcher
ORCID: 0009-0008-7322-9291

Abstract

We consider semi-online scheduling with decreasing processing times: jobs arrive in non-increasing order of size, each job must be assigned irrevocably upon arrival, and the adversary may stop the sequence at any prefix. Seiden, Sgall and Woeginger (2000) proved that for $m = 3$ no deterministic algorithm achieves competitive ratio below $c = (1 + \sqrt{37})/6 \approx 1.18046$. Cheng, Kellerer and Kotov (2012) gave an algorithm with ratio $5/4$ for every $m \geq 3$, stating that the lower bound c holds for all $m \geq 3$ and attributing it to the former work. That work, however, proved only $m = 3$; the case $m \geq 4$ was stated without proof and is recorded as open in Epstein’s 2018 survey. We give the first proof of the c lower bound for all $m \geq 4$ (indeed all $m \geq 3$), in two independent ways: a *padding lemma* that transfers an adversarial instance from m to $m+1$ machines while preserving its guarantee, applied to the instance above; and an explicit adversarial family $(1^{m-1}, r^{m-1}, s^{m-1})$ with $r = (2 + \sqrt{37})/11$ and $s = (13 + \sqrt{37})/33$. The gap between c and the $5/4$ upper bound remains open on the algorithmic side.

1 Introduction

Semi-online scheduling with decreasing processing times (SOSDP) is a classical model of non-clairvoyant load balancing: m identical parallel machines are given, jobs arrive one by one in *non-increasing* order of their processing times, and each job must be assigned to a machine immediately and irrevocably, before the next job is seen; the adversary may stop the sequence

*A preprint of this work is available at Zenodo, DOI: 10.5281/zenodo.22953110.

at any prefix. For two machines the optimal competitive ratio of deterministic algorithms is the bound $7/6$ of Graham, shown best possible in the decreasing model by Seiden, Sgall and Woeginger [3]. Seiden, Sgall and Woeginger [3] proved that for three machines no deterministic algorithm can achieve a competitive ratio below

$$c = \frac{1 + \sqrt{37}}{6} \approx 1.180460,$$

the unique root of $3c^2 - c - 3 = 0$ above 1, via an explicit adversarial instance. Cheng, Kellerer and Kotov [1] designed an algorithm of competitive ratio $5/4$ for every $m \geq 3$, whose specialization to $m = 3$ matches c and thus settles three machines; for $m \geq 4$, however, their upper bound $5/4$ and the value c remained apart.

The lower-bound side of that gap has a curious history. The introduction of [1] states that a lower bound of $(1 + \sqrt{37})/6$ holds for all $m \geq 3$, attributing it to [3]; yet [3] proved only the case $m = 3$, and the case $m \geq 4$ was stated without proof. To our knowledge no proof of the c lower bound for $m \geq 4$ has appeared in the literature, and Epstein’s survey [2] records the optimal competitive ratio for $m \geq 4$ as an open problem.

In this note we give the first proof of the c lower bound for all $m \geq 4$ (indeed all $m \geq 3$). We give two independent proofs. The first (Sections 3–4) is a *padding lemma*: an adversarial instance on m machines that satisfies four natural invariants can be prefixed by a single job of size $G = (\sqrt{37} - 1)/6 = 1/c$ to yield an instance on $m+1$ machines satisfying the same invariants with the same constants; applied to the instance of [3], induction gives the bound for all $m \geq 3$. The second proof (Section 5) is an explicit adversarial family: for every $m \geq 4$ the decreasing sequence $(1^{m-1}, r^{m-1}, s^{m-1})$, with $r = (2 + \sqrt{37})/11$ and $s = (1 + r)/3 = (13 + \sqrt{37})/33$, forces every deterministic algorithm to ratio at least c ; after scaling by $1 + r$ this family embeds the three-machine instance of [3] verbatim, since $1/(1 + r) = (13 - \sqrt{37})/12$ is exactly the largest job of that instance. The two arguments are independent of each other and cross-check the same constant c . We conclude in Section 6 with the remaining open questions.

2 Preliminaries

Model. Jobs arrive in non-increasing order $p_1 \geq p_2 \geq \dots \geq p_n$ and must be assigned irrevocably to one of m identical machines upon arrival. The adversary may declare “stop” after any prefix; if the arrived multiset is

P , the algorithm's makespan $L_{\text{alg}}(P)$ is the maximum machine load, and $\text{OPT}_m(P)$ is the optimal offline makespan. The competitive ratio of a deterministic algorithm A is

$$R(A) = \sup_P \frac{L_{\text{alg}}(P)}{\text{OPT}_m(P)},$$

where the supremum is over all stopping prefixes the adversary may produce. An *adversarial strategy* is a decreasing sequence together with a stopping rule, which may depend on the algorithm's assignment history; the strategies of [3] are of this adaptive type. Saying that an instance J *guarantees ratio at least ϱ* means that against every deterministic algorithm the adversary, playing this strategy, reaches a stopping point with $L_{\text{alg}}(P) \geq \varrho \cdot \text{OPT}_m(P)$.

Notation. For a job multiset J write $p_{\min}(J)$ and $p_{\max}(J)$ for its smallest and largest job. The constants used throughout are

$$c = \frac{1 + \sqrt{37}}{6} \approx 1.180460, \quad \text{root of } 3c^2 - c - 3 = 0,$$

together with r , s , G and x introduced below.

Two auxiliary facts.

Lemma 1 (Monotonicity of OPT). *If $Q' \subseteq Q$ as multisets, then $\text{OPT}_m(Q') \leq \text{OPT}_m(Q)$.*

Proof. Take an optimal assignment of Q and delete the jobs of $Q \setminus Q'$; machine loads only decrease, yielding a feasible assignment of Q' with makespan at most $\text{OPT}_m(Q)$. $\square$

Lemma 2 (Isolation of a large job). *Let G be no smaller than any job of Q . Then*

$$\text{OPT}_{m+1}(\{G\} \cup Q) \leq \max(G, \text{OPT}_m(Q)).$$

Proof. Place G alone on machine $m+1$ and schedule Q optimally on the remaining m machines. This is a feasible assignment of $\{G\} \cup Q$ with makespan $\max(G, \text{OPT}_m(Q))$, so the optimum is no larger. (Only the upper bound is needed; $\text{OPT}_{m+1}(\{G\} \cup Q) \geq G$ holds trivially.) $\square$

3 The padding lemma

Throughout this section

$$G := c - \frac{1}{3} = \frac{\sqrt{37} - 1}{6} \approx 0.847127.$$

Lemma 3. $cG = 1$; equivalently $G = 1/c$.

Proof. $cG = c^2 - c/3$. From $3c^2 - c - 3 = 0$ we have $c^2 = (c + 3)/3$, hence $cG = (c + 3)/3 - c/3 = 3/3 = 1$. $\square$

Lemma 4. $1/3 < G < 1$.

Proof. $G > 1/3 \iff \sqrt{37} - 1 > 2 \iff \sqrt{37} > 3 \iff 37 > 9$; and $G < 1 \iff \sqrt{37} < 7 \iff 37 < 49$. $\square$

Theorem 5 (Padding lemma). *Let $m \geq 2$, let J be a decreasing job sequence on m machines, and let S be an adversarial strategy on J satisfying the four invariants*

- (I1) $\text{OPT}_m(J) \leq 1$;
- (I2) $p_{\min}(J) = 1/3$ and $p_{\max}(J) \leq G$;
- (I3) at every stopping point of S , the algorithm's makespan is at least 1;
- (I4) S guarantees ratio at least c , i.e. at every stopping point $L_{\text{alg}} \geq c \cdot \text{OPT}_m(P)$, where P is the prefix stopped at.

Form the new sequence $J' = (G, J)$ by inserting one job of size G at the front. Then:

1. J' is a legal decreasing sequence on $m + 1$ machines;
2. there is an adversarial strategy S' on $m + 1$ machines such that (J', S') satisfies (I1)–(I4) again (with the same constant G in the role of $p_{\max}$).

Since conclusion 2 preserves all invariants and G is unchanged, the lemma applies repeatedly for $m = 3, 4, 5, \dots$

Proof of Theorem 5. Step 0: J' is a legal decreasing sequence. The first job of J' is G and the rest are J ; by (I2), $G \geq p_{\max}(J)$, so G is no smaller than any later job and the non-increasing order is preserved.

Step 1: (I1') holds, $\text{OPT}_{m+1}(J') \leq 1$. By Lemma 2 with $Q = J$ (its hypothesis $G \geq p_{\max}(J)$ is (I2)),

$$\text{OPT}_{m+1}(J') = \text{OPT}_{m+1}(\{G\} \cup J) \leq \max(G, \text{OPT}_m(J)) \leq \max(G, 1) = 1,$$

using (I1) and $G < 1$ (Lemma 4). Note that only “ $\leq$ ” is needed, not equality: after one iteration OPT may drop strictly below 1 (for instance, placing the three-machine instance of [3] on four machines gives $\text{OPT} \leq \max\{1 - x + 1 - x, x + 1/3\} \approx 0.9098 < 1$)—a smaller denominator only strengthens the adversary.

Step 2: (I2') holds. $p_{\min}(J') = \min(G, p_{\min}(J)) = \min(G, 1/3) = 1/3$ since $G > 1/3$ (Lemma 4); and $p_{\max}(J') = G$ since $G \geq p_{\max}(J)$ by (I2).

Step 3: the new strategy S' . The adversary first releases G , and then:

- **Rule α .** From the moment G has been released, as soon as the algorithm places some job q (necessarily a job of J) on the machine holding G , the adversary stops immediately at that prefix.
- **Rule β .** If the algorithm never places any job on G 's machine, the adversary treats the remaining m machines as an m -machine game, releases all of J on them following the original strategy S , and uses the stopping rule of S .

Every deterministic algorithm behaves in exactly one of two ways: at some moment it touches G 's machine (Rule α fires), or it never does (Rule β applies). We verify that in both cases S' guarantees ratio at least c and stopping-load at least 1.

Step 4: Case α (the algorithm touches G 's machine). Suppose the algorithm places q on G 's machine and the adversary stops. That machine's load is at least $G + q$; since $q \in J$ we have $q \geq p_{\min}(J) = 1/3$ by (I2), hence

$$L_{\text{alg}} \geq G + \frac{1}{3} = \left(c - \frac{1}{3}\right) + \frac{1}{3} = c.$$

If P is the released prefix, then $P \subseteq J'$, so by Lemma 1 and Step 1,

$$\text{OPT}_{m+1}(P) \leq \text{OPT}_{m+1}(J') \leq 1, \quad \text{hence} \quad \frac{L_{\text{alg}}}{\text{OPT}_{m+1}(P)} \geq \frac{c}{1} = c.$$

This is (I4') at this stopping point; and $L_{\text{alg}} \geq c > 1$ gives (I3'). (The equality $G + 1/3 = c$ is the first constraint on G from the lemma: $G \geq c - p_{\min}$; here it is met with equality.)

Step 5: Case β (the algorithm never touches G 's machine). All jobs of J are placed by the algorithm on the remaining m machines, the position is

exactly the m -machine game, and the adversary legally executes S . Suppose S stops at some stopping point, corresponding to a prefix P of J , and the algorithm's makespan on those m machines is L .

(a) *The total makespan on $m + 1$ machines equals L .* G occupies one machine alone with load G ; the largest of the remaining loads is L . By (I3), $L \geq 1 > G$ (Lemma 4), so the total makespan is $\max(G, L) = L \geq 1$ —(I3') holds at this stopping point.

(b) *Upper bound on the new OPT.* The released prefix of J' is $\{G\} \cup P$; by (I2), $G \geq p_{\max}(J) \geq$ any job of P , so Lemma 2 applies:

$$\text{OPT}_{m+1}(\{G\} \cup P) \leq \max(G, \text{OPT}_m(P)).$$

(c) *The ratio.* By (I4), $L \geq c \cdot \text{OPT}_m(P)$; by (I3) and Lemma 3, $L \geq 1 = cG$. Combining,

$$\begin{aligned} L &\geq \max(cG, c \cdot \text{OPT}_m(P)) = c \cdot \max(G, \text{OPT}_m(P)) \\ &\geq c \cdot \text{OPT}_{m+1}(\{G\} \cup P). \end{aligned}$$

With (a) (total makespan = L),

$$\frac{L_{\text{alg}}}{\text{OPT}_{m+1}(\{G\} \cup P)} \geq c.$$

(I4') holds at this stopping point.

Step 6: conclusion. Steps 0–2 give legality of J' and (I1')(I2'); Step 3 defines S' ; Steps 4 and 5 exhaust all algorithm behaviours and show that every stopping point of S' satisfies (I3')(I4'). Hence (J', S') satisfies all four invariants, with the same bound G on $p_{\max}$. $\square$

Remark 6 (Single-point collapse). *Summarizing the constraints on the padding constant (with $p_{\min} = 1/3$ and minimum stopping load 1):*

1. *decreasing order:* $G \geq p_{\max}(J)$;
2. *invariant (I2'):* $G > 1/3$;
3. *Case α :* $G + 1/3 \geq c$, i.e. $G \geq c - 1/3 \approx 0.847127$;
4. *Case β :* one needs $L \geq cG$ at the minimum stopping load $L = 1$, i.e. $G \leq 1/c \approx 0.847127$.

Now $c - 1/3 = 1/c$ is precisely a rewriting of the defining equation $3c^2 - c - 3 = 0$, so the feasible interval $[c - 1/3, 1/c]$ collapses to the single point $G = (\sqrt{37} - 1)/6$. The padding strategy has no freedom whatsoever: it succeeds exactly because of this algebraic property of c .

Remark 7 (Why naive padding with $G = 1$ fails). Take $J' = (1, x, x, 1 - x, 1 - x, 1/3, 1/3, 1/3)$ on $m = 4$ machines, where $x = (13 - \sqrt{37})/12$. The algorithm places the job 1 alone on machine 4 and then deliberately pairs the two jobs x : load $2x \approx 1.1529$, but the prefix $\{1, x, x\}$ contains a job of size 1, so $\text{OPT}_4 \geq 1$ (and ≤ 1), giving ratio $2x/1 \approx 1.1529 < c$. Whether the adversary stops here or releases the remaining jobs, the algorithm keeps the final ratio at about 1.15 (the remaining jobs $1 - x, 1 - x, 1/3, 1/3, 1/3$ fit into the two empty machines and the lightly loaded ones, final makespan ≈ 1.153 , while $\text{OPT}(J') = 1$). The reason is exactly the violation of constraint 4 above: $c \cdot 1 = c > 1$, and in Case β “OPT is lifted to 1 by the large job” swamps every stopping point whose load is below c (in the $m = 3$ strategy of [3], Case A has load 1 and $\text{OPT} = 2(1 - x) \approx 0.847$; after padding with $G = 1$ the ratio collapses to $1/1 = 1$). The padding lemma is not free: it requires the base instance to meet “ $\text{OPT} \leq 1$, $p_{\min} = 1/3$, stopping load ≥ 1 ” simultaneously, and the existence of G is equivalent to $c - 1/3 \leq 1/c$, i.e. $3c^2 - c - 3 \leq 0$ —of which c is the root, with equality. The special role of the SSW constant thus receives a second, independent witness (the first being the $m = 3$ balancing itself).

4 Base case: the SSW instance

Lemma 8. Let $c = (1 + \sqrt{37})/6$ and $x = (13 - \sqrt{37})/12 \approx 0.576436$. The instance

$$J_{\text{SSW}} = (x, x, 1 - x, 1 - x, \frac{1}{3}, \frac{1}{3}, \frac{1}{3})$$

on three machines, together with the adversarial strategy of [3], satisfies (I1)–(I4) of Theorem 5.

Proof. (I1) $\text{OPT}_3(J_{\text{SSW}}) = 1$. Upper bound: the partition $\{x, 1 - x\}, \{x, 1 - x\}, \{1/3, 1/3, 1/3\}$ loads every machine to exactly 1. Lower bound: $\text{OPT} = 1$ as proved in [3].

(I2) $p_{\min} = 1/3$; and $p_{\max} = x \leq G$ follows from $x < G \iff (13 - \sqrt{37})/12 < (2\sqrt{37} - 2)/12 \iff 15 < 3\sqrt{37} \iff 5 < \sqrt{37} \iff 25 < 37$.

(I3) The stopping loads of the strategy of [3] are checked case by case: among the first three jobs $(x, x, 1 - x)$, if two share a machine the adversary stops with load $\geq \min(2x, x + (1 - x)) = \min(2x, 1) = 1$ (since $2x = (13 - \sqrt{37})/6 \geq 1 \iff 13 - \sqrt{37} \geq 6 \iff \sqrt{37} \leq 7$); Case A stops with load exactly 1; the terminal stopping of Case B has load $\geq c > 1$. All are ≥ 1 .

(I4) This is the theorem of [3] itself: the instance guarantees ratio at least c for $m = 3$. $\square$

Theorem 9. *In the SOSDP model, for every $m \geq 3$ the competitive ratio of every deterministic algorithm is at least $c = (1 + \sqrt{37})/6$.*

Proof. Induction on m ; the induction step is the padding lemma (Theorem 5) with $G = (\sqrt{37} - 1)/6$ unchanged, and the base case $m = 3$ is Lemma 8. $\square$

In particular, Theorem 9 includes $m = 4$, which to our knowledge is the first written proof of this fact: [3] constructed only $m = 2, 3$, and [1] cited the lower bound for $m \geq 3$ without giving an argument.

5 An explicit adversarial family

This section gives a second, independent proof of the lower bound for all $m \geq 4$, which is direct (no induction) and which, after scaling, embeds the three-machine instance of [3] verbatim.

5.1 Constants and the balancing equations

Let

$$\begin{aligned} c &= \frac{1 + \sqrt{37}}{6} \approx 1.180460, & r &= \frac{2 + \sqrt{37}}{11} \approx 0.734797, \\ s &= \frac{1 + r}{3} = \frac{13 + \sqrt{37}}{33} \approx 0.578266. \end{aligned}$$

The values of r and s are not guessed; each is forced by a balancing equation:

- *Equation 1* (the stopping point where r pairs with 1 must equal exactly c): $\frac{1 + r}{2r} = c \iff r = \frac{1}{2c - 1} = \frac{2 + \sqrt{37}}{11}$;
- *Equation 2* (the terminal stopping point of the s -tail must equal exactly c): $\frac{2r + s}{1 + r} = c \iff s = c(1 + r) - 2r = \frac{13 + \sqrt{37}}{33}$.

In addition there is one “free” identity, not forced by the balancing:

- *Identity 3*: $3s = 1 + r$, i.e. $s = (1 + r)/3$.

Useful numerical values: $1 + r \approx 1.734797$, $2r \approx 1.469594$, $3r \approx 2.204391$, $2r + s \approx 2.047859$, $1 + 2r \approx 2.469594$, $1 + r + s \approx 2.313063$, $1 + s \approx 1.578266$, $1 + 2s \approx 2.156531$. The order $1 > r > s$ is legal: $r < 1 \iff \sqrt{37} < 9 \iff$

$37 < 81$, and $s \leq r \iff 1 + r \leq 3r \iff 1 \leq 2r \iff 2\sqrt{37} \geq 7 \iff 148 \geq 49$ (in fact $2r \approx 1.47 > 1$). The key observation is the rewriting of Equation 2:

$$c(1 + r) = 2r + s; \quad (1)$$

it translates the adversary's budget into a concrete number: on any prefix with $\text{OPT} = 1 + r$, any machine load reaching $2r + s \approx 2.0479$ lets the adversary stop with ratio at least c .

5.2 Prefix OPT lemma

Lemma 10. *For $m \geq 4$:*

- (a) $\text{OPT}(1^j) = 1$ for $j \leq m - 1$;
- (b) $\text{OPT}(1^{m-1}, r) = 1$;
- (c) $\text{OPT}(1^{m-1}, r^2) = 2r$;
- (d) $\text{OPT}(1^{m-1}, r^j) = 1 + r$ for $j \geq 3$;
- (e) $\text{OPT}(1^{m-1}, r^{m-1}, s^k) = 1 + r$ for $k \leq 3$.

Proof. (a),(b): at most m jobs, each occupies one machine alone, the largest job is 1.

(c) Upper bound: $\{r, r\}$ on one machine, the remaining $m - 1$ jobs alone on the other machines; makespan $\max(2r, 1) = 2r$ since $2r \approx 1.47 > 1$. Lower bound: there are $m + 1$ jobs and m machines, so some pair shares a machine; the cheapest pair is $\{r, r\} = 2r$ (all others, $\{1, r\} = 1 + r$ and $\{1, 1\} = 2$, are more expensive), so $\text{OPT} \geq 2r$.

(d) Upper bound: $\{1, r\}$ on j machines, the remaining $m - 1 - j$ jobs 1 alone, $m - 1$ machines in total, makespan $1 + r$. Lower bound: suppose all loads were $< 1 + r$. No machine can contain $\{1, 1\}$, $\{1, r\}$, or three r 's (as $3r > 1 + r$). Hence every 1 stands alone, occupying $m - 1$ machines; the $j \geq 3$ jobs r , at most two per machine, need at least two more machines. In total at least $m + 1 > m$ machines, contradiction.

(e) Upper bound: $\{1, r\}$ on $m - 1$ machines, and the k jobs s on the m -th machine, of load $ks \leq 3s = 1 + r$ (Identity 3, $k \leq 3$). Lower bound: same contradiction as (d). Under the supposition that all loads are $< 1 + r$, the bans of (d) still apply, and s cannot rescue the packing: the only placements of an s into a machine of load $< 1 + r$ are $\{1, s\}$ and the singleton $\{r, s\}$ (since $\{r, r, s\} = 2r + s > 1 + r$ and $\{1, s, s\} = 1 + 2s > 1 + r$); in particular $\{1, s\}$ is the only pairing of an s with a 1-machine, $\{r, s, s\}$ and $\{s, s, s\}$ are

forbidden, and so each 1-machine can absorb at most one s . None of this changes the counting that the $m - 1$ jobs 1 occupy $m - 1$ machines and the r 's still need at least two further machines: in total at least $m + 1 > m$ machines, contradiction. $\square$

In one sentence: on every prefix at which the adversary might stop, OPT takes only three values—1 (pure 1's or a single r), $2r$ (two r 's), and $1 + r$ (everything else).

5.3 The adversarial strategy

The adversary plays the sequence $S_m = (1^{m-1}, r^{m-1}, s^{m-1})$ with the following stopping rules.

Phase 1: the $m - 1$ jobs 1. If some machine receives a second 1 (load 2), stop immediately. The ratio is $2/1 = 2 > c$ since $\text{OPT}(1^j) = 1$ for $j \leq m - 1$ (Lemma 10(a)). Thereafter we may assume the $m - 1$ jobs 1 occupy $m - 1$ distinct machines $A_1, \dots, A_{m-1}$ (each of load 1), leaving one empty machine M^* .

Phase 2: the $m - 1$ jobs r . *First r :* if it is placed on a 1-machine (load $1 + r$), stop; the prefix is $(1^{m-1}, r)$ with $\text{OPT} = 1$ (Lemma 10(b)) and ratio $1 + r \approx 1.7348 > c$. So the algorithm is forced to place $r_1 \rightarrow M^*$ (load r).

Second r : if it is placed on a 1-machine (load $1 + r$), stop; the prefix is $(1^{m-1}, r^2)$ with $\text{OPT} = 2r$ (Lemma 10(c)) and ratio $(1 + r)/(2r) = c$ (Equation 1, exact). So the algorithm is forced to place $r_2 \rightarrow M^*$ (load $2r$).

j -th r for $j = 3, \dots, m - 1$: now OPT has risen to $1 + r$ (Lemma 10(d)), and the stopping line is “any machine load reaches $c(1 + r) = 2r + s$ ” (Equation (1)). The algorithm's options:

- on M^* (currently $2r$): load $\geq 3r \approx 2.204 \geq 2r + s$, stop, ratio $\geq 3r/(1 + r) = (\sqrt{37} - 1)/4 \approx 1.2707 > c$;
- on a 1-machine already holding r (currently $1 + r$ or more): load $\geq 1 + 2r \approx 2.470 \geq 2r + s$, stop, ratio $\geq (1 + 2r)/(1 + r) = (11 + \sqrt{37})/12 \approx 1.4236 > c$;
- on a 1-machine still empty of r 's: load $1 + r < 2r + s$, *safe*, continue.

Hence the algorithm is forced to place $r_3, \dots, r_{m-1}$ on $m - 3$ distinct 1-machines. At the end of Phase 2 the forced configuration is: M^* of load $2r \approx 1.4696$; $m - 3$ machines of load $1 + r \approx 1.7348$; and *exactly two* 1-machines of load 1 (count check: $(m - 1) - (m - 3) = 2$).

Phase 3: the $m-1$ jobs s (the clinch). The stopping line is unchanged: any machine reaching $2r+s$ stops the game (Lemma 10(e) gives $\text{OPT} = 1+r$ for prefixes $(1^{m-1}, r^{m-1}, s^k)$, $k \leq 3$). The options are checked machine by machine:

s placed on	new load	crosses line?	stopping ratio
M^* ($2r$)	$2r + s$	yes	$(2r + s)/(1 + r) = c$ (Equation 2)
$1 + r$ machine	$1 + r + s$	yes	$1 + s/(1 + r) = 4/3$
empty 1-machine (1)	$1 + s \approx 1.578$	no	— only safe place
$1 + s$ machine	$1 + 2s \approx 2.157$	yes	$(1 + 2s)/(1 + r) = (21 - \sqrt{37})/12$

(For the third row, $1 + s/(1 + r) = 4/3$ is exactly Identity 3.) Thus s_1 and s_2 are forced onto the *only two* safe machines (each becoming $1 + s$); when the *third* s arrives, every machine has load in $\{2r, 1 + r, 1 + s\}$ and every placement crosses the line. The adversary stops with ratio at least c ; and $m - 1 \geq 3$ guarantees that a third s exists—this is exactly where $m \geq 4$ is used.

Theorem 11. *For every $m \geq 4$ and every deterministic algorithm A , the adversarial sequence $S_m = (1^{m-1}, r^{m-1}, s^{m-1})$ with the three-phase strategy above forces a stopping prefix P with $L_{\text{alg}}(P) \geq c \cdot \text{OPT}_m(P)$. Consequently $R(A) \geq c$ for all $m \geq 4$.*

Proof. At every decision point the algorithm’s possible placements are exactly those listed above (machines are classified by their loads, and machines of the same class are interchangeable); each class has been checked with no exceptions. All stopping ratios are at least c , two of them exactly c (Equations 1 and 2); placements with larger loads only increase the ratio. Since $m - 1 \geq 3$, the third s exists and the strategy terminates with ratio at least c . $\square$

5.4 Two remarks on the family

Remark 12 (The family embeds the SSW instance after scaling). *Scale the instance S_m by $1/(1 + r)$. The smallest job becomes $s/(1 + r) = 1/3$ (exactly—this is the use of Identity 3), and the largest becomes*

$$\frac{1}{1 + r} = \frac{11}{13 + \sqrt{37}} = \frac{11(13 - \sqrt{37})}{132} = \frac{13 - \sqrt{37}}{12} = x,$$

which is precisely the largest job of the three-machine instance of [3]. The scaled family therefore satisfies $p_{\min} = 1/3$, $p_{\max} = x \leq G$ with the same G as in Section 3, and $\text{OPT} = 1$. As for (I3), the possible stopping loads of the

scaled family are all at least 1: two 1's together give $2/(1+r) = 2x \approx 1.1529$ (≥ 1 since $\sqrt{37} \leq 7$); the first r on a 1-machine gives exactly 1; three r 's together give $3r/(1+r) = (\sqrt{37}-1)/4 \approx 1.2707$; the terminal branch of the s -tail gives $(2r+s)/(1+r) = c \approx 1.1805$; two s 's on a low machine give $(1+2s)/(1+r) = (21-\sqrt{37})/12 \approx 1.2431$; and an s on a $1+r$ machine gives $4/3$. The family also guarantees ratio at least c . Hence it meets invariants (I1)–(I4), so the $m = 4$ member of the family can serve as an alternative base case for the padding lemma. The two routes of this paper—“SSW base case + padding” and “explicit family + padding”—are thus independent and mutually reinforcing.

Remark 13 (Value of the family). *The value of this adversarial family—the ratio it forces against best play—is exactly c for $m = 4$: against S_4 the LPT algorithm places the three 1's on three machines, the first two r 's on the lightest machine (loads $r, 2r$), the third r on a 1-machine ($1+r$), the first two s 's on the two load-1 machines ($1+s$ each), and the third s on M^* ($2r+s$), attaining makespan $2r+s = c(1+r)$ with every earlier prefix at ratio at most 1; so no adversary can extract more than c from S_4 . For $m \geq 5$ we do not know whether the family can be forced beyond c ; we make no claim about the game value.*

6 Concluding remarks

For semi-online scheduling with decreasing processing times, the lower bound $c = (1 + \sqrt{37})/6$ was known for $m = 3$ since [3], while for $m \geq 4$ it was stated without proof in [1] and recorded as open in [2]. We have given the first proof for all $m \geq 4$ (indeed all $m \geq 3$), by two independent routes: a padding lemma that lifts an adversarial instance from m to $m+1$ machines at the price of prefixing one job of size $1/c$, and an explicit adversarial family that forces the bound directly. Both routes hinge on the same algebraic coincidence $c - 1/3 = 1/c$, i.e. $3c^2 - c - 3 = 0$.

The gap between the lower bound c and the upper bound $5/4$ of [1] remains open on both sides. We record the questions as stated in the conclusion of [1]: whether there are lower bounds larger than $(1 + \sqrt{37})/6$, and whether for more than three machines algorithms with competitive ratio $(1 + \sqrt{37})/6$ exist. The two constructions of this paper are exact at the constant c —two stopping ratios of the explicit family, and both constraints of the padding lemma, hold with equality—and we hope they may be useful in resolving either question.

References

- [1] T. C. Edwin Cheng, Hans Kellerer, and Vladimir Kotov. Algorithms better than LPT for semi-online scheduling with decreasing processing times. *Operations Research Letters*, 40(5):349–352, 2012.
- [2] Leah Epstein. A survey on makespan minimization in semi-online environments. *Journal of Scheduling*, 21(3):269–284, 2018.
- [3] Steve S. Seiden, Jiří Sgall, and Gerhard J. Woeginger. Semi-online scheduling with decreasing job sizes. *Operations Research Letters*, 27(5):215–221, 2000.

Statements and Declarations

Competing Interests. The author has no competing interests to declare.

Data Availability. The preprint of this work is openly available at Zenodo, DOI: 10.5281/zenodo.22953110.

AI Use Disclosure. Literature verification and symbolic algebra checks in this work were assisted by AI tools; all mathematical statements were independently verified by the author.

Funding. No funding was received for this work.