CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C145 CPEB4_K562_ENCSR046JHH

pos_pattern_0 / M00171_2.00



p = 0.0113 q = 0.261

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C171 CPEB4_K562_ENCSR046JHH

pos_pattern_0 / M13010_2.00



p = 0.0275 q = 0.349

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C110 EWSR1_K562_ENCSR887LPK

pos_pattern_0 / M00723_2.00



p = 0.0038 q = 0.161

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C176 FMR1_K562_ENCSR331VNX

pos_pattern_2 / M00038_2.00



p = 0.0312 q = 0.494

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C152 FUBP3_HepG2_ENCSR486YGP

pos_pattern_0 / M00728_2.00




p = 0.0130 q = 0.110

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C161 FUS_HepG2_ENCSR464OSH

pos_pattern_0 / M00730_2.00



p = 0.0165 q = 0.372

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C127 FUS_K562_ENCSR069EVH

pos_pattern_0 / M00730_2.00



p = 0.0068 q = 0.180

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C155 FUS_K562_ENCSR069EVH

pos_pattern_1 / M00730_2.00



p = 0.0143 q = 0.258

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C113 FUS_K562_ENCSR069EVH

pos_pattern_2 / M00730_2.00



p = 0.0043 q = 0.103

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C192 FXR1_K562_ENCSR774RFN

pos_pattern_2 / M00174_2.00



p = 0.0849 q = 0.425

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C128 GRSF1_HepG2_ENCSR668MJX

pos_pattern_0 / M13030_2.00



p = 0.0069 q = 0.165

JPLE inferred; status I; JPLE

Sasse 2025; PMID 39464061

C129 GRSF1_HepG2_ENCSR668MJX

pos_pattern_0 / M13030_2.00




p = 0.0069 q = 0.165

JPLE inferred; status I; JPLE

Sasse 2025; PMID 39464061

C091 GRSF1_HepG2_ENCSR668MJX

pos_pattern_1 / M13030_2.00




p = 0.0017 q = 0.0674

JPLE inferred; status I; JPLE

Sasse 2025; PMID 39464061

C092 GRSF1_HepG2_ENCSR668MJX

pos_pattern_1 / M13030_2.00



p = 0.0017 q = 0.0674

JPLE inferred; status I; JPLE

Sasse 2025; PMID 39464061

C104 GRSF1_HepG2_ENCSR668MJX

pos_pattern_2 / M13030_2.00



p = 0.0026 q = 0.118

JPLE inferred; status I; JPLE

Sasse 2025; PMID 39464061

C105 GRSF1_HepG2_ENCSR668MJX

pos_pattern_2 / M13030_2.00



p = 0.0026 q = 0.118

JPLE inferred; status I; JPLE

Sasse 2025; PMID 39464061

C123 HNRNPA1_HepG2_ENCSR769UEW

pos_pattern_0 / M00044_2.00



p = 0.0057 q = 0.305

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C135 HNRNPA1_HepG2_ENCSR769UEW

pos_pattern_0 / M00469_2.00



p = 0.0078 q = 0.305

direct database compiled; status D; SELEX

Cook 2011; PMID 21036867

C140 HNRNPA1_HepG2_ENCSR769UEW

pos_pattern_0 / M13035_2.00



p = 0.0080 q = 0.305

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C119 HNRNPA1_K562_ENCSR154HRN

pos_pattern_0 / M00044_2.00



p = 0.0054 q = 0.312

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C133 HNRNPA1_K562_ENCSR154HRN

pos_pattern_0 / M00469_2.00



p = 0.0077 q = 0.312

direct database compiled; status D; SELEX

Cook 2011; PMID 21036867

C134 HNRNPA1_K562_ENCSR154HRN

pos_pattern_0 / M13035_2.00



p = 0.0077 q = 0.312

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C131 HNRNPC_K562_ENCSR249ROI

pos_pattern_0 / M00047_2.00



p = 0.0071 q = 0.113

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C059 HNRNPC_K562_ENCSR249ROI

pos_pattern_0 / M00735_2.00



p = 2.70e-04 q = 0.0256

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C183 HNRNPC_K562_ENCSR249ROI

pos_pattern_0 / M12988_2.00



p = 0.0406 q = 0.289

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C109 HNRNPK_HepG2_ENCSR828ZID

pos_pattern_0 / M00048_2.00



p = 0.0036 q = 0.104

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C172 HNRNPK_HepG2_ENCSR828ZID

pos_pattern_0 / M00744_2.00



p = 0.0283 q = 0.370

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C175 HNRNPK_HepG2_ENCSR828ZID

pos_pattern_0 / M00745_2.00




p = 0.0303 q = 0.376

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C174 HNRNPK_HepG2_ENCSR828ZID

pos_pattern_1 / M00048_2.00



p = 0.0302 q = 0.287

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C190 HNRNPK_HepG2_ENCSR828ZID

pos_pattern_1 / M00744_2.00



p = 0.0503 q = 0.361

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C122 HNRNPK_HepG2_ENCSR828ZID

pos_pattern_2 / M00048_2.00



p = 0.0057 q = 0.211

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C149 HNRNPK_HepG2_ENCSR828ZID

pos_pattern_2 / M00745_2.00




p = 0.0123 q = 0.305

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C167 HNRNPK_HepG2_ENCSR828ZID

pos_pattern_3 / M00048_2.00




p = 0.0202 q = 0.426

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C146 HNRNPK_K562_ENCSR268ETU

pos_pattern_1 / M00048_2.00




p = 0.0115 q = 0.282

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C138 HNRNPK_K562_ENCSR268ETU

pos_pattern_2 / M00048_2.00



p = 0.0078 q = 0.320

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C012 HNRNPL_HepG2_ENCSR724RDN

pos_pattern_0 / M00049_2.00



p = 6.12e-06 q = 0.0013

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C111 HNRNPL_HepG2_ENCSR724RDN

pos_pattern_0 / M00111_2.00




p = 0.0039 q = 0.216

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C103 HNRNPL_HepG2_ENCSR724RDN

pos_pattern_0 / M00746_2.00




p = 0.0026 q = 0.189

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C013 HNRNPL_HepG2_ENCSR724RDN

pos_pattern_0 / M12998_2.00



p = 6.12e-06 q = 0.0013

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C001 HNRNPL_K562_ENCSR795CAI

pos_pattern_1 / M00049_2.00



p = 1.35e-08 q = 8.16e-06

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C080 HNRNPL_K562_ENCSR795CAI

pos_pattern_1 / M00111_2.00



p = 0.0012 q = 0.0677

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C086 HNRNPL_K562_ENCSR795CAI

pos_pattern_1 / M00746_2.00



p = 0.0014 q = 0.0677

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C018 HNRNPL_K562_ENCSR795CAI

pos_pattern_1 / M12998_2.00



p = 9.75e-06 q = 0.0020

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C023 HNRNPL_K562_ENCSR795CAI

pos_pattern_2 / M00049_2.00




p = 1.96e-05 q = 0.0024

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C136 HNRNPL_K562_ENCSR795CAI

pos_pattern_2 / M00111_2.00



p = 0.0078 q = 0.317

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C094 HNRNPL_K562_ENCSR795CAI

pos_pattern_2 / M00746_2.00



p = 0.0018 q = 0.120

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C008 HNRNPL_K562_ENCSR795CAI

pos_pattern_2 / M12998_2.00



p = 3.99e-06 q = 8.11e-04

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C177 IGF2BP1_HepG2_ENCSR744GEU

pos_pattern_8 / M00494_2.00



p = 0.0312 q = 0.459

direct database compiled; status D; SELEX

Cook 2011; PMID 21036867

C166 IGF2BP1_K562_ENCSR975KIR

pos_pattern_0 / M00494_2.00




p = 0.0195 q = 0.169

direct database compiled; status D; SELEX

Cook 2011; PMID 21036867

C182 IGF2BP2_K562_ENCSR062NNB

pos_pattern_9 / M00748_2.00



p = 0.0398 q = 0.365

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C124 KHDRBS1_K562_ENCSR628IDK

pos_pattern_0 / M00182_2.00




p = 0.0061 q = 0.173

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C164 KHDRBS1_K562_ENCSR628IDK

pos_pattern_2 / M00182_2.00



p = 0.0192 q = 0.387

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C096 KHSRP_HepG2_ENCSR366DGX

pos_pattern_0 / M00754_2.00



p = 0.0022 q = 0.0253

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C187 KHSRP_K562_ENCSR438GZQ

pos_pattern_0 / M00753_2.00




p = 0.0467 q = 0.405

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C066 KHSRP_K562_ENCSR438GZQ

pos_pattern_0 / M00754_2.00



p = 5.57e-04 q = 0.126

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C139 LIN28B_K562_ENCSR970NKP

pos_pattern_4 / M00057_2.00



p = 0.0078 q = 0.441

homology inferred; status I; RNAcompete

Ray 2013; PMID 23846655

C114 LIN28B_K562_ENCSR970NKP

pos_pattern_4 / M00175_2.00



p = 0.0047 q = 0.441

homology inferred; status I; RNAcompete

Ray 2013; PMID 23846655

C162 PCBP1_HepG2_ENCSR256CHX

pos_pattern_0 / M00199_2.00



p = 0.0175 q = 0.420

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C081 PCBP1_HepG2_ENCSR256CHX

pos_pattern_0 / M00616_2.00



p = 0.0012 q = 0.0714

direct experiment; status D; HTR-SELEX

Jolma 2020; PMID 32703884

C156 PCBP1_HepG2_ENCSR256CHX

pos_pattern_0 / M00765_2.00



p = 0.0146 q = 0.399

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C062 PCBP1_HepG2_ENCSR256CHX

pos_pattern_0 / M13074_2.00



p = 4.05e-04 q = 0.0365

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C154 PCBP1_HepG2_ENCSR256CHX

pos_pattern_1 / M00765_2.00



p = 0.0141 q = 0.497

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C151 PCBP1_HepG2_ENCSR256CHX

pos_pattern_1 / M13074_2.00



p = 0.0128 q = 0.497

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C115 PCBP1_K562_ENCSR922WJV

pos_pattern_0 / M00199_2.00



p = 0.0048 q = 0.0633

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C065 PCBP1_K562_ENCSR922WJV

pos_pattern_0 / M00616_2.00



p = 4.35e-04 q = 0.0202

direct experiment; status D; HTR-SELEX

Jolma 2020; PMID 32703884

C191 PCBP1_K562_ENCSR922WJV

pos_pattern_0 / M00765_2.00



p = 0.0765 q = 0.468

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C034 PCBP1_K562_ENCSR922WJV

pos_pattern_0 / M13074_2.00




p = 4.83e-05 q = 0.0045

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C011 PCBP2_HepG2_ENCSR339FUY

pos_pattern_0 / M00065_2.00



p = 5.96e-06 q = 0.0017

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C002 PCBP2_HepG2_ENCSR339FUY

pos_pattern_0 / M00766_2.00



p = 3.43e-07 q = 1.99e-04

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C117 PCBP2_HepG2_ENCSR339FUY

pos_pattern_0 / M00767_2.00



p = 0.0052 q = 0.106

direct experiment; status D; RNA-Bind-n-Seq


Dominguez 2018; PMID 29883606

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C032 PCBP2_HepG2_ENCSR339FUY

pos_pattern_0 / M13095_2.00



p = 4.05e-05 q = 0.0035

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C068 PTBP1_HepG2_ENCSR384KAN

pos_pattern_0 / M00249_2.00



p = 6.22e-04 q = 0.0234

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C125 PTBP1_HepG2_ENCSR384KAN

pos_pattern_0 / M00250_2.00



p = 0.0061 q = 0.0907

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C006 PTBP1_HepG2_ENCSR384KAN

pos_pattern_0 / M12970_2.00



p = 1.69e-06 q = 3.13e-04

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C072 PTBP1_K562_ENCSR981WKN

pos_pattern_0 / M00249_2.00



p = 9.48e-04 q = 0.0358

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C157 PTBP1_K562_ENCSR981WKN

pos_pattern_0 / M00250_2.00



p = 0.0147 q = 0.156

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C009 PTBP1_K562_ENCSR981WKN

pos_pattern_0 / M12970_2.00



p = 4.12e-06 q = 7.79e-04

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C033 PUM2_K562_ENCSR661ICQ

pos_pattern_0 / M00558_2.00



p = 4.53e-05 q = 0.0271

direct experiment; status D; SEQRS

Campbell 2012; PMID 22708079

C098 PUM2_K562_ENCSR661ICQ

pos_pattern_0 / M00618_2.00



p = 0.0023 q = 0.345

direct experiment; status D; HTR-SELEX

Jolma 2020; PMID 32703884

C053 PUM2_K562_ENCSR661ICQ

pos_pattern_0 / M00619_2.00



p = 1.97e-04 q = 0.0392

direct experiment; status D; HTR-SELEX

Jolma 2020; PMID 32703884

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C015 PUM2_K562_ENCSR661ICQ

pos_pattern_1 / M00558_2.00



p = 8.94e-06 q = 0.0054

direct experiment; status D; SEQRS

Campbell 2012; PMID 22708079

C052 PUM2_K562_ENCSR661ICQ

pos_pattern_1 / M00619_2.00



p = 1.71e-04 q = 0.0344

direct experiment; status D; HTR-SELEX

Jolma 2020; PMID 32703884

C022 QKI_HepG2_ENCSR570WLM

pos_pattern_0 / M00068_2.00



p = 1.55e-05 q = 0.0023

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C003 QKI_HepG2_ENCSR570WLM

pos_pattern_0 / M00460_2.00



p = 1.14e-06 q = 6.71e-04

direct database compiled; status D; SELEX

Cook 2011; PMID 21036867

C007 QKI_HepG2_ENCSR570WLM

pos_pattern_0 / M00620_2.00



p = 2.52e-06 q = 7.46e-04

direct experiment; status D; HTR-SELEX

Jolma 2020; PMID 32703884

C028 QKI_HepG2_ENCSR570WLM

pos_pattern_0 / M00621_2.00



p = 2.87e-05 q = 0.0034

direct experiment; status D; HTR-SELEX

Jolma 2020; PMID 32703884

C010 QKI_HepG2_ENCSR570WLM

pos_pattern_0 / M13009_2.00



p = 4.98e-06 q = 9.80e-04

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C029 QKI_K562_ENCSR366YOG

pos_pattern_0 / M00068_2.00



p = 3.53e-05 q = 0.0054

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C005 QKI_K562_ENCSR366YOG

pos_pattern_0 / M00460_2.00




p = 1.60e-06 q = 4.92e-04

direct database compiled; status D; SELEX

Cook 2011; PMID 21036867

C004 QKI_K562_ENCSR366YOG

pos_pattern_0 / M00620_2.00



p = 1.43e-06 q = 4.92e-04

direct experiment; status D; HTR-SELEX

Jolma 2020; PMID 32703884

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C051 QKI_K562_ENCSR366YOG

pos_pattern_0 / M00621_2.00



p = 1.63e-04 q = 0.0201

direct experiment; status D; HTR-SELEX

Jolma 2020; PMID 32703884

C016 QKI_K562_ENCSR366YOG

pos_pattern_0 / M13009_2.00



p = 9.59e-06 q = 0.0020

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C193 QKI_K562_ENCSR366YOG

pos_pattern_2 / M00068_2.00



p = 0.0978 q = 0.444

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C180 QKI_K562_ENCSR366YOG

pos_pattern_2 / M00460_2.00



p = 0.0333 q = 0.207

direct database compiled; status D; SELEX

Cook 2011; PMID 21036867

C160 QKI_K562_ENCSR366YOG

pos_pattern_2 / M00620_2.00



p = 0.0165 q = 0.147

direct experiment; status D; HTR-SELEX

Jolma 2020; PMID 32703884

C186 QKI_K562_ENCSR366YOG

pos_pattern_2 / M13009_2.00



p = 0.0456 q = 0.263

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C095 RBFOX2_HepG2_ENCSR987FTF

pos_pattern_0 / M00413_2.00



p = 0.0019 q = 0.0917

direct experiment; status D; RNAcompete

Sasse 2025; PMID 39464061

C038 RBFOX2_HepG2_ENCSR987FTF

pos_pattern_0 / M00780_2.00



p = 5.88e-05 q = 0.0058

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C118 RBFOX2_HepG2_ENCSR987FTF

pos_pattern_0 / M12990_2.00



p = 0.0053 q = 0.195

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C073 RBFOX2_K562_ENCSR756CKJ

pos_pattern_0 / M00413_2.00



p = 9.65e-04 q = 0.0701

direct experiment; status D; RNAcompete

Sasse 2025; PMID 39464061

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C046 RBFOX2_K562_ENCSR756CKJ

pos_pattern_0 / M00780_2.00



p = 1.34e-04 q = 0.0201

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C088 RBFOX2_K562_ENCSR756CKJ

pos_pattern_0 / M12990_2.00



p = 0.0015 q = 0.0701

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C074 RBFOX2_K562_ENCSR756CKJ

pos_pattern_2 / M00413_2.00



p = 1.00e-03 q = 0.0432

direct experiment; status D; RNAcompete

Sasse 2025; PMID 39464061

C041 RBFOX2_K562_ENCSR756CKJ

pos_pattern_2 / M00780_2.00



p = 8.75e-05 q = 0.0082

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C126 RBFOX2_K562_ENCSR756CKJ

pos_pattern_2 / M12990_2.00



p = 0.0065 q = 0.151

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C148 SRSF1_HepG2_ENCSR989VIY

pos_pattern_0 / M00124_2.00



p = 0.0122 q = 0.296

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C158 SRSF1_HepG2_ENCSR989VIY

pos_pattern_0 / M00125_2.00



p = 0.0153 q = 0.341

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C069 SRSF1_HepG2_ENCSR989VIY

pos_pattern_0 / M00126_2.00



p = 6.25e-04 q = 0.167

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C083 SRSF1_HepG2_ENCSR989VIY

pos_pattern_0 / M00127_2.00



p = 0.0012 q = 0.167

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C089 SRSF1_HepG2_ENCSR989VIY

pos_pattern_0 / M00176_2.00



p = 0.0015 q = 0.167

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C116 SRSF1_HepG2_ENCSR989VIY

pos_pattern_0 / M13037_2.00




p = 0.0049 q = 0.179

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C093 SRSF1_HepG2_ENCSR989VIY

pos_pattern_1 / M00124_2.00




p = 0.0017 q = 0.127

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C097 SRSF1_HepG2_ENCSR989VIY

pos_pattern_1 / M00125_2.00




p = 0.0023 q = 0.127

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C054 SRSF1_HepG2_ENCSR989VIY

pos_pattern_1 / M00126_2.00




p = 1.97e-04 q = 0.0591

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C077 SRSF1_HepG2_ENCSR989VIY

pos_pattern_1 / M00127_2.00



p = 0.0011 q = 0.110

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C060 SRSF1_HepG2_ENCSR989VIY

pos_pattern_1 / M00176_2.00




p = 3.57e-04 q = 0.0715

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C147 SRSF1_HepG2_ENCSR989VIY

pos_pattern_1 / M13037_2.00



p = 0.0116 q = 0.232

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C121 SRSF1_K562_ENCSR432XUP

pos_pattern_1 / M00126_2.00



p = 0.0056 q = 0.347

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C159 SRSF1_K562_ENCSR432XUP

pos_pattern_1 / M00127_2.00



p = 0.0158 q = 0.347

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C101 SRSF1_K562_ENCSR432XUP

pos_pattern_1 / M00176_2.00



p = 0.0025 q = 0.347

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C170 SRSF1_K562_ENCSR432XUP

pos_pattern_1 / M00549_2.00



p = 0.0244 q = 0.386

direct database compiled; status D; SELEX

Cook 2011; PMID 21036867

C070 SRSF1_K562_ENCSR432XUP

pos_pattern_1 / M13037_2.00



p = 6.97e-04 q = 0.347

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C078 SRSF7_K562_ENCSR468FSW

pos_pattern_0 / M00093_2.00




p = 0.0011 q = 0.0970

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C179 SRSF9_HepG2_ENCSR773KRC

pos_pattern_0 / M00087_2.00




p = 0.0333 q = 0.422

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C169 SRSF9_HepG2_ENCSR773KRC

pos_pattern_0 / M00094_2.00




p = 0.0235 q = 0.379

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C153 SRSF9_HepG2_ENCSR773KRC

pos_pattern_0 / M00531_2.00



p = 0.0136 q = 0.280

direct database compiled; status D; SELEX

Cook 2011; PMID 21036867

C067 SRSF9_HepG2_ENCSR773KRC

pos_pattern_0 / M13005_2.00



p = 6.05e-04 q = 0.0721

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C112 SRSF9_HepG2_ENCSR773KRC

pos_pattern_2 / M13005_2.00



p = 0.0041 q = 0.174

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C184 SRSF9_HepG2_ENCSR773KRC

pos_pattern_3 / M00094_2.00



p = 0.0408 q = 0.416

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C168 SRSF9_HepG2_ENCSR773KRC

pos_pattern_3 / M00531_2.00



p = 0.0224 q = 0.331

direct database compiled; status D; SELEX


Cook 2011; PMID 21036867

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C143 SRSF9_HepG2_ENCSR773KRC

pos_pattern_3 / M00819_2.00



p = 0.0104 q = 0.237

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C188 SRSF9_HepG2_ENCSR773KRC

pos_pattern_3 / M13005_2.00



p = 0.0474 q = 0.445

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C181 SRSF9_HepG2_ENCSR773KRC

pos_pattern_4 / M00094_2.00



p = 0.0349 q = 0.407

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C173 SRSF9_HepG2_ENCSR773KRC

pos_pattern_4 / M00531_2.00



p = 0.0295 q = 0.391

direct database compiled; status D; SELEX

Cook 2011; PMID 21036867

C141 SRSF9_HepG2_ENCSR773KRC

pos_pattern_4 / M00819_2.00




p = 0.0081 q = 0.236

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C185 SRSF9_HepG2_ENCSR773KRC

pos_pattern_4 / M13005_2.00



p = 0.0431 q = 0.442

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C165 TAF15_HepG2_ENCSR841EQA

pos_pattern_0 / M00821_2.00



p = 0.0192 q = 0.290

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C064 TAF15_K562_ENCSR568DZW

pos_pattern_0 / M00821_2.00



p = 4.11e-04 q = 0.0631

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C061 TAF15_K562_ENCSR568DZW

pos_pattern_2 / M00821_2.00



p = 3.79e-04 q = 0.0161

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C144 TARDBP_K562_ENCSR584TCR

pos_pattern_0 / M00096_2.00



p = 0.0112 q = 0.236

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C043 TARDBP_K562_ENCSR584TCR

pos_pattern_0 / M00676_2.00



p = 9.35e-05 q = 0.0275

direct experiment; status D; HTR-SELEX

Jolma 2020; PMID 32703884

C017 TARDBP_K562_ENCSR584TCR

pos_pattern_0 / M00677_2.00



p = 9.70e-06 q = 0.0057

direct experiment; status D; HTR-SELEX

Jolma 2020; PMID 32703884

C120 TARDBP_K562_ENCSR584TCR

pos_pattern_0 / M00823_2.00



p = 0.0055 q = 0.170

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C189 TARDBP_K562_ENCSR584TCR

pos_pattern_0 / M00824_2.00



p = 0.0498 q = 0.473

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C107 TARDBP_K562_ENCSR584TCR

pos_pattern_0 / M13018_2.00



p = 0.0027 q = 0.140

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C085 TIA1_HepG2_ENCSR623VEQ

pos_pattern_0 / M00097_2.00



p = 0.0013 q = 0.0549

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C178 TIA1_HepG2_ENCSR623VEQ

pos_pattern_0 / M00178_2.00



p = 0.0321 q = 0.217

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C075 TIA1_HepG2_ENCSR623VEQ

pos_pattern_0 / M00825_2.00



p = 0.0010 q = 0.0526

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C142 TIA1_HepG2_ENCSR623VEQ

pos_pattern_0 / M13013_2.00




p = 0.0081 q = 0.106

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C108 TIA1_HepG2_ENCSR623VEQ

pos_pattern_1 / M00097_2.00



p = 0.0030 q = 0.0571

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C099 TIA1_HepG2_ENCSR623VEQ

pos_pattern_1 / M00178_2.00



p = 0.0024 q = 0.0525

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C106 TIA1_HepG2_ENCSR623VEQ

pos_pattern_1 / M00825_2.00



p = 0.0026 q = 0.0540

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C150 TIA1_HepG2_ENCSR623VEQ

pos_pattern_1 / M13013_2.00



p = 0.0123 q = 0.122

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C079 TIA1_K562_ENCSR057DWB

pos_pattern_0 / M00097_2.00



p = 0.0012 q = 0.0278

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C090 TIA1_K562_ENCSR057DWB

pos_pattern_0 / M00178_2.00



p = 0.0016 q = 0.0292

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C087 TIA1_K562_ENCSR057DWB

pos_pattern_0 / M00825_2.00



p = 0.0014 q = 0.0279

direct experiment; status D; RNA-Bind-n-Seq

Dominguez 2018; PMID 29883606

C130 TIA1_K562_ENCSR057DWB

pos_pattern_0 / M13013_2.00



p = 0.0071 q = 0.0675

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C163 TIAL1_HepG2_ENCSR322HHA

pos_pattern_0 / M13053_2.00



p = 0.0181 q = 0.190

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C057 U2AF2_HepG2_ENCSR202BFN

pos_pattern_0 / M00099_2.00



p = 2.05e-04 q = 0.0125

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C058 U2AF2_HepG2_ENCSR202BFN

pos_pattern_0 / M12973_2.00



p = 2.16e-04 q = 0.0125

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C044 U2AF2_HepG2_ENCSR202BFN

pos_pattern_1 / M00099_2.00



p = 1.10e-04 q = 0.0088

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C031 U2AF2_HepG2_ENCSR202BFN

pos_pattern_1 / M12973_2.00



p = 3.95e-05 q = 0.0037

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C049 U2AF2_HepG2_ENCSR202BFN

pos_pattern_2 / M00099_2.00



p = 1.59e-04 q = 0.0093

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C042 U2AF2_HepG2_ENCSR202BFN

pos_pattern_2 / M12973_2.00




p = 9.31e-05 q = 0.0078

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C132 U2AF2_HepG2_ENCSR202BFN

pos_pattern_3 / M00099_2.00




p = 0.0072 q = 0.126

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C137 U2AF2_HepG2_ENCSR202BFN

pos_pattern_3 / M12973_2.00



p = 0.0078 q = 0.126

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C102 U2AF2_HepG2_ENCSR202BFN

pos_pattern_4 / M00099_2.00




p = 0.0026 q = 0.0550

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C076 U2AF2_HepG2_ENCSR202BFN

pos_pattern_4 / M12973_2.00



p = 0.0011 q = 0.0503

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C050 U2AF2_HepG2_ENCSR202BFN

pos_pattern_5 / M00099_2.00




p = 1.59e-04 q = 0.0100

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C026 U2AF2_HepG2_ENCSR202BFN

pos_pattern_5 / M12973_2.00



p = 2.48e-05 q = 0.0086

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C040 U2AF2_HepG2_ENCSR202BFN

pos_pattern_6 / M00099_2.00



p = 8.04e-05 q = 0.0198

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C045 U2AF2_HepG2_ENCSR202BFN

pos_pattern_6 / M12973_2.00



p = 1.11e-04 q = 0.0198

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C063 U2AF2_HepG2_ENCSR202BFN

pos_pattern_7 / M00099_2.00




p = 4.11e-04 q = 0.0229

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C082 U2AF2_HepG2_ENCSR202BFN

pos_pattern_7 / M12973_2.00



p = 0.0012 q = 0.0337

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C048 U2AF2_HepG2_ENCSR202BFN

pos_pattern_8 / M00099_2.00



p = 1.42e-04 q = 0.0141

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C030 U2AF2_HepG2_ENCSR202BFN

pos_pattern_8 / M12973_2.00



p = 3.77e-05 q = 0.0070

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C025 U2AF2_K562_ENCSR893RAV

pos_pattern_0 / M00099_2.00



p = 2.45e-05 q = 0.0055

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C019 U2AF2_K562_ENCSR893RAV

pos_pattern_0 / M12973_2.00



p = 9.81e-06 q = 0.0055

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C047 U2AF2_K562_ENCSR893RAV

pos_pattern_1 / M00099_2.00



p = 1.41e-04 q = 0.0116

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C024 U2AF2_K562_ENCSR893RAV

pos_pattern_1 / M12973_2.00



p = 1.99e-05 q = 0.0068

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C039 U2AF2_K562_ENCSR893RAV

pos_pattern_2 / M00099_2.00



p = 6.32e-05 q = 0.0089

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C027 U2AF2_K562_ENCSR893RAV

pos_pattern_2 / M12973_2.00



p = 2.60e-05 q = 0.0058

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C036 U2AF2_K562_ENCSR893RAV

pos_pattern_3 / M00099_2.00



p = 5.58e-05 q = 0.0051

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C020 U2AF2_K562_ENCSR893RAV

pos_pattern_3 / M12973_2.00



p = 1.12e-05 q = 0.0031

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C055 U2AF2_K562_ENCSR893RAV

pos_pattern_4 / M00099_2.00



p = 1.98e-04 q = 0.0115

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C071 U2AF2_K562_ENCSR893RAV

pos_pattern_4 / M12973_2.00



p = 9.33e-04 q = 0.0362

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C084 U2AF2_K562_ENCSR893RAV

pos_pattern_5 / M00099_2.00




p = 0.0013 q = 0.0396

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C056 U2AF2_K562_ENCSR893RAV

pos_pattern_5 / M12973_2.00



p = 2.01e-04 q = 0.0163

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C037 U2AF2_K562_ENCSR893RAV

pos_pattern_6 / M00099_2.00



p = 5.75e-05 q = 0.0081

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C021 U2AF2_K562_ENCSR893RAV

pos_pattern_6 / M12973_2.00



p = 1.14e-05 q = 0.0063

JPLE inferred; status D; JPLE


Sasse 2025; PMID 39464061

CARBON motif / same-RBP CISBP reference

Stored Tomtom alignments and p/q values; no search or significance recalculation.

C035 U2AF2_K562_ENCSR893RAV

pos_pattern_7 / M00099_2.00



p = 5.24e-05 q = 0.0073

direct experiment; status D; RNAcompete

Ray 2013; PMID 23846655

C014 U2AF2_K562_ENCSR893RAV

pos_pattern_7 / M12973_2.00



p = 6.74e-06 q = 0.0021

JPLE inferred; status D; JPLE

Sasse 2025; PMID 39464061

C100 YBX3_HepG2_ENCSR735HOK

pos_pattern_2 / M00567_2.00



p = 0.0024 q = 0.481

direct experiment; status D; HTR-SELEX

Jolma 2020; PMID 32703884