

Light & Telescopes

D.J. Pisano

Associate Professor of Physics & Astronomy

July 6, 2017

Light and Telescopes

With few exceptions, astronomers can only learn about the Universe by using *telescopes* to look at *light* from distant objects.


We can not do experiments on the Universe (or even small parts of it).

We must **observe** the Universe.

Light is a wave

Wavelength is the distance between adjacent peaks of the electric field.


Frequency is the number of times each second that the electric field peaks at any point.



All light travels with speed $c = 300,000$ km/s.

Light is a particle

- In 1905, Einstein discovered that light had discrete energies → light can appear as particles called *photons*.



This is called the *photoelectric effect*.
It is how light sensors for doors, toilets, etc. work.

Light as photons


The *energy* of a *photon* is proportional to the *frequency* of the light.

Higher frequency means higher energy.

The energy of light is **not** related to *intensity* (how bright it is).


Higher intensities mean **more** photons mean brighter light.

The Electromagnetic Spectrum



© 2007 Thomson Higher Education

The Electromagnetic Spectrum





Lower Frequency = Longer Wavelength = Low Energy
Higher Frequency = Shorter Wavelength = High Energy

The world looks different at different wavelengths of light

Consider infrared light...otherwise known as **heat**.


Light and telescopes

This is an astronomy class seen in
infrared and visible light.



Light and telescopes

Consider Orion as Seen in Different Wavelengths of Light!



Light and telescopes

Review Questions

Question 1:

Light with a shorter wavelength has a
_____ frequency.

- A. higher
- B. lower

Question 2:

Light with a higher frequency has a _____ energy.

- A. higher
- B. lower

Question 3:

Light with a higher frequency travels _____
light with a lower frequency.

- A. faster than
- B. slower than
- C. at the same speed as

Question 4:


Which of the following does not emit light?

- A. A light bulb
- B. The Sun
- C. People
- D. A fire
- E. All of the above emit light

Sunlight


By observing light from a star, we can learn about a star's:

1. Total Energy Output
 2. Surface Temperature
 3. Radius
 4. Chemical Composition
 5. Velocity relative to Earth
- And more...



Everything is made of atoms


- All material is made up of *atoms*.
- Atoms are made from *protons*, *neutrons*, and *electrons*.
- Protons and neutrons are in the nucleus. Electrons move around the nucleus.



But where does the light come from?


- When something is hot, its atoms move around bumping into each other and the electrons in the material. The hotter it is, the more the atoms and electrons bump into each other.
- The electrons are accelerated when they are bumped and emit energy as *thermal radiation*.

Light and telescopes



Light and telescopes


blue 4600 Å 81



Light and telescopes

blue 4600 Å 81

green 5300 Å 85




Light and telescopes

blue 4600 Å 81


green 5300 Å 85

yellow 5800 Å 83




Light and telescopes

blue	4600 A	81
green	5300 A	85
yellow	5800 A	83
orange	6100 A	78




Light and telescopes



Blackbody curves


“Blackbody Curve” - a graph of an object’s energy output versus wavelength.

The WAVELENGTH that the PEAK of this curve occurs at tells us about the object’s TEMPERATURE and COLOR.



Color and temperature

Which object is hotter, an object that is emitting mainly red light or mainly blue light?




increasing temperature

Wien's Law


- The peak wavelength of a blackbody curve is *inversely proportional* to the temperature of the object.

$$\lambda_{\max} = 0.289 \text{ cm} / T_K$$




Hot objects emit light that **PEAKS** at short wavelengths (blue).

Cool objects emit light that **PEAKS** at long wavelengths (red)




Finding the hottest stars

Find the hottest star(s), how do you know ?




The peak of a blackbody curve



What is the wavelength of the PEAK of this “Blackbody” curve


What color is our 5800K Sun?

The Sun emits all wavelengths of electromagnetic radiation (light); however, the wavelengths of light it emits most intensely are in the green/yellow part of the spectrum.




What color does the Sun appear? **WHITE!!**


A star, like the Sun, which peaks in the middle of the visible part of the spectrum (green/yellow light) will appear **WHITE** to the human eye because it is giving off nearly equal amounts of all the visible colors of light.




Light and telescopes



Light and telescopes




Light and telescopes



Light and telescopes

1. Which object gives off the greatest amount of Blue light?
2. Which object gives off the greatest amount of Red light?
3. Which object would appear Red?
4. Which object would have the lowest temperature?



Light and telescopes

But wait, what about how bright
something looks?

Stefan-Boltzmann Law



- The luminosity (brightness) of an object is proportional to its *size* and *temperature*:

$$L = 5.67 \times 10^{-8} R^2 T^4$$

- Big and hot objects are brighter than small and cool objects.
- Two objects with the same brightness and different temperatures will have different sizes (and vice-versa).



Consider the following...

Which of these two stovetops is brighter?




Consider the following...

Which of these two stovetops is brighter?




Which star is larger?

- A. Star A
- B. Star B
- C. Same



Which star is larger Star A or Star B?

- A. Star A
- B. Star B
- C. Same




But where does the light come from?

- When something is hot, its atoms move around bumping into each other and the electrons in the material. The hotter it is, the more the atoms and electrons bump into each other.
- The electrons are accelerated when they are bumped and emit energy as *thermal radiation*.
- **But there is also another way for atoms to emit light...**


Energy Levels

Electrons can only “orbit” at very specific *energy levels*. The energies of these levels correspond to the energy of specific wavelengths (frequencies) of light. These levels are discrete or *quantized*.




Emission and Absorption

Imagine that the atom below has a single electron in its lowest energy state (the *ground* state). It can only move up a level if it absorbs a blue photon. If it is in a higher energy (excited) state, then it can suddenly decide to emit a blue photon (and only a blue photon).




Emitting photons

Photons (light-waves) are emitted from an atom when an electron moves from a higher energy level to a lower energy level




Absorbing photons


Photons (light-waves) can also be absorbed by an atom when an electron moves from a lower energy level to a higher energy level



Each chemical element produces its own unique set of spectral lines when it is excited



We can use these lines to determine the chemical composition of a star.




Light and telescopes

There are three laws that govern the types of spectra we see in the Universe.

Kirchoff's Law #1


A hot, dense material will emit light at all wavelengths to produce a *continuous* spectrum.



© 2005 Brooks/Cole - Thomson

Kirchoff's Law #2


A hot, low-density gas will emit light at only at specific wavelengths producing an *emission spectrum*.



© 2005 Brooks/Cole - Thomson

Kirchoff's Law #3

When light from a hot, dense object passes through a cooler, low density gas, the result is an *absorption spectrum*. The absorption lines are at the same location as the emission lines would be.



Light and telescopes

Let's look at some examples of these laws in action.