

NETENG ASSIGNMENT 1

Web server table

The following table shows the four optional web server software that are available. This table contains the License that each web server uses, its dependencies and scripting language as well as basic features of the software.

Webserver Table

Webserver	License	Dependencies	Scripting Language	Basic Features
Apache HTTP Server	Apache License 2.0	Apr-Util-1.6.1 ANSI-C Compiler PCRE-8.43 Accurate time keeping Optional-Dependencies OpenLDAP-2.4.47	C,XML	<ul style="list-style-type: none">- Loadable Dynamic Modules- Virtual hosting- IPv6-compatible- HTTP/2 support- Request processing rate limiting- Bandwidth throttling- IP address-based geolocation- User and Session tracking- Real-time status views- Generic expression parser- Reverse proxy with caching.- Highly scalable- Handling of static files, index files- Load Balancing- Multiprocessing Modules(MPMs)- XML Support- Many features implemented as compiled modules which extend core functionality (En.wikipedia.org, 2019)
Apache Tomcat	Apache License 2.0	commons-cli tomcat-api tomcat-annotations-api tomcat-catalina tomcat-catalina-ha tomcat-coyote tomcat-dbcp	Java	<ul style="list-style-type: none">- JSP/Servlet applications.- High availability to facilitate scheduled system upgrades.- Cluster to manage large applications for load balancing

		tomcat-el-api tomcat-jasper tomcat-jasper-el tomcat-jdbc tomcat-jsp-api tomcat-servlet-api tomcat-tribes tomcat-util tomcat-embed-core ecj		<ul style="list-style-type: none"> - Catalina (Apache Tomcat servlet container) - Jasper (Apache Tomcat JSP Engine) 'Parses JSP files to compile them into Java code as servlets (that can be handled by Catalina)' (En.wikipedia.org, 2019)
Lighttpd	3-Clause BSD	lighttpd lighttpd-doc lighttpd-filesystem lighttpd-modules-ldap lighttpd-modules-mysql (reposcope.com, 2019)	C	<ul style="list-style-type: none"> - Low memory usage "Light-weight (less than 1 MB)" (En.wikipedia.org, 2019) - Small CPU load - speed optimizations - Load Balancing - FastCGI - SCGI - HTTP proxy support - Modules support - Servlet support
Nginx	2-Clause BSD	PCRE version 8.42 zlib version 1.2.11 OpenSSL version 1.1.0h	C	<ul style="list-style-type: none"> - HTTP proxy/Web server/Mail proxy - Handling of static files, index files and auto-indexing - Load balancing - TLS/SSL with SNI and OCSP stapling support - FastCGI, SCGI, uWSGI support with caching - URL rewriting and redirection - IPv6-compatible - Name- and IP address-based virtual servers - TLS/SSL support - STARTTLS support - Media Streaming - reverse proxying for non-Http protocols

Wiki Software Table

Wiki	License	Dependencies	Basic Features/Design Focus
MediaWiki	GPLv2+	<ul style="list-style-type: none"> - Admin privileges on a server running PHP - Compatible SQL database 	<ul style="list-style-type: none"> - Easy Navigation - Editing, Formatting, and Referencing - File uploading - Multilanguage support - User Management - Database-driven - Parser caching - Output caching - Content management/Organisation
PmWiki	GNU General Public License	<ul style="list-style-type: none"> - PHP 4.3 or later - Any webserver that can run PHP scripts(Apache HTTP Server, Lighttpd) - No file type extension restrictions on the webserver 	<ul style="list-style-type: none"> - Designed to have ease of use in mind e.g users with little to no IT experience should be able to use it - Content management/Organisation - Can be used as a Internal communication platform - High customisability, allowing addons, modifying or disabling mark-up rules - Allows the user to adjust access by page -
XWiki	GNU Lesser General Public License	<ul style="list-style-type: none"> - Minimum of Java 6 - Servlet Container supporting Servlet 3.0.1 - Database and a JDBC 4 Driver for the database - A supported browser to access XWiki 	<ul style="list-style-type: none"> - Content management/Organisation - Page Editing - Database driven - Editing, Formatting, and Referencing - File uploading - Multilanguage support - User Management

License Table Wiki Software

GNU General Public License (GNU GPL or GPL)	GNU Lesser General Public License
<ul style="list-style-type: none"> - Free open-source Software license - Version 2(GPLv2+) may only use the software only if they can satisfy all of the license's obligations 	<ul style="list-style-type: none"> - Free open-source software license - “any developer who modifies an LGPL-covered component is required to make their modified version available under the same LGPL license”

License Table Web Server

Apache License 2.0	2-Clause BSD	3-Clause BSD
Open source license Required to provide copyright notice and disclaimer	Open source license “Only difference between 2-Clause BSD and 3-Clause BSD is that this license omits the non-endorsement clause and adds further disclaimer about views and opinions expressed in the software.” (Wikipedia, 22 March 2019)	Open source license Allows for unlimited distribution for any purpose but requires copyright notice and disclaimers and warranties.

Scripting Language

The following table provides the three scripting languages used by the selected web servers and contains a brief list of the attributes of each scripting language.

C	Java
<ul style="list-style-type: none">- Procedural Programming Language- Mid-level Language- function oriented- procedure-oriented- Developed between 1969 and 1973.	<ul style="list-style-type: none">- Object oriented programming language- Inheritance- Abstraction- Polymorphism- Encapsulation- data-oriented- Developed in 1995

Selection Criteria Web Server

The following table shows the selection criteria amongst the researched web servers. The selection criteria is simple but effective as each category is easy to research and compare amongst the different contending web servers.

The ease of installation is a self explaining category as a difficult to install service is time wasted and unnecessary.

Scripting language is more dependent on personal proficiency when it comes to the different languages but Java is generally considered more accessible than C.

Expandability/Upgradability criteria is decided by the amount of modular expandability or plain upgradability of the web service beyond its initial installation.

























Popularity is decided by the amount of the 2018 Web server Survey showing the most popular Web servers.

Support is decided by how much support is provided to users of the software.

The security criteria is decided by the security each web server when compared with each other.

Pass = 

Fail = 



Name	Ease of Installation	Programmability/Scripting Language	Modularity/Upgradability	Popularity	Support	Security
Apache HTTP Server						
Apache Tomcat						
Nginx						
Lighttpd						







Reason for selection

- Ease of installation shows that Apache HTTP server is the easiest to install
- Apache is also more flexible with loadable dynamic modules than most other webservers in the list except for Nginx which offers the same type of modular design.

- Another criteria that Apache passes is the popularity criteria which it shares with Nginx again as both are extremely but as of March 2019 Apache is at 44% of the usage of web servers while Nginx is slightly behind at 41.2% (W3techs.com, 2019)
- The final two criteria that both Nginx and Apache share are the support and security with both providing a large amount of support from the user community and documentation that allows users to make constant adjustments to the security of the web servers.
- The final choice was between Apache and Nginx with Apache being decided for its more flexible modularity and ease of installation compared to that of Nginx, although Nginx does stand out for having more advanced features such as media streaming and reverse proxying for non-Http protocols.

Selection Criteria Scripting Language

- The following is the selection criteria to compare the two different commonly used scripting languages used by the web server software Accessibility
- Pass = 
- Fail = 

Name	Security	Accessibility	Popularity
C			
Java			

Reason for selection

- The security criteria is a hard choice as both scripting languages are considered mid range in terms of security and are the main scripting languages of most web servers.
- Java is the more accessible and newer scripting language and is considered more accessible and easier to learn as well as being cross platform support 'Java code can be written once and executed from anywhere' (WhiteSource, 2019)
- Both Java and C are incredibly popular, C more for the reason of being developed earlier and Java for the accessibility that it provides.

Selection Criteria Wiki

The following table shows the selection criteria for the selected Wiki software followed by the justification for the decision of each selection

- Pass = 
- Fail = 

Name	Ease of Installation	Customisability	Popularity	Support
Medawiki				
PmWiki				
XWiki				

Reason for selection

- The choice between the three wiki software is not easy as each has major benefits to them and perform similar to each other but in different ways, they present themselves easy to install to people with limited IT skill and are easy to both install and configure onto a web server
- Each wiki also presents a way to customise the user interface but compared to PmWiki and XWiki the Medawiki is only partially customisable.
- In terms of popularity Mediawiki is the most popular wiki software
- Each wiki software is presented with a large amount of support from official forums as well as community forums
- The reason for using Medawiki as the wiki to be used along with the apache web server is that they have been presented as the easiest to install and with more support and popularity than the other contenders in each criteria. Should there be problems with installing or modifying either the wiki or web server the large pool of official and unofficial support is incredibly helpful.

Selected Webserver

Apache HTTP Server

Apache GitHub Repository

<https://github.com/apache/httpd>

Official site

<https://httpd.apache.org/>

License

Apache License 2.0

Scripting language

C,XML

Brief description

Apache HTTP Server is a free open source web server software released under the Apache license 2.0. Majority of instances of Apache HTTP server run on Linux, Apache also runs on windows and a wide variety of Unix systems.

Installation instructions on Ubuntu

Update local package index

- `sudo apt-get update`

Install the apache2 package

- `sudo apt-get install apache2`

Firewall for the webserver

Enable

- `sudo ufw enable`

List application profiles

- `sudo ufw app list`

Apache Full: This profile opens both port 80 (normal, unencrypted web traffic) and port 443 (TLS/SSL encrypted traffic)

- `sudo ufw allow 'Apache Full'`

Check Status of firewall

- `sudo ufw status`

Check Status of Service

- `sudo systemctl status apache2`

Check Server IP address

- `hostname -I`

Open Browser then insert given Ip address to view running webpage

Webserver management commands

Stop Webserver

- `sudo systemctl stop apache2`

Start Webserver after being stopped

- `sudo systemctl start apache2`

Restart Webserver

- `sudo systemctl restart apache2`

Restart without stopping for configuration changes

- `sudo systemctl reload apache2`

Disable automatic start on boot (Apache is configured to start on system boot)

- `sudo systemctl disable apache2`

Re-enable Apache start on boot

- `sudo systemctl enable apache2`

Enable/Disable Modules

a2enmod – enables modules (lists all the modules available)

- `a2enmod ***`

a2dismod – disables modules

- `a2dismod ***`

Uninstall Apache

- `sudo apt-get purge -y apache2`

Setting Virtual Host

“Virtual Hosts encapsulate configuration details and host more than one domain from a single server” (Digitalocean.com, 2019)

Directory for Domain name using domain.com as the example.

- `sudo mkdir -p /var/www/ domain.com/html`

Assign ownership of the directory

- `sudo chown -R $USER:$USER /var/www/ domain.com/html`

Permissions for web roots

- `sudo chmod -R 755 /var/www/ domain.com`

Creating sample html file using Nano

- `nano /var/www/ domain.com/html/index.html`

Add following to index.html file

```
<html>
  <head>
    <title>Welcome to domain.com</title>
  </head>
  <body>
    <h1>The domain.com server block is working</h1>
  </body>
</html>
```

Create new virtual host at directory

`/etc/apache2/sites-available/example.com.conf`

- `sudo nano /etc/apache2/sites-available/example.com.conf`

Add following to conf file

- `<VirtualHost *:80>`
- `ServerAdmin admin@domain.com`
- `ServerName domain.com`
- `ServerAlias www.domain.com`
- `DocumentRoot /var/www/domain.com/html`
- `ErrorLog ${APACHE_LOG_DIR}/error.log`
- `CustomLog ${APACHE_LOG_DIR}/access.log combined`
- `</VirtualHost>`

Enable the file

- `sudo a2ensite domain.com.conf`

Disable the default site at 000-default.conf

- `sudo a2dissite 000-default.conf`

Test Configuration

- `sudo apache2ctl configtest`

Restart Apache for changes to take place.

Apache Files and Directories

Web content

`/var/www/html`

The Apache configuration directory

`/etc/apache2`

The Apache configuration file

`/etc/apache2/apache2.conf`

The directory where per-site V-Hosts can be stored

`/etc/apache2/sites-available/`

The directory where enabled per-site V-hosts are stored

`/etc/apache2/sites-enabled/`

File that specifies the ports that Apache will listen on

`/etc/apache2/ports.conf`

File relationships sites-available and sites-enabled used to store configuration fragments that do not belong in Virtual Host

`/etc/apache2/conf-available/`

`/etc/apache2/conf-enabled/`

Directories that contain the available and enabled modules, respectively.

`.load` Files will load specific modules.

`.conf` Files contain the configuration of those modules.

/etc/apache2/mods-available/

/etc/apache2/mods-enabled/

Server Logs

Every request to the web server is stored in this log file unless Apache is configured to do otherwise

/var/log/apache2/access.log

Errors are recorded in this file

/var/log/apache2/error.log

Installing Wiki Software

(Jethva, 2019)

Install MariaDB

- sudo apt-get install mariadb-server mariadb-client

commands below can be used to stop, start and enable MariaDB

- sudo systemctl stop mariadb.service
- sudo systemctl start mariadb.service
- sudo systemctl enable mariadb.service

commands below to secure MariaDB server

- sudo mysql_secure_installation

Install PHP and Related Modules

- sudo apt-get install php php-common php-mbstring php-xmlrpc php-soap php-gd php-xml php-intl php-mysql php-cli php-ldap php-zip php-curl
- sudo apt-get install php7.0-mcrypt

install mysql

- sudo mysql_secure_installation

Enter mysql and create database then exit

- mysql -u root -p
- MariaDB [(none)]>CREATE DATABASE mediadb;
- MariaDB [(none)]>CREATE USER 'media'@'localhost' IDENTIFIED BY 'password';
- MariaDB [(none)]>GRANT ALL ON mediadb.* TO 'media'@'localhost' IDENTIFIED BY 'password' WITH GRANT OPTION;

- MariaDB [(none)]>FLUSH PRIVILEGES;
MariaDB [(none)]>EXIT;

Download mediawiki from official site

- `wget https://releases.wikimedia.org/mediawiki/1.31/mediawiki-1.31.0.tar.gz`

Extract to apache root directory, change permissions

- `tar -xvzf mediawiki-1.31.0.tar.gz`
- `sudo cp -r mediawiki-1.31.0 /var/www/html/mediawiki`
`sudo chown -R www-data:www-data /var/www/html/mediawiki`
`sudo chmod -R 777 /var/www/html/mediawiki`

Create virtual host for mediawiki

- `sudo nano /etc/apache2/sites-available/mediawiki.conf`

Add the following to the conf file

- `<VirtualHost *:80>`
- `ServerAdmin admin@example.com`
- `DocumentRoot /var/www/html/mediawiki/`
- `ServerName example.com`
- `<Directory /var/www/html/mediawiki/>`
- `Options +FollowSymLinks`
- `AllowOverride All`
- `</Directory>`
- `ErrorLog /var/log/apache2/media-error_log`
- `CustomLog /var/log/apache2/media-access_log common`
- `</VirtualHost>`

Save file and restart server

- `sudo a2ensite mediawiki.conf`
`sudo a2enmod rewrite`
- `sudo systemctl restart apache2`

Screen Shots




Figure 1: Installing Apache2 on command terminal




Figure 2: Check status after starting web server




Figure 3: configure Firewall




Figure 4: Listed Modules





Figure 6: Running Webserver



Installation process for Wiki




Figure 8:Wiki installation

Bibliography

https://en.wikipedia.org/wiki/Apache_HTTP_Server

https://en.wikipedia.org/wiki/Apache_Tomcat

<https://en.wikipedia.org/wiki/Lighttpd>

<http://www.linuxfromscratch.org/blfs/view/systemd/server/apache.html>

<https://reposcope.com/package/lighttpd/dependencies>

<https://httpd.apache.org/>

https://w3techs.com/technologies/history_overview/web_server

<https://www.whitesourcesoftware.com/most-secure-programming-languages/>

References

En.wikipedia.org. (2019). *Apache HTTP Server*. [online] Available at: https://en.wikipedia.org/wiki/Apache_HTTP_Server [Accessed 20 Apr. 2019].

En.wikipedia.org. (2019). *Apache Tomcat*. [online] Available at: https://en.wikipedia.org/wiki/Apache_Tomcat [Accessed 20 Apr. 2019].

En.wikipedia.org. (2019). *Lighttpd*. [online] Available at: <https://en.wikipedia.org/wiki/Lighttpd> [Accessed 20 Apr. 2019].

Linuxfromscratch.org. (2019). *Apache-2.4.39*. [online] Available at: <http://www.linuxfromscratch.org/blfs/view/systemd/server/apache.html> [Accessed 20 Apr. 2019].

reposcope.com. (2019). *lighttpd - Dependencies*. [online] Available at: <https://reposcope.com/package/lighttpd/dependencies> [Accessed 23 Apr. 2019].

Group, D. (2019). *Welcome! - The Apache HTTP Server Project*. [online] Httpd.apache.org. Available at: <https://httpd.apache.org/> [Accessed 23 Apr. 2019].

W3techs.com. (2019). *Historical trends in the usage of web servers, April 2019*. [online] Available at: https://w3techs.com/technologies/history_overview/web_server [Accessed 25 Apr. 2019].

WhiteSource. (2019). *Most Secure Programming Languages*. [online] Available at: <https://www.whitesourcesoftware.com/most-secure-programming-languages/> [Accessed 28 Apr. 2019].

Digitalocean.com. (2019). *How To Install the Apache Web Server on Ubuntu 18.04 [Quickstart] | DigitalOcean*. [online] Available at: <https://www.digitalocean.com/community/tutorials/how-to-install-the-apache-web-server-on-ubuntu-18-04-quickstart> [Accessed 22 Apr. 2019].

Jethva, H. (2019). *How to install MediaWiki on Ubuntu 18.04 LTS*. [online] HowtoForge. Available at: <https://www.howtoforge.com/tutorial/how-to-install-mediawiki-on-ubuntu-1804/> [Accessed 12 May 2019].

En.wikipedia.org. (2019). *Comparison of wiki software*. [online] Available at: https://en.wikipedia.org/wiki/Comparison_of_wiki_software [Accessed 14 May 2019].